

ATTACHMENT B

2.3.5.1.5 Notwithstanding the foregoing, if, after receiving all bids, the ISO concludes that it may be is still unable to comply with the Applicable Reliability Criteria, the ISO shall, acting in accordance with Good Utility Practice, take such steps as it considers to be necessary to ensure compliance, including the negotiation of contracts through processes other than competitive solicitations.

* * *

2.3.5.1.8 Except where and to the extent that such costs are recovered from Scheduling Coordinators pursuant to Section 2.5, and except as provided in Section 2.3.5.1.9, all costs incurred by the ISO in any hour pursuant to any contract entered into under this Section 2.3.5.1 shall be charged to each Scheduling Coordinator pro rata based upon the same proportion as the Scheduling Coordinator's metered hourly Demand (including exports) bears to the total metered hourly Demand (including exports) served in that hour.

2.3.5.1.9 Costs incurred by the ISO pursuant to any contract entered into under this Section 2.3.5.1 for resources to meet any portion of the anticipated difference between forward schedules and the real-time deviation from those schedules shall be charged to each Scheduling Coordinator pro rata based upon the same proportion as the Scheduling Coordinator's obligation for deviation Replacement Reserve in the hour, determined in accordance with Section 2.5.28.4, bears to the total deviation Replacement Reserve in that hour.