



August 15, 2022

The Honorable Kimberly D. Bose
Secretary
Federal Energy Regulatory Commission
888 First Street, NE
Washington, DC 20426

**Re: California Independent System Operator Corporation
Docket Nos. ER08-1178-000 and EL08-88-000
June 2022 Exceptional Dispatch Reports (Charts 1 and 2)**

Dear Secretary Bose:

The California Independent System Operator Corporation (CAISO) submits both its June 2022 (Chart 1) and June 2022 (Chart 2) Exceptional Dispatch reports as required by the Commission in the September 2, 2009 and May 4, 2010 orders. Because the necessary information is available, the CAISO is issuing the Chart 1 and Chart 2 reports on the 15th of the month. Previously, the Chart 2 report was filed on the 30th of the month.

Each report provides information that the Commission directed be included, as set forth in the September 2, 2009 and May 4, 2010 orders. The Chart 1 report (Attachment A), includes exceptional dispatch information except for cost data and the degree of mitigation and price impact analyses. The Chart 2 report (Attachment B), includes all of the information in the Chart 1 report as well as cost data and the degree of mitigation and price impact analyses.

Respectfully submitted,
By: /s/ Sidney Mannheim

Roger E. Collanton
General Counsel
Sidney L. Mannheim
Assistant General Counsel
California Independent System
Operator Corporation
250 Outcropping Way
Folsom, CA 95630
Tel: (916) 608-7144
Fax: (916) 608-7222
smannheim@caiso.com

ATTACHMENT A

**June 2022 Exceptional Dispatch Report
Chart 1 data**



California ISO

Exceptional Dispatch Report

Table 1: June 2022

TABLE OF CONTENTS

Introduction	3
The Nature of Exceptional Dispatch.....	3
Appendix A: Explanation by Example	18
Example 1: Exceptional Dispatch Instructions Prior to DAM	18
Example 2: Incremental Exceptional Dispatch Instructions in RTM.....	19
Example 3: Decremental Exceptional Dispatch Instructions in RTM	21

LIST OF TABLES AND FIGURES

Table 1: Exceptional Dispatches in June 2022	6
Table 2: Instructions Prior to Day-Ahead Market	18
Table 3: FERC Summary of Instructions Prior to DAM	19
Table 4: Incremental Exceptional Dispatch Instructions in RTM	19
Table 5: FERC Summary of ED Instructions in RTM	20
Table 6: Decremental Exceptional Dispatch Instructions in RTM	21
Table 7: FERC Summary of Decremental ED Instructions in RTM	21

Introduction

This report is filed pursuant to FERC's September 2, 2009, and May 4, 2010, orders in Docket No. ER08-1178. These orders require two monthly Exceptional Dispatch reports—one issued on the 15th of each month and one originally issued on the 30th of each month. Both Table 1 and Table 2 reports will be issued on the 15th of each month due to the availability of necessary data. This report provides data on the frequency and reasons for Exceptional Dispatches issued in June 2022.

The Nature of Exceptional Dispatch

The CAISO can issue exceptional dispatch instructions for a resource as a pre-day-ahead unit commitment, which may also include a post-day-ahead unit commitment, or a real-time exceptional dispatch.¹ A pre-day-ahead commitment is an exceptional dispatch instruction that commits a resource at or above its physical minimum operating level in the day-ahead market. A post-day-ahead market commitment is an exceptional dispatch instruction that commits a resource at or above its physical minimum operating level in the real-time market. A real-time exceptional dispatch instruction is a dispatch of a resource at or above its physical minimum operating point. A real-time exceptional dispatch above the resource day-ahead award is an incremental exceptional dispatch instruction and an exceptional dispatch below the day-ahead award is a decremental dispatch instruction.

The CAISO issues exceptional dispatch instructions to maintain the reliability of the grid when the market software cannot do so. Whenever the CAISO issues an exceptional dispatch instruction, the operator logs the dispatch and the associated reason.

Many of the exceptional dispatches listed below in Table 1, were to satisfy either a local area or system reliability requirements, and are classified into local generation requirements, transmission management requirements, non-modeled transmission outages or other non-modeled constraints or requirements and intertie emergency assistance. All of the transmission procedures are available on the CAISO website.²

The following reason for exceptional dispatch instructions in June 2022 was not related to generation or transmission operating procedures: Software Limitation, when an exceptional dispatch instruction was used to bridge schedules across days for resources with a minimum down time of 24 hours, as the CAISO software does not handle multi day commitment. For instance, a resource has a

¹ The CAISO can issue exceptional dispatch instructions subject to authority of the CAISO Tariff Section 34.11 and in accordance with CAISO Operating Procedure 2330 (formerly M-402).

² A list of all of the CAISO's publicly available Operating Procedures are available at the following link: <http://www.caiso.com/thegrid/operations/opsdoc/index.html>

day-ahead schedule from 0600 till 2300, and then is shut down in 2400. If this resource had a minimum down time of 24 hours and it is required the following day, then the CAISO issues an exceptional dispatch to commit this resource in 2400 so it can be dispatched economically in the following day. Software limitation reason was also used for exceptional dispatches to manually issue shut down instructions to a resource because of a temporary Automatic Dispatch System (“ADS”) failure, or similar issues. Interconnection Reliability Operating Limits (IROL) are system operating limits that are established to prevent instability, uncontrolled separation or cascading as described in operating procedure 3100. System Operating Limit (SOL) are the facility ratings, system voltage limits, transient stability limits, and voltage stability limits that are used in the operating horizon – any of which can be the most restrictive limit at any point in time, pre – or post – contingency. Control Point (CP) are imposed to protect the area transmission network against N – 1 contingencies. There were a few other reasons used to explain exceptional dispatch instructions in June 2022, which are self explanatory.

The data in Table 1 is based on a template specified in the September 2009 order.³ Each entry in Attachment A is a summary of exceptional dispatches classified by (1) the reason for the exceptional dispatch; (2) the location of the resource by Participating Transmission Owner (“PTO”) service area; (3) the Local Reliability Area (“LRA”) where applicable; (4) the market in which the exceptional dispatch occurred (day-ahead vs. real-time); and (5) the date of the exceptional dispatch. For each classification the following information is provided: (1) Megawatts (MW); (2) Commitment (3) Inc or Dec (4) Hours; (5) Begin Time; and (6) End Time.

The MW column shows the range of exceptional dispatch instructions in MW for the classification. The Commitment column specifies if there was a unit commitment for the classification. The INC/DEC column specifies if there was an incremental dispatch or a decremental dispatch from the IFM schedule. The Begin Time column shows the start of exceptional dispatch for the classification and the End Time column shows the end of exceptional dispatch for the classification. The column Hours is the difference between end time and begin time rounded up to the next hour. The data shown is further explained by way of example in Attachment A.

Table 1 indicates there were 320 exceptional dispatches in June 2022, as compared to 210 exceptional dispatches in May 2022. Exceptional dispatches issued for the following reasons accounted for approximately 70 percent of the

³ The data in Table 1 is principally SLIC information supplemented with data from the Market Quality System (MQS). It is the most accurate currently available and it is worth noting that this data has been through the T+38B initial statement process wherein many unresolved issues are fixed. The CAISO believes that this data will correlate well with the settlements data that will be available when the CAISO files the Table 2 report for the reporting period.

total exceptional dispatches during the reporting period: market disruption, planned transmission outages, reliability assessment and voltage support. Exceptional dispatches with the reason “Reliability Assessment” were due to Real Time Contingency Analysis, Voltage Stability Analysis, and operating procedure number 7110. Reliability Assessment is the reason as explained in the operator procedure 2330C⁴ that encompasses Control Point (CP), Interconnection Reliability Operating Limit (IRO), System Operating Limit (SOL) and congestion related EDs. This reason is used to mitigate reliability issues identified through the real – time assessment tools such as Real Time Contingency Analysis (RTCA), Voltage Stability Analysis (VSA), Dynamic Stability Analysis (DSA) and/or Operating Procedure (OP) or offline study.

1) ⁴ The operator procedure 2330C - <http://www.caiso.com/Documents/2330C.pdf>

Table 1: Exceptional Dispatches in June 2022

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 1: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
1	RT	Bridging Schedules	SCE	LA Basin	6/23/2022	10	No	INC	1	23:00	0:00
2	RT	Bridging Schedules	SCE	LA Basin	6/27/2022	10	No	INC	1	23:00	0:00
3	RT	Bridging Schedules	SDGE	San Diego-IV	6/30/2022	155	No	INC	4	2:00	6:00
4	RT	Conditions beyond the control of the CAISO	SCE	LA Basin	6/22/2022	172 - 178	No	INC	5	17:00	22:00
5	RT	Fast Start Unit Management	PGAE	Bay Area	6/13/2022	0	No	INC	2	7:15	8:50
6	RT	Fast Start Unit Management	PGAE	Bay Area	6/15/2022	0	No	INC	1	16:20	17:20
7	RT	Fast Start Unit Management	PGAE	Bay Area	6/24/2022	0	No	INC	1	1:15	2:15
8	RT	Incomplete or Inaccurate Transmission	PGAE	Bay Area	6/28/2022	80	No	INC	8	15:55	23:00
9	RT	Incomplete or Inaccurate Transmission	PGAE	Sierra	6/1/2022	100	No	DEC	4	19:45	23:00
10	RT	Incomplete or Inaccurate Transmission	PGAE	Sierra	6/2/2022	105	No	DEC	6	18:25	0:00
11	RT	Incomplete or Inaccurate Transmission	PGAE	Sierra	6/28/2022	20 - 42	No	DEC	8	15:10	23:00
12	RT	Incomplete or Inaccurate Transmission	PGAE	Sierra	6/28/2022	42	No	INC	8	15:00	23:00
13	RT	Incomplete or Inaccurate Transmission	PGAE	Sierra	6/29/2022	20 - 45	No	DEC	6	17:00	23:00
14	RT	Incomplete or Inaccurate Transmission	PGAE	Sierra	6/29/2022	20 - 42	No	INC	8	15:00	23:00
15	RT	Load Forecast Uncertainty	PGAE	Fresno	6/2/2022	100	No	INC	2	7:00	8:15
16	RT	Load Forecast Uncertainty	SCE	Big Creek-Ventura	6/9/2022	100	No	INC	9	15:00	0:00
17	RT	Load Forecast Uncertainty	SCE	Big Creek-Ventura	6/10/2022	50 - 410	No	INC	11	13:00	0:00
18	RT	Load Forecast Uncertainty	SCE	Big Creek-Ventura	6/27/2022	50	No	DEC	9	15:00	0:00
19	RT	Load Forecast Uncertainty	SCE	Big Creek-Ventura	6/28/2022	100	No	INC	9	15:00	0:00
20	RT	Load Forecast Uncertainty	SCE	LA Basin	6/23/2022	20	No	INC	24	0:00	0:00

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
21	RT	Load Forecast Uncertainty	SCE	LA Basin	6/26/2022	10	No	INC	10	5:00	15:00
22	RT	Load Forecast Uncertainty	SCE	LA Basin	6/27/2022	130	No	DEC	9	15:30	0:00
23	RT	Load Forecast Uncertainty	SCE	LA Basin	6/27/2022	70	No	INC	10	14:00	0:00
24	RT	Load Forecast Uncertainty	SCE	LA Basin	6/28/2022	25842	No	INC	18	6:00	0:00
25	RT	Load Forecast Uncertainty	SCE	LA Basin	6/29/2022	20 - 70	No	INC	24	0:00	0:00
26	RT	Market Disruption	PGAE	Bay Area	6/7/2022	290	No	DEC	1	23:10	23:15
27	RT	Market Disruption	PGAE	Fresno	6/7/2022	83	No	INC	1	23:05	0:00
28	RT	Market Disruption	PGAE	NA	6/7/2022	0 - 305	No	DEC	2	22:50	0:00
29	RT	Market Disruption	PGAE	NA	6/7/2022	0	No	INC	1	23:00	0:00
30	RT	Market Disruption	PGAE	NA	6/8/2022	305	No	DEC	4	0:00	3:15
31	RT	Market Disruption	PGAE	NA	6/8/2022	0	No	INC	3	0:00	2:55
32	RT	Market Disruption	SCE	LA Basin	6/7/2022	0 - 290	No	DEC	1	22:50	23:05
33	RT	Market Disruption	SCE	LA Basin	6/7/2022	0	No	INC	1	23:00	0:00
34	RT	Market Disruption	SCE	LA Basin	6/8/2022	0	No	INC	4	0:00	3:55
35	RT	Market Disruption	SCE	NA	6/23/2022	-200	No	DEC	1	6:35	7:30
36	RT	Market Disruption	SDGE	San Diego-IV	6/7/2022	331	No	DEC	1	22:50	23:05
37	RT	Other Reliability Requirement	PGAE	Fresno	6/4/2022	404	No	INC	1	22:05	22:15
38	RT	Planned Transmission Outage	PGAE	Bay Area	6/1/2022	15	No	INC	13	9:35	22:00
39	RT	Planned Transmission Outage	PGAE	Bay Area	6/3/2022	15	No	INC	7	15:00	22:00
40	RT	Planned Transmission Outage	PGAE	Bay Area	6/5/2022	20	No	INC	3	11:30	14:15
41	RT	Planned Transmission Outage	PGAE	Bay Area	6/11/2022	20	No	INC	4	19:30	22:45
42	RT	Planned Transmission Outage	PGAE	Bay Area	6/23/2022	20	No	DEC	7	14:00	21:00
43	RT	Planned Transmission Outage	PGAE	Bay Area	6/23/2022	20	No	INC	9	13:05	22:00
44	RT	Planned Transmission Outage	PGAE	Bay Area	6/24/2022	20	No	DEC	1	18:40	19:00
45	RT	Planned Transmission Outage	PGAE	Bay Area	6/24/2022	20	No	INC	4	19:00	23:00
46	RT	Planned Transmission Outage	PGAE	Fresno	6/13/2022	83	No	INC	1	4:25	5:00
47	RT	Planned Transmission Outage	PGAE	Fresno	6/27/2022	120 - 250	No	INC	2	22:35	0:00
48	RT	Planned Transmission Outage	PGAE	Fresno	6/28/2022	83 - 320	No	INC	24	0:00	0:00
49	RT	Planned Transmission Outage	PGAE	Fresno	6/29/2022	83	No	INC	3	0:00	3:00

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
50	RT	Planned Transmission Outage	PGAE	Fresno	6/30/2022	83	No	INC	6	0:25	5:45
51	RT	Planned Transmission Outage	PGAE	Humboldt	6/1/2022	30 - 45	No	DEC	4	18:00	22:00
52	RT	Planned Transmission Outage	PGAE	Humboldt	6/1/2022	30 - 60	No	INC	24	0:00	0:00
53	RT	Planned Transmission Outage	PGAE	Humboldt	6/2/2022	30 - 60	No	INC	24	0:00	0:00
54	RT	Planned Transmission Outage	PGAE	Humboldt	6/3/2022	15 - 45	No	INC	24	0:00	0:00
55	RT	Planned Transmission Outage	PGAE	Humboldt	6/4/2022	30	No	DEC	6	13:00	19:00
56	RT	Planned Transmission Outage	PGAE	Humboldt	6/4/2022	15 - 30	No	INC	24	0:00	0:00
57	RT	Planned Transmission Outage	PGAE	Humboldt	6/5/2022	15	No	DEC	23	0:15	23:00
58	RT	Planned Transmission Outage	PGAE	Humboldt	6/5/2022	15 - 30	No	INC	24	0:00	0:00
59	RT	Planned Transmission Outage	PGAE	Humboldt	6/6/2022	15	No	DEC	8	0:00	7:30
60	RT	Planned Transmission Outage	PGAE	Humboldt	6/6/2022	30	No	INC	24	0:00	0:00
61	RT	Planned Transmission Outage	PGAE	Humboldt	6/7/2022	28 - 42	No	INC	24	0:00	0:00
62	RT	Planned Transmission Outage	PGAE	Humboldt	6/8/2022	28 - 48	No	INC	24	0:00	0:00
63	RT	Planned Transmission Outage	PGAE	Humboldt	6/9/2022	28 - 45	No	DEC	6	15:00	21:00
64	RT	Planned Transmission Outage	PGAE	Humboldt	6/9/2022	28 - 45	No	INC	24	0:00	0:00
65	RT	Planned Transmission Outage	PGAE	Humboldt	6/10/2022	15 - 60	No	DEC	10	13:00	22:15
66	RT	Planned Transmission Outage	PGAE	Humboldt	6/10/2022	30 - 60	No	INC	18	0:00	18:00
67	RT	Planned Transmission Outage	PGAE	Humboldt	6/14/2022	30	No	DEC	8	15:00	23:00
68	RT	Planned Transmission Outage	PGAE	Humboldt	6/14/2022	30	No	INC	18	6:30	0:00
69	RT	Planned Transmission Outage	PGAE	Humboldt	6/15/2022	30	No	DEC	4	18:00	22:00
70	RT	Planned Transmission Outage	PGAE	Humboldt	6/15/2022	30	No	INC	24	0:00	0:00
71	RT	Planned Transmission Outage	PGAE	Humboldt	6/16/2022	30 - 45	No	INC	24	0:00	0:00
72	RT	Planned Transmission Outage	PGAE	Humboldt	6/17/2022	30 - 45	No	INC	24	0:00	0:00
73	RT	Planned Transmission Outage	PGAE	Humboldt	6/18/2022	14	No	DEC	5	17:00	21:25
74	RT	Planned Transmission Outage	PGAE	Humboldt	6/18/2022	14 - 45	No	INC	24	0:00	0:00
75	RT	Planned Transmission Outage	PGAE	Humboldt	6/19/2022	14 - 28	No	INC	19	0:00	18:15
76	RT	Planned Transmission Outage	PGAE	Humboldt	6/25/2022	30	No	DEC	4	20:25	0:00
77	RT	Planned Transmission Outage	PGAE	Humboldt	6/25/2022	15	No	INC	1	23:40	0:00
78	RT	Planned Transmission Outage	PGAE	Humboldt	6/26/2022	15 - 45	No	DEC	14	8:00	22:00

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
79	RT	Planned Transmission Outage	PGAE	Humboldt	6/26/2022	15 - 45	No	INC	24	0:00	0:00
80	RT	Planned Transmission Outage	PGAE	Humboldt	6/27/2022	30 - 45	No	DEC	17	7:00	0:00
81	RT	Planned Transmission Outage	PGAE	Humboldt	6/27/2022	15 - 45	No	INC	24	0:00	0:00
82	RT	Planned Transmission Outage	PGAE	Humboldt	6/28/2022	30	No	DEC	22	0:00	22:00
83	RT	Planned Transmission Outage	PGAE	Humboldt	6/28/2022	30 - 45	No	INC	24	0:00	0:00
84	RT	Planned Transmission Outage	PGAE	Humboldt	6/29/2022	30 - 45	No	DEC	4	18:00	22:00
85	RT	Planned Transmission Outage	PGAE	Humboldt	6/29/2022	30 - 45	No	INC	24	0:00	0:00
86	RT	Planned Transmission Outage	PGAE	Humboldt	6/30/2022	30 - 45	No	INC	24	0:00	0:00
87	RT	Planned Transmission Outage	PGAE	Kern	6/1/2022	32 - 52	Yes	INC	6	18:00	0:00
88	RT	Planned Transmission Outage	PGAE	Kern	6/5/2022	47	No	INC	4	20:30	0:00
89	RT	Planned Transmission Outage	PGAE	NCNB	6/18/2022	23590	No	DEC	19	5:00	0:00
90	RT	Planned Transmission Outage	PGAE	NCNB	6/18/2022	15	No	INC	7	8:40	14:45
91	RT	Planned Transmission Outage	PGAE	NCNB	6/19/2022	19633	No	DEC	21	0:00	20:30
92	RT	Planned Transmission Outage	PGAE	Sierra	6/1/2022	47	No	DEC	4	18:45	22:00
93	RT	Planned Transmission Outage	PGAE	Sierra	6/1/2022	20 - 47	No	INC	5	19:00	0:00
94	RT	Planned Transmission Outage	PGAE	Sierra	6/9/2022	20	No	DEC	1	16:45	17:30
95	RT	Planned Transmission Outage	PGAE	Sierra	6/9/2022	20	No	INC	1	16:45	17:30
96	RT	Planned Transmission Outage	PGAE	Stockton	6/13/2022	89	No	INC	3	20:30	23:30
97	RT	Planned Transmission Outage	PGAE	NA	6/2/2022	43 - 45	No	DEC	4	17:30	21:00
98	RT	Planned Transmission Outage	PGAE	NA	6/3/2022	40	No	DEC	5	18:00	23:00
99	RT	Planned Transmission Outage	PGAE	NA	6/3/2022	40	No	INC	7	17:25	0:00
100	RT	Planned Transmission Outage	SCE	Fresno	6/21/2022	75	No	DEC	1	9:50	10:45
101	RT	Planned Transmission Outage	SCE	NA	6/24/2022	0 - 40	No	DEC	3	21:10	0:00
102	RT	Planned Transmission Outage	SCE	NA	6/25/2022	40	No	DEC	17	0:00	17:00
103	RT	Planned Transmission Outage	SDGE	San Diego-IV	6/24/2022	37	No	INC	2	21:55	23:00
104	RT	Planned Transmission Outage	SDGE	San Diego-IV	6/30/2022	290	No	INC	11	6:00	17:00
105	RT	Pump Management	PGAE	Fresno	6/18/2022	-297	No	DEC	1	23:30	0:00
106	RT	Ramping Capacity	PGAE	Bay Area	6/21/2022	555 - 565	No	DEC	3	19:45	22:00
107	RT	Ramping Capacity	PGAE	Bay Area	6/21/2022	590	No	INC	1	18:50	19:45

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
108	RT	Ramping Capacity	PGAE	Kern	6/8/2022	32	No	DEC	6	18:00	0:00
109	RT	Ramping Capacity	PGAE	Kern	6/8/2022	32	No	INC	2	16:00	18:00
110	RT	Ramping Capacity	PGAE	Kern	6/9/2022	32	No	INC	2	0:00	2:00
111	RT	Ramping Capacity	PGAE	NA	6/22/2022	49 - 307	No	DEC	6	16:00	22:00
112	RT	Ramping Capacity	PGAE	NA	6/22/2022	49 - 307	No	INC	3	15:00	18:00
113	RT	Ramping Capacity	SCE	Big Creek-Ventura	6/10/2022	400.1	No	INC	7	15:00	22:00
114	RT	Ramping Capacity	SCE	Big Creek-Ventura	6/28/2022	401	No	INC	4	16:00	20:00
115	RT	Ramping Capacity	SCE	Big Creek-Ventura	6/29/2022	401	No	INC	4	16:00	20:00
116	RT	Ramping Capacity	SCE	LA Basin	6/4/2022	150 - 180	No	INC	3	17:45	20:00
117	RT	Ramping Capacity	SCE	LA Basin	6/10/2022	65 - 194	No	INC	8	14:00	22:00
118	RT	Ramping Capacity	SCE	LA Basin	6/11/2022	190 - 194	No	INC	3	17:30	20:00
119	RT	Ramping Capacity	SCE	LA Basin	6/21/2022	194	No	INC	6	16:00	22:00
120	RT	Ramping Capacity	SCE	LA Basin	6/22/2022	194	No	DEC	4	17:00	21:00
121	RT	Ramping Capacity	SCE	LA Basin	6/22/2022	65 - 194	No	INC	8	14:00	22:00
122	RT	Ramping Capacity	SCE	LA Basin	6/23/2022	190	No	DEC	3	18:00	21:00
123	RT	Ramping Capacity	SCE	LA Basin	6/23/2022	65 - 194	No	INC	7	15:00	22:00
124	RT	Ramping Capacity	SCE	LA Basin	6/27/2022	240	No	DEC	4	18:15	22:00
125	RT	Ramping Capacity	SCE	LA Basin	6/27/2022	240	No	INC	4	18:15	22:00
126	RT	Ramping Capacity	SCE	LA Basin	6/28/2022	65 - 241	No	INC	4	16:00	20:00
127	RT	Ramping Capacity	SCE	LA Basin	6/29/2022	65 - 241	No	INC	4	16:00	20:00
128	RT	Ramping Capacity	SCE	LA Basin	6/30/2022	190 - 194	No	INC	7	16:55	23:00
129	RT	Reliability Assessment	PGAE	Bay Area	6/6/2022	22	No	INC	4	19:20	23:00
130	RT	Reliability Assessment	PGAE	Bay Area	6/13/2022	190	No	INC	3	2:55	5:00
131	RT	Reliability Assessment	PGAE	Bay Area	6/21/2022	120	No	INC	5	19:40	0:00
132	RT	Reliability Assessment	PGAE	Bay Area	6/22/2022	60	No	DEC	5	16:00	21:00
133	RT	Reliability Assessment	PGAE	Bay Area	6/22/2022	60 - 120	No	INC	23	0:00	23:00
134	RT	Reliability Assessment	PGAE	Fresno	6/13/2022	83	No	INC	2	2:55	4:45
135	RT	Reliability Assessment	PGAE	Fresno	6/14/2022	65 - 80	No	DEC	9	9:25	18:00
136	RT	Reliability Assessment	PGAE	Fresno	6/14/2022	65	No	INC	2	18:00	20:00

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
137	RT	Reliability Assessment	PGAE	Fresno	6/16/2022	30 - 45	No	INC	5	8:20	13:00
138	RT	Reliability Assessment	PGAE	Fresno	6/21/2022	0	No	DEC	2	17:25	19:00
139	RT	Reliability Assessment	PGAE	Fresno	6/22/2022	50	No	DEC	6	16:20	22:00
140	RT	Reliability Assessment	PGAE	Fresno	6/24/2022	0	No	DEC	2	15:40	17:00
141	RT	Reliability Assessment	PGAE	Fresno	6/26/2022	150	No	INC	2	22:10	0:00
142	RT	Reliability Assessment	PGAE	Fresno	6/27/2022	150	No	INC	2	0:00	2:00
143	RT	Reliability Assessment	PGAE	Fresno	6/30/2022	85	No	INC	1	23:55	0:00
144	RT	Reliability Assessment	PGAE	Humboldt	6/10/2022	15 - 45	No	DEC	2	22:00	0:00
145	RT	Reliability Assessment	PGAE	Humboldt	6/10/2022	45	No	INC	1	23:00	0:00
146	RT	Reliability Assessment	PGAE	Humboldt	6/11/2022	15 - 16	No	DEC	24	0:00	0:00
147	RT	Reliability Assessment	PGAE	Humboldt	6/11/2022	16 - 45	No	INC	24	0:00	0:00
148	RT	Reliability Assessment	PGAE	Humboldt	6/12/2022	16	No	DEC	24	0:00	0:00
149	RT	Reliability Assessment	PGAE	Humboldt	6/12/2022	16	No	INC	10	0:00	10:00
150	RT	Reliability Assessment	PGAE	Humboldt	6/13/2022	16	No	DEC	8	0:00	7:35
151	RT	Reliability Assessment	PGAE	Humboldt	6/13/2022	30	No	INC	17	7:35	0:00
152	RT	Reliability Assessment	PGAE	Humboldt	6/14/2022	30	No	INC	7	0:00	7:00
153	RT	Reliability Assessment	PGAE	Humboldt	6/19/2022	14	No	DEC	5	19:45	0:00
154	RT	Reliability Assessment	PGAE	Humboldt	6/19/2022	14 - 28	No	INC	7	17:50	0:00
155	RT	Reliability Assessment	PGAE	Humboldt	6/20/2022	14 - 30	No	DEC	22	0:00	22:00
156	RT	Reliability Assessment	PGAE	Humboldt	6/20/2022	14 - 70	No	INC	24	0:00	0:00
157	RT	Reliability Assessment	PGAE	Humboldt	6/21/2022	30	No	DEC	11	12:00	23:00
158	RT	Reliability Assessment	PGAE	Humboldt	6/21/2022	30	No	INC	24	0:00	0:00
159	RT	Reliability Assessment	PGAE	Humboldt	6/22/2022	15 - 30	No	DEC	11	12:55	23:00
160	RT	Reliability Assessment	PGAE	Humboldt	6/22/2022	15 - 30	No	INC	24	0:00	0:00
161	RT	Reliability Assessment	PGAE	Humboldt	6/23/2022	28	No	DEC	7	15:00	22:00
162	RT	Reliability Assessment	PGAE	Humboldt	6/23/2022	28 - 30	No	INC	24	0:00	0:00
163	RT	Reliability Assessment	PGAE	Humboldt	6/24/2022	30	No	DEC	11	12:00	23:00
164	RT	Reliability Assessment	PGAE	Humboldt	6/24/2022	30	No	INC	24	0:00	0:00
165	RT	Reliability Assessment	PGAE	Humboldt	6/25/2022	30	No	DEC	10	12:00	22:00

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
166	RT	Reliability Assessment	PGAE	Humboldt	6/25/2022	30	No	INC	24	0:00	0:00
167	RT	Reliability Assessment	PGAE	Humboldt	6/26/2022	45	No	DEC	1	21:50	22:00
168	RT	Reliability Assessment	PGAE	Humboldt	6/26/2022	45	No	INC	1	22:00	23:00
169	RT	Reliability Assessment	PGAE	Kern	6/2/2022	32 - 47	Yes	INC	8	16:00	0:00
170	RT	Reliability Assessment	PGAE	Kern	6/3/2022	32 - 47	Yes	INC	24	0:00	0:00
171	RT	Reliability Assessment	PGAE	Kern	6/4/2022	32 - 47	Yes	INC	23	0:00	23:00
172	RT	Reliability Assessment	PGAE	Kern	6/5/2022	32	No	INC	6	17:00	23:00
173	RT	Reliability Assessment	PGAE	Kern	6/6/2022	20 - 50	No	INC	7	17:00	0:00
174	RT	Reliability Assessment	PGAE	Kern	6/7/2022	32	No	DEC	4	18:00	22:00
175	RT	Reliability Assessment	PGAE	Kern	6/7/2022	20 - 47	No	INC	24	0:00	0:00
176	RT	Reliability Assessment	PGAE	Kern	6/8/2022	32 - 47	No	DEC	5	18:00	23:00
177	RT	Reliability Assessment	PGAE	Kern	6/8/2022	32 - 47	No	INC	24	0:00	0:00
178	RT	Reliability Assessment	PGAE	Kern	6/9/2022	32 - 52	Yes	INC	24	0:00	0:00
179	RT	Reliability Assessment	PGAE	Kern	6/10/2022	32 - 47	No	DEC	8	16:00	0:00
180	RT	Reliability Assessment	PGAE	Kern	6/10/2022	32 - 52	No	INC	24	0:00	0:00
181	RT	Reliability Assessment	PGAE	Kern	6/11/2022	23 - 49	No	DEC	6	16:00	22:00
182	RT	Reliability Assessment	PGAE	Kern	6/11/2022	23 - 49	No	INC	24	0:00	0:00
183	RT	Reliability Assessment	PGAE	Kern	6/12/2022	32	No	DEC	3	19:00	22:00
184	RT	Reliability Assessment	PGAE	Kern	6/12/2022	23 - 49	Yes	INC	24	0:00	0:00
185	RT	Reliability Assessment	PGAE	Kern	6/13/2022	23 - 47	Yes	INC	23	0:00	23:00
186	RT	Reliability Assessment	PGAE	Kern	6/14/2022	20 - 47	No	INC	9	15:00	0:00
187	RT	Reliability Assessment	PGAE	Kern	6/15/2022	47	No	DEC	3	19:00	22:00
188	RT	Reliability Assessment	PGAE	Kern	6/15/2022	17288	No	INC	24	0:15	0:00
189	RT	Reliability Assessment	PGAE	Kern	6/16/2022	32 - 47	Yes	INC	24	0:00	0:00
190	RT	Reliability Assessment	PGAE	Kern	6/17/2022	47	No	DEC	3	19:00	22:00
191	RT	Reliability Assessment	PGAE	Kern	6/17/2022	20 - 49	No	INC	8	16:00	0:00
192	RT	Reliability Assessment	PGAE	Kern	6/18/2022	47	No	INC	4	18:00	22:00
193	RT	Reliability Assessment	PGAE	Kern	6/19/2022	47 - 49	No	INC	4	18:00	22:00
194	RT	Reliability Assessment	PGAE	Kern	6/21/2022	32	No	DEC	5	12:00	17:00

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
195	RT	Reliability Assessment	PGAE	Kern	6/21/2022	20 - 32	No	INC	8	10:00	18:00
196	RT	Reliability Assessment	PGAE	Kern	6/23/2022	32	No	DEC	2	20:40	22:00
197	RT	Reliability Assessment	PGAE	Kern	6/24/2022	32	No	INC	6	18:00	0:00
198	RT	Reliability Assessment	PGAE	Kern	6/25/2022	20 - 47	No	INC	24	0:00	0:00
199	RT	Reliability Assessment	PGAE	Kern	6/26/2022	32	No	DEC	6	16:00	22:00
200	RT	Reliability Assessment	PGAE	Kern	6/26/2022	20 - 51	No	INC	24	0:00	0:00
201	RT	Reliability Assessment	PGAE	Kern	6/27/2022	32 - 51	No	INC	24	0:00	0:00
202	RT	Reliability Assessment	PGAE	Kern	6/28/2022	47 - 52	No	INC	24	0:00	0:00
203	RT	Reliability Assessment	PGAE	Kern	6/29/2022	48 - 52	No	INC	9	15:00	0:00
204	RT	Reliability Assessment	PGAE	Kern	6/30/2022	24 - 45	No	INC	4	16:00	19:45
205	RT	Reliability Assessment	PGAE	NCNB	6/9/2022	45 - 60	No	DEC	7	17:10	0:00
206	RT	Reliability Assessment	PGAE	NCNB	6/10/2022	45 - 70	No	DEC	24	0:00	0:00
207	RT	Reliability Assessment	PGAE	NCNB	6/10/2022	68 - 70	No	INC	7	16:00	23:00
208	RT	Reliability Assessment	PGAE	NCNB	6/11/2022	58 - 70	No	DEC	24	0:00	0:00
209	RT	Reliability Assessment	PGAE	NCNB	6/12/2022	65 - 70	No	DEC	3	0:00	2:30
210	RT	Reliability Assessment	PGAE	NCNB	6/13/2022	65	No	DEC	2	22:00	23:30
211	RT	Reliability Assessment	PGAE	NCNB	6/14/2022	65	No	DEC	3	0:05	3:00
212	RT	Reliability Assessment	PGAE	NCNB	6/21/2022	66 - 75	No	DEC	7	17:20	0:00
213	RT	Reliability Assessment	PGAE	NCNB	6/22/2022	66 - 75	No	DEC	5	0:00	4:30
214	RT	Reliability Assessment	PGAE	NCNB	6/22/2022	75	No	INC	1	4:00	4:30
215	RT	Reliability Assessment	PGAE	Sierra	6/2/2022	40 - 42	No	INC	4	18:00	22:00
216	RT	Reliability Assessment	PGAE	Sierra	6/3/2022	42	Yes	INC	4	18:00	22:00
217	RT	Reliability Assessment	PGAE	Sierra	6/6/2022	20	No	DEC	4	18:00	22:00
218	RT	Reliability Assessment	PGAE	Sierra	6/6/2022	20	No	INC	1	17:35	18:00
219	RT	Reliability Assessment	PGAE	Sierra	6/7/2022	20	No	DEC	3	18:00	21:00
220	RT	Reliability Assessment	PGAE	Sierra	6/7/2022	20	No	INC	1	17:30	18:00
221	RT	Reliability Assessment	PGAE	Sierra	6/8/2022	20	Yes	DEC	3	18:00	21:00
222	RT	Reliability Assessment	PGAE	Sierra	6/8/2022	20 - 42	No	INC	7	16:00	23:00
223	RT	Reliability Assessment	PGAE	Sierra	6/9/2022	20	No	DEC	6	17:10	23:00

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
224	RT	Reliability Assessment	PGAE	Sierra	6/9/2022	20 - 42	No	INC	7	17:10	0:00
225	RT	Reliability Assessment	PGAE	Sierra	6/10/2022	20	No	DEC	6	16:00	22:00
226	RT	Reliability Assessment	PGAE	Sierra	6/10/2022	20 - 42	No	INC	12	12:15	0:00
227	RT	Reliability Assessment	PGAE	Sierra	6/11/2022	20	No	DEC	5	18:00	23:00
228	RT	Reliability Assessment	PGAE	Sierra	6/11/2022	20 - 42	No	INC	24	0:00	0:00
229	RT	Reliability Assessment	PGAE	Sierra	6/12/2022	20	No	INC	5	0:00	4:45
230	RT	Reliability Assessment	PGAE	Sierra	6/14/2022	42	No	INC	4	18:40	22:00
231	RT	Reliability Assessment	PGAE	Sierra	6/16/2022	20	Yes	DEC	4	18:00	22:00
232	RT	Reliability Assessment	PGAE	Sierra	6/16/2022	20	Yes	INC	1	22:00	23:00
233	RT	Reliability Assessment	PGAE	Sierra	6/21/2022	20	No	INC	2	15:45	17:00
234	RT	Reliability Assessment	PGAE	Sierra	6/22/2022	20	No	DEC	2	19:00	21:00
235	RT	Reliability Assessment	PGAE	Sierra	6/22/2022	20 - 48	No	INC	12	12:15	0:00
236	RT	Reliability Assessment	PGAE	Sierra	6/23/2022	40	No	DEC	4	18:00	22:00
237	RT	Reliability Assessment	PGAE	Sierra	6/23/2022	20 - 42	No	INC	12	11:55	23:00
238	RT	Reliability Assessment	PGAE	Sierra	6/24/2022	20	No	DEC	2	19:00	21:00
239	RT	Reliability Assessment	PGAE	Sierra	6/24/2022	15615	No	INC	11	13:50	0:00
240	RT	Reliability Assessment	PGAE	Sierra	6/25/2022	0 - 47	No	DEC	6	16:00	22:00
241	RT	Reliability Assessment	PGAE	Sierra	6/25/2022	20 - 47	Yes	INC	24	0:00	0:00
242	RT	Reliability Assessment	PGAE	Sierra	6/26/2022	20 - 47	No	DEC	6	16:00	22:00
243	RT	Reliability Assessment	PGAE	Sierra	6/26/2022	20 - 47	No	INC	24	0:00	0:00
244	RT	Reliability Assessment	PGAE	Sierra	6/27/2022	20 - 42	Yes	DEC	4	18:00	22:00
245	RT	Reliability Assessment	PGAE	Sierra	6/27/2022	20 - 47	Yes	INC	23	0:00	23:00
246	RT	Reliability Assessment	PGAE	Sierra	6/29/2022	20 - 38	No	DEC	3	20:00	23:00
247	RT	Reliability Assessment	PGAE	Sierra	6/29/2022	20 - 38	No	INC	6	18:15	0:00
248	RT	Reliability Assessment	PGAE	Sierra	6/30/2022	20	No	DEC	5	18:00	23:00
249	RT	Reliability Assessment	PGAE	Sierra	6/30/2022	20 - 42	Yes	INC	24	0:00	0:00
250	RT	Reliability Assessment	PGAE	Stockton	6/13/2022	191.2	No	INC	6	3:05	9:00
251	RT	Reliability Assessment	PGAE	Stockton	6/22/2022	20	No	INC	9	12:35	21:00
252	RT	Reliability Assessment	PGAE	NA	6/4/2022	0	No	DEC	1	9:10	9:45

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
253	RT	Reliability Assessment	PGAE	NA	6/9/2022	32	No	DEC	6	18:00	0:00
254	RT	Reliability Assessment	PGAE	NA	6/9/2022	34 - 48	No	INC	7	17:00	0:00
255	RT	Reliability Assessment	PGAE	NA	6/10/2022	32	No	DEC	22	0:00	22:00
256	RT	Reliability Assessment	PGAE	NA	6/10/2022	32 - 48	No	INC	24	0:00	0:00
257	RT	Reliability Assessment	PGAE	NA	6/11/2022	32 - 46	Yes	INC	24	0:00	0:00
258	RT	Reliability Assessment	PGAE	NA	6/12/2022	45 - 46	Yes	INC	24	0:00	0:00
259	RT	Reliability Assessment	PGAE	NA	6/13/2022	45	No	INC	2	0:00	2:00
260	RT	Reliability Assessment	PGAE	NA	6/16/2022	32	Yes	INC	8	16:00	0:00
261	RT	Reliability Assessment	PGAE	NA	6/17/2022	32	Yes	INC	8	16:00	0:00
262	RT	Reliability Assessment	PGAE	NA	6/21/2022	90	No	INC	1	15:45	16:45
263	RT	Reliability Assessment	PGAE	NA	6/28/2022	47 - 48	Yes	INC	9	15:00	0:00
264	RT	Reliability Assessment	PGAE	NA	6/29/2022	48	No	INC	9	15:00	0:00
265	RT	Reliability Assessment	PGAE	NA	6/30/2022	45	No	INC	3	17:00	19:45
266	RT	Reliability Assessment	SCE	Big Creek-Ventura	6/13/2022	0	No	INC	2	20:10	21:15
267	RT	Reliability Assessment	SDGE	San Diego-IV	6/22/2022	0	No	INC	1	3:10	4:00
268	RT	Reliability Assessment	SDGE	San Diego-IV	6/26/2022	0	No	INC	1	4:55	5:45
269	RT	Reverse Commitment Instruction	PGAE	Kern	6/22/2022	0	No	INC	8	16:55	0:00
270	RT	Software Limitation	PGAE	Fresno	6/13/2022	66	No	INC	2	22:30	0:00
271	RT	Software Limitation	PGAE	Fresno	6/14/2022	66 - 92	No	INC	3	0:00	3:00
272	RT	Software Limitation	PGAE	Fresno	6/15/2022	83	No	INC	1	23:45	0:00
273	RT	Software Limitation	PGAE	Fresno	6/16/2022	83	No	INC	1	0:00	0:15
274	RT	Software Limitation	PGAE	Fresno	6/22/2022	83	No	DEC	1	19:15	19:30
275	RT	Software Limitation	PGAE	Fresno	6/22/2022	83 - 400	No	INC	4	6:10	9:30
276	RT	Software Limitation	PGAE	Kern	6/3/2022	0	No	INC	3	11:00	13:55
277	RT	Software Limitation	PGAE	Sierra	6/14/2022	40	No	INC	1	1:00	2:00
278	RT	Software Limitation	PGAE	Stockton	6/14/2022	40	No	INC	1	1:00	2:00
279	RT	Software Limitation	PGAE	NA	6/15/2022	460	No	DEC	1	0:10	1:00
280	RT	Software Limitation	SCE	Big Creek-Ventura	6/14/2022	0	No	DEC	3	3:00	6:00
281	RT	Software Limitation	SCE	Big Creek-Ventura	6/27/2022	0	No	DEC	15	0:00	15:00

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
282	RT	Software Limitation	SCE	Big Creek-Ventura	6/27/2022	0	No	INC	10	14:00	0:00
283	RT	Software Limitation	SCE	LA Basin	6/4/2022	5 - 97.32	No	INC	1	22:05	22:55
284	RT	Software Limitation	SCE	LA Basin	6/5/2022	0	No	INC	1	0:20	1:00
285	RT	Software Limitation	SCE	LA Basin	6/22/2022	100	No	INC	3	6:10	8:45
286	RT	Software Limitation	SCE	LA Basin	6/27/2022	0	No	DEC	16	0:00	15:30
287	RT	Software Limitation	SCE	NA	6/13/2022	0 - 3	No	DEC	2	22:45	0:00
288	RT	Software Limitation	SCE	NA	6/13/2022	70	No	INC	2	22:55	0:00
289	RT	Software Limitation	SCE	NA	6/14/2022	0 - 3	No	DEC	3	0:00	3:00
290	RT	Software Limitation	SCE	NA	6/14/2022	70	No	INC	3	0:00	3:00
291	RT	Software Limitation	SDGE	San Diego-IV	6/7/2022	331	No	DEC	1	23:45	0:00
292	RT	Software Limitation	SDGE	San Diego-IV	6/8/2022	331	No	DEC	4	0:00	3:15
293	RT	Unit Testing	Intertie	NA	6/23/2022	20	No	INC	14	5:00	19:00
294	RT	Unit Testing	Intertie	NA	6/24/2022	20	No	INC	15	5:00	20:00
295	RT	Unit Testing	Intertie	NA	6/25/2022	20	No	INC	15	5:00	20:00
296	RT	Unit Testing	Intertie	NA	6/27/2022	20	No	INC	15	5:00	20:00
297	RT	Unit Testing	Intertie	NA	6/28/2022	20	No	INC	14	5:00	19:00
298	RT	Unit Testing	Intertie	NA	6/29/2022	20	No	INC	14	5:00	19:00
299	RT	Unit Testing	Intertie	NA	6/30/2022	20	No	INC	14	5:00	19:00
300	RT	Unit Testing	PGAE	Bay Area	6/1/2022	250	No	INC	5	19:55	0:00
301	RT	Unit Testing	PGAE	Bay Area	6/2/2022	250	No	INC	3	21:10	23:15
302	RT	Unit Testing	PGAE	Bay Area	6/7/2022	605	No	INC	2	21:55	23:30
303	RT	Unit Testing	PGAE	Bay Area	6/28/2022	510	No	INC	1	23:05	0:00
304	RT	Unit Testing	PGAE	Bay Area	6/29/2022	510	No	INC	1	0:00	0:45
305	RT	Unit Testing	PGAE	Fresno	6/3/2022	407	No	INC	1	20:15	21:00
306	RT	Unit Testing	SCE	LA Basin	6/2/2022	44854	No	INC	5	19:00	0:00
307	RT	Unit Testing	SCE	LA Basin	6/3/2022	25842	No	INC	24	0:00	0:00
308	RT	Unit Testing	SCE	LA Basin	6/4/2022	10 - 480	No	INC	24	0:00	0:00
309	RT	Unit Testing	SCE	LA Basin	6/23/2022	26	No	INC	1	20:10	20:55
310	RT	Unit Testing	SCE	NA	6/8/2022	80	No	INC	1	20:30	21:00

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
311	RT	Unit Testing	SCE	NA	6/30/2022	-36	No	DEC	1	9:25	10:10
312	RT	Unit Testing	SDGE	San Diego-IV	6/12/2022	235	No	INC	1	23:00	0:00
313	RT	Unplanned Outage	PGAE	NCNB	6/16/2022	44 - 63	No	DEC	15	5:55	20:00
314	RT	Unplanned Outage	PGAE	NA	6/16/2022	48	No	INC	2	6:00	7:15
315	RT	Voltage Support	PGAE	Humboldt	6/23/2022	15	No	DEC	1	22:55	23:00
316	RT	Voltage Support	PGAE	Humboldt	6/23/2022	30 - 45	No	INC	1	23:00	0:00
317	RT	Voltage Support	PGAE	Humboldt	6/24/2022	30 - 45	No	INC	4	0:00	3:30
318	RT	Voltage Support	PGAE	Sierra	6/20/2022	20	No	DEC	1	21:30	22:00
319	RT	Voltage Support	PGAE	NA	6/26/2022	0.15	No	INC	18	6:00	0:00
320	RT	Voltage Support	PGAE	NA	6/27/2022	0.15	No	INC	18	0:00	18:00

Appendix A: Explanation by Example

All examples listed below are based on fictitious data.

Example 1: Exceptional Dispatch Instructions Prior to DAM

In this fictitious example, the CAISO issued an exceptional dispatch instruction for resource A to be committed at its physical minimum (P_{min}) of 50 MW from hours ending 5 through 10 for a generation procedure 7630. Similarly, the CAISO issued additional instructions to resources B and C for the same reason as shown in Table 2. Generally, exceptional dispatches prior to the day-ahead market are commitments to minimum load. Here the dispatch levels are all at minimum load.

Table 2: Instructions Prior to Day-Ahead Market

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch Level (MW)	Reason
01-Jul-09	DA	A	SCE	LA BASIN	05:00	10:00	50	7630
01-Jul-09	DA	B	SCE	LA BASIN	08:00	20:00	30	7630
01-Jul-09	DA	C	SCE	LA BASIN	09:00	23:00	20	7630

This data is summarized as shown in Table 3, which is the prescribed format specified in the FERC order on September 02, 2009. This summary classifies the data by reason, resource location, local reliability area, and trade date. The MW column in Table 3 is the range of MW; in this case the minimum instruction MW is 20 MW for resource C which occurs from hours ending 21 through 23. The maximum instruction occurs in hour ending 10. In this hour resource A is committed at 50 MW, resource B is committed at 30 MW and resource C is committed at 20 MW. This adds up to 100 MW. The MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. Commitments are broken out separately from energy dispatches. In the day-ahead, however the exceptional dispatches are nearly always just commitments, as in this example. The Begin Time column shows hour ending 5 as this was the hour ending for first dispatch of the day, and the End Time column shows hour ending 23, as this was the hour with last dispatch. It is also possible that there might be hours between the begin time and the end time where there might not be exceptional dispatch instructions for the given reason, meaning that the range between the begin time and end time can include null hours with no dispatch.

Table 3: FERC Summary of Instructions Prior to DAM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time
1	DA	7630	SCE	LA Basin	1-Jul-09	20-100	Yes	N/A	19	05:00	23:00

Example 2: Incremental Exceptional Dispatch Instructions in RTM

In this fictitious example, the CAISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 30 MW from hours ending 7 through 11 after completion of the day-ahead market for the transmission procedure 7110. This resource had no day-ahead award in those hours. The CAISO issued another exceptional dispatch instruction to resource B, to be dispatched at 40 MW from hours ending 8 through 9 in real-time for the transmission procedure 7110. This resource had a day-ahead schedule of 20 MW from the day-ahead market, which implies that this exceptional dispatch instruction was an incremental instruction and the exceptional dispatch MW was 20 MW. Similarly, the details of exceptional dispatch (ED) instruction for resource C are shown in Table 4.

Table 4: Incremental Exceptional Dispatch Instructions in RTM

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch Level (MW)	Day-Ahead Award (MW)	Commitment	INC/DEC	ED (MW)	Reason
01-Jul-09	RT	A	PG&E	Humboldt	06:00	11:00	30	0	Yes	INC	30	7110
01-Jul-09	RT	B	PG&E	Humboldt	07:00	09:00	40	20	No	INC	20	7110
01-Jul-09	RT	C	PG&E	Humboldt	12:00	15:00	50	50	No	INC	0	7110
01-Jul-09	RT	C	PG&E	Humboldt	16:00	20:00	50	40	No	INC	10	7110

This data is summarized as shown in Table 5 and is classified by reason, resource location, local reliability area, and trade date. The MW column in Table 5 is the range of MW; in this case the minimum instruction MW is 0 MW for resource C which occurs from hours ending 13 through 15. The maximum instruction occurs in hours ending 8 & 9, as during these two hours both resources A and B have an ED MW of 30MW and 20MW, respectively. This adds up to 50 MW. The MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. This column shows a commitment if there was a single commitment in the entire interval of exceptional dispatch. The Begin Time column shows the time of the first dispatch of the day. This is a time not a range. Similarly the End Time column shows a time and not a range. Exceptional dispatches occurred between these two times. Since there was a commitment between the begin time and end time then the Commitment column displays yes for the summary. Similarly, the INC/DEC column shows an INC as there was an incremental dispatch between the begin time and end time. As mentioned in the previous example it is possible that there might be hours between the begin time and end time where there were no exceptional dispatch instructions for the given reason.

Table 5: FERC Summary of ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time
1	RT	7110	PG&E	Humboldt	1-Jul-09	0-50	Yes	INC	15	06:00	20:00

Example 3: Decremental Exceptional Dispatch Instructions in RTM

This example highlights decremental exceptional dispatch instructions in the real-time market. In this fictitious example the CAISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 20 MW from hours ending 15 through 20 after completion of the day-ahead market for the transmission procedure 7430. The CAISO issued additional exceptional dispatch instructions for resources B and C; details of those instructions are shown in Table 6.

Table 6: Decremental Exceptional Dispatch Instructions in RTM

Date	Market Type	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch Level (MW)	Day-Ahead Award (MW)	Commitment	INC/DEC	ED (MW)	Reason
01-Jul-09	RT	A	PG&E	Fresno	15:00	20:00	20	0	Yes	INC	20	7430
01-Jul-09	RT	B	PG&E	Fresno	07:00	09:00	40	60	No	DEC	20	7430
01-Jul-09	RT	C	PG&E	Fresno	10:00	14:00	40	50	No	DEC	10	7430

This data is summarized according to FERC convention as shown in Table 7. This summary classifies the data by reason, resource location, local reliability area, and trade date. Please note that inc and dec are broken out separately. The inc entry is self-explanatory and similar to the previous example. Regarding the dec entry the MW column is the range of MW; in this case the minimum dec instruction is 10 MW (actually -10MW as it is a dec) for resource C which occurs from hours ending 10 through 14. The maximum instruction occurs from hours ending 7 through 9, when resource B was issued a dec instruction of 20 MW. The MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time.

Table 7: FERC Summary of Decremental ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time
1	RT	7430	PG&E	Fresno	1-Jul-09	20	Yes	INC	6	15:00	20:00
1	RT	7430	PG&E	Fresno	1-Jul-09	10-20	Yes	DEC	8	07:00	14:00

ATTACHMENT B

**June 2022 Exceptional Dispatch Report
Chart 2 data**



California ISO

Exceptional Dispatch Report

Table 2: June 2022

Market Analysis and Forecasting

August 15, 2022

TABLE OF CONTENTS

Introduction	3
The Nature of Exceptional Dispatch.....	3
Appendix A: Explanation by Example	26
Example 1: Exceptional Dispatch Instructions Prior to DAM	26
Example 2: Incremental Exceptional Dispatch Instructions in RTM.....	26
Example 3: Decremental Exceptional Dispatch Instructions in RTM	28
Appendix B: Price Impact Analysis	30
Appendix C: Exceptional Dispatch Bid Mitigation Analysis	39

LIST OF TABLES AND FIGURES

Table 1: Exceptional Dispatches in June 2022	7
Table 2: Instructions Prior to Day-Ahead Market	26
Table 3: FERC Summary of Instructions Prior to DAM	26
Table 4: Incremental Exceptional Dispatch Instructions in RTM	27
Table 5: FERC Summary of ED Instructions in RTM	28
Table 6: Decremental Exceptional Dispatch Instructions in RTM	28
Table 7: FERC Summary of Decremental ED Instructions in RTM	29
Table 8: Price Impact Analysis Information for Pricing Node A in PGAE LAP	31
Table 9: Price Impact Analysis Information for Pricing Node B in SCE LAP	36
Table 10: Bid Mitigation Analysis for June 2022	39

Introduction

This report is filed pursuant to FERC's September 2, 2009, and May 4, 2010, orders in ER08-1178. These orders require two monthly Exceptional Dispatch reports—one issued on the 15th of each month and one originally issued on the 30th of each month. Both Table 1 and Table 2 reports will be issued on the 15th of each month due to the availability of necessary data. This report provides data on the frequency, reasons and costs for Exceptional Dispatches issued in June 2022.

This report contains a price impact analysis as prescribed by FERC in its September 2 order. The price impact analysis for the month of June is presented in Appendix B. This report also includes mitigation analysis for June 2022 required by section 34.11.4 of the CAISO tariff. This analysis compares those Exceptional Dispatches subject to bid mitigation (i.e. Exceptional Dispatches to address noncompetitive constraints and Delta Dispatch), and determines the cost difference between the Exceptional Dispatch bid mitigation settlement rules and what the settlement amount would have been had the Exceptional Dispatches not been subject to bid mitigation. The Exceptional Dispatch bid mitigation analysis for June is presented in Appendix C.

The Nature of Exceptional Dispatch

The CAISO can issue exceptional dispatch instructions for a resource as a pre-day-ahead unit commitment, a post day-ahead unit commitment or a real-time exceptional dispatch. A pre-day-ahead unit commitment is an exceptional dispatch instruction committing a resource at or above its physical minimum (P_{min}) operating level in the day-ahead market. A post-day-ahead unit commitment is an exceptional dispatch instruction committing a resource at or above its (P_{min}) operating level in the real-time market. A real-time exceptional dispatch instructs a resource to operate at or above its physical minimum operating point. A real-time exceptional dispatch above the resource's day-ahead award is an incremental exceptional dispatch instruction and a real-time exceptional dispatch below the day-ahead award is considered a decremental dispatch instruction. The CAISO issues exceptional dispatch instructions to maintain the reliability of the grid when the market software cannot do so. Whenever the CAISO issues an exceptional dispatch instruction, the operator logs the dispatch and the associated reason. Reliability requirements are calculated for both local area and the system wide needs, and are classified into various requirements including local generation, transmission management, non-modeled transmission outages, ramping and intertie emergency assistance. Whenever the CAISO issues an exceptional dispatch instruction, the operators log these instructions and the associated reason for each instruction.

Most of the generation procedures are internal to the CAISO and not available publically on the CAISO website; however, all of the transmission procedures are available on the CAISO website.¹

Additional reasons for exceptional dispatch instructions in 2022 include Software Limitation. Software Limitation is used when an exceptional dispatch instruction was issued to bridge schedules across days for resources with a minimum down time of 24 hours, as the CAISO software does not handle multi-day commitment. For instance, a resource has a day-ahead schedule from 0600 till 2300, and then is shut down in 2400. If this resource had a minimum down time of 24 hours and it is required the following day, then the CAISO issues an exceptional dispatch to commit this resource in 2400 so it can be dispatched economically in the following day. Software Limitation was also used for exceptional dispatches to manually issue shut down instructions to a resource because of a temporary Automatic Dispatch System (“ADS”) failure, or similar issues. Interconnection Reliability Operating Limits (IROL) are system operating limits that are established to prevent instability, uncontrolled separation or cascading as described in operating procedure 3100. System Operating Limit (SOL) are the facility ratings, system voltage limits, transient stability limits, and voltage stability limits that are used in the operating horizon – any of which can be the most restrictive limit at any point in time, pre – or post – contingency. Control Point (CP) are imposed to protect the area transmission network against N – 1 contingencies. There were a few other reasons used to explain exceptional dispatch instructions in June, which are self-explanatory.

The data in Table 1 is based on a template specified in the September 2009 order.² This table contains all the information published in Table 1 of the first report for June 2022. In addition, it contains volume (MWh) and cost information. Each entry in Table 1 is a summary of exceptional dispatches classified by (1) the reason for the exceptional dispatch; (2) the location of the resource by Participating Transmission Owner (PTO) service area; (3) the Local Reliability Area (LRA) where applicable; (4) the market in which the exceptional dispatch occurred (day-ahead vs. real-time); and (5) the date of the exceptional dispatch. For each classification the following information is provided: (1) Megawatts (MW); (2) Commitment; (3) Inc or Dec; (4) Hours; (5) Begin Time; (6) End Time; (7) Total Volume (MWh); (8) Min Load Cost; (9) Start Up Cost; (10) CC6470; (11) ED Volume (MWh INC/DEC); (12) CC6470 INC; (13) CC6470 DEC; (14) CC6482; (15) CC6488; and (16) CC6620. Each column is defined:

¹ A list of all of the CAISO's Operating Procedures and all the publicly available Operating Procedures are available at the following link:

<http://www.caiso.com/thegrid/operations/opsdoc/index.html>

² The data in Table 1 is principally SLIC information supplemented with data from the Market Quality System (MQS) and Settlements database. The volume and cost information is based on t+51B Recalculation Statements.

- The MW column shows the range of exceptional dispatch instruction in MW for the classification.
- The Commitment column specifies if there was a unit commitment for the classification.
- The INC/DEC/NA column specifies if there was an incremental dispatch (INC), a decremental dispatch (DEC), or only a unit commitment (NA). The Begin Time and End Time columns show the start and end time of exceptional dispatch for the classification respectively.
- The Hours column is the time difference between begin time and end time rounded up to the next hour.
- The total volume column shows the total MWh dispatch quantity dispatched for that classification. This quantity includes the minimum load quantity, the imbalance energy quantity, and the exceptional dispatch quantity.
- The Min-Load Cost column shows eligible minimum load cost for the classification.
- The Start-Up Cost column shows the eligible start up cost for the classification. The CAISO does not explicitly pay resources for its start up and minimum load costs; however, it ensures that resources are compensated adequately through its bid cost recovery.³
- The CC6470 column shows the total imbalance energy costs for the classification. This cost contains the portion of exceptional dispatch instruction settled as optimal energy due to its bid price being less than the LMP in the relevant settlement interval.
- The ED Volume MWh (MWh INC/DEC) column shows the incremental or the decremental portion of the real-time exceptional dispatch MWh for the classification. The CC6470-INC shows that portion of incremental exceptional dispatch instruction settled at the resource LMP.
- The CC6470-DEC column shows that portion of decremental exceptional dispatch instruction settled at the resource specific LMP. Both these charge codes are portions of the real-time instructed imbalance energy charge code (6470).⁴
- The CC6482 column shows the real-time excess cost for the classification.⁵
- The CC6488 column shows the real-time exceptional dispatch uplift settlement for the classification.⁶ The CC6620 shows the bid cost recovery payment for the classification. This cost is shown for all pre-day-ahead unit commitments only.

³ For further details regarding the Bid Cost Recovery process please refer to section 11.8 of the CAISO tariff.

⁴ For further details please refer to the BPM configuration Guide: Real-Time Instructed Imbalance Energy Settlement published on the CAISO's website.

⁵ For further details please refer to the BPM configuration Guide: Real Time Excess Cost for Instructed Energy Settlement published on the CAISO's website.

⁶ For further details please refer to the BPM configuration Guide: Real Time Exceptional Dispatch Uplift Settlement published on the CAISO's website.

Charge codes 6470, 6470 INC, 6470 DEC, 6482 and 6488 are shown in Table 1 because all these charge codes pertain to real-time exceptional dispatch MWH quantities. The classification of data is further explained for example in Attachment A.

Exceptional dispatches with the reason “Reliability Assessment” were due to Real Time Contingency Analysis, Voltage Stability Analysis, and operating procedure number 7110. Reliability Assessment is the reason as explained in the operator procedure 2330C that encompasses Control Point (CP), Interconnection Reliability Operating Limit (IROL), System Operating Limit (SOL) and congestion related EDs. This reason is used to mitigate reliability issues identified through the real – time assessment tools such as Real Time Contingency Analysis (RTCA), Voltage Stability Analysis (VSA), Dynamic Stability Analysis (DSA) and/or Operating Procedure (OP) or offline study.

Table 1: Exceptional Dispatches in June 2022

**California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022**

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC_ DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0		
1	RT	Bridging Schedules	SCE	LA Basin	6/23/2022	10	No	INC	1	23:00	0:00	0.00	7844.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
2	RT	Bridging Schedules	SCE	LA Basin	6/27/2022	10	No	INC	1	23:00	0:00	0.00	3451.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
3	RT	Bridging Schedules	SDGE	San Diego-IV	6/30/2022	155	No	INC	4	2:00	6:00	-73.25	55707.12	0.00	3583.57	0.00	0.00	0.00	0.00	0.00	0.00		
4	RT	Conditions beyond the control of the CAISO	SCE	LA Basin	6/22/2022	172 - 178	No	INC	5	17:00	22:00	-37.40	0.00	0.00	3310.86	0.00	0.00	0.00	16845.18	0.00	0.00		
5	RT	Fast Start Unit Management	PGAE	Bay Area	6/13/2022	0	No	INC	2	7:15	8:50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
6	RT	Fast Start Unit Management	PGAE	Bay Area	6/15/2022	0	No	INC	1	16:20	17:20	-80.00	7279.61	0.00	0.00	-80.00	0.00	0.00	0.00	0.00	0.00	0.00	
7	RT	Fast Start Unit Management	PGAE	Bay Area	6/24/2022	0	No	INC	1	1:15	2:15	-60.00	4036.97	0.00	0.00	-60.00	0.00	0.00	0.00	0.00	0.00	0.00	
8	RT	Incomplete or Inaccurate Transmission	PGAE	Bay Area	6/28/2022	80	No	INC	8	15:55	23:00	-17.36	3700.00	0.00	1115.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
9	RT	Incomplete or Inaccurate Transmission	PGAE	Sierra	6/1/2022	100	No	DEC	4	19:45	23:00	13.98	0.00	0.00	2100.03	-0.81	0.00	-122.13	0.00	0.00	0.00	0.00	
10	RT	Incomplete or Inaccurate Transmission	PGAE	Sierra	6/2/2022	105	No	DEC	6	18:25	0:00	-7.25	0.00	0.00	535.78	-4.97	0.00	383.01	0.00	0.00	0.00	0.00	
11	RT	Incomplete or Inaccurate Transmission	PGAE	Sierra	6/28/2022	20 - 42	No	DEC	8	15:10	23:00	36.58	-283.33	0.00	-2927.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12	RT	Incomplete or Inaccurate Transmission	PGAE	Sierra	6/28/2022	42	No	INC	8	15:00	23:00	1.51	35695.14	0.00	-145.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
13	RT	Incomplete or Inaccurate Transmission	PGAE	Sierra	6/29/2022	20 - 45	No	DEC	6	17:00	23:00	-32.91	0.00	0.00	1976.05	5.00	-154.05	0.00	0.00	-198.81	0.00	0.00	
14	RT	Incomplete or Inaccurate Transmission	PGAE	Sierra	6/29/2022	20 - 42	No	INC	8	15:00	23:00	0.23	48107.60	1706.45	209.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
15	RT	Load Forecast Uncertainty	PGAE	Fresno	6/2/2022	100	No	INC	2	7:00	8:15	5.14	19786.91	0.00	756.22	5.32	-175.34	0.00	-852.49	0.00	0.00	0.00	
16	RT	Load Forecast Uncertainty	SCE	Big Creek-Ventura	6/9/2022	100	No	INC	9	15:00	0:00	518.91	34241.00	0.00	-50913.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
17	RT	Load Forecast Uncertainty	SCE	Big Creek-Ventura	6/10/2022	50 - 410	No	INC	11	13:00	0:00	-455.28	415153.47	167372.11	62737.95	34.99	2810.49	0.00	-37.29	0.00	0.00	0.00	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
18	RT	Load Forecast Uncertainty	SCE	Big Creek-Ventura	6/27/2022	50	No	DEC	9	15:00	0:00	-140.71	-24557.76	138534.66	19832.55	0.00	0.00	0.00	0.00	0.00	0.00
19	RT	Load Forecast Uncertainty	SCE	Big Creek-Ventura	6/28/2022	100	No	INC	9	15:00	0:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
20	RT	Load Forecast Uncertainty	SCE	LA Basin	6/23/2022	20	No	INC	24	0:00	0:00	170.03	129793.88	0.00	-12350.51	0.00	0.00	0.00	0.00	0.00	0.00
21	RT	Load Forecast Uncertainty	SCE	LA Basin	6/26/2022	10	No	INC	10	5:00	15:00	1.46	34518.80	0.00	-144.45	0.00	0.00	0.00	0.00	0.00	0.00
22	RT	Load Forecast Uncertainty	SCE	LA Basin	6/27/2022	130	No	DEC	9	15:30	0:00	-50.92	-20729.12	82317.00	3147.89	0.00	0.00	0.00	0.00	0.00	0.00
23	RT	Load Forecast Uncertainty	SCE	LA Basin	6/27/2022	70	No	INC	10	14:00	0:00	14.15	85939.81	110512.48	-1245.86	1.90	-161.40	0.00	0.00	0.00	0.00
24	RT	Load Forecast Uncertainty	SCE	LA Basin	6/28/2022	10 - 70	No	INC	18	6:00	0:00	154.84	250221.67	0.00	-13602.51	0.00	0.00	0.00	0.00	0.00	0.00
25	RT	Load Forecast Uncertainty	SCE	LA Basin	6/29/2022	20 - 70	No	INC	24	0:00	0:00	19.87	378993.52	0.00	-1379.34	0.00	0.00	0.00	0.00	0.00	0.00
26	RT	Market Disruption	PGAE	Bay Area	6/7/2022	290	No	DEC	1	23:10	23:15	-13.93	0.00	0.00	873.61	-11.57	0.00	725.74	0.00	0.00	0.00
27	RT	Market Disruption	PGAE	Fresno	6/7/2022	83	No	INC	1	23:05	0:00	16.60	12803.29	0.00	-1196.40	0.00	0.00	0.00	0.00	0.00	0.00
28	RT	Market Disruption	PGAE	NA	6/7/2022	0 - 305	No	DEC	2	22:50	0:00	-9.19	0.00	0.00	525.08	-11.62	0.00	684.61	0.00	0.00	0.00
29	RT	Market Disruption	PGAE	NA	6/7/2022	0	No	INC	1	23:00	0:00	-44.85	11695.16	0.00	-52.02	-45.92	0.00	0.00	0.00	0.00	0.00
30	RT	Market Disruption	PGAE	NA	6/8/2022	305	No	DEC	4	0:00	3:15	49.01	0.00	0.00	-5807.49	0.00	0.00	0.00	0.00	0.00	0.00
31	RT	Market Disruption	PGAE	NA	6/8/2022	0	No	INC	3	0:00	2:55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
32	RT	Market Disruption	SCE	LA Basin	6/7/2022	0 - 290	No	DEC	1	22:50	23:05	52.25	0.00	0.00	-3891.03	0.00	0.00	0.00	0.00	0.00	0.00
33	RT	Market Disruption	SCE	LA Basin	6/7/2022	0	No	INC	1	23:00	0:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
34	RT	Market Disruption	SCE	LA Basin	6/8/2022	0	No	INC	4	0:00	3:55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35	RT	Market Disruption	SCE	NA	6/23/2022	-200	No	DEC	1	6:35	7:30	-1.96	0.00	0.00	-1834.33	-9.21	0.00	-1381.75	0.00	0.00	0.00

**California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022**

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
36	RT	Market Disruption	SDGE	San Diego-IV	6/7/2022	331	No	DEC	1	22:50	23:05	-1.64	0.00	0.00	128.98	-4.49	0.00	311.65	0.00	0.00	0.00
37	RT	Other Reliability Requirement	PGAE	Fresno	6/4/2022	404	No	INC	1	22:05	22:15	-30.78	2327.87	0.00	3154.11	0.00	0.00	0.00	0.00	0.00	0.00
38	RT	Planned Transmission Outage	PGAE	Bay Area	6/1/2022	15	No	INC	13	9:35	22:00	185.61	0.00	0.00	-14244.00	0.00	0.00	0.00	0.00	0.00	0.00
39	RT	Planned Transmission Outage	PGAE	Bay Area	6/3/2022	15	No	INC	7	15:00	22:00	105.38	0.00	0.00	-8061.86	0.00	0.00	0.00	0.00	0.00	0.00
40	RT	Planned Transmission Outage	PGAE	Bay Area	6/5/2022	20	No	INC	3	11:30	14:15	55.41	0.00	0.00	-15.34	0.00	0.00	0.00	0.00	0.00	0.00
41	RT	Planned Transmission Outage	PGAE	Bay Area	6/11/2022	20	No	INC	4	19:30	22:45	65.46	11825.00	805.93	-9251.59	0.00	0.00	0.00	0.00	0.00	0.00
42	RT	Planned Transmission Outage	PGAE	Bay Area	6/23/2022	20	No	DEC	7	14:00	21:00	3.61	0.00	0.00	-419.69	0.00	0.00	0.00	0.00	0.00	0.00
43	RT	Planned Transmission Outage	PGAE	Bay Area	6/23/2022	20	No	INC	9	13:05	22:00	41.60	0.00	0.00	-4063.85	0.00	0.00	0.00	0.00	0.00	0.00
44	RT	Planned Transmission Outage	PGAE	Bay Area	6/24/2022	20	No	DEC	1	18:40	19:00	0.99	0.00	0.00	-171.82	0.00	0.00	0.00	0.00	0.00	0.00
45	RT	Planned Transmission Outage	PGAE	Bay Area	6/24/2022	20	No	INC	4	19:00	23:00	92.55	0.00	0.00	-11146.20	0.00	0.00	0.00	0.00	0.00	0.00
46	RT	Planned Transmission Outage	PGAE	Fresno	6/13/2022	83	No	INC	1	4:25	5:00	0.00	8147.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
47	RT	Planned Transmission Outage	PGAE	Fresno	6/27/2022	120 - 250	No	INC	2	22:35	0:00	102.12	19786.91	0.00	-6821.71	61.50	4041.47	0.00	0.00	-1638.53	0.00
48	RT	Planned Transmission Outage	PGAE	Fresno	6/28/2022	83 - 320	No	INC	24	0:00	0:00	-63.04	80311.57	0.00	4591.64	47.50	3590.67	0.00	0.00	10860.35	0.00
49	RT	Planned Transmission Outage	PGAE	Fresno	6/29/2022	83	No	INC	3	0:00	3:00	36.75	41901.69	0.00	-3505.79	0.00	0.00	0.00	0.00	0.00	0.00
50	RT	Planned Transmission Outage	PGAE	Fresno	6/30/2022	83	No	INC	6	0:25	5:45	2.40	74491.89	0.00	8786.87	0.00	0.00	0.00	0.00	0.00	0.00
51	RT	Planned Transmission Outage	PGAE	Humboldt	6/1/2022	30 - 45	No	DEC	4	18:00	22:00	2.80	-1063.99	0.00	-125.27	0.00	0.00	0.00	0.00	0.00	0.00
52	RT	Planned Transmission Outage	PGAE	Humboldt	6/1/2022	30 - 60	No	INC	24	0:00	0:00	-5.39	91007.15	0.00	495.08	-2.10	0.00	158.27	0.00	-185.89	0.00
53	RT	Planned Transmission Outage	PGAE	Humboldt	6/2/2022	30 - 60	No	INC	24	0:00	0:00	-14.30	129722.75	0.00	763.93	-3.11	0.00	325.86	0.00	-155.04	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
54	RT	Planned Transmission Outage	PGAE	Humboldt	6/3/2022	15 - 45	No	INC	24	0:00	0:00	-13.25	147681.05	0.00	1093.58	-2.29	0.00	186.72	0.00	-233.68	0.00
55	RT	Planned Transmission Outage	PGAE	Humboldt	6/4/2022	30	No	DEC	6	13:00	19:00	0.64	0.00	0.00	-28.16	0.00	0.00	0.00	0.00	-98.36	0.00
56	RT	Planned Transmission Outage	PGAE	Humboldt	6/4/2022	15 - 30	No	INC	24	0:00	0:00	7.54	39615.08	0.00	-486.17	0.00	0.00	0.00	0.00	-500.26	0.00
57	RT	Planned Transmission Outage	PGAE	Humboldt	6/5/2022	15	No	DEC	23	0:15	23:00	-2.90	366.81	0.00	-807.53	-1.12	0.00	156.75	0.00	-620.28	0.00
58	RT	Planned Transmission Outage	PGAE	Humboldt	6/5/2022	15 - 30	No	INC	24	0:00	0:00	1.54	64802.46	0.00	-2823.97	-2.15	0.00	297.86	0.00	-614.20	0.00
59	RT	Planned Transmission Outage	PGAE	Humboldt	6/6/2022	15	No	DEC	8	0:00	7:30	0.50	0.00	0.00	-38.27	0.00	0.00	0.00	0.00	-157.07	0.00
60	RT	Planned Transmission Outage	PGAE	Humboldt	6/6/2022	30	No	INC	24	0:00	0:00	5.45	78863.39	0.00	-13.88	0.82	0.01	0.00	0.00	-104.20	0.00
61	RT	Planned Transmission Outage	PGAE	Humboldt	6/7/2022	28 - 42	No	INC	24	0:00	0:00	4.30	111719.58	0.00	-129.17	0.00	0.00	0.00	0.00	-81.00	0.00
62	RT	Planned Transmission Outage	PGAE	Humboldt	6/8/2022	28 - 48	No	INC	24	0:00	0:00	216.08	121696.71	0.00	-16339.77	4.25	-86.91	0.00	0.00	-48.56	0.00
63	RT	Planned Transmission Outage	PGAE	Humboldt	6/9/2022	28 - 45	No	DEC	6	15:00	21:00	-7.21	2825.83	0.00	553.07	-3.74	0.00	406.12	0.00	-697.56	0.00
64	RT	Planned Transmission Outage	PGAE	Humboldt	6/9/2022	28 - 45	No	INC	24	0:00	0:00	-8.87	131198.84	0.00	1313.64	-2.08	0.00	350.69	0.00	-171.76	0.00
65	RT	Planned Transmission Outage	PGAE	Humboldt	6/10/2022	15 - 60	No	DEC	10	13:00	22:15	1.12	-33669.91	0.00	712.53	-1.31	0.00	225.48	0.00	-4189.04	0.00
66	RT	Planned Transmission Outage	PGAE	Humboldt	6/10/2022	30 - 60	No	INC	18	0:00	18:00	11.87	68051.41	0.00	-2689.78	-1.33	0.00	137.17	0.00	-63.92	0.00
67	RT	Planned Transmission Outage	PGAE	Humboldt	6/14/2022	30	No	DEC	8	15:00	23:00	-0.03	-18853.84	1558.52	448.53	0.00	0.00	0.00	0.00	-1860.79	0.00
68	RT	Planned Transmission Outage	PGAE	Humboldt	6/14/2022	30	No	INC	18	6:30	0:00	-1.11	47307.55	222.65	69.29	-0.61	0.00	69.77	0.00	-1072.11	0.00
69	RT	Planned Transmission Outage	PGAE	Humboldt	6/15/2022	30	No	DEC	4	18:00	22:00	1.29	-6356.58	0.00	-117.45	0.00	0.00	0.00	0.00	-2075.89	0.00
70	RT	Planned Transmission Outage	PGAE	Humboldt	6/15/2022	30	No	INC	24	0:00	0:00	-1.90	83521.42	0.00	-57.07	-2.54	0.00	162.59	0.00	-92.25	0.00
71	RT	Planned Transmission Outage	PGAE	Humboldt	6/16/2022	30 - 45	No	INC	24	0:00	0:00	4.32	120337.68	0.00	-5.70	1.30	-1.14	0.00	0.00	-48.87	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
72	RT	Planned Transmission Outage	PGAE	Humboldt	6/17/2022	30 - 45	No	INC	24	0:00	0:00	0.00	134782.08	0.00	0.00	0.00	0.00	0.00	0.00	-54.86	0.00
73	RT	Planned Transmission Outage	PGAE	Humboldt	6/18/2022	14	No	DEC	5	17:00	21:25	-0.76	0.00	0.00	-22.42	0.00	0.00	0.00	0.00	0.00	0.00
74	RT	Planned Transmission Outage	PGAE	Humboldt	6/18/2022	14 - 45	No	INC	24	0:00	0:00	-7.31	71247.40	0.00	-173.81	0.00	0.00	0.00	0.00	-257.16	0.00
75	RT	Planned Transmission Outage	PGAE	Humboldt	6/19/2022	14 - 28	No	INC	19	0:00	18:15	-1.32	33161.24	0.00	9.75	0.00	0.00	0.00	0.00	0.00	0.00
76	RT	Planned Transmission Outage	PGAE	Humboldt	6/25/2022	30	No	DEC	4	20:25	0:00	-1.36	-7823.44	0.00	124.06	0.00	0.00	0.00	0.00	0.00	0.00
77	RT	Planned Transmission Outage	PGAE	Humboldt	6/25/2022	15	No	INC	1	23:40	0:00	0.00	822.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
78	RT	Planned Transmission Outage	PGAE	Humboldt	6/26/2022	15 - 45	No	DEC	14	8:00	22:00	-8.85	-12121.96	0.00	212.78	-1.42	0.00	31.96	0.00	0.00	0.00
79	RT	Planned Transmission Outage	PGAE	Humboldt	6/26/2022	15 - 45	No	INC	24	0:00	0:00	-1.82	21190.03	0.00	-12.03	0.00	0.00	0.00	0.00	-0.20	0.00
80	RT	Planned Transmission Outage	PGAE	Humboldt	6/27/2022	30 - 45	No	DEC	17	7:00	0:00	-7.81	-47945.50	0.00	400.05	0.00	0.00	0.00	0.00	-653.29	0.00
81	RT	Planned Transmission Outage	PGAE	Humboldt	6/27/2022	15 - 45	No	INC	24	0:00	0:00	35.67	35796.84	991.49	-1515.36	0.65	-5.74	0.00	0.00	-8.89	0.00
82	RT	Planned Transmission Outage	PGAE	Humboldt	6/28/2022	30	No	DEC	22	0:00	22:00	-2.04	-7129.42	0.00	-18.41	0.00	0.00	0.00	0.00	0.00	0.00
83	RT	Planned Transmission Outage	PGAE	Humboldt	6/28/2022	30 - 45	No	INC	24	0:00	0:00	15.85	86878.93	0.00	-726.20	0.00	0.00	0.00	0.00	-64.30	0.00
84	RT	Planned Transmission Outage	PGAE	Humboldt	6/29/2022	30 - 45	No	DEC	4	18:00	22:00	3.57	1282.53	0.00	74.30	0.00	0.00	0.00	0.00	0.00	0.00
85	RT	Planned Transmission Outage	PGAE	Humboldt	6/29/2022	30 - 45	No	INC	24	0:00	0:00	-1.38	83364.27	0.00	22.19	0.00	0.00	0.00	0.00	0.00	0.00
86	RT	Planned Transmission Outage	PGAE	Humboldt	6/30/2022	30 - 45	No	INC	24	0:00	0:00	-4.39	89154.28	0.00	2276.25	0.00	0.00	0.00	0.00	-62.42	0.00
87	RT	Planned Transmission Outage	PGAE	Kern	6/1/2022	32 - 52	Yes	INC	6	18:00	0:00	83.60	41434.12	6496.46	-7540.28	1.82	-140.25	0.00	0.00	-244.35	0.00
88	RT	Planned Transmission Outage	PGAE	Kern	6/5/2022	47	No	INC	4	20:30	0:00	80.93	0.00	0.00	-12451.04	0.00	0.00	0.00	0.00	0.00	0.00
89	RT	Planned Transmission Outage	PGAE	NCNB	6/18/2022	8 - 64	No	DEC	19	5:00	0:00	-50.81	0.00	0.00	1760.32	-19.05	0.00	1323.63	0.00	-14807.98	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
90	RT	Planned Transmission Outage	PGAE	NCNB	6/18/2022	15	No	INC	7	8:40	14:45	0.42	0.00	0.00	-14.93	0.00	0.00	0.00	0.00	-21.38	0.00
91	RT	Planned Transmission Outage	PGAE	NCNB	6/19/2022	10 - 53	No	DEC	21	0:00	20:30	11.98	0.00	0.00	-214.13	-1.29	0.00	-17.43	0.00	32755.42	0.00
92	RT	Planned Transmission Outage	PGAE	Sierra	6/1/2022	47	No	DEC	4	18:45	22:00	7.14	-1013.80	0.00	-593.14	6.47	-520.56	0.00	0.00	-59.29	0.00
93	RT	Planned Transmission Outage	PGAE	Sierra	6/1/2022	20 - 47	No	INC	5	19:00	0:00	-13.95	21295.40	0.00	994.68	0.00	0.00	0.00	0.00	-979.25	0.00
94	RT	Planned Transmission Outage	PGAE	Sierra	6/9/2022	20	No	DEC	1	16:45	17:30	-3.55	0.00	0.00	303.59	0.00	0.00	0.00	0.00	0.00	0.00
95	RT	Planned Transmission Outage	PGAE	Sierra	6/9/2022	20	No	INC	1	16:45	17:30	5.07	3150.00	0.00	-548.92	0.00	0.00	0.00	0.00	0.00	0.00
96	RT	Planned Transmission Outage	PGAE	Stockton	6/13/2022	89	No	INC	3	20:30	23:30	0.00	27773.76	17107.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00
97	RT	Planned Transmission Outage	PGAE	NA	6/2/2022	43 - 45	No	DEC	4	17:30	21:00	-1.91	0.00	0.00	-0.31	-2.75	0.00	-0.45	0.00	0.00	0.00
98	RT	Planned Transmission Outage	PGAE	NA	6/3/2022	40	No	DEC	5	18:00	23:00	-0.06	0.00	0.00	9.93	-1.91	0.00	112.98	0.00	0.00	0.00
99	RT	Planned Transmission Outage	PGAE	NA	6/3/2022	40	No	INC	7	17:25	0:00	6.11	0.00	0.00	48.55	-1.91	0.00	145.71	0.00	0.00	0.00
100	RT	Planned Transmission Outage	SCE	Fresno	6/21/2022	75	No	DEC	1	9:50	10:45	-21.51	0.00	0.00	555.78	-17.45	0.00	357.96	0.00	0.00	0.00
101	RT	Planned Transmission Outage	SCE	NA	6/24/2022	0 - 40	No	DEC	3	21:10	0:00	-18.68	0.00	0.00	-4093.53	-8.78	0.00	-2212.94	0.00	0.00	0.00
102	RT	Planned Transmission Outage	SCE	NA	6/25/2022	40	No	DEC	17	0:00	17:00	-223.58	0.00	0.00	-123897.16	0.00	0.00	0.00	0.00	0.00	0.00
103	RT	Planned Transmission Outage	SDGE	San Diego-IV	6/24/2022	37	No	INC	2	21:55	23:00	25.52	0.00	0.00	-1948.84	0.00	0.00	0.00	0.00	0.00	0.00
104	RT	Planned Transmission Outage	SDGE	San Diego-IV	6/30/2022	290	No	INC	11	6:00	17:00	-173.35	209084.85	0.00	7516.54	0.63	-17.56	0.00	0.00	-3031.22	0.00
105	RT	Pump Management	PGAE	Fresno	6/18/2022	-297	No	DEC	1	23:30	0:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
106	RT	Ramping Capacity	PGAE	Bay Area	6/21/2022	555 - 565	No	DEC	3	19:45	22:00	0.20	0.00	0.00	26.83	0.00	0.00	0.00	0.00	0.00	0.00
107	RT	Ramping Capacity	PGAE	Bay Area	6/21/2022	590	No	INC	1	18:50	19:45	-0.08	0.00	0.00	29.37	0.00	0.00	0.00	0.00	0.00	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
108	RT	Ramping Capacity	PGAE	Kern	6/8/2022	32	No	DEC	6	18:00	0:00	7.66	0.00	0.00	-722.96	0.00	0.00	0.00	0.00	0.00	0.00
109	RT	Ramping Capacity	PGAE	Kern	6/8/2022	32	No	INC	2	16:00	18:00	9.54	18540.32	0.00	-805.91	0.00	0.00	0.00	0.00	0.00	0.00
110	RT	Ramping Capacity	PGAE	Kern	6/9/2022	32	No	INC	2	0:00	2:00	18.22	4553.88	0.00	-1970.09	0.00	0.00	0.00	0.00	0.00	0.00
111	RT	Ramping Capacity	PGAE	NA	6/22/2022	49 - 307	No	DEC	6	16:00	22:00	-240.23	16448.84	0.00	13328.07	0.00	0.00	0.00	0.00	0.00	0.00
112	RT	Ramping Capacity	PGAE	NA	6/22/2022	49 - 307	No	INC	3	15:00	18:00	27.29	22508.94	1942.06	-3814.40	0.00	0.00	0.00	0.00	0.00	0.00
113	RT	Ramping Capacity	SCE	Big Creek-Ventura	6/10/2022	400.1	No	INC	7	15:00	22:00	43.41	182949.11	0.00	-4660.59	108.51	12089.4 1	0.00	0.00	0.00	0.00
114	RT	Ramping Capacity	SCE	Big Creek-Ventura	6/28/2022	401	No	INC	4	16:00	20:00	9.06	137950.11	0.00	-902.11	0.43	-43.64	0.00	0.00	0.00	0.00
115	RT	Ramping Capacity	SCE	Big Creek-Ventura	6/29/2022	401	No	INC	4	16:00	20:00	115.54	129995.63	0.00	-8723.76	0.43	-41.09	0.00	0.00	0.00	0.00
116	RT	Ramping Capacity	SCE	LA Basin	6/4/2022	150 - 180	No	INC	3	17:45	20:00	-3.40	58419.24	0.00	260.22	0.00	0.00	0.00	0.00	0.00	0.00
117	RT	Ramping Capacity	SCE	LA Basin	6/10/2022	65 - 194	No	INC	8	14:00	22:00	-1115.65	11404.20	0.00	108052.64	19.51	2223.17	0.00	0.00	0.00	0.00
118	RT	Ramping Capacity	SCE	LA Basin	6/11/2022	190 - 194	No	INC	3	17:30	20:00	86.06	0.00	0.00	-10549.70	6.93	-762.32	0.00	0.00	0.00	0.00
119	RT	Ramping Capacity	SCE	LA Basin	6/21/2022	194	No	INC	6	16:00	22:00	-272.62	0.00	0.00	22992.85	0.00	0.00	0.00	0.00	0.00	0.00
120	RT	Ramping Capacity	SCE	LA Basin	6/22/2022	194	No	DEC	4	17:00	21:00	-27.06	0.00	0.00	1791.02	0.00	0.00	0.00	0.00	0.00	0.00
121	RT	Ramping Capacity	SCE	LA Basin	6/22/2022	65 - 194	No	INC	8	14:00	22:00	-513.06	8537.71	0.00	37080.47	1.18	-111.25	0.00	0.00	0.00	0.00
122	RT	Ramping Capacity	SCE	LA Basin	6/23/2022	190	No	DEC	3	18:00	21:00	-39.08	0.00	0.00	2470.55	0.00	0.00	0.00	0.00	0.00	0.00
123	RT	Ramping Capacity	SCE	LA Basin	6/23/2022	65 - 194	No	INC	7	15:00	22:00	-515.49	92628.12	0.00	46906.48	0.15	-14.60	0.00	0.00	0.00	0.00
124	RT	Ramping Capacity	SCE	LA Basin	6/27/2022	240	No	DEC	4	18:15	22:00	-124.97	-19412.18	102896.2 5	10633.74	0.00	0.00	0.00	0.00	0.00	0.00
125	RT	Ramping Capacity	SCE	LA Basin	6/27/2022	240	No	INC	4	18:15	22:00	106.90	66858.89	18418.75	-10408.95	6.99	-624.20	0.00	0.00	0.00	0.00

**California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022**

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
126	RT	Ramping Capacity	SCE	LA Basin	6/28/2022	65 - 241	No	INC	4	16:00	20:00	-493.55	159724.04	0.00	44183.24	35.49	-	3471.26	0.00	0.00	0.00
127	RT	Ramping Capacity	SCE	LA Basin	6/29/2022	65 - 241	No	INC	4	16:00	20:00	-500.57	129978.07	0.00	41795.83	43.88	-	4252.29	0.00	0.00	0.00
128	RT	Ramping Capacity	SCE	LA Basin	6/30/2022	190 - 194	No	INC	7	16:55	23:00	-436.00	0.00	0.00	41053.47	23.91	-	2083.33	0.00	0.00	0.00
129	RT	Reliability Assessment	PGAE	Bay Area	6/6/2022	22	No	INC	4	19:20	23:00	83.24	0.00	0.00	-14440.51	0.00	0.00	0.00	0.00	0.00	0.00
130	RT	Reliability Assessment	PGAE	Bay Area	6/13/2022	190	No	INC	3	2:55	5:00	495.26	124134.40	0.00	-103313.17	0.00	0.00	0.00	0.00	0.00	0.00
131	RT	Reliability Assessment	PGAE	Bay Area	6/21/2022	120	No	INC	5	19:40	0:00	303.65	175853.17	50509.27	-46999.08	0.00	0.00	0.00	0.00	0.00	0.00
132	RT	Reliability Assessment	PGAE	Bay Area	6/22/2022	60	No	DEC	5	16:00	21:00	-2.44	-78119.23	0.00	206.59	0.00	0.00	0.00	0.00	0.00	0.00
133	RT	Reliability Assessment	PGAE	Bay Area	6/22/2022	60 - 120	No	INC	23	0:00	23:00	-133.59	134736.72	0.00	8318.28	-15.90	0.00	1498.29	0.00	0.00	0.00
134	RT	Reliability Assessment	PGAE	Fresno	6/13/2022	83	No	INC	2	2:55	4:45	27.67	17459.04	0.00	-2267.55	0.00	0.00	0.00	0.00	0.00	0.00
135	RT	Reliability Assessment	PGAE	Fresno	6/14/2022	65 - 80	No	DEC	9	9:25	18:00	-22.23	0.00	0.00	-188.92	-1.27	0.00	-12.82	0.00	0.00	0.00
136	RT	Reliability Assessment	PGAE	Fresno	6/14/2022	65	No	INC	2	18:00	20:00	-4.82	0.00	0.00	-336.46	0.00	0.00	0.00	0.00	0.00	0.00
137	RT	Reliability Assessment	PGAE	Fresno	6/16/2022	30 - 45	No	INC	5	8:20	13:00	-6.67	0.00	0.00	48.53	-14.90	0.00	49.87	0.00	0.00	0.00
138	RT	Reliability Assessment	PGAE	Fresno	6/21/2022	0	No	DEC	2	17:25	19:00	-139.42	0.00	0.00	-12675.01	-138.14	0.00	-4641.45	0.00	0.00	0.00
139	RT	Reliability Assessment	PGAE	Fresno	6/22/2022	50	No	DEC	6	16:20	22:00	-15.44	0.00	0.00	-65.28	-15.44	0.00	138.52	0.00	0.00	0.00
140	RT	Reliability Assessment	PGAE	Fresno	6/24/2022	0	No	DEC	2	15:40	17:00	-119.23	0.00	0.00	105.83	-118.23	0.00	44.93	0.00	0.00	0.00
141	RT	Reliability Assessment	PGAE	Fresno	6/26/2022	150	No	INC	2	22:10	0:00	43.17	6983.61	0.00	-3567.72	27.81	-	2421.70	0.00	0.00	0.00
142	RT	Reliability Assessment	PGAE	Fresno	6/27/2022	150	No	INC	2	0:00	2:00	3.15	27934.46	0.00	-358.47	0.00	0.00	0.00	0.00	0.00	0.00
143	RT	Reliability Assessment	PGAE	Fresno	6/30/2022	85	No	INC	1	23:55	0:00	23.28	0.00	0.00	-1959.40	0.00	0.00	0.00	0.00	0.00	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC DEC	Hours	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC6620
144	RT	Reliability Assessment	PGAE	Humboldt	6/10/2022	15 - 45	No	DEC	2	22:00	0:00	9.24	-90.30	0.00	-758.20	0.00	0.00	0.00	0.00	-325.06	0.00
145	RT	Reliability Assessment	PGAE	Humboldt	6/10/2022	45	No	INC	1	23:00	0:00	-3.82	4730.84	0.00	371.83	0.00	0.00	0.00	0.00	0.00	0.00
146	RT	Reliability Assessment	PGAE	Humboldt	6/11/2022	15 - 16	No	DEC	24	0:00	0:00	-2.89	13137.74	0.00	-516.89	-0.06	0.00	1.74	0.00	0.00	0.00
147	RT	Reliability Assessment	PGAE	Humboldt	6/11/2022	16 - 45	No	INC	24	0:00	0:00	-7.88	87327.31	0.00	608.30	-3.83	0.00	107.64	0.00	0.00	0.00
148	RT	Reliability Assessment	PGAE	Humboldt	6/12/2022	16	No	DEC	24	0:00	0:00	-3.96	-19633.32	0.00	328.46	0.00	0.00	0.00	0.00	0.00	0.00
149	RT	Reliability Assessment	PGAE	Humboldt	6/12/2022	16	No	INC	10	0:00	10:00	0.07	0.00	0.00	-14.04	0.00	0.00	0.00	0.00	0.00	0.00
150	RT	Reliability Assessment	PGAE	Humboldt	6/13/2022	16	No	DEC	8	0:00	7:35	0.00	0.00	0.00	-0.01	0.00	0.00	0.00	0.00	0.00	0.00
151	RT	Reliability Assessment	PGAE	Humboldt	6/13/2022	30	No	INC	17	7:35	0:00	3.50	21638.68	0.00	-17.88	0.50	-14.08	0.00	0.00	0.00	0.00
152	RT	Reliability Assessment	PGAE	Humboldt	6/14/2022	30	No	INC	7	0:00	7:00	0.00	10682.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
153	RT	Reliability Assessment	PGAE	Humboldt	6/19/2022	14	No	DEC	5	19:45	0:00	-3.95	328.33	0.00	311.13	0.00	0.00	0.00	0.00	0.00	0.00
154	RT	Reliability Assessment	PGAE	Humboldt	6/19/2022	14 - 28	No	INC	7	17:50	0:00	-0.63	9083.79	0.00	36.50	0.00	0.00	0.00	0.00	0.00	0.00
155	RT	Reliability Assessment	PGAE	Humboldt	6/20/2022	14 - 30	No	DEC	22	0:00	22:00	30.29	-5742.57	0.00	-2596.10	0.00	0.00	0.00	0.00	0.00	0.00
156	RT	Reliability Assessment	PGAE	Humboldt	6/20/2022	14 - 70	No	INC	24	0:00	0:00	-55.97	12367.07	0.00	3264.92	0.00	0.00	0.00	0.00	0.00	0.00
157	RT	Reliability Assessment	PGAE	Humboldt	6/21/2022	30	No	DEC	11	12:00	23:00	5.26	-7962.97	0.00	-366.37	0.00	0.00	0.00	0.00	0.00	0.00
158	RT	Reliability Assessment	PGAE	Humboldt	6/21/2022	30	No	INC	24	0:00	0:00	-3.34	19699.67	0.00	71.49	0.00	0.00	0.00	0.00	0.00	0.00
159	RT	Reliability Assessment	PGAE	Humboldt	6/22/2022	15 - 30	No	DEC	11	12:55	23:00	-26.63	-53348.17	0.00	1107.04	-1.66	0.00	38.88	0.00	0.00	0.00
160	RT	Reliability Assessment	PGAE	Humboldt	6/22/2022	15 - 30	No	INC	24	0:00	0:00	-10.49	41392.69	0.00	660.73	-0.43	0.00	9.96	0.00	0.00	0.00
161	RT	Reliability Assessment	PGAE	Humboldt	6/23/2022	28	No	DEC	7	15:00	22:00	-18.24	-4283.38	0.00	1109.66	0.00	0.00	0.00	0.00	0.00	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
162	RT	Reliability Assessment	PGAE	Humboldt	6/23/2022	28 - 30	No	INC	24	0:00	0:00	2.96	19253.52	0.00	-452.42	0.00	0.00	0.00	0.00	0.00	0.00
163	RT	Reliability Assessment	PGAE	Humboldt	6/24/2022	30	No	DEC	11	12:00	23:00	-9.62	-30792.77	0.00	1379.99	0.00	0.00	0.00	0.00	0.00	0.00
164	RT	Reliability Assessment	PGAE	Humboldt	6/24/2022	30	No	INC	24	0:00	0:00	-4.28	52696.46	0.00	72.69	0.00	0.00	0.00	0.00	0.00	0.00
165	RT	Reliability Assessment	PGAE	Humboldt	6/25/2022	30	No	DEC	10	12:00	22:00	-1.36	-32058.35	0.00	99.38	0.00	0.00	0.00	0.00	0.00	0.00
166	RT	Reliability Assessment	PGAE	Humboldt	6/25/2022	30	No	INC	24	0:00	0:00	-1.27	43202.95	0.00	26.80	0.00	0.00	0.00	0.00	0.00	0.00
167	RT	Reliability Assessment	PGAE	Humboldt	6/26/2022	45	No	DEC	1	21:50	22:00	-0.06	0.00	0.00	-61.23	-1.42	0.00	31.96	0.00	0.00	0.00
168	RT	Reliability Assessment	PGAE	Humboldt	6/26/2022	45	No	INC	1	22:00	23:00	-3.78	1851.57	0.00	57.06	-4.54	0.00	102.29	0.00	0.00	0.00
169	RT	Reliability Assessment	PGAE	Kern	6/2/2022	32 - 47	Yes	INC	8	16:00	0:00	375.59	97785.69	14426.71	-28303.32	0.00	0.00	0.00	0.00	0.00	0.00
170	RT	Reliability Assessment	PGAE	Kern	6/3/2022	32 - 47	Yes	INC	24	0:00	0:00	38.73	122564.27	21192.87	-3311.94	0.00	0.00	0.00	0.00	0.00	0.00
171	RT	Reliability Assessment	PGAE	Kern	6/4/2022	32 - 47	Yes	INC	23	0:00	23:00	16.35	29913.10	3733.98	-1324.51	0.00	0.00	0.00	0.00	0.00	0.00
172	RT	Reliability Assessment	PGAE	Kern	6/5/2022	32	No	INC	6	17:00	23:00	21.40	26775.18	4290.98	-5160.20	0.00	0.00	0.00	0.00	0.00	0.00
173	RT	Reliability Assessment	PGAE	Kern	6/6/2022	20 - 50	No	INC	7	17:00	0:00	207.40	34771.37	7798.59	-25030.26	0.00	0.00	0.00	0.00	0.00	0.00
174	RT	Reliability Assessment	PGAE	Kern	6/7/2022	32	No	DEC	4	18:00	22:00	12.87	0.00	0.00	-940.40	0.00	0.00	0.00	0.00	0.00	0.00
175	RT	Reliability Assessment	PGAE	Kern	6/7/2022	20 - 47	No	INC	24	0:00	0:00	70.51	58397.68	5239.48	-5407.44	0.00	0.00	0.00	0.00	0.00	0.00
176	RT	Reliability Assessment	PGAE	Kern	6/8/2022	32 - 47	No	DEC	5	18:00	23:00	200.25	0.00	0.00	-25462.03	0.00	0.00	0.00	0.00	0.00	0.00
177	RT	Reliability Assessment	PGAE	Kern	6/8/2022	32 - 47	No	INC	24	0:00	0:00	126.19	24395.95	0.00	-11159.87	51.03	4774.44	0.00	0.00	0.00	0.00
178	RT	Reliability Assessment	PGAE	Kern	6/9/2022	32 - 52	Yes	INC	24	0:00	0:00	23.37	36810.25	2200.32	-2415.90	1.53	-178.07	0.00	0.00	0.00	0.00
179	RT	Reliability Assessment	PGAE	Kern	6/10/2022	32 - 47	No	DEC	8	16:00	0:00	21.09	-17958.41	2216.72	-1719.60	0.00	0.00	0.00	0.00	0.00	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
180	RT	Reliability Assessment	PGAE	Kern	6/10/2022	32 - 52	No	INC	24	0:00	0:00	55.21	101888.65	4804.96	-4850.63	2.29	-298.78	0.00	0.00	0.00	0.00
181	RT	Reliability Assessment	PGAE	Kern	6/11/2022	23 - 49	No	DEC	6	16:00	22:00	3.96	-18544.83	3115.95	-308.91	0.00	0.00	0.00	0.00	0.00	0.00
182	RT	Reliability Assessment	PGAE	Kern	6/11/2022	23 - 49	No	INC	24	0:00	0:00	82.09	124883.98	2771.26	-6388.12	4.26	-440.46	0.00	0.00	0.00	0.00
183	RT	Reliability Assessment	PGAE	Kern	6/12/2022	32	No	DEC	3	19:00	22:00	3.49	0.00	0.00	-273.76	0.00	0.00	0.00	0.00	0.00	0.00
184	RT	Reliability Assessment	PGAE	Kern	6/12/2022	23 - 49	Yes	INC	24	0:00	0:00	274.13	115064.39	8817.32	-22001.08	0.00	0.00	0.00	0.00	0.00	0.00
185	RT	Reliability Assessment	PGAE	Kern	6/13/2022	23 - 47	Yes	INC	23	0:00	23:00	117.82	63376.07	4568.23	-13332.00	0.00	0.00	0.00	0.00	0.00	0.00
186	RT	Reliability Assessment	PGAE	Kern	6/14/2022	20 - 47	No	INC	9	15:00	0:00	116.61	92422.43	8815.77	-11362.87	0.00	0.00	0.00	0.00	0.00	0.00
187	RT	Reliability Assessment	PGAE	Kern	6/15/2022	47	No	DEC	3	19:00	22:00	1.21	0.00	0.00	-116.61	0.00	0.00	0.00	0.00	0.00	0.00
188	RT	Reliability Assessment	PGAE	Kern	6/15/2022	5 - 47	No	INC	24	0:15	0:00	156.37	43252.01	4177.34	-14256.30	6.18	-546.10	0.00	0.00	0.00	0.00
189	RT	Reliability Assessment	PGAE	Kern	6/16/2022	32 - 47	Yes	INC	24	0:00	0:00	308.07	45895.71	3421.57	-23402.24	0.00	0.00	0.00	0.00	0.00	0.00
190	RT	Reliability Assessment	PGAE	Kern	6/17/2022	47	No	DEC	3	19:00	22:00	-7.64	0.00	0.00	505.29	0.00	0.00	0.00	0.00	0.00	0.00
191	RT	Reliability Assessment	PGAE	Kern	6/17/2022	20 - 49	No	INC	8	16:00	0:00	182.12	26932.36	3810.85	-7575.98	9.96	-894.66	0.00	0.00	0.00	0.00
192	RT	Reliability Assessment	PGAE	Kern	6/18/2022	47	No	INC	4	18:00	22:00	-1.79	7204.59	0.00	-200.15	0.00	0.00	0.00	0.00	0.00	0.00
193	RT	Reliability Assessment	PGAE	Kern	6/19/2022	47 - 49	No	INC	4	18:00	22:00	94.56	24896.36	3599.66	-4752.65	6.94	-579.92	0.00	0.00	0.00	0.00
194	RT	Reliability Assessment	PGAE	Kern	6/21/2022	32	No	DEC	5	12:00	17:00	0.95	0.00	0.00	32.58	0.00	0.00	0.00	0.00	0.00	0.00
195	RT	Reliability Assessment	PGAE	Kern	6/21/2022	20 - 32	No	INC	8	10:00	18:00	-3.38	22026.86	4103.31	217.14	0.00	0.00	0.00	0.00	0.00	0.00
196	RT	Reliability Assessment	PGAE	Kern	6/23/2022	32	No	DEC	2	20:40	22:00	-4.81	0.00	0.00	287.62	-4.91	0.00	295.97	0.00	0.00	0.00
197	RT	Reliability Assessment	PGAE	Kern	6/24/2022	32	No	INC	6	18:00	0:00	1.11	20205.62	8505.25	-147.93	0.00	0.00	0.00	0.00	0.00	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
198	RT	Reliability Assessment	PGAE	Kern	6/25/2022	20 - 47	No	INC	24	0:00	0:00	-4.15	33605.81	15147.98	297.37	0.00	-0.32	0.00	0.00	0.00	0.00
199	RT	Reliability Assessment	PGAE	Kern	6/26/2022	32	No	DEC	6	16:00	22:00	-9.41	0.00	0.00	5455.17	0.00	0.00	0.00	0.00	0.00	0.00
200	RT	Reliability Assessment	PGAE	Kern	6/26/2022	20 - 51	No	INC	24	0:00	0:00	225.58	5180.70	492.62	-18696.19	134.25	11058.77	0.00	0.00	0.00	0.00
201	RT	Reliability Assessment	PGAE	Kern	6/27/2022	32 - 51	No	INC	24	0:00	0:00	11.36	8161.17	632.62	-670.17	0.00	0.00	0.00	0.00	0.00	0.00
202	RT	Reliability Assessment	PGAE	Kern	6/28/2022	47 - 52	No	INC	24	0:00	0:00	70.02	64921.72	8715.17	-6501.74	0.64	-54.31	0.00	0.00	0.00	0.00
203	RT	Reliability Assessment	PGAE	Kern	6/29/2022	48 - 52	No	INC	9	15:00	0:00	-28.35	120123.67	26706.00	1762.71	0.17	-15.05	0.00	0.00	0.00	0.00
204	RT	Reliability Assessment	PGAE	Kern	6/30/2022	24 - 45	No	INC	4	16:00	19:45	-1.05	18786.94	6653.80	57.92	0.30	-24.77	0.00	0.00	0.00	0.00
205	RT	Reliability Assessment	PGAE	NCNB	6/9/2022	45 - 60	No	DEC	7	17:10	0:00	-31.38	0.00	0.00	-5547.41	-40.57	0.00	-608.49	0.00	0.00	0.00
206	RT	Reliability Assessment	PGAE	NCNB	6/10/2022	45 - 70	No	DEC	24	0:00	0:00	30.96	0.00	0.00	-1818.60	-28.05	0.00	-420.74	0.00	0.00	0.00
207	RT	Reliability Assessment	PGAE	NCNB	6/10/2022	68 - 70	No	INC	7	16:00	23:00	13.38	0.00	0.00	-214.74	-9.55	-0.45	-78.00	0.00	0.00	0.00
208	RT	Reliability Assessment	PGAE	NCNB	6/11/2022	58 - 70	No	DEC	24	0:00	0:00	49.56	0.00	0.00	-4382.07	-21.83	0.00	-327.50	0.00	0.00	0.00
209	RT	Reliability Assessment	PGAE	NCNB	6/12/2022	65 - 70	No	DEC	3	0:00	2:30	16.66	0.00	0.00	-806.89	0.00	0.00	0.00	0.00	0.00	0.00
210	RT	Reliability Assessment	PGAE	NCNB	6/13/2022	65	No	DEC	2	22:00	23:30	-7.39	0.00	0.00	-123.62	-7.50	0.00	-112.44	0.00	0.00	0.00
211	RT	Reliability Assessment	PGAE	NCNB	6/14/2022	65	No	DEC	3	0:05	3:00	-7.22	0.00	0.00	-119.45	-7.33	0.00	-110.00	0.00	0.00	0.00
212	RT	Reliability Assessment	PGAE	NCNB	6/21/2022	66 - 75	No	DEC	7	17:20	0:00	-0.03	0.00	0.00	-3663.44	-13.73	12.50	-218.44	0.00	0.00	0.00
213	RT	Reliability Assessment	PGAE	NCNB	6/22/2022	66 - 75	No	DEC	5	0:00	4:30	1.17	0.00	0.00	-710.66	-7.39	0.00	-110.78	0.00	0.00	0.00
214	RT	Reliability Assessment	PGAE	NCNB	6/22/2022	75	No	INC	1	4:00	4:30	-1.74	0.00	0.00	116.73	0.00	0.00	0.00	0.00	0.00	0.00
215	RT	Reliability Assessment	PGAE	Sierra	6/2/2022	40 - 42	No	INC	4	18:00	22:00	-0.09	42571.44	7750.45	4.10	0.00	0.00	0.00	0.00	0.00	0.00

**California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022**

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
216	RT	Reliability Assessment	PGAE	Sierra	6/3/2022	42	Yes	INC	4	18:00	22:00	-0.12	28380.64	1919.76	19.37	0.00	0.00	0.00	0.00	0.00	0.00
217	RT	Reliability Assessment	PGAE	Sierra	6/6/2022	20	No	DEC	4	18:00	22:00	30.16	0.00	0.00	-8073.27	0.00	0.00	0.00	0.00	0.00	0.00
218	RT	Reliability Assessment	PGAE	Sierra	6/6/2022	20	No	INC	1	17:35	18:00	-1.95	0.00	0.00	182.80	0.00	0.00	0.00	0.00	0.00	0.00
219	RT	Reliability Assessment	PGAE	Sierra	6/7/2022	20	No	DEC	3	18:00	21:00	10.38	0.00	0.00	-1325.95	0.00	0.00	0.00	0.00	0.00	0.00
220	RT	Reliability Assessment	PGAE	Sierra	6/7/2022	20	No	INC	1	17:30	18:00	3.87	0.00	0.00	-240.60	0.00	0.00	0.00	0.00	0.00	0.00
221	RT	Reliability Assessment	PGAE	Sierra	6/8/2022	20	Yes	DEC	3	18:00	21:00	34.35	-2123.50	0.00	-4348.69	0.00	0.00	0.00	0.00	0.00	0.00
222	RT	Reliability Assessment	PGAE	Sierra	6/8/2022	20 - 42	No	INC	7	16:00	23:00	4.48	75778.18	2645.88	-774.35	0.00	0.00	0.00	0.00	0.00	0.00
223	RT	Reliability Assessment	PGAE	Sierra	6/9/2022	20	No	DEC	6	17:10	23:00	-89.62	0.00	0.00	8520.42	0.00	0.00	0.00	0.00	0.00	0.00
224	RT	Reliability Assessment	PGAE	Sierra	6/9/2022	20 - 42	No	INC	7	17:10	0:00	-66.70	61543.92	1919.76	5643.03	0.00	0.00	0.00	0.00	0.00	0.00
225	RT	Reliability Assessment	PGAE	Sierra	6/10/2022	20	No	DEC	6	16:00	22:00	-8.22	0.00	0.00	659.79	0.00	0.00	0.00	0.00	0.00	0.00
226	RT	Reliability Assessment	PGAE	Sierra	6/10/2022	20 - 42	No	INC	12	12:15	0:00	29.40	68793.56	122.90	-3956.20	0.00	0.00	0.00	0.00	0.00	0.00
227	RT	Reliability Assessment	PGAE	Sierra	6/11/2022	20	No	DEC	5	18:00	23:00	6.89	0.00	0.00	-1311.74	0.00	0.00	0.00	0.00	0.00	0.00
228	RT	Reliability Assessment	PGAE	Sierra	6/11/2022	20 - 42	No	INC	24	0:00	0:00	20.26	123020.61	6825.23	-2650.45	0.00	0.00	0.00	0.00	0.00	0.00
229	RT	Reliability Assessment	PGAE	Sierra	6/12/2022	20	No	INC	5	0:00	4:45	8.16	19000.00	0.00	-1666.97	0.00	0.00	0.00	0.00	0.00	0.00
230	RT	Reliability Assessment	PGAE	Sierra	6/14/2022	42	No	INC	4	18:40	22:00	11.25	23061.50	1828.34	-2600.58	0.00	0.00	0.00	0.00	0.00	0.00
231	RT	Reliability Assessment	PGAE	Sierra	6/16/2022	20	Yes	DEC	4	18:00	22:00	-84.77	0.00	0.00	6196.34	0.00	0.00	0.00	0.00	0.00	0.00
232	RT	Reliability Assessment	PGAE	Sierra	6/16/2022	20	Yes	INC	1	22:00	23:00	-19.54	0.00	0.00	1449.81	0.00	0.00	0.00	0.00	0.00	0.00
233	RT	Reliability Assessment	PGAE	Sierra	6/21/2022	20	No	INC	2	15:45	17:00	-4.09	0.00	0.00	214.60	0.00	0.00	0.00	0.00	0.00	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
234	RT	Reliability Assessment	PGAE	Sierra	6/22/2022	20	No	DEC	2	19:00	21:00	-87.22	0.00	0.00	6263.43	0.00	0.00	0.00	0.00	0.00	0.00
235	RT	Reliability Assessment	PGAE	Sierra	6/22/2022	20 - 48	No	INC	12	12:15	0:00	-26.19	82588.11	1741.18	2005.15	0.00	0.00	0.00	0.00	0.00	0.00
236	RT	Reliability Assessment	PGAE	Sierra	6/23/2022	40	No	DEC	4	18:00	22:00	7.70	0.00	398.27	-2437.83	0.00	0.00	0.00	0.00	0.00	0.00
237	RT	Reliability Assessment	PGAE	Sierra	6/23/2022	20 - 42	No	INC	12	11:55	23:00	-49.01	51966.50	2188.84	2936.13	3.33	-288.40	0.00	0.00	0.00	0.00
238	RT	Reliability Assessment	PGAE	Sierra	6/24/2022	20	No	DEC	2	19:00	21:00	-0.57	0.00	0.00	-34.93	0.00	0.00	0.00	0.00	0.00	0.00
239	RT	Reliability Assessment	PGAE	Sierra	6/24/2022	10 - 42	No	INC	11	13:50	0:00	0.51	100142.69	1717.68	-1196.42	8.30	1085.65	0.00	0.00	0.00	0.00
240	RT	Reliability Assessment	PGAE	Sierra	6/25/2022	0 - 47	No	DEC	6	16:00	22:00	-25.46	-62.11	0.00	2671.84	-23.42	-527.72	2960.11	0.00	0.00	0.00
241	RT	Reliability Assessment	PGAE	Sierra	6/25/2022	20 - 47	Yes	INC	24	0:00	0:00	74.82	78323.05	3016.77	-9170.40	9.00	-703.62	0.00	0.00	0.00	0.00
242	RT	Reliability Assessment	PGAE	Sierra	6/26/2022	20 - 47	No	DEC	6	16:00	22:00	-2.76	0.00	0.00	-125.68	0.00	0.00	0.00	0.00	0.00	0.00
243	RT	Reliability Assessment	PGAE	Sierra	6/26/2022	20 - 47	No	INC	24	0:00	0:00	22.21	72040.50	0.00	-1611.58	10.44	-812.35	0.00	0.00	0.00	0.00
244	RT	Reliability Assessment	PGAE	Sierra	6/27/2022	20 - 42	Yes	DEC	4	18:00	22:00	41.44	-1147.76	0.00	-7921.71	0.00	0.00	0.00	0.00	0.00	0.00
245	RT	Reliability Assessment	PGAE	Sierra	6/27/2022	20 - 47	Yes	INC	23	0:00	23:00	-1.73	48600.78	0.00	37.16	0.00	0.00	0.00	0.00	0.00	0.00
246	RT	Reliability Assessment	PGAE	Sierra	6/29/2022	20 - 38	No	DEC	3	20:00	23:00	-4.06	0.00	0.00	-779.10	-6.17	0.00	-404.35	0.00	0.00	0.00
247	RT	Reliability Assessment	PGAE	Sierra	6/29/2022	20 - 38	No	INC	6	18:15	0:00	-14.64	8250.00	0.00	1110.01	0.00	0.00	0.00	0.00	0.00	0.00
248	RT	Reliability Assessment	PGAE	Sierra	6/30/2022	20	No	DEC	5	18:00	23:00	-4.90	0.00	0.00	358.47	0.00	0.00	0.00	0.00	0.00	0.00
249	RT	Reliability Assessment	PGAE	Sierra	6/30/2022	20 - 42	Yes	INC	24	0:00	0:00	-24.62	18265.06	4945.61	1325.49	0.00	0.00	0.00	0.00	0.00	0.00
250	RT	Reliability Assessment	PGAE	Stockton	6/13/2022	191.2	No	INC	6	3:05	9:00	26.28	70384.46	67415.43	-2955.46	0.00	0.00	0.00	0.00	0.00	0.00
251	RT	Reliability Assessment	PGAE	Stockton	6/22/2022	20	No	INC	9	12:35	21:00	-7.38	15747.42	0.00	550.72	0.00	0.00	0.00	0.00	0.00	0.00

**California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022**

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC DEC	Hours	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC6620
252	RT	Reliability Assessment	PGAE	NA	6/4/2022	0	No	DEC	1	9:10	9:45	-3.07	0.00	0.00	-0.03	-3.07	0.00	-0.03	0.00	0.00	0.00
253	RT	Reliability Assessment	PGAE	NA	6/9/2022	32	No	DEC	6	18:00	0:00	0.00	0.00	0.00	-0.62	0.00	0.00	0.00	0.00	0.00	0.00
254	RT	Reliability Assessment	PGAE	NA	6/9/2022	34 - 48	No	INC	7	17:00	0:00	-42.46	29729.91	4247.63	3924.05	0.00	0.00	0.00	0.00	0.00	0.00
255	RT	Reliability Assessment	PGAE	NA	6/10/2022	32	No	DEC	22	0:00	22:00	5.53	0.00	0.00	-426.27	0.00	0.00	0.00	0.00	0.00	0.00
256	RT	Reliability Assessment	PGAE	NA	6/10/2022	32 - 48	No	INC	24	0:00	0:00	6.60	26584.11	0.00	-435.16	0.31	-34.66	0.00	0.00	0.00	0.00
257	RT	Reliability Assessment	PGAE	NA	6/11/2022	32 - 46	Yes	INC	24	0:00	0:00	-1.51	44141.96	3925.57	33.24	0.29	-29.44	0.00	0.00	0.00	0.00
258	RT	Reliability Assessment	PGAE	NA	6/12/2022	45 - 46	Yes	INC	24	0:00	0:00	0.04	30408.91	3925.57	-24.19	0.61	-64.23	0.00	0.00	0.00	0.00
259	RT	Reliability Assessment	PGAE	NA	6/13/2022	45	No	INC	2	0:00	2:00	-0.05	7847.46	0.00	4.12	0.00	0.00	0.00	0.00	0.00	0.00
260	RT	Reliability Assessment	PGAE	NA	6/16/2022	32	Yes	INC	8	16:00	0:00	-11.64	27372.56	3421.57	1133.75	0.00	0.00	0.00	0.00	0.00	0.00
261	RT	Reliability Assessment	PGAE	NA	6/17/2022	32	Yes	INC	8	16:00	0:00	21.87	27660.24	3459.04	-1490.08	0.00	0.00	0.00	0.00	0.00	0.00
262	RT	Reliability Assessment	PGAE	NA	6/21/2022	90	No	INC	1	15:45	16:45	7.73	0.00	0.00	-1037.20	0.00	0.00	0.00	0.00	0.00	0.00
263	RT	Reliability Assessment	PGAE	NA	6/28/2022	47 - 48	Yes	INC	9	15:00	0:00	-52.97	58427.42	17015.92	3595.07	0.01	-0.80	0.00	0.00	0.00	0.00
264	RT	Reliability Assessment	PGAE	NA	6/29/2022	48	No	INC	9	15:00	0:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
265	RT	Reliability Assessment	PGAE	NA	6/30/2022	45	No	INC	3	17:00	19:45	-15.76	8698.41	4123.29	1476.39	0.00	0.00	0.00	0.00	0.00	0.00
266	RT	Reliability Assessment	SCE	Big Creek-Ventura	6/13/2022	0	No	INC	2	20:10	21:15	0.00	408.89	0.00	0.31	0.00	0.00	0.31	0.00	0.00	0.00
267	RT	Reliability Assessment	SDGE	San Diego-IV	6/22/2022	0	No	INC	1	3:10	4:00	17.50	0.00	0.00	-1211.32	15.00	1072.20	0.00	0.00	0.00	0.00
268	RT	Reliability Assessment	SDGE	San Diego-IV	6/26/2022	0	No	INC	1	4:55	5:45	0.75	0.00	0.00	-40.36	0.00	0.00	0.00	0.00	0.00	0.00
269	RT	Reverse Commitment Instruction	PGAE	Kern	6/22/2022	0	No	INC	8	16:55	0:00	-6.90	0.00	0.00	10.60	-6.90	0.00	10.60	0.00	0.00	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
270	RT	Software Limitation	PGAE	Fresno	6/13/2022	66	No	INC	2	22:30	0:00	2.46	0.00	0.00	-173.17	0.00	0.00	0.00	0.00	0.00	0.00
271	RT	Software Limitation	PGAE	Fresno	6/14/2022	66 - 92	No	INC	3	0:00	3:00	29.73	0.00	0.00	-5757.63	0.00	0.00	0.00	0.00	0.00	0.00
272	RT	Software Limitation	PGAE	Fresno	6/15/2022	83	No	INC	1	23:45	0:00	22.91	0.00	0.00	-2126.48	0.00	0.00	0.00	0.00	0.00	0.00
273	RT	Software Limitation	PGAE	Fresno	6/16/2022	83	No	INC	1	0:00	0:15	27.50	0.00	0.00	-2350.49	0.00	0.00	0.00	0.00	0.00	0.00
274	RT	Software Limitation	PGAE	Fresno	6/22/2022	83	No	DEC	1	19:15	19:30	-1.64	0.00	0.00	135.04	0.00	0.00	0.00	0.00	0.00	0.00
275	RT	Software Limitation	PGAE	Fresno	6/22/2022	83 - 400	No	INC	4	6:10	9:30	504.26	188557.61	0.00	-42528.62	546.81	46161.2 1	0.00	-31087.50	0.00	0.00
276	RT	Software Limitation	PGAE	Kern	6/3/2022	0	No	INC	3	11:00	13:55	-14.79	1777.19	0.00	-0.02	-14.79	0.00	-0.02	0.00	0.00	0.00
277	RT	Software Limitation	PGAE	Sierra	6/14/2022	40	No	INC	1	1:00	2:00	-2.79	0.00	0.00	148.84	0.00	0.00	0.00	0.00	0.00	0.00
278	RT	Software Limitation	PGAE	Stockton	6/14/2022	40	No	INC	1	1:00	2:00	36.86	0.00	0.00	-3401.64	39.48	3651.04	0.00	-2041.2 4	0.00	0.00
279	RT	Software Limitation	PGAE	NA	6/15/2022	460	No	DEC	1	0:10	1:00	26.02	0.00	0.00	-1832.74	0.00	0.00	0.00	0.00	0.00	0.00
280	RT	Software Limitation	SCE	Big Creek-Ventura	6/14/2022	0	No	DEC	3	3:00	6:00	-0.25	0.00	0.00	0.00	-0.25	0.00	0.00	0.00	0.00	0.00
281	RT	Software Limitation	SCE	Big Creek-Ventura	6/27/2022	0	No	DEC	15	0:00	15:00	-8.33	0.00	0.00	553.45	0.00	0.00	0.00	0.00	0.00	0.00
282	RT	Software Limitation	SCE	Big Creek-Ventura	6/27/2022	0	No	INC	10	14:00	0:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
283	RT	Software Limitation	SCE	LA Basin	6/4/2022	5 - 97.32	No	INC	1	22:05	22:55	129.61	21809.63	0.00	-11196.80	17.52	1611.59	0.00	0.00	0.00	0.00
284	RT	Software Limitation	SCE	LA Basin	6/5/2022	0	No	INC	1	0:20	1:00	-30.67	2800.07	0.00	0.00	-30.67	0.00	0.00	0.00	0.00	0.00
285	RT	Software Limitation	SCE	LA Basin	6/22/2022	100	No	INC	3	6:10	8:45	251.64	56183.97	0.00	-16497.89	178.77	12225.1 4	0.00	-4350.8 4	0.00	0.00
286	RT	Software Limitation	SCE	LA Basin	6/27/2022	0	No	DEC	16	0:00	15:30	-5.58	0.00	0.00	359.13	0.00	0.00	0.00	0.00	0.00	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
287	RT	Software Limitation	SCE	NA	6/13/2022	0 - 3	No	DEC	2	22:45	0:00	-116.05	0.00	0.00	111.65	-115.02	0.00	0.00	0.00	0.00	0.00
288	RT	Software Limitation	SCE	NA	6/13/2022	70	No	INC	2	22:55	0:00	-25.50	0.00	0.00	2356.66	-0.98	0.00	0.00	0.00	0.00	0.00
289	RT	Software Limitation	SCE	NA	6/14/2022	0 - 3	No	DEC	3	0:00	3:00	-1.91	0.00	0.00	120.06	0.00	0.00	0.00	0.00	0.00	0.00
290	RT	Software Limitation	SCE	NA	6/14/2022	70	No	INC	3	0:00	3:00	-0.87	0.00	0.00	-98.82	0.00	0.00	0.00	0.00	0.00	0.00
291	RT	Software Limitation	SDGE	San Diego-IV	6/7/2022	331	No	DEC	1	23:45	0:00	-0.33	0.00	0.00	19.77	0.00	0.00	0.00	0.00	0.00	0.00
292	RT	Software Limitation	SDGE	San Diego-IV	6/8/2022	331	No	DEC	4	0:00	3:15	63.60	0.00	0.00	-6619.95	0.00	0.00	0.00	0.00	0.00	0.00
293	RT	Unit Testing	Intertie	NA	6/23/2022	20	No	INC	14	5:00	19:00	279.58	0.00	0.00	-14403.20	279.58	-14403.20	0.00	0.00	0.00	0.00
294	RT	Unit Testing	Intertie	NA	6/24/2022	20	No	INC	15	5:00	20:00	299.58	0.00	0.00	-14806.75	299.58	-14806.75	0.00	0.00	0.00	0.00
295	RT	Unit Testing	Intertie	NA	6/25/2022	20	No	INC	15	5:00	20:00	299.58	0.00	0.00	-13348.08	299.58	-13348.08	0.00	0.00	0.00	0.00
296	RT	Unit Testing	Intertie	NA	6/27/2022	20	No	INC	15	5:00	20:00	299.58	0.00	0.00	-17669.12	299.58	-17669.12	0.00	0.00	0.00	0.00
297	RT	Unit Testing	Intertie	NA	6/28/2022	20	No	INC	14	5:00	19:00	279.58	0.00	0.00	-15378.80	279.58	-15378.80	0.00	0.00	0.00	0.00
298	RT	Unit Testing	Intertie	NA	6/29/2022	20	No	INC	14	5:00	19:00	279.58	0.00	0.00	-17892.66	279.58	-17892.66	0.00	0.00	0.00	0.00
299	RT	Unit Testing	Intertie	NA	6/30/2022	20	No	INC	14	5:00	19:00	279.58	0.00	0.00	-15665.53	279.58	-15665.53	0.00	0.00	0.00	0.00
300	RT	Unit Testing	PGAE	Bay Area	6/1/2022	250	No	INC	5	19:55	0:00	134.14	48649.01	0.00	-12040.09	0.00	0.00	0.00	0.00	0.00	0.00
301	RT	Unit Testing	PGAE	Bay Area	6/2/2022	250	No	INC	3	21:10	23:15	102.94	0.00	0.00	-7564.06	56.08	-7564.06	56.08	4476.58	0.00	0.00
302	RT	Unit Testing	PGAE	Bay Area	6/7/2022	605	No	INC	2	21:55	23:30	26.33	82787.86	0.00	-3440.40	33.60	-3440.40	33.60	3941.04	0.00	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
303	RT	Unit Testing	PGAE	Bay Area	6/28/2022	510	No	INC	1	23:05	0:00	58.58	-22423.78	0.00	-3643.45	5.02	-315.64	0.00	0.00	0.00	0.00
304	RT	Unit Testing	PGAE	Bay Area	6/29/2022	510	No	INC	1	0:00	0:45	0.00	-2812.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
305	RT	Unit Testing	PGAE	Fresno	6/3/2022	407	No	INC	1	20:15	21:00	121.32	0.00	0.00	-99037.68	107.66	97686.57	0.00	0.00	0.00	0.00
306	RT	Unit Testing	SCE	LA Basin	6/2/2022	10 - 20	No	INC	5	19:00	0:00	-12.74	0.00	8041.75	1477.25	0.00	0.00	0.00	0.00	0.00	0.00
307	RT	Unit Testing	SCE	LA Basin	6/3/2022	10 - 70	No	INC	24	0:00	0:00	33.68	51447.40	97236.05	-2249.42	0.00	0.00	0.00	0.00	0.00	0.00
308	RT	Unit Testing	SCE	LA Basin	6/4/2022	10 - 480	No	INC	24	0:00	0:00	507.37	671857.37	194563.00	-32332.45	153.45	16997.75	0.00	0.00	0.00	0.00
309	RT	Unit Testing	SCE	LA Basin	6/23/2022	26	No	INC	1	20:10	20:55	14.86	8194.29	0.00	-1395.05	0.46	-48.23	0.00	0.00	0.00	0.00
310	RT	Unit Testing	SCE	NA	6/8/2022	80	No	INC	1	20:30	21:00	27.08	0.00	0.00	-2895.09	22.92	2431.42	0.00	0.00	0.00	0.00
311	RT	Unit Testing	SCE	NA	6/30/2022	-36	No	DEC	1	9:25	10:10	5.38	0.00	0.00	-223.02	5.88	-242.56	0.00	0.00	0.00	0.00
312	RT	Unit Testing	SDGE	San Diego-IV	6/12/2022	235	No	INC	1	23:00	0:00	107.65	0.00	0.00	-7598.29	13.33	-933.60	0.00	0.00	0.00	0.00
313	RT	Unplanned Outage	PGAE	NCNB	6/16/2022	44 - 63	No	DEC	15	5:55	20:00	-58.04	0.00	0.00	-1019.88	-74.82	0.00	-1122.35	0.00	0.00	0.00
314	RT	Unplanned Outage	PGAE	NA	6/16/2022	48	No	INC	2	6:00	7:15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
315	RT	Voltage Support	PGAE	Humboldt	6/23/2022	15	No	DEC	1	22:55	23:00	2.03	0.00	0.00	-118.97	0.00	0.00	0.00	0.00	0.00	0.00
316	RT	Voltage Support	PGAE	Humboldt	6/23/2022	30 - 45	No	INC	1	23:00	0:00	-12.87	7463.44	0.00	886.32	0.00	0.00	0.00	0.00	0.00	0.00
317	RT	Voltage Support	PGAE	Humboldt	6/24/2022	30 - 45	No	INC	4	0:00	3:30	-3.72	14154.01	0.00	223.24	0.00	0.00	0.00	0.00	0.00	0.00
318	RT	Voltage Support	PGAE	Sierra	6/20/2022	20	No	DEC	1	21:30	22:00	-1.37	0.00	0.00	101.16	0.00	0.00	0.00	0.00	0.00	0.00
319	RT	Voltage Support	PGAE	NA	6/26/2022	0.15	No	INC	18	6:00	0:00	-0.01	0.00	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00

California Independent System Operator Corporation
Exceptional Dispatch Report
August 15, 2022

Chart 2: Table of Exceptional Dispatches for Period 01/June/2022 – 30/June/2022

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Com mitme nt	INC DEC	Hour s	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC662 0
320	RT	Voltage Support	PGAE	NA	6/27/2022	0.15	No	INC	18	0:00	18:00	-0.01	0.00	0.00	0.49	0.00	0.00	0.00	0.00	0.00	

Appendix A: Explanation by Example

All examples listed below are based on fictitious data. Many simplified assumptions are made to explain settlement charge codes, and not all assumptions are explicitly stated in these examples. For instance, settlement charge codes are calculated based on metered quantities, whereas in these examples, the dispatch quantities are assumed to be equal to metered quantities. These assumptions have been made to simplify the understanding of settlements calculations.

Example 1: Exceptional Dispatch Instructions Prior to DAM

In this fictitious example, the CAISO issued an exceptional dispatch instruction for resource A to be committed at its Pmin of 50 MW from hours ending 5 through 10 for a generation procedure 7630. Similarly, the CAISO issued additional instructions to resources B and C for the same reason in Table 2. Exceptional dispatches prior to the day-ahead market are commitments to minimum load. Here the dispatch levels are all at minimum load. Table 2 below also shows the commitment costs and the total volume (MWh) of exceptional dispatch instruction for each resource. The minimum load costs and start up costs, shown in Table 2 are the eligible minimum load and start up costs different from the bid-in minimum load and start up costs⁷. Only those quantities which relate to pre-day-ahead unit commitments are shown in this table.

Table 2: Instructions Prior to Day-Ahead Market

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch level (MW)	Reason	Total Volume (MWh)	Min-Load Cost	Start- Up Cost	CC6620 (BCR)
01-Jul-09	DA	A	SCE	LA BASIN	05:00	10:00	50	7630	300	\$5000	\$0	0
01-Jul-09	DA	B	SCE	LA BASIN	08:00	20:00	30	7630	390	\$6000	\$500	\$4000
01-Jul-09	DA	C	SCE	LA BASIN	09:00	23:00	20	7630	300	\$400	\$1000	\$1000

This data is summarized as shown in Table 3, which is the prescribed format specified in the FERC order on September 02, 2009. This summary classifies the data by reason, resource location, local reliability area, and trade date. The MW column in Table 3 is the range of MW; in this case the minimum instruction MW is 20 MW for resource C which occurs from hours ending 21 through 23. The maximum instruction occurs in hour ending 10. In this hour resource A is committed at 50 MW, resource B is committed at 30 MW and resource C is committed at 20 MW. This adds up to 100 MW. The MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. Commitments are broken out separately from energy dispatches. In the day-ahead however, the exceptional dispatches are nearly always just commitments, as in this example. The Begin Time column shows hour ending 5 as this was the hour ending for first dispatch of the day, and the End Time column shows hour ending 23, as this was the hour with last dispatch. It is also possible there might be hours between the begin time and the end time where there might not be exceptional dispatch instructions for the reason, meaning that the range between the begin time and end time can include null hours with no dispatch. The total volume (MWh) is the MWh quantity for each resource, which adds up to 990 MWh. Similarly, all cost information is sum of individual resource costs. Some resources bid-in zero start-up cost; as seen in this example, resource A bid in zero for its start up cost. Since the CAISO does not explicitly pay a resource for bid-in minimum load costs and start-up costs; these costs are recovered through the charge code CC6620 (Bid Cost Recovery), this table shows the summary of CC6620 for the classification. Here, it is the CC6620 for all three resources which adds up to \$5000. This column shows the impact of exceptional dispatch on bid cost recovery for all pre-day-ahead exceptional dispatch commitments.

Table 3: FERC Summary of Instructions Prior to DAM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time	Total Volume (MWh)	Min-Load Cost	Start-Up Cost	CC6620
1	DA	7630	SCE	LA Basin	1-Jul-09	20-100	Yes	N/A	19	05:00	23:00	990	\$11,400	\$1,500	\$5000

Example 2: Incremental Exceptional Dispatch Instructions in RTM

In this fictitious example the CAISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 30 MW from hours 6:00 through 11:00 after completion of the day-ahead market for the transmission procedure 7110. This resource had no day-ahead award in those hours. The CAISO issued another exceptional dispatch instruction to resource B, to be dispatched at 40 MW from hours 7:00

⁷ Please refer to the BPM configuration Guide: Bid Cost Recovery Settlements published on the CAISO's website for details about eligible minimum load and start up costs.

through 9:00 in real-time for the transmission procedure 7110. This resource had a day-ahead schedule of 20 MW from the day-ahead market, which implies this exceptional dispatch instruction was an incremental instruction and the exceptional dispatch MW was 20 MW. Similarly, the details of exceptional dispatch (ED) instruction for resource C are shown in Table 4. This table also shows volume (MWh) and various real-time charge codes associated with the exceptional dispatch instructions. The total MWh column for each resource shows all types of imbalance energy quantities for this resource between the begin time and end time which includes both the exceptional dispatch energy quantities and optimal energy quantities.

Resource A was committed at its Pmin so its total volume (MWh) is equal to its Pmin times the number of hours, which is calculated as 30 MW times 6 hours and is equal to 180 MWh. The resource Minimum load costs and the start up costs are its eligible commitment costs for that period. LMP at this resource is \$10/MWh, so the charge code CC6470 is calculated at (180 MWh *\$10/MWh) and is equal to \$1,800. Since this resource is not dispatched above its Pmin, it has a zero volume (MWh) of exceptional dispatch. All charge codes associated with the exceptional dispatch increment or decrement quantities are zero.

Resource B is dispatched 20 MW above its day-ahead schedule, so its total volume (MWH) is calculated as 20 MW times 3 hours which is equal to 60 MWh. Since the resource was committed in the Day-Ahead Market there are no minimum load quantity and start up costs associated with this resource. The resource had a bid price of \$100/MWh and the LMP at that resource was \$10/MWh. All of 60 MWh is considered as exceptional dispatch incremental quantity shown in ED Volume (MWH INC/DEC) column. The charge code CC6470 INC is calculated as 60 MWh * resource LMP (\$10/MWh) which is equal to \$600. Since the only imbalance energy in this timeframe was the exceptional dispatch volume, the charge code CC6470 is equal to CC6470 INC. The charge code CC6488 is calculated as MWH quantity *(bid price – LMP), which is equal to \$5400 (60 MWh *(\$10/MWh-\$100/MWh)). Similarly, volumes and real-time charge codes are calculated for resource C.

Table 4: Incremental Exceptional Dispatch Instructions in RTM

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch level (MW)	Day-Ahead Award (MW)	Commitment	INC/DEC	ED (MW)	Reason	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488
1-Jul-09	RT	A	PG&E	Humboldt	6:00	11:00	30	0	Yes	INC	30	7110	180	1000	50	1800	0	0	0	0	0
1-Jul-09	RT	B	PG&E	Humboldt	7:00	9:00	40	20	No	INC	20	7110	60	0	0	600	60	600	0	0	5400
1-Jul-09	RT	C	PG&E	Humboldt	12:00	15:00	50	50	No	INC	0	7110	0	0	0	0	0	0	0	0	0
1-Jul-09	RT	C	PG&E	Humboldt	16:00	20:00	50	40	No	INC	10	7110	50	0	0	300	20	300	0	0	200

This data is summarized as shown in Table 5 and is classified by reason, resource location, local reliability area, and trade date. The MW column in Table 5 is the range of MW; in this case the minimum instruction MW is 0 MW for resource C which occurs from hours ending 13 through 15. The maximum instruction occurs in hours ending 8 & 9, as during these two hours both resources A and B have an ED MW of 30MW and 20MW, respectively. This adds up to 50 MW. The MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. This column shows a commitment if there was a single commitment in the entire interval of exceptional dispatch. The Begin Time column shows the time of the first dispatch of the day. This is a time not a range. Similarly, the End Time column shows a time and not a range. Exceptional dispatches occurred between these two times. Since there was a commitment between the begin time and end time, the Commitment column displays yes for the summary. Similarly, the INC/DEC column shows an INC, as there was an incremental dispatch between the begin time and end time. As mentioned in the previous example, it is possible there might be hours between the begin time and end time where there were no exceptional dispatch instructions for the reason. Both volume and cost information columns are the summation for all the respective columns for resources A, B and C. For instance, the Total volume (MWh) column is calculated as summation of 180,60,0 and 50, which are the individual volumes (MWh) for resources A, B and C for time periods shown in Table 4.

Table 5: FERC Summary of ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time	Total MWh	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488
1	RT	7110	PG&E	Humboldt	1-Jul-09	0-50	Yes	INC	15	6:00	20:00	290	1000	50	1700	140	1500	0	0	11000

It is possible that the CAISO would dispatch a particular resource, for instance at 10 MW from hours ending 1 through 4, and all or part of its energy might settle as optimal energy. This situation occurs when the LMP at the resource pricing node is above the resource bid price. This cost will only be captured in charge code 6470. It is also possible that CAISO issues an exceptional dispatch for the resource to operate at a minimum of 10 MW which is its Pmin; however the market application might dispatch this resource above Pmin because the resource is economical. When this occurs, the charge code CC6470 and the total MWh quantity might overstate the actual exceptional dispatch MWh quantities. So, to best estimate the cost and volume (MWh) of exceptional dispatch, it is appropriate to consider only the following columns: ED MWh (INC/DEC), CC6470 INC, CC6470 DEC, CC6482, CC6488.

Example 3: Decremental Exceptional Dispatch Instructions in RTM

This example highlights decremental exceptional dispatch instructions in the real-time market. In this fictitious example, the CAISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 20 MW from hours ending 15 through 20 after completion of the day-ahead market for the transmission procedure 7430. The CAISO issued additional exceptional dispatch instructions for resources B and C; details of those instructions are shown in Table 6. This table also includes volume (MWh) and cost information.

Resource A is committed in real-time at its Pmin, its total volume (MWh) is 20MW *6 hours which is equal to 120 MWh. This resource has a zero MW of incremental dispatch in all hours, so all other relevant cost and volume columns result in zeros. Resource B has a decremental MW of 20 MW in 3 hours, which results in 60 MWh of decremental volume. Since this resource is not committed in real-time, both the minimum load cost and start up costs are zero. This resource had a bid price of \$50/MWh and LMP at the resource pricing node is \$10/ MWh. Based on this information CC6470-Dec is calculated as 60 MWh *\$10/MWh which is equal to \$600. Since this resource has its ED volume (MWh) equal to its Total volume, CC6470 is equal to CC6470- DEC. The CC6488 is calculated as (60 MWh * (\$50/MWh - \$10/MWh)), which is equal to \$2400. Resource C had a bid price of \$10/MWh and the LMP at its pricing node is \$50/MWh. Based on this information, volume and cost information is calculated for resource C.

Table 6: Decremental Exceptional Dispatch Instructions in RTM

Date	Market Type	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch level (MW)	Day-Ahead Award (MW)	Commitment	INC/DEC	ED (MW)	Reason	Total MWh	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488
1-Jul-09	RT	A	PG&E	Fresno	15:00	20:00	20	0	Yes	INC	20	7430	120	\$ 120	\$ 100	\$ -	0	\$ -	\$ -	\$ -	\$ -
1-Jul-09	RT	B	PG&E	Fresno	7:00	9:00	40	60	No	DEC	20	7430	(60)	\$ -	\$ -	\$ 600	-60	\$ -	\$ 600	\$ -	\$ 2,400
1-Jul-09	RT	C	PG&E	Fresno	10:00	14:00	40	50	No	DEC	10	7430	(50)	\$ -	\$ -	\$ 500	-50	\$ -	\$ 500	\$ -	\$ 2,000

This data is summarized according to FERC convention in Table 7. This summary classifies the data by reason, resource location, local reliability area, and trade date. Incs and decs are broken out separately. The inc entry is self-explanatory and similar to the previous example. Regarding the dec entry the MW column is the range of MW; in this case the minimum dec instruction is 10 MW (actually -10MW as it is a dec) for resource C which occurs from hours ending 10 through 14. The maximum instruction occurs from hours ending 7 through 9, when resource B was issued a dec instruction of 20 MW. The MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. The volume and cost information are summarized by INC and DEC classification.

Table 7: FERC Summary of Decremental ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488
1	RT	7430	PG&E	Fresno	1-Jul-09	20	Yes	INC	6	15:00	20:00	120	\$ 120	\$ 100	\$ -	0	\$ -	\$ -	\$ -	\$ -
2	RT	7430	PG&E	Fresno	1-Jul-09	10-20	Yes	DEC	8	7:00	14:00	(110)	\$ -	\$ -	\$ (1,100)	\$ (110)	\$ -	\$ (1,100)	\$ -	\$ (4,400)

Appendix B: Price Impact Analysis

In the September 2 FERC order, FERC requested the CAISO to perform price impact analysis on two distinct pricing nodes for the entire reporting period. The order also mentioned that the CAISO must pick two pricing nodes for the entire reporting period that are most affected by the exceptional dispatch instructions, and the two pricing nodes must belong to two load aggregation points (LAPs).

Based on this requirement the CAISO implemented a methodology to perform price impact analysis. First, the CAISO identified a heavily affected pricing node from each of the Pacific Gas & Electric (PGAE) LAP and Southern California Edison (SCE) LAP. These two pricing nodes had the maximum amount of exceptional dispatch volume (MWh) in their respective LAP. Point A is in PGAE LAP and point B is in SCE LAP. Please note these two points correspond to an actual pricing node in the CAISO system. Only one resource was connected to each of these pricing nodes. For each resource the following input parameters were obtained to perform the analysis:

Exceptional dispatch information: constrained level, constraint type, start of exceptional dispatch instruction and end of exceptional dispatch instruction.

Real-Time LMPs for each of the five minute intervals for the month.

Real-Time hourly bid set for each trade hour.

Day-Ahead award for the resources.

The exceptional dispatch intervals have a begin time and an end time which can span as small as one minute to as large as 24 hours. Since the market application dispatches resources on five-minute basis, the exceptional dispatch instructions for each of these resources were broken down into five-minute intervals. If the begin time or end time for an instruction was in the middle of the five-minute interval, that instruction was rounded up to the next five-minute interval. These five-minute intervals were then coupled with resource five-minute LMPs calculated by the real-time market application. Also, the hourly bid information and the hourly day-ahead schedule were put together to create a dataset that had all the information to perform price impact analysis.

An exceptional dispatch instruction can be classified as a start up instruction, an instruction to be dispatched at or above the constrained level, an instruction to be dispatched at or below a constrained level, an instruction to be dispatched at a fixed constrained level, or a shut down instruction. The Locational Marginal Price (LMP) is set by a resource which can provide the next incremental MW of energy. Based on this definition of LMP and the classification of exceptional dispatches based on constraint type, a resource may set the LMP in only those intervals in which the resource is eligible to move either up or down from its constrained level. Hence, in those intervals in which the resource was constrained up at its Pmax or the resource was exceptionally dispatched to its Pmax and forced to generate at that level, the resource was ineligible to set the price as it had no room to move up. Similarly, if the resource was constrained down at its Pmin, then the resource was not eligible to set the price. All those intervals in which the resource was ineligible to set the price were dropped from the dataset under consideration. From this dataset of only eligible intervals, for both pricing nodes A and B, LMPs were calculated for all intervals based on the resource dispatch level and the its bid set. The calculated LMP is equal to that bid price corresponding to the constrained MW segment.

Table 8 shows the price impact analysis information for node A, which is in the PGAE area. This table shows all the five minute intervals in which the resource at PNode A was issued an exceptional dispatch instruction and was eligible to set the price. Out of the 8,640 five-minute intervals in June, this resource was issued exceptional dispatch instructions in 161 five-minute intervals. This resource was eligible to set the LMP in 161 intervals. Out of the 161 intervals, the resource calculated LMP was larger than the market LMP in 136 intervals. Out of the 161 intervals, the resource calculated LMP was less than the market LMP in 25 intervals. This implies that if the CAISO could model the constraint for this exceptional dispatch, then this resource and all other pricing nodes associated with that constraint would observe an average decrease of \$32.73/MWh.

Table 9 shows the price impact analysis information for node B, which is in the SCE area. This table shows all the five minute intervals in which the resource at PNode B was issued an exceptional dispatch instruction and was eligible to set the price. Out of the 8,640 five-minute intervals in June, this resource was issued exceptional dispatch instructions in 93 five-minute intervals. This resource was eligible to set the LMP in 93 intervals. Out of the 93 intervals, resource calculated LMP was larger than the market LMP in 83 intervals. In the 93 intervals, the average increase in five minute LMP was \$27.02/MWh. Out of the 93 intervals, resource calculated LMP was less than the market LMP in 10 intervals. This implies that if the CAISO could model the constraint for this exceptional dispatch, then this resource and all other pricing nodes associated with that constraint would observe an average increase of \$23.79/MWh.

Table 8: Price Impact Analysis Information for Pricing Node A in PGAE LAP

Number	Trade Date	Trade Hour	Interval	Market LMP	Eligible Flag	Calculated LMP	Change in LMP
1	6/22/2022	7	3	69.93	Yes	168.86	98.93
2	6/22/2022	7	4	69.93	Yes	168.86	98.93
3	6/22/2022	7	5	76.27	Yes	168.86	92.59
4	6/22/2022	7	6	67.70	Yes	168.86	101.16
5	6/22/2022	7	7	49.60	Yes	168.86	119.26
6	6/22/2022	7	8	49.06	Yes	168.86	119.80
7	6/22/2022	7	9	47.86	Yes	168.86	121.00
8	6/22/2022	7	10	40.76	Yes	168.86	128.10
9	6/22/2022	7	11	40.13	Yes	168.86	128.73
10	6/22/2022	7	12	51.31	Yes	168.86	117.55
11	6/22/2022	8	1	81.35	Yes	168.86	87.51
12	6/22/2022	8	2	99.91	Yes	168.86	68.95
13	6/22/2022	8	3	86.75	Yes	168.86	82.11
14	6/22/2022	8	4	77.93	Yes	168.86	90.93
15	6/22/2022	8	5	88.26	Yes	168.86	80.60
16	6/22/2022	8	6	88.42	Yes	168.86	80.44
17	6/22/2022	8	7	90.18	Yes	168.86	78.68
18	6/22/2022	8	8	92.64	Yes	168.86	76.22
19	6/22/2022	8	9	94.65	Yes	168.86	74.21
20	6/22/2022	8	10	91.56	Yes	168.86	77.30
21	6/22/2022	8	11	68.09	Yes	168.86	100.77
22	6/22/2022	8	12	67.68	Yes	168.86	101.18
23	6/22/2022	9	1	96.25	Yes	168.86	72.61
24	6/22/2022	9	2	26.48	Yes	168.86	142.38
25	6/22/2022	9	3	43.09	Yes	168.86	125.77
26	6/22/2022	9	4	20.05	Yes	168.86	148.81
27	6/22/2022	9	5	15.14	Yes	168.86	153.72
28	6/22/2022	9	6	0.61	Yes	168.86	168.25
29	6/22/2022	9	7	69.44	Yes	168.86	99.42
30	6/22/2022	9	8	71.83	Yes	168.86	97.03
31	6/22/2022	9	9	51.93	Yes	168.86	116.93
32	6/22/2022	9	10	59.77	Yes	168.86	109.09
33	6/22/2022	9	11	77.00	Yes	168.86	91.86
34	6/22/2022	9	12	76.04	Yes	168.86	92.82

Number	Trade Date	Trade Hour	Interval	Market LMP	Eligible Flag	Calculated LMP	Change in LMP
35	6/22/2022	10	1	57.89	Yes	168.86	110.97
36	6/22/2022	10	2	54.48	Yes	168.86	114.38
37	6/22/2022	10	3	55.89	Yes	168.86	112.97
38	6/22/2022	10	4	93.04	Yes	168.86	75.82
39	6/22/2022	10	5	100.75	Yes	168.86	68.11
40	6/22/2022	10	6	92.80	Yes	168.86	76.06
41	6/26/2022	23	3	85.40	Yes	87.08	1.68
42	6/26/2022	23	4	84.95	Yes	87.08	2.13
43	6/26/2022	23	5	76.21	Yes	87.08	10.87
44	6/26/2022	23	6	71.83	Yes	87.08	15.25
45	6/26/2022	23	7	88.95	Yes	87.08	-1.87
46	6/26/2022	23	8	84.94	Yes	87.08	2.14
47	6/26/2022	23	9	85.11	Yes	87.08	1.97
48	6/26/2022	23	10	74.12	Yes	87.08	12.96
49	6/26/2022	23	11	74.18	Yes	87.08	12.90
50	6/26/2022	23	12	74.19	Yes	87.08	12.89
51	6/26/2022	24	1	67.29	Yes	87.08	19.79
52	6/26/2022	24	2	66.46	Yes	87.08	20.62
53	6/26/2022	24	3	66.73	Yes	87.08	20.35
54	6/26/2022	24	4	85.28	Yes	87.08	1.80
55	6/26/2022	24	5	74.86	Yes	87.08	12.22
56	6/26/2022	24	6	72.99	Yes	87.08	14.09
57	6/26/2022	24	7	85.44	Yes	87.08	1.64
58	6/26/2022	24	8	75.16	Yes	87.08	11.92
59	6/26/2022	24	9	75.11	Yes	87.08	11.97
60	6/26/2022	24	10	71.04	Yes	87.08	16.04
61	6/26/2022	24	11	71.12	Yes	87.08	15.96
62	6/26/2022	24	12	85.68	Yes	87.08	1.40
63	6/27/2022	1	1	113.13	Yes	87.08	-26.05
64	6/27/2022	1	2	113.28	Yes	87.08	-26.20
65	6/27/2022	1	3	113.46	Yes	87.08	-26.38
66	6/27/2022	1	4	117.56	Yes	87.08	-30.48
67	6/27/2022	1	5	117.09	Yes	87.08	-30.01
68	6/27/2022	1	6	116.75	Yes	87.08	-29.67
69	6/27/2022	1	7	57.38	Yes	87.08	29.70
70	6/27/2022	1	8	57.37	Yes	87.08	29.71
71	6/27/2022	1	9	56.45	Yes	87.08	30.63
72	6/27/2022	1	10	57.49	Yes	87.08	29.59

Number	Trade Date	Trade Hour	Interval	Market LMP	Eligible Flag	Calculated LMP	Change in LMP
73	6/27/2022	1	11	56.53	Yes	87.08	30.55
74	6/27/2022	1	12	57.51	Yes	87.08	29.57
75	6/27/2022	2	1	58.53	Yes	87.08	28.55
76	6/27/2022	2	2	57.21	Yes	87.08	29.87
77	6/27/2022	2	3	59.29	Yes	87.08	27.79
78	6/27/2022	2	4	62.23	Yes	87.08	24.85
79	6/27/2022	2	5	62.27	Yes	87.08	24.81
80	6/27/2022	2	6	60.69	Yes	87.08	26.39
81	6/27/2022	2	7	60.53	Yes	87.08	26.55
82	6/27/2022	2	8	60.56	Yes	87.08	26.52
83	6/27/2022	2	9	60.28	Yes	87.08	26.80
84	6/27/2022	2	10	59.10	Yes	87.08	27.98
85	6/27/2022	2	11	58.79	Yes	87.08	28.29
86	6/27/2022	2	12	56.93	Yes	87.08	30.15
87	6/27/2022	23	8	173.87	Yes	93.79	-80.08
88	6/27/2022	23	9	129.18	Yes	93.79	-35.39
89	6/27/2022	23	10	67.38	Yes	93.79	26.41
90	6/27/2022	23	11	63.26	Yes	93.79	30.53
91	6/27/2022	23	12	62.24	Yes	93.79	31.55
92	6/27/2022	24	1	77.23	Yes	93.79	16.56
93	6/27/2022	24	2	71.54	Yes	93.79	22.25
94	6/27/2022	24	3	72.55	Yes	93.79	21.24
95	6/27/2022	24	4	71.55	Yes	93.79	22.24
96	6/27/2022	24	5	72.30	Yes	93.79	21.49
97	6/27/2022	24	6	72.29	Yes	93.79	21.50
98	6/27/2022	24	7	68.15	Yes	93.79	25.64
99	6/27/2022	24	8	64.41	Yes	87.08	22.67
100	6/27/2022	24	9	64.41	Yes	87.08	22.67
101	6/27/2022	24	10	61.81	Yes	112.71	50.90
102	6/27/2022	24	11	60.90	Yes	112.71	51.81
103	6/27/2022	24	12	60.09	Yes	112.71	52.62
104	6/28/2022	1	1	79.52	Yes	84.96	5.44
105	6/28/2022	1	2	77.24	Yes	84.96	7.72
106	6/28/2022	1	3	76.73	Yes	84.96	8.23
107	6/28/2022	1	4	86.03	Yes	84.96	-1.07
108	6/28/2022	1	5	79.73	Yes	88.35	8.62
109	6/28/2022	1	6	76.54	Yes	88.35	11.81
110	6/28/2022	1	7	108.24	Yes	88.35	-19.89

Number	Trade Date	Trade Hour	Interval	Market LMP	Eligible Flag	Calculated LMP	Change in LMP
111	6/28/2022	1	8	95.44	Yes	88.35	-7.09
112	6/28/2022	1	9	77.82	Yes	88.35	10.53
113	6/28/2022	1	10	72.50	Yes	88.35	15.85
114	6/28/2022	1	11	71.20	Yes	88.35	17.15
115	6/28/2022	1	12	70.99	Yes	88.35	17.36
116	6/28/2022	2	1	85.63	Yes	88.35	2.72
117	6/28/2022	2	2	85.94	Yes	88.35	2.41
118	6/28/2022	2	3	76.74	Yes	88.35	11.61
119	6/28/2022	2	4	75.81	Yes	88.35	12.54
120	6/28/2022	2	5	73.02	Yes	88.35	15.33
121	6/28/2022	2	6	77.55	Yes	88.35	10.80
122	6/28/2022	2	7	107.63	Yes	88.35	-19.28
123	6/28/2022	2	8	99.31	Yes	88.35	-10.96
124	6/28/2022	2	9	107.34	Yes	88.35	-18.99
125	6/28/2022	2	10	74.43	Yes	88.35	13.92
126	6/28/2022	2	11	72.61	Yes	88.35	15.74
127	6/28/2022	2	12	72.64	Yes	88.35	15.71
128	6/28/2022	3	1	75.71	Yes	88.35	12.64
129	6/28/2022	3	2	72.33	Yes	88.35	16.02
130	6/28/2022	3	3	70.27	Yes	88.35	18.08
131	6/28/2022	3	4	70.29	Yes	88.35	18.06
132	6/28/2022	3	5	68.39	Yes	88.35	19.96
133	6/28/2022	3	6	72.98	Yes	88.35	15.37
134	6/28/2022	3	7	73.01	Yes	88.35	15.34
135	6/28/2022	3	8	69.53	Yes	88.35	18.82
136	6/28/2022	3	9	69.53	Yes	88.35	18.82
137	6/28/2022	3	10	71.81	Yes	88.35	16.54
138	6/28/2022	3	11	71.55	Yes	88.35	16.80
139	6/28/2022	3	12	71.99	Yes	88.35	16.36
140	6/28/2022	4	1	73.75	Yes	88.35	14.60
141	6/28/2022	4	2	71.65	Yes	88.35	16.70
142	6/28/2022	4	3	71.60	Yes	88.35	16.75
143	6/28/2022	4	4	72.25	Yes	84.96	12.71
144	6/28/2022	4	5	72.23	Yes	84.96	12.73
145	6/28/2022	4	6	75.14	Yes	84.96	9.82
146	6/28/2022	4	7	74.98	Yes	84.96	9.98
147	6/28/2022	4	8	74.98	Yes	84.96	9.98
148	6/28/2022	4	9	76.38	Yes	84.96	8.58

Number	Trade Date	Trade Hour	Interval	Market LMP	Eligible Flag	Calculated LMP	Change in LMP
149	6/28/2022	4	10	76.26	Yes	84.96	8.70
150	6/28/2022	4	11	76.26	Yes	84.96	8.70
151	6/28/2022	4	12	76.26	Yes	84.96	8.70
152	6/28/2022	5	1	68.74	Yes	65.66	-3.08
153	6/28/2022	5	2	73.50	Yes	65.66	-7.84
154	6/28/2022	5	3	72.05	Yes	65.66	-6.39
155	6/28/2022	5	4	69.94	Yes	65.66	-4.28
156	6/28/2022	5	5	71.01	Yes	65.66	-5.35
157	6/28/2022	5	6	71.65	Yes	65.66	-5.99
158	6/28/2022	5	7	106.73	Yes	65.66	-41.07
159	6/28/2022	5	8	106.85	Yes	65.66	-41.19
160	6/28/2022	5	9	107.25	Yes	65.66	-41.59
161	6/30/2022	24	12	84.15	Yes	59.03	-25.12

Table 9: Price Impact Analysis Information for Pricing Node B in SCE LAP

Number	Trade Date	Trade Hour	Interval	Market LMP	Eligible Flag	Calculated LMP	Change in LMP
1	6/4/2022	19	1	51.52	Yes	102.64	51.12
2	6/4/2022	19	2	50.31	Yes	102.64	52.33
3	6/4/2022	19	3	54.47	Yes	102.64	48.17
4	6/4/2022	19	4	65.63	Yes	102.64	37.01
5	6/4/2022	19	5	64.41	Yes	102.64	38.23
6	6/4/2022	19	6	69.50	Yes	102.64	33.14
7	6/4/2022	20	4	69.97	Yes	102.64	32.67
8	6/4/2022	20	5	68.72	Yes	102.64	33.92
9	6/4/2022	20	6	71.30	Yes	102.64	31.34
10	6/4/2022	20	7	71.67	Yes	102.64	30.97
11	6/4/2022	20	8	72.84	Yes	102.64	29.80
12	6/4/2022	20	9	74.22	Yes	102.64	28.42
13	6/4/2022	20	10	71.73	Yes	102.64	30.91
14	6/4/2022	20	11	74.24	Yes	102.64	28.40
15	6/4/2022	20	12	74.24	Yes	102.64	28.40
16	6/28/2022	17	9	63.61	Yes	96.82	33.21
17	6/28/2022	17	10	63.41	Yes	96.82	33.41
18	6/28/2022	17	11	65.09	Yes	96.82	31.73
19	6/28/2022	17	12	62.30	Yes	96.82	34.52
20	6/28/2022	18	1	54.89	Yes	96.82	41.93
21	6/28/2022	18	2	54.95	Yes	96.82	41.87
22	6/28/2022	18	3	54.98	Yes	96.82	41.84
23	6/28/2022	18	4	54.62	Yes	96.82	42.20
24	6/28/2022	18	5	57.46	Yes	96.82	39.36
25	6/28/2022	18	6	56.67	Yes	96.82	40.15
26	6/28/2022	18	7	57.82	Yes	96.82	39.00
27	6/28/2022	18	8	58.91	Yes	96.82	37.91
28	6/28/2022	18	9	60.76	Yes	96.82	36.06
29	6/28/2022	18	10	60.01	Yes	96.82	36.81
30	6/28/2022	18	11	63.68	Yes	96.82	33.14
31	6/28/2022	18	12	63.66	Yes	96.82	33.16
32	6/28/2022	19	1	61.19	Yes	96.82	35.63
33	6/28/2022	19	2	61.08	Yes	96.82	35.74
34	6/28/2022	19	3	61.49	Yes	96.82	35.33

Number	Trade Date	Trade Hour	Interval	Market LMP	Eligible Flag	Calculated LMP	Change in LMP
35	6/28/2022	19	4	62.23	Yes	96.82	34.59
36	6/28/2022	19	5	65.22	Yes	96.82	31.60
37	6/28/2022	19	6	67.58	Yes	96.82	29.24
38	6/28/2022	19	7	71.17	Yes	96.82	25.65
39	6/28/2022	19	8	83.99	Yes	96.82	12.83
40	6/28/2022	19	9	87.19	Yes	96.82	9.63
41	6/28/2022	19	10	93.35	Yes	96.82	3.47
42	6/28/2022	19	11	101.89	Yes	96.82	-5.07
43	6/28/2022	19	12	102.97	Yes	96.82	-6.15
44	6/28/2022	20	1	82.94	Yes	96.82	13.88
45	6/28/2022	20	2	93.47	Yes	96.82	3.35
46	6/28/2022	20	3	94.06	Yes	96.82	2.76
47	6/28/2022	20	4	95.37	Yes	96.82	1.45
48	6/28/2022	20	5	96.07	Yes	96.82	0.75
49	6/28/2022	20	6	96.89	Yes	96.82	-0.07
50	6/28/2022	20	7	93.56	Yes	96.82	3.26
51	6/28/2022	20	8	96.08	Yes	96.82	0.74
52	6/28/2022	20	9	94.45	Yes	96.82	2.37
53	6/28/2022	20	10	90.34	Yes	96.82	6.48
54	6/28/2022	20	11	89.83	Yes	96.82	6.99
55	6/28/2022	20	12	90.43	Yes	96.82	6.39
56	6/29/2022	17	11	64.43	Yes	95.78	31.35
57	6/29/2022	17	12	65.00	Yes	95.78	30.78
58	6/29/2022	18	1	61.18	Yes	95.78	34.60
59	6/29/2022	18	2	59.81	Yes	95.78	35.97
60	6/29/2022	18	3	59.22	Yes	95.78	36.56
61	6/29/2022	18	4	59.36	Yes	95.78	36.42
62	6/29/2022	18	5	61.54	Yes	95.78	34.24
63	6/29/2022	18	6	62.15	Yes	96.84	34.69
64	6/29/2022	18	7	63.29	Yes	96.84	33.55
65	6/29/2022	18	8	64.54	Yes	96.84	32.30
66	6/29/2022	18	9	66.73	Yes	96.84	30.11
67	6/29/2022	18	10	67.88	Yes	96.84	28.96
68	6/29/2022	18	11	70.25	Yes	96.84	26.59
69	6/29/2022	18	12	70.17	Yes	95.78	25.61
70	6/29/2022	19	1	57.40	Yes	95.78	38.38
71	6/29/2022	19	2	57.84	Yes	95.78	37.94
72	6/29/2022	19	3	57.89	Yes	95.78	37.89

Number	Trade Date	Trade Hour	Interval	Market LMP	Eligible Flag	Calculated LMP	Change in LMP
73	6/29/2022	19	4	60.03	Yes	96.84	36.81
74	6/29/2022	19	5	61.62	Yes	95.78	34.16
75	6/29/2022	19	6	64.57	Yes	95.78	31.21
76	6/29/2022	19	7	63.91	Yes	96.84	32.93
77	6/29/2022	19	8	70.75	Yes	95.78	25.03
78	6/29/2022	19	9	77.56	Yes	95.78	18.22
79	6/29/2022	19	10	82.42	Yes	95.78	13.36
80	6/29/2022	19	11	96.79	Yes	95.78	-1.01
81	6/29/2022	19	12	100.63	Yes	95.78	-4.85
82	6/29/2022	20	1	95.11	Yes	95.78	0.67
83	6/29/2022	20	2	81.88	Yes	95.78	13.90
84	6/29/2022	20	3	85.53	Yes	95.78	10.25
85	6/29/2022	20	4	85.42	Yes	95.78	10.36
86	6/29/2022	20	5	89.37	Yes	95.78	6.41
87	6/29/2022	20	6	94.66	Yes	95.78	1.12
88	6/29/2022	20	7	86.65	Yes	95.78	9.13
89	6/29/2022	20	8	95.84	Yes	95.78	-0.06
90	6/29/2022	20	9	96.72	Yes	95.78	-0.94
91	6/29/2022	20	10	98.03	Yes	95.78	-2.25
92	6/29/2022	20	11	102.61	Yes	95.78	-6.83
93	6/29/2022	20	12	99.16	Yes	95.78	-3.38

Appendix C: Exceptional Dispatch Bid Mitigation Analysis

In June 2022, the ISO applied the exceptional dispatch bid mitigation to the exceptional dispatches. Table 10 shows the costs by instruction type in June. With exceptional dispatch bid mitigation, the costs for these types of exceptional dispatches were \$19,359. Without the exceptional dispatch bid mitigation, the costs for these types of exceptional dispatches would be \$195,389. The cost saving from the exceptional dispatch bid mitigation was \$176,030.

Table 10: Bid Mitigation Analysis for June 2022

Type	Number of Resources	Costs without Bid Mitigation	Costs with Bid Mitigation	Cost Saving
NONTMOD	15	\$194,608	\$19,117	\$175,490
TMODEL5	2	\$781	\$242	\$539
Total	17	\$195,389	\$19,359	\$176,030

CERTIFICATE OF SERVICE

I hereby certify that I have served the foregoing document upon the parties listed on the official service lists in the above-referenced proceedings, in accordance with the requirements of Rule 2010 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2010).

Dated at Folsom, California, this 15th day of August, 2022.

/s/ Martha Sedgley
Martha Sedgley