

Business Requirements Specification

Energy Imbalance Market Enhancements 2019

Document Version: 1.0

Date Created: 2/5/2019

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

Revision History

Date	Version	Description
2/4/2019	1.0	Initial document release.

Disclaimer

All information contained in this draft Business Requirements Specification (BRS) as provided by the California Independent System Operator Corporation (ISO) is prepared for discussion and information purposes only. The draft BRS is provided “as is” without representation or warranty of any kind, including, without limitation, a representation or warranty as to accuracy, completeness, or appropriateness for any particular purpose. The draft BRS shall be revised as the development and review of the business requirements progresses. The ISO assumes no responsibility for the consequences of any errors or omissions. The ISO may revise or withdraw all or part of this information at any time at its discretion without notice.

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

Table of Contents

1	INTRODUCTION.....	4
1.1	PURPOSE	4
2	INTELLECTUAL PROPERTY OWNERSHIP	4
2.1	CHECKLIST.....	4
3	ACRONYM DEFINITIONS	5
4	DETAILS OF BUSINESS NEED/PROBLEM	7
4.1	DESCRIPTION	7
5	BUSINESS IMPACTS.....	9
5.1	BUSINESS PRACTICE MANUAL (BPM)	9
5.2	OTHER.....	10
6	BUSINESS REQUIREMENTS.....	11
6.1	BUSINESS PROCESS: MANAGE ENERGY IMBALANCE MARKETS	11
6.1.1	<i>Business Requirements: BAAOP Enhancements</i>	<i>11</i>
6.1.2	<i>Business Requirements: BSAP Enhancements.....</i>	<i>15</i>
6.1.3	<i>Business Requirements: CIDI Enhancements.....</i>	<i>16</i>
6.1.4	<i>Business Requirements: OASIS Enhancements</i>	<i>17</i>
6.2	BUSINESS REQUIREMENTS: MANAGE REAL-TIME MARKETS	17
6.2.1	<i>Business Requirements: Real-Time Market Enhancements</i>	<i>17</i>
6.2.2	<i>Business Requirements: Settlements Enhancements.....</i>	<i>18</i>
	APPENDIX 1: NON-IMPLEMENTED CIDI TICKETS	19

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

1 Introduction

1.1 Purpose

The purpose of this document is to capture and record a description of what the Users and Business Stakeholders of the project wish to obtain by providing high-level business requirements. This document establishes the basis for the agreement between the initiators and implementers of the project. The information in this document serves as input to determining the scope of projects and to all Business Process Modeling and System Requirements Specifications efforts.

The purpose of this project, Energy Imbalance Market Enhancements 2019, is to collectively address important issues identified by Energy Imbalance Market (EIM) participants that would improve resource modeling and EIM design.

2 Intellectual Property Ownership

Intellectual property covers a broad array of information and materials, including written works, computer programs, software, business manuals, processes, symbols, logos, and other work products. Determining ownership of intellectual property is very important in preserving rights of the California ISO and helps to avoid intellectual property infringement issues. In considering the business requirements or service requirements to be performed, the business owner of the project must determine intellectual property Ownership.

2.1 Checklist

CAISO retains intellectual property ownership of the following:

- Design of EIM; includes graphical user displays, business processes, and design constructs
- Related Business Practice Manuals
- Software codes to implement the EIM display and design changes
- All rights reserved for works included within this BRS document

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

3 Acronym Definitions

Acronym	Definition
API	Application Programmable Interface
BAA	Balancing Authority Area
BAAOP	Balancing Authority Area Operations Portal
BPM	Business Process Manual
BRS	Business Requirements Specification
BSAP	Base Schedule Aggregation Portal
CAISO	California Independent System Operator
CISO	California Independent System Operator
CMRI	CAISO Market Results Interface
DA	Day-Ahead
DAM	Day-Ahead Market
DAME	Day-Ahead Market Enhancements
EIM	Energy Imbalance Market
FMM	Fifteen Minute Market
HASP	Hour-Ahead Scheduling Process
IFM	Integrated Forward Market
ISO	Independent System Operator
MF	MasterFile
OASIS	Open Access Same Time Information System
RTBS	Real-Time Base Schedule

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

Acronym	Definition
RTD	Real-Time Dispatch
RTM	Real-Time Market
RTPD	Real-Time Pre-Dispatch
RUC	Residual Unit Commitment
SC	Scheduling Coordinator
SIBR	Scheduling Infrastructure and Business Rules
STUC	Short-Term Unit Commitment
UI	User Interface

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

4 Details of Business Need/Problem

4.1 Description

From a compilation of Customer Inquiry, Dispute, and Information System (CIDI) tickets, the ISO customer service and technology teams received and reviewed EIM enhancement requests provided by EIM entities to improve market transparency, functions, and usability features with no impact to policy or tariff. From the list of EIM enhancement requests, some of which were deferred as they required additional review through the policy stakeholder process, or were consolidated with other requests due to their duplicative nature, the amount reduced to 67 enhancement requests and were determined as follows:

- 22 requests are included in the EIM Enhancements 2019 release
- 8 requests will apply to EIM initiatives after 2019
- 16 requests require further study; their implementation will be determined once assessment is complete
- 21 requests will not be implemented, and the CIDI Tickets will be closed

The following 22 enhancement requests are included in the EIM Enhancements 2019 project scope. ISO will provide the associated CIDI tickets with updates so the submitting participants are aware of their status.

Request ID	Category	Requirements summary
1	BAAOP	BAAOP UI shall display: TOTAL generation (and split by type), TOTAL Non-Generation, Load, TOTAL Dynamics, and TOTAL NSI (and split import/exports)
2	BAAOP	BAAOP shall display unit deviation (SE/DOT/configuration) for PR and NPR
3	RTM	System shall use trigger to prevent ETSR swing using the explicit ETSR threshold per BAA
4	BAAOP	BAAOP shall display load bias used in market
5	BAAOP	BAAOP shall display EIM transfer limits when the Flex Ramp test fail In RTBS user display
6	BAAOP	BAAOP shall indicate the contingency flag of BAAs
7	RTM	System shall display current DOP in the MSG transition period

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

Request ID	Category	Requirements summary
8	BAAOP	BAAOP shall display summary data per BAA the components related market energy requirements
9	Settlements OASIS	Post information that allows for an entity to calculate its Unaccounted for Energy, post Real time network loss, UFE, CC 64740 for EIM
10	CIDI	Ability to download all CIDI requests into a CSV and easy sorting
11	CIDI	Improve CIDI reporting by enabling users to: select/filter/display/download CIDI requests
12	BAAOP	Display BAA under Contingency irrespective of which BAA is selected
13	BSAP	Allow Base Schedule modification in BSAP UI
14	BAAOP	Add the transformer flow to the BAAOP display
15	BAAOP	Bid Range Capacity information added to Bid Range Capacity Test display. GUI is in EIM - System - Base Schedule Test Results - Bid Range Capacity Test display new GUIs
16	BAAOP	Default sorting and layouts for displays Flex Ramp Sufficient Test and ETSR override limits
17	BAAOP	Change ETSR Limit naming of 5 min and 15 min override
18	BAAOP	Modify Resource Flex Ramping display layout. GUI is in EIM - System - Base Schedule Test Results - Resource Flex Ramping display
19	BAAOP	Provide visibility of Self Schedules - Provide visibility of Marginal Bids
20	BAAOP	Enhancement to market thresholds using a NET change threshold
21	BSAP	ADD "Aggregate BS Deviation" to BSAP API for RetrieveBalancingTestResults
22	OASIS	Request for OASIS (and API) ADD RTD (5 Min) load forecast (advisory intervals)

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

5 Business Impacts

5.1 Business Practice Manual (BPM)

BPM	Description of Impact(s)
Energy Imbalance Market (EIM)	<ul style="list-style-type: none"> - On a BAA basis, add “net” ETSR Threshold feature to consider large offsetting INC and DEC that concurrently exceed respective INC/DEC market thresholds, but algebraically sum to a net transfer value within defined thresholds
Market Instruments	<ul style="list-style-type: none"> - BSAP API to add “Aggregate Base Schedule Deviation” - OASIS will provide: <ul style="list-style-type: none"> o Information to provide shadow calculation capability for Unaccounted for Energy (UFE) o Real-Time transmission losses for ISO and EIM BAA Addition of 5-minute Real-Time Load Forecasts (include advisory intervals)
BPM Change Management	Non-Applicable
Candidate CRR Holder	Non-Applicable
Compliance Monitoring	Non-Applicable
Congestion Revenue Rights	Non-Applicable
Credit Management	Non-Applicable
Definitions & Acronyms	Non-Applicable
Direct Telemetry	Non-Applicable
Distributed Generation for Deliverability	Non-Applicable
Generator Interconnection and Deliverability Allocation Procedures	Non-Applicable
Generator Interconnection Procedure (GIP)	Non-Applicable
Generator Management	Non-Applicable
Managing Full Network Model	Non-Applicable
Market Operations	Non-Applicable
Metering	Non-Applicable
Outage Management	Non-Applicable

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

BPM	Description of Impact(s)
Reliability Requirement	Non-Applicable
Rules of Conduct Administration	Non-Applicable
Scheduling Coordinator Certification & Termination	Non-Applicable
Settlements & Billing	Non-Applicable
Transmission Planning Process	Non-Applicable

Additionally, the following documents will be updated to reflect changes in user-interface displays, functions:

- Balancing Authority Area Operations Portal (BAAOP) User Guide
- Customer Inquiry, Dispute, and Information (CIDI) User Guide

5.2 Other

Impact:	Description: (optional)
Market Simulation	Yes
Market Participant Impact	Yes (for EIM Entities)
External Training	Yes
Policy Initiative	No

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

6 Business Requirements

The sections below describe the Business Processes and the associated Business Requirements involved in the project. These may represent high level functional, non-functional, reporting, and/or infrastructure requirements. These business requirements directly relate to the high level scope items determined for the project.

6.1 Business Process: Manage Energy Imbalance Markets

6.1.1 Business Requirements: BAAOP Enhancements

ID#	Business Feature	Req Type	Potential Application(s) Impacted
EIM19-BRQ1010	Add New BAA Balancing Overview Display: For each BAA, system shall display the following aggregate values by time stamp in both RTD and RTPD market runs: <ul style="list-style-type: none"> • Total Generation (grouped by unit type, as defined by MasterFile) • Total Non-Generation, Load • Total Dynamics • Total NSI (grouped by import, export) 	Core	- BAAOP
EIM19-BRQ1110	Add Active Load Bias to RTD/RTPD Dispatch Control Displays: For each BAA, system shall display the following: <ul style="list-style-type: none"> • Active RTD Load Bias • Active RTPD Load Bias 	Core	- BAAOP
EIM19-BRQ1180	Display All Data Used to Calculate BA MW For each BAA, system shall display all data used to calculate BA MW requirement for RTD and RTPD markets. The data shall include the following: <ul style="list-style-type: none"> • Net Schedule Interchange • DOT (as used by market) • All components related the calculation of the market requirement including MSG_IC, Loss component, and load forecast. 	Core	- BAAOP

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

ID#	Business Feature	Req Type	Potential Application(s) Impacted
EIM19-BRQ1090	Add Unit Deviations Display for Participating and Non-Participating Resources For each BAA, system shall display the BAA's associated unit deviations for Participating and Non-Participating Resources from a dedicated GUI, in a similar layout as Dispatchable resources GUI.	Core	- BAAOP
EIM19-BRQ1095	Resolve "All Resources" Display Issues For each BAA, system's "All Resources" display shall correct the following usability issues: <ul style="list-style-type: none"> • Page does not completely load all resource records when initialized or refreshed • Export to Excel function produces xls files with no records (all displayed records should export) 	Core	- BAAOP
EIM19-BRQ1120	Add GUI for EIM Import/Export Transfer Limit when Flexible Ramping Sufficiency Test Fails For each BAA, system shall display the EIM import and export transfer limits that the market (RTD and RTPD) uses for failed Flexible Ramping Sufficiency test in RTBS user display.	Core	- BAAOP
EIM19-BRQ1150	Increase visibility of Events that Trigger Price Spikes For each BAA, system shall display a contingency events, whether interchange schedules/tags were not timely submitted, etc. This would help reduce second guessing on what an event did or did not cause a price spike. Notes: <ul style="list-style-type: none"> • Effective December 2018, EIM BAA Contingency Events are now reported in the OASIS. • BAAOP the contingency flag will be displayed (see BRQ1250) • Other items like lag of timely submission of tags will not be considered due to practicality 	Core Existing Functionality	- BAAOP

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

ID#	Business Feature	Req Type	Potential Application(s) Impacted
EIM19-BRQ1250	Display Which BAA is in Contingency Irrespective of Which BAA is Selected For EIM entities with multiple-BAAs, system shall provide user with the capability to view which BAA is in contingency mode, irrespective of which BAA is selected in the RTD Dispatch Control display.	Core	- BAAOP
EIM19-BRQ1440	Display Transformer Flows System shall display transformer flows and limit enforcements for RTD and RTPD markets.	Core	- BAAOP
EIM19-BRQ1470	Displays' Default Sorting & Layouts <ul style="list-style-type: none"> • For Flexible Ramping Sufficiency Test display: <ul style="list-style-type: none"> ○ System shall update the defaults sorting in priority order, as follows: <ul style="list-style-type: none"> ▪ BAA (asc.) ▪ Ramp Type (asc.) ▪ Test Type (asc.) • For ETSR Details (Override Limits Box) display: <ul style="list-style-type: none"> ○ System shall set default view to List View. ○ System shall update the defaults sorting in priority order, as follows: <ul style="list-style-type: none"> ▪ Limit Type (dec.) ○ System shall fix column widths. ○ Limit field shall be modified to "Incremental Delta Limit" or "Absolute Delta Limit" to match the actual use of that field. 	Core	- BAAOP

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

ID#	Business Feature	Req Type	Potential Application(s) Impacted
EIM19-BRQ1510	<p>Resource Flex Ramping Layout Modification</p> <p>System shall modify Resource Flex Ramping display layout to enhance the ability of users to troubleshoot Flex Ramp issues.</p> <p>The Resource Flex Ramping display layout shall be modified using pivot function to the following columns:</p> <ul style="list-style-type: none"> ○ UP Capacity ○ Down Capacity ○ BAA ○ Resource ○ Start Time ○ End Time ○ Intervals 1-4 (crosstab) 	Core	- BAAOP
EIM19-BRQ1460	<p>Bid Range Capacity information</p> <ul style="list-style-type: none"> ● System shall modify Bid Range Capacity Test display layout to enhance the ability of users to troubleshoot Bid Range Capacity issues. ● The Bid Range Capacity Test display shall be modified to add the following information, regardless of PASS/FAIL status: <ul style="list-style-type: none"> ○ Capacity Insufficiency/Sufficiency ○ Requirement ● More information regarding the inputs to this test shall be displayed on dedicated GUIs. ● The naming conventions shall be consistent between all applications posting Bid Range Capacity information (mainly CMRI and BAAOP). <p>Notes:</p> <ul style="list-style-type: none"> ● The results of this test, and the line violation is listed in CMRI Transmission Violation Test results. 	Core	- BAAOP - CMRI(TBD)

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

ID#	Business Feature	Req Type	Potential Application(s) Impacted
EIM19-BRQ1520	Display Self Schedules & Marginal Bids System shall display the following: <ul style="list-style-type: none"> • Self-Schedules • Marginal Bids Notes: <ul style="list-style-type: none"> • For Self Schedules: It is existing. There is a display EIM → EIM → Bid Overview- Generation (RTPD) → <i>Self Schedule</i> and EIM → Bid Overview- MSG (RTPD) → <i>Self Schedule</i>. • For Marginal Bids: It is existing. There are displays that show this information on “Marg Bid” field column in EIM → EIM → Bid Schedules - Generators → RTPD and EIM → EIM → Bid Schedules - Generators → RTD GUIs. 	Core Existing Functionality	- BAAOP
EIM19-BRQ1550	Market Thresholds Enhancement System shall be updated to display and account for NET change threshold for both generation and interchange.	Core	- BAAOP

6.1.2 Business Requirements: BSAP Enhancements

ID#	Business Feature	Req Type	Potential Application(s) Impacted
EIM19-BRQ1270	System shall allow users the ability to modify their base schedule via the BSAP UI by utilizing <i>copy</i> and “ <i>copy forward</i> ” of previously submitted base schedules.	Core	- BSAP
EIM19-BRQ1560	For each BAA, systems shall calculate and publish Aggregate BS Deviation (will also be included in BSAP API).	Core	- BSAP - Integration

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

6.1.3 Business Requirements: CIDI Enhancements

ID#	Business Feature	Req Type	Potential Application(s) Impacted
EIM19-BRQ1210	System shall allow user to download CIDI requests report into a CSV file: The CIDI report can include: <ol style="list-style-type: none"> 1. All CIDI requests 2. CIDI requests with selected fields, time range, SCID, filtered and sorted on items. 	Core	- CIDI
EIM19-BRQ1211	Track CIDI last modified date: <ul style="list-style-type: none"> • System shall track CIDI ticket status and display its last modified date. • System shall allow user to sort the CIDI requests by last modified date. Note: This functionality is provided in communities; dashboards tracking status, and “case last modified date”.	Core Existing	- CIDI
EIM19-BRQ1212	System shall allow user to view ALL of a Utility's (multiple SCID) CIDI cases. Note: this is existing functionality that requires a user to be provisioned for the other SCID's within their organization.	Core Existing	- CIDI, AIM
EIM19-BRQ1220	System shall allow user to select and filter CIDI tickets for reporting: <ul style="list-style-type: none"> • allow user to select fields • allow user to select date ranges; • allow user to filter on other items; • Display the CIDI ticket report with selected fields, date range, and filtered result. • create a page showing selection of fields Date and filter criteria Note: These features are provided with the communities; dashboard and filtering capabilities.	Core Existing	- CIDI

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

6.1.4 Business Requirements: OASIS Enhancements

ID#	Business Feature	Req Type	Potential Application(s) Impacted
EIM19-BRQ1360	System shall display and provide API access to RTD (5 Min) load forecast (includes both binding and advisory intervals) Note: <ul style="list-style-type: none"> • Existing in OASIS/System Demand/Advisory CAISO Demand Forecast • OASIS already has RTD data & the API for this report available externally in production “SLD_ADV_FCST” API name. 	Core Existing	OASIS
EIM19-BRQ1360	For each BAA, system shall publish, and broadcast via an API, the RTD transmission loss clearing.	core	Integration, OASIS

6.2 Business Requirements: Manage Real-Time Markets

6.2.1 Business Requirements: Real-Time Market Enhancements

ID#	Business Feature	Req Type	Potential Application(s) Impacted
EIM19-BRQ1100	System shall prevent ETSR swing using the explicit ETSR threshold per BAA, by performing the following: <ul style="list-style-type: none"> • Set the threshold as a percentage of load or MW per BAA • Activate Limit of change of every 5-minute total ETSR for BAA within the threshold 	Core	- RTM
EIM19-BRQ1160	Systems shall display current DOP during the MSG transition period (instead of zero).	Core	- RTM

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

6.2.2 Business Requirements: Settlements Enhancements

ID#	Business Feature	Req Type	Potential Application(s) Impacted
EIM19-BRQ1190	<p>System shall post bill determinants for shadow settlement calculation of Unaccounted for Energy (UFE) for EIM entities (CC 64740).</p> <p>Notes:</p> <ul style="list-style-type: none"> • Generation, Load, and Intertie data submissions from EIM entities are available in MRI-S. • RT losses will be posted on OASIS • Settlement calculation information is included in either BA or CAISO bill determinant files. 	Core Existing Functionality	- Settlements

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

Appendix 1: Non-Implemented CIDI Tickets

Number	Category	Request Summary	Reason(s)
A-1	BAAOP	Provide an API to extract real-time BAAOP information.	BAAOP is a real-time system with continuous data streaming such that previous data will always be overwritten by new data; therefore, the API will not be able to extract consistent data since the BAAOP application was not designed to function as a historian.
A-2	CMRI	Publish RTPD/RTD Critical Constraints (binding and future)	<p>The data processing and publishing requirements would involve too much data to perform on a continuous basis.</p> <p>Critical constraints already exists in the BAAOP. Unit dispatch and LMP calculation results are based on these binding constraints. If not visible by EIM operator, these constraints can be made feasible. Another obstacle is that each BA operator may only see the constraints in their BA, not other BAs.</p> <p>For reference, the BPM for Market Instruments section 10.2 provides that: Access may be obtained per provisions defined in Tariff Section 6.5.10, which details the process for completing the <i>Non-Disclosure Agreement for Transmission Constraints Enforcement Lists</i>.</p> <p>Transmission Limits report: Displays the transmission limits for all critical constraints in the IFM, HASP, and RTED markets. The term "critical" shall be defined as being at, or within a specific proximity to, the transmission limit. Transmission limits for critical constraints in other markets such as RTCD are not included. Trigger: Trade Date + 3 days by 6:00 AM PPT.</p>
A-3	ADS	ADS publish internal DOT	Market participant should follow the external DOTs that are financially binding. Market participants can contact their customer service representative or the Market Validation and Analysis group if they need to review save cases for after-the-fact analysis
A-4	BAAOP	BAAOP Web UI MODIFY "Total Delta SUM" to remove VER/Wind calculation in Total Delta	The delta here is the change value for any reason. The breakdown is not supported.

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

Number	Category	Request Summary	Reason(s)
A-5	BAAOP	Remove Contingency Status Box in ETSR detail	Keep Contingency Status Box in ETSR detail display to help understand ETSR values
A-6	CMRI	CMRI (and API) ADD RTD/RTPD Dispatch-able Generation (active binding and future intervals)	CMRI is for publish Market Results. This is not market result.
A-7	BAAOP	BAAOP API ETSR lock	There is currently no API support for BAAOP
A-8	BAAOP	BAAOP API ADD Manual Dispatch - Submit and Retrieve	There is currently no API support for BAAOP
A-9	BAAOP	BAAOP API for Contingency Flag - Submit and Retrieve	There is currently no API support for BAAOP
A-10	BAAOP	BAAOP API for ETSR Override - Submit and Retrieve	There is currently no API support for BAAOP
A-11	BAAOP	BAAOP API for Transmission Constraint Conforming - Submit and Retrieve	There is currently no API support for BAAOP
A-12	BAAOP	BAAOP API for RTSI submission retrieve	There is currently no API support for BAAOP
A-13	BAAOP	SVG One Lines display use State Estimator or Telemetry modes.	The SVG one line displays the NA solution in the Market.
A-14	CMRI	ADS/CMRI/OASIS (and APIs) ADD RTD/RTPD Internal Generation DOTs	Market participant should follow the external DOTs that are financial binding. Market participants can contact customer service and Market Validation and Analysis group if they need save cases for after-fact analysis.
A-15	CMRI	CMRI (and API) ADD Transmission Constraint Conforming	<p>This value is input data from the EIM operator</p> <p>In BPM for Market Instruments section 10.2 Transmission Limits report</p> <p>Displays the transmission limits for all critical constraints in the IFM, HASP, and RTED markets. For all transmission elements, indicates whether the limit is associated with a contingency or not. If a contingency is associated, the contingency name is displayed; otherwise "base case" is displayed.</p> <p>Trigger: Trade Date + 3 days by 6:00 AM PPT.</p>
A-16	CMRI	CMRI (and API) ADD Manual Dispatches	This data already resides in ADS.

 California ISO	Technology	Template Version:	4.6
		Document Version:	1.0
Energy Imbalance Market Enhancements 2019 Business Requirements Specification - Planning		Date Created:	2/1/2019

Number	Category	Request Summary	Reason(s)
A-17	CMRI	CMRI (and API) ADD RTPD/FMM Advisory Schedules	CMRI publish market results that are financially binding.
A-18	CMRI	CMRI (and API) ADD ETSR Locks	There is a complexity in implementing since the transfer lock would have resulted from an override
A-19	CMRI	Allow CMRI to pull more data in a single query for RTM Products	Unfortunately, this enhancement will negatively impact CMRI performance and is against the ISO's acceptable use policies.
A-20	General Inquiries	CAISO Market Daily Report SharePoint stores only 15 days of reports - PGE requests ISO to store 30 days of reports in this SharePoint	Customer has the option to download the files locally to their own systems.
A-21	Master File	GRDT provide new unit restrictions on first hour	Customer may use manual dispatch or base schedule to manage the new unit restrictions.