



California Independent System Operator

December 1, 2014

The Honorable Kimberly D. Bose
Secretary
Federal Energy Regulatory Commission
888 First Street, NE
Washington, DC 20426

**Re: California Independent System Operator Corporation
Docket Nos. ER08-1178-000 and EL08-88-000
August 2014 Exceptional Dispatch Report (Chart 2 Data)**

Dear Secretary Bose:

Pursuant to the orders issued in the above-referenced dockets on September 2, 2009 and May 4, 2010, the California Independent System Operator Corporation (CAISO) submits the attached report. The report provides Exceptional Dispatch information that the Commission directed be included in "Chart 2," which is set forth in Appendix A to the September 2, 2009 order, as modified by the May 4, 2010 order.

The attached report provides Chart 2 data for the month of August 2014. The report also includes the price impact analysis for August 2014 required by paragraph 44 of the September 2, 2009 order, as well as the degree of mitigation analysis required by CAISO tariff section 34.9.4 for August 2014.

Respectfully submitted,

By: /s/ Sidney M. Davies

Roger E. Collanton
General Counsel
Sidney M. Davies
Assistant General Counsel
California Independent System
Operator Corporation
250 Outcropping Way
Folsom, CA 95630
Tel: (916) 608-7144
Fax: (916) 608-7222
sdavies@caiso.com

Department of Market Quality and Renewable Integration – California ISO



Exceptional Dispatch Report

Table 2: August 2014

Market Quality and Renewable Integration

December 1, 2014

Department of Market Quality and Renewable Integration – California ISO

TABLE OF CONTENTS

Introduction	3
The Nature of Exceptional Dispatch.....	3
Appendix A: Explanation by Example	15
Example 1: Exceptional Dispatch Instructions Prior to DAM	15
Example 2: Incremental Exceptional Dispatch Instructions in RTM.....	16
Appendix B: Price Impact Analysis	19
Appendix C: Exceptional Dispatch Bid Mitigation Analysis	23

LIST OF TABLES AND FIGURES

Table 1: Exceptional Dispatches in August 2014	7
Table 2: Instructions Prior to Day-Ahead Market	15
Table 3: FERC Summary of Instructions Prior to DAM	15
Table 4: Incremental Exceptional Dispatch Instructions in RTM	16
Table 5: FERC Summary of ED Instructions in RTM	17
Table 6: Decremental Exceptional Dispatch Instructions in RTM	18
Table 7: FERC Summary of Decremental ED Instructions in RTM	18
Table 8: Price Impact Analysis Information for Pricing Node A in PG&E LAP	20
Table 9: Price Impact Analysis Information for Pricing Node B in SCE LAP	22

Introduction

This report is filed pursuant to FERC's September 2, 2009, and May 4, 2010, orders in ER08-1178. These orders require two monthly Exceptional Dispatch reports—one issued on the 15th of each month and one issued on the 30th of each month. This report provides data on the frequency, reasons and costs for Exceptional Dispatches issued in August 2014. On December 19, 2013, the ISO implemented a new exceptional dispatch tool. This tool improves the ISO's ability to automate the production of the report and provides more granularity and consistency concerning the reasons for the exceptional dispatch.

In addition, this report contains a price impact analysis as prescribed by FERC in its September 2 order. The price impact analysis for the month of August is presented in Appendix B. This report also includes the degree of mitigation analysis for August 2014 required by section 34.9.4 of the ISO tariff. As it has previously explained, the ISO indicated that it would start including the degree of mitigation analysis beginning with the month of August 2009 when the more limited Exceptional Dispatch bid mitigation took effect. This analysis will compare those Exceptional Dispatches subject to bid mitigation (i.e. Exceptional Dispatches to address noncompetitive constraints and Delta Dispatch), and determine the cost difference between the Exceptional Dispatch bid mitigation settlement rules and what the settlement amount would have been had the Exceptional Dispatches not been subject to bid mitigation. The Exceptional Dispatch bid mitigation analysis for August is presented in Appendix C.

The Nature of Exceptional Dispatch

The ISO can issue exceptional dispatch instructions for a resource as a pre-day-ahead unit commitment, a post day-ahead unit commitment or a real-time exceptional dispatch. A pre-day-ahead unit commitment is an exceptional dispatch instruction committing a resource at or above its physical minimum (Pmin) operating level in the day-ahead market. A post-day-ahead unit commitment is an exceptional dispatch instruction committing a resource at or above its (Pmin) operating level in the real-time market. A real-time exceptional dispatch instructs a resource to operate at or above its physical minimum operating point. For the purposes of this report, a real-time exceptional dispatch above the resource's day-ahead award is considered an incremental exceptional dispatch instruction and a real-time exceptional dispatch below the day-ahead award is considered a decremental dispatch instruction. The ISO issues exceptional dispatch instructions primarily to manage transmission constraints that are not modeled in the market software. In addition to constraints, the ISO also issues exceptional dispatch instructions relating to reliability requirements and, on occasion, software failures. Reliability requirements are calculated for both local area and the system wide needs, and are classified into various requirements including local generation, transmission management, non-modeled transmission outages, ramping and intertie emergency assistance.

Department of Market Quality and Renewable Integration – California ISO

Whenever the ISO issues an exceptional dispatch instruction, these instructions are logged by the operators into the scheduling and logging system (SLIC), including an associated reason for each exceptional dispatch instruction.

Most of the generation procedures are internal to the ISO and not available publicly on the ISO website; however, all of the transmission procedures are available on the ISO website.¹

The following additional reason for exceptional dispatch instructions in August 2014 was not related to specific generation or transmission operating procedures: Software Limitation, when an exceptional dispatch instruction was used to bridge schedules across days for resources with a minimum down time of 24 hours, as the ISO software does not handle multi day commitment. For instance, a resource has a day-ahead schedule from 0600 till 2300, and then is shut down in 2400. If this resource had a minimum down time of 24 hours and it is required the following day, then the ISO issues an exceptional dispatch to commit this resource in 2400 so that it can be dispatched economically in the following day. Software limitation reason was also used for exceptional dispatches to manually issue shut down instructions to a resource because of a temporary Automatic Dispatch System (“ADS”) failure, or similar issues. There were a few other reasons used to explain exceptional dispatch instructions in August, which are self explanatory.

As mentioned earlier, the data shown in Table 1 is based on a template specified in the September 2009 order.² This table contains all the information published in Table 1 of the first report for August. In addition, it contains volume (MWh) and cost information. Each entry in Table 1 is a summary of exceptional dispatches classified by (1) the reason for the exceptional dispatch; (2) the location of the resource by Participating Transmission Owner (PTO) service area; (3) the Local Reliability Area (LRA) where applicable; (4) the market in which the exceptional dispatch occurred (day-ahead vs. real-time); and (5) the date of the exceptional dispatch. For each classification the following information is provided: (1) Megawatts (MW); (2) Commitment; (3) Inc or Dec; (4) Hours; (5) Begin Time; (6) End Time; (7) Total Volume (MWh); (8) Min Load Cost; (9) Start Up Cost; (10) CC6470; (11) ED Volume (MWh INC/DEC); (12) CC6470 INC; (13) CC6470 DEC; (14) CC6482; (15) CC6488; and (16) CC6620. Each column is defined as follows:

¹ A list of all of the ISO’s Operating Procedures and all the publicly available Operating Procedures are available at the following link:

<http://www.caiso.com/thegrid/operations/opsdoc/index.html>

² The data in Table 1 is principally SLIC information supplemented with data from the Market Quality System (MQS) and Settlements database. The volume and cost information is based on t+51B Recalculation Statements.

Department of Market Quality and Renewable Integration – California ISO

- The MW column shows the range of exceptional dispatch instruction in MW for the classification.
- The Commitment column specifies if there was a unit commitment for the classification.
- The INC/DEC/NA column specifies if there was an incremental dispatch (INC), a decremental dispatch (DEC), or only a unit commitment (NA). The Begin Time and End Time columns show the start and end time of exceptional dispatch for the classification respectively.
- The Hours column is the time difference between begin time and end time rounded up to the next hour.
- The total volume column shows the total MWh dispatch quantity dispatched for that classification. This quantity includes the minimum load quantity, the imbalance energy quantity, and the exceptional dispatch quantity.
- The Min-Load Cost column shows eligible minimum load cost for the classification.
- The Start-Up Cost column shows the eligible start up cost for the classification. Please note that the ISO does not explicitly pay resources for its start up and minimum load costs; however, it ensures that resources are compensated adequately through its bid cost recovery process.³
- The CC6470 column shows the total imbalance energy costs for the classification. This cost contains the portion of exceptional dispatch instruction that was settled as optimal energy by virtue of its bid price being less than the LMP in that specific settlement interval.
- The ED Volume MWh (MWh INC/DEC) column shows the incremental or the decremental portion of the real-time exceptional dispatch MWh for the classification. The CC6470-INC shows that portion of incremental exceptional dispatch instruction which is settled at the resource specific LMP.
- The CC6470-DEC column shows that portion of decremental exceptional dispatch instruction which is settled at the resource specific LMP. Both these charge codes are portion of the real-time instructed imbalance energy charge code (6470).⁴
- The CC6482 column shows the real-time excess cost for the classification.⁵
- The CC6488 column shows the real-time exceptional dispatch uplift settlement for the classification.⁶ The CC6620 shows the bid cost recovery

³ For further details regarding the Bid Cost Recovery process please refer to section 11.8 of the ISO tariff.

⁴ For further details please refer to the BPM configuration Guide: Real-Time Instructed Imbalance Energy Settlement published on the ISO's website.

⁵ For further details please refer to the BPM configuration Guide: Real Time Excess Cost for Instructed Energy Settlement published on the ISO's website.

⁶ For further details please refer to the BPM configuration Guide: Real Time Exceptional Dispatch Uplift Settlement published on the ISO's website.

Department of Market Quality and Renewable Integration – California ISO

payment for the classification. This cost is shown for all pre-day-ahead unit commitments only.

Charge codes 6470, 6470 INC, 6470 DEC, 6482 and 6488 are shown in Table 1 because all these charge codes pertain to real-time exceptional dispatch MWH quantities. The classification of data is further explained by way of example in Attachment A.

Table 1: Exceptional Dispatches in August 2014

**California Independent System Operator Corporation
Exceptional Dispatch Report
December 1, 2014**

Chart 2: Table of Exceptional Dispatches for Period 01/August/2014 - 31/August/2014

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC6620
1	RT	Bridging Schedules	SCE	N/A	8/14/2014	40	Yes	INC	5	19:00	23:59	115	16974	0	-11565	0	0	0	0	0	0
2	RT	Bridging Schedules	SCE	LA Basin	8/14/2014	10	No	INC	6	18:30	23:59	15	6770	0	-1206	0	0	0	0	0	0
3	RT	Bridging Schedules	SDG&E	San Diego-IV	8/14/2014	20	No	INC	1	23:00	23:59	2	5367	0	-76	0	0	0	0	0	0
4	RT	Bridging Schedules	SDG&E	San Diego-IV	8/13/2014	20	No	INC	2	22:05	23:59	0	8506	0	-1	0	0	0	0	0	0
5	RT	Bridging Schedules	SDG&E	San Diego-IV	8/1/2014	20	No	INC	2	22:00	23:59	0	3118	0	12	0	0	0	0	0	0
6	RT	Conditions beyond the control of the CAISO	PG&E	N/A	8/10/2014	195	No	INC	2	16:00	17:59	91	11178	777	-3810	0	0	0	0	0	0
7	RT	Contingency Dispatch	PG&E	N/A	8/21/2014	380	No	INC	1	17:55	18:44	15	13859	0	-703	15	-702	0	0	0	0
8	RT	Contingency Dispatch	SCE	LA Basin	8/21/2014	748-765	No	INC	1	18:25	18:59	10	0	0	-504	0	0	0	0	0	0
9	RT	Contingency Dispatch	SCE	Big Creek-Ventura	8/21/2014	46-230	No	INC	2	18:30	19:44	12	0	0	-583	0	0	0	0	0	0
10	RT	Contingency Dispatch	SDG&E	San Diego-IV	8/21/2014	35	No	INC	1	18:40	18:59	7	0	0	-357	0	0	0	0	0	0
11	RT	Fast Start Unit Management	PG&E	Fresno	8/12/2014	20-40	No	INC	16	6:00	21:59	-19	13365	192	336	0	0	0	0	0	0
12	RT	Fast Start Unit Management	PG&E	Fresno	8/15/2014	20-40	No	INC	20	3:45	22:59	29	9921	270	-1611	0	0	0	0	0	0
13	RT	Fast Start Unit Management	PG&E	Fresno	8/13/2014	20-40	No	INC	18	6:45	23:59	19	0	0	-1037	0	0	0	0	0	0
14	RT	Fast Start Unit Management	PG&E	Fresno	8/16/2014	40	No	INC	13	8:45	20:59	-32	15302	281	1117	0	0	0	0	0	0
15	RT	Fast Start Unit Management	PG&E	Fresno	8/17/2014	40	No	INC	13	8:10	20:59	20	19478	351	-2248	0	0	0	0	0	0

20141201-5297

Num ber	Mark et Type	Reason	Location	Local Reliability Area	Trade Date	MW	Comm itment	INC_ DEC	Hou rs	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC6620
16	RT	Fast Start Unit Management	PG&E	N/A	8/18/2014	380	No	INC	9	13:10	21:59	19	9637	5070	-233	8	-25	0	0	0	0
17	RT	Fast Start Unit Management	PG&E	Fresno	8/30/2014	50-90	No	INC	17	6:45	22:59	-3	0	0	75	2	-111	0	0	0	0
18	RT	Fast Start Unit Management	PG&E	Fresno	8/31/2014	50-70	No	INC	14	7:50	20:59	-19	23912	556	-402	0	0	0	0	0	0
19	RT	Fast Start Unit Management	PG&E	Fresno	8/29/2014	40	No	INC	8	14:15	21:59	-11	0	0	417	0	0	0	0	0	0
20	RT	Incomplete or Inaccurate Transmission	PG&E	Sierra	8/5/2014	45	No	INC	1	12:08	12:44	0	0	0	0	0	0	0	0	0	0
21	RT	Incomplete or Inaccurate Transmission	SCE	Big Creek-Ventura	8/2/2014	200-324	No	INC	4	2:40	6:34	23	0	0	-1936	23	-1936	0	0	0	0
22	RT	Incomplete or Inaccurate Transmission	SDG&E	San Diego-IV	8/26/2014	44	No	INC	9	8:05	16:59	14	0	0	-1002	0	0	0	0	0	0
23	RT	Intertie Emergency Assistance	Intertie	N/A	8/23/2014	150	No	INC	1	1:05	1:59	0	0	0	0	0	0	0	0	0	0
24	RT	Intertie Emergency Assistance	Intertie	N/A	8/29/2014	70	No	INC	1	6:12	6:59	0	0	0	0	0	0	0	0	0	0
25	RT	Intertie Emergency Assistance	Intertie	N/A	8/13/2014	100	No	INC	1	21:00	21:59	0	0	0	0	0	0	0	0	0	0
26	RT	Intertie Emergency Assistance	Intertie	N/A	8/16/2014	120	No	INC	2	21:34	22:59	-52	0	0	2087	-52	0	2087	0	0	0
27	RT	Load Forecast Uncertainty	Intertie	N/A	8/21/2014	100	No	INC	2	15:00	16:59	0	0	0	0	0	0	0	0	0	0
28	RT	Load Forecast Uncertainty	PG&E	Bay Area	8/1/2014	45	No	INC	12	12:00	23:59	669	44040	0	-38412	0	0	0	0	0	0
29	RT	Load Forecast Uncertainty	SCE	Big Creek-Ventura	8/1/2014	20	No	INC	14	10:00	23:59	-47	46332	0	2529	0	0	0	0	0	0
30	RT	Load Forecast Uncertainty	SCE	LA Basin	8/1/2014	10	No	INC	15	9:00	23:59	-208	25399	0	12407	0	0	0	0	0	0
31	RT	Load Forecast Uncertainty	SCE	LA Basin	8/25/2014	25	Yes	INC	18	6:00	23:59	146	78527	26333	-30491	0	0	0	0	0	0
32	RT	Load Forecast Uncertainty	SCE	LA Basin	8/28/2014	10	Yes	INC	21	3:00	23:59	-156	33738	0	4744	0	0	0	0	0	0
33	RT	Load Forecast Uncertainty	SDG&E	San Diego-IV	8/25/2014	20	No	INC	18	6:00	23:59	0	50869	13610	-12	0	0	0	0	0	0
34	RT	Load Forecast Uncertainty	SDG&E	San Diego-IV	8/18/2014	20-40	No	INC	17	7:00	23:59	-77	6444	1514	4510	0	0	0	0	0	0

20141201-5297

Num ber	Mark et Type	Reason	Location	Local Reliability Area	Trade Date	MW	Comm itment	INC_ DEC	Hou rs	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC6620
35	RT	Load Forecast Uncertainty	SDG& E	San Diego-IV	8/2/2014	20	No	INC	18	2:00	19:59	449	72282	0	-26819	0	0	0	0	0	0
36	RT	Load Pull	SDG& E	San Diego-IV	8/21/2014	23	No	INC	4	15:2 5	18:59	1	6896	0	-1339	0	-10	0	0	0	0
37	RT	Market Disruption	PG&E	Fresno	8/28/2014	300- 1100	No	INC	1	15:2 7	15:44	25	0	0	-5284	22	-5027	0	0	0	0
38	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	8/9/2014	15- 61	No	INC	24	0:00	23:59	0	0	0	0	0	0	0	0	0	0
39	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	8/8/2014	20- 40	No	INC	22	2:00	23:59	80	0	0	-3277	0	0	0	0	0	0
40	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	8/7/2014	8- 68	No	INC	24	0:00	23:59	-10	1896	0	382	0	0	0	0	0	0
41	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	8/5/2014	30	No	INC	2	21:4 0	22:59	-2	0	0	88	1	-29	0	0	0	0
42	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	8/4/2014	25- 27	No	INC	3	20:1 5	22:59	3	0	0	-102	2	-98	0	0	0	0
43	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/29/2014	83- 166	Yes	INC	6	14:2 5	19:59	0	0	0	0	0	0	0	0	0	0
44	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/27/2014	40	No	INC	4	4:10	7:59	4	4424	255	-227	0	0	0	0	0	0
45	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/23/2014	20	No	INC	9	13:4 0	21:59	12	9132	0	-546	0	0	0	0	0	0
46	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/22/2014	20- 640	No	INC	10	13:5 7	23:29	2	0	267	-706	0	0	0	0	0	0
47	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/19/2014	40	No	INC	20	4:50	23:59	4	22424	388	-42	0	0	0	0	0	0
48	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/18/2014	40	No	INC	18	4:00	21:59	-54	18213	344	2094	0	0	0	0	0	0
49	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/17/2014	83	No	INC	10	13:4 9	22:59	101	11620	0	-16611	0	0	0	0	0	0
50	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/14/2014	40- 225	No	INC	15	3:30	17:59	90	5810	0	-15952	49	-11484	0	0	0	0
51	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/28/2014	20- 190	No	INC	19	5:50	23:59	18	0	0	-4714	22	-5027	0	0	0	0
52	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/12/2014	83- 250	No	INC	9	13:1 5	21:59	0	0	0	0	0	0	0	0	0	0
53	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/11/2014	40- 75	No	INC	13	9:40	21:59	-1	17410	158	-57	0	0	0	0	0	0
54	RT	Operating Procedure	PG&E	Humboldt	8/6/2014	10-	No	INC	18	6:40	23:59	10	1023	0	-492	0	0	0	0	0	0

Num ber	Mark et Type	Reason	Location	Local Reliability Area	Trade Date	MW	Comm itment	INC_ DEC	Hou rs	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC6620
		Number and Constraint				30															
55	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/10/2014	20-80	No	INC	16	8:00	23:54	-35	20567	0	897	0	0	0	0	0	0
56	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/9/2014	20-103	No	INC	10	12:40	21:59	1	5810	0	-52	0	0	0	0	0	0
57	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/7/2014	20-40	No	INC	17	3:40	19:59	21	8747	16	-1892	0	0	0	0	0	0
58	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	8/10/2014	15-30	No	INC	22	0:00	21:59	-1	0	0	53	0	0	0	0	0	0
59	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/5/2014	83	No	INC	1	22:00	22:59	3	0	0	-136	0	0	0	0	0	0
60	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/8/2014	20-140	No	INC	15	7:20	21:59	0	0	0	0	0	0	0	0	0	0
61	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/3/2014	20-40	No	INC	18	6:05	23:59	39	18038	0	-2015	0	0	0	0	0	0
62	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/2/2014	20-40	No	INC	18	6:15	23:59	-17	4704	66	393	0	0	0	0	0	0
63	RT	Operating Procedure Number and Constraint	PG&E	Fresno	8/1/2014	20	No	INC	15	9:45	23:59	19	8274	296	-1451	0	0	0	0	0	0
64	RT	Operating Procedure Number and Constraint	PG&E	Stockton	8/12/2014	50-75	No	INC	1	14:50	15:29	1	0	0	-39	0	0	0	0	0	0
65	RT	Operating Procedure Number and Constraint	PG&E	Sierra	8/24/2014	20	No	INC	1	14:35	14:59	0	0	0	0	0	0	0	0	0	0
66	RT	Operating Procedure Number and Constraint	PG&E	Sierra	8/23/2014	20	No	INC	7	15:25	21:59	-2	411	0	51	0	0	0	0	0	0
67	RT	Operating Procedure Number and Constraint	PG&E	Sierra	8/16/2014	25	No	INC	4	19:55	22:59	-13	1627	231	-1535	0	0	0	0	0	0
68	RT	Operating Procedure Number and Constraint	PG&E	Sierra	8/11/2014	31	No	INC	3	15:25	17:29	-3	4031	193	237	-2	0	121	0	0	0
69	RT	Operating Procedure Number and Constraint	PG&E	Sierra	8/1/2014	20	No	INC	1	10:35	11:14	0	0	0	0	0	0	0	0	0	0
70	RT	Operating Procedure Number and Constraint	PG&E	N/A	8/1/2014	47	No	INC	13	9:50	21:59	-118	38246	210	-875	0	0	0	0	0	0
71	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	8/26/2014	16	No	INC	11	6:25	17:09	1	1171	0	-282	0	0	0	0	0	0
72	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	8/22/2014	30-43	No	INC	15	6:20	20:59	1	0	0	-35	0	0	0	0	0	0
73	RT	Operating Procedure	PG&E	Humboldt	8/20/2014	16	No	INC	9	11:2	19:59	4	2601	0	-161	3	-112	0	0	0	0

Num ber	Mark et Type	Reason	Location	Local Reliability Area	Trade Date	MW	Comm itment	INC_ DEC	Hou rs	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC6620
		Number and Constraint								0											
74	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	8/12/2014	30	No	INC	16	6:20	21:59	171	1712	0	-7848	58	-2501	0	0	0	0
75	RT	Operating Procedure Number and Constraint	SCE	Big Creek- Ventura	8/6/2014	200	No	INC	1	0:00	0:59	120	0	0	-8251	120	-8251	0	0	0	0
76	RT	Operating Procedure Number and Constraint	SCE	Big Creek- Ventura	8/5/2014	180- 250	No	INC	6	18:5 5	23:59	71	0	0	-4464	47	-2804	0	0	0	0
77	RT	Operating Procedure Number and Constraint	SCE	Big Creek- Ventura	8/4/2014	50- 110	No	INC	3	20:1 5	22:59	-35	0	0	-2257	8	-715	0	0	0	0
78	RT	Operating Procedure Number and Constraint	SCE	Big Creek- Ventura	8/2/2014	49	No	INC	10	14:4 5	23:59	3	0	0	-945	0	-1	0	0	0	0
79	RT	Other Reliability Requirement	N/A	N/A	8/30/2014	0	No	INC	3	16:1 0	18:59	-60	0	0	1771	-17	0	7	0	0	0
80	RT	Other Reliability Requirement	PG&E	NCNB	8/4/2014	141	No	INC	10	3:35	12:59	0	0	0	-57	-1	0	-24	0	0	0
81	RT	Other Reliability Requirement	PG&E	Humboldt	8/29/2014	15- 45	No	INC	5	15:1 5	19:59	-7	0	0	236	0	0	0	0	0	0
82	RT	Other Reliability Requirement	PG&E	Humboldt	8/28/2014	30	No	INC	5	16:5 5	21:24	-14	0	0	496	-1	0	55	0	0	0
83	RT	Other Reliability Requirement	PG&E	Humboldt	8/18/2014	15	No	INC	5	17:3 0	21:59	-13	-7365	0	564	-11	0	361	0	0	0
84	RT	Other Reliability Requirement	PG&E	Humboldt	8/11/2014	24- 72	No	INC	12	12:1 0	23:29	12	0	0	-708	1	0	0	0	0	0
85	RT	Other Reliability Requirement	PG&E	Fresno	8/21/2014	83- 300	No	INC	3	17:4 8	19:59	24	3082	0	-15072	1	-464	0	0	0	0
86	RT	Other Reliability Requirement	PG&E	Bay Area	8/31/2014	175	No	INC	12	11:0 0	22:59	-9	12981 5	25685	459	0	0	0	0	0	0
87	RT	Other Reliability Requirement	SCE	N/A	8/30/2014	0	No	INC	3	16:1 0	18:59	-56	0	0	1011	-7	0	3	0	0	0
88	RT	Other Reliability Requirement	SCE	Big Creek- Ventura	8/2/2014	180- 200	No	INC	3	0:27	2:59	13	0	0	-1344	0	0	0	0	0	0
89	RT	Other Reliability Requirement	SDG& E	San Diego-IV	8/17/2014	20	No	INC	22	2:00	23:59	-815	79463	0	41510	0	0	0	0	0	0
90	RT	Planned Transmission Outage and Constraint	PG&E	Stockton	8/12/2014	50- 250	No	INC	7	15:0 0	21:59	2	0	0	-61	-2	0	-448	0	-433	0

20141201-5297-5297 (Shofield) 12/1/2014 4:06:09 PM

Num ber	Mark et Type	Reason	Location	Local Reliability Area	Trade Date	MW	Comm itment	INC_ DEC	Hou rs	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC6620
91	RT	Planned Transmission Outage and Constraint	PG&E	Sierra	8/18/2014	0	No	INC	1	14:50	15:29	0	0	0	9	0	0	0	0	0	0
92	RT	Planned Transmission Outage and Constraint	PG&E	NCNB	8/27/2014	50-70	No	INC	11	3:35	13:59	-1	0	0	73	-3	0	86	0	-135	0
93	RT	Planned Transmission Outage and Constraint	PG&E	NCNB	8/11/2014	160	No	INC	4	9:00	12:59	-5	0	0	229	-5	0	220	0	-1561	0
94	RT	Planned Transmission Outage and Constraint	PG&E	NCNB	8/7/2014	102-177	No	INC	13	5:45	18:29	0	0	0	0	0	0	0	0	0	0
95	RT	Planned Transmission Outage and Constraint	PG&E	NCNB	8/6/2014	202	No	INC	11	3:05	13:44	-4	0	0	148	-4	0	163	0	-269	0
96	RT	Planned Transmission Outage and Constraint	PG&E	Humboldt	8/25/2014	30	No	INC	4	18:32	21:59	10	-1289	0	-418	0	0	18	0	-7	0
97	RT	Planned Transmission Outage and Constraint	PG&E	Fresno	8/2/2014	250-750	No	INC	5	17:20	21:29	24	0	0	325	32	-1027	0	0	-11306	0
98	RT	Planned Transmission Outage and Constraint	PG&E	Bay Area	8/11/2014	430-450	No	INC	6	11:45	17:44	-42	0	0	3069	-29	0	2266	0	-10158	0
99	RT	Planned Transmission Outage and Constraint	PG&E	Bay Area	8/10/2014	435-460	No	INC	10	13:00	22:59	0	0	0	-2	0	0	0	0	0	0
100	RT	Planned Transmission Outage and Constraint	PG&E	Bay Area	8/9/2014	430-460	No	INC	7	16:50	23:29	-45	0	0	1940	-4	0	197	0	-37	0
101	RT	Planned Transmission Outage and Constraint	SCE	LA Basin	8/18/2014	10-75	Yes	INC	13	11:00	23:59	-287	17529	0	16420	0	0	0	0	0	0
102	RT	Planned Transmission Outage and Constraint	SCE	LA Basin	8/15/2014	10	No	INC	3	21:05	23:59	14	4348	0	-758	0	0	0	0	0	0
103	RT	Planned Transmission Outage and Constraint	SCE	Big Creek-Ventura	8/2/2014	49	No	INC	4	3:00	6:34	1	0	0	38	17	-577	0	0	-188	0
104	RT	Planned Transmission Outage and Constraint	SDG&E	San Diego-IV	8/26/2014	68-200	No	INC	10	7:30	17:09	0	0	0	0	0	0	0	0	0	0
105	RT	Planned Transmission Outage and Constraint	SDG&E	San Diego-IV	8/22/2014	48-142	No	INC	2	13:45	15:29	9	3898	0	-382	1	-32	0	0	-58	0
106	RT	Planned Transmission Outage and Constraint	SDG&E	San Diego-IV	8/16/2014	16-32	Yes	INC	3	10:55	12:59	10	1606	0	-1312	0	0	0	0	0	0
107	RT	Planned Transmission Outage and Constraint	SDG&E	San Diego-IV	8/13/2014	40-262	No	INC	15	7:00	21:59	0	5985	7857	0	0	0	0	0	0	0
108	RT	Planned Transmission Outage and Constraint	SDG&E	San Diego-IV	8/5/2014	600-615	No	INC	2	4:55	6:29	-5	-9784	0	199	0	0	0	0	-1797	0
109	RT	Planned Transmission Outage and Constraint	SDG&E	San Diego-IV	8/4/2014	305-513	No	INC	3	21:45	23:59	-27	0	0	920	-29	0	991	0	-36	0

20141201-5297

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC6620
110	RT	SLIC # 9780666	SDG&E	San Diego-IV	8/18/2014	20	No	INC	1	12:30	13:09	-47	3222	757	3027	0	0	0	0	0	0
111	RT	SOL 2-Verbal dispatched Spin on Helms 1	PG&E	Fresno	8/6/2014	94	No	INC	1	20:45	20:59	0	0	0	-17	0	0	0	0	0	0
112	RT	Shutdown	PG&E	Sierra	8/14/2014	0	No	INC	1	18:40	19:39	0	1485	71	-14	0	0	0	0	0	0
113	RT	Shutdown	SCE	LA Basin	8/20/2014	0	No	INC	1	18:55	19:54	-4	2824	0	0	-4	0	0	0	0	0
114	RT	Shutdown	SCE	LA Basin	8/16/2014	0	No	INC	1	3:30	4:29	-27	5461	0	142	-26	0	120	0	0	0
115	RT	Shutdown	SDG&E	San Diego-IV	8/12/2014	0	No	INC	1	1:00	1:59	0	4647	0	0	0	0	0	0	0	0
116	RT	Software Limitation	PG&E	Stockton	8/21/2014	191	No	INC	2	19:25	21:19	0	0	0	-41	0	0	0	0	0	0
117	RT	Software Limitation	PG&E	N/A	8/12/2014	47	No	INC	2	10:15	11:59	-48	11354	0	1886	0	0	0	0	0	0
118	RT	Software Limitation	PG&E	Fresno	8/9/2014	40	No	INC	13	9:55	21:59	40	0	0	-3151	0	0	0	0	0	0
119	RT	Software Limitation	PG&E	Fresno	8/8/2014	50	No	INC	1	17:25	18:19	0	-5798	0	1	0	0	0	0	0	0
120	RT	Software Limitation	PG&E	Bay Area	8/31/2014	561	No	INC	3	13:55	15:59	0	-16166	0	0	0	0	0	0	0	0
121	RT	Software Limitation	SCE	LA Basin	8/18/2014	0	No	INC	15	9:00	23:59	-17	-71442	0	1066	0	0	0	0	0	0
122	RT	Start-Up Instructions	PG&E	Fresno	8/24/2014	0	No	INC	1	14:30	15:29	0	0	0	0	0	0	0	0	0	0
123	RT	Start-Up Instructions	PG&E	Fresno	8/19/2014	0	No	INC	1	8:40	9:34	0	0	0	0	0	0	0	0	0	0
124	RT	Start-Up Instructions	PG&E	Fresno	8/16/2014	336	No	INC	7	13:46	19:59	64	14525	0	-10458	63	-17294	0	0	0	0
125	RT	Start-Up Instructions	PG&E	Fresno	8/12/2014	0	No	INC	3	21:35	23:59	0	-1572	0	0	0	0	0	0	0	0
126	RT	Start-Up Instructions	PG&E	Fresno	8/6/2014	40	No	INC	16	8:55	23:59	-26	14095	0	1129	0	0	0	0	0	0
127	RT	Start-Up Instructions	PG&E	Bay Area	8/25/2014	0	No	INC	4	1:00	4:59	-11	0	0	-1317	-45	0	0	0	0	0
128	RT	Start-Up Instructions	PG&E	Humboldt	8/31/2014	16	No	INC	1	0:00	0:29	0	0	0	0	0	0	0	0	0	0
129	RT	Start-Up Instructions	PG&E	Humboldt	8/30/2014	10-16	No	INC	2	22:30	23:59	0	0	0	0	0	0	0	0	0	0
130	RT	Start-Up Instructions	PG&E	Humboldt	8/26/2014	10	No	INC	18	6:30	23:59	-5	585	0	47	0	0	0	0	0	0
131	RT	Start-Up Instructions	SCE	Big Creek-	8/9/2014	0	No	INC	1	1:00	1:44	-4	1304	0	-16	-4	0	0	0	0	0

20141201-5297 4:04 PM

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC6620
				Ventura																	
132	RT	Start-Up Instructions	SCE	Big Creek-Ventura	8/2/2014	0	No	INC	2	7:00	8:59	-13	0	0	503	-12	0	395	0	0	0
133	RT	Start-Up Instructions	SDG&E	San Diego-IV	8/21/2014	0	No	INC	1	20:30	21:14	-8	4647	0	-8	-8	0	0	0	0	0
134	RT	Unit Testing	PG&E	Stockton	8/21/2014	225	No	INC	10	7:00	16:39	-1	18339	13354	45	0	0	0	0	0	0
135	RT	Unit Testing	PG&E	Stockton	8/20/2014	265	No	INC	3	7:00	9:59	1	10210	10885	-23	0	0	0	0	0	0
136	RT	Unplanned Outage	SCE	N/A	8/15/2014	40	No	INC	24	0:05	0:04	-58	4243	0	3209	0	0	0	0	0	0
137	RT	Voltage Support	PG&E	Sierra	8/19/2014	20	No	INC	7	4:26	10:59	7	8555	0	-285	0	0	0	0	0	0
138	RT	Voltage Support	PG&E	Humboldt	8/11/2014	36-72	No	INC	12	4:35	16:29	22	-285	0	-965	22	0	0	0	0	0
139	RT	Voltage Support	PG&E	Humboldt	8/10/2014	36	No	INC	2	22:37	23:59	-2	0	0	53	1	0	0	0	0	0

Appendix A: Explanation by Example

All examples listed below are based on fictitious data. Many simplified assumptions are made to explain settlement charge codes, and not all assumptions are explicitly stated in these examples.

For instance settlement charge codes are calculated based on metered quantities, whereas, in these examples the dispatch quantities are assumed to be equal to metered quantities. These assumptions have been made to simplify the understanding of settlements calculations.

Example 1: Exceptional Dispatch Instructions Prior to DAM

In this fictitious example, the ISO issued an exceptional dispatch instruction for resource A to be committed at its Pmin of 50 MW from hours ending 5 through 10 for a generation procedure 7630. Similarly, the ISO issued additional instructions to resources B and C for the same reason as shown in Table 2. Generally exceptional dispatches prior to the day-ahead market are commitments to minimum load. In this case, the dispatch levels are all at minimum load. Table 2 below also shows the commitment costs and the total volume (MWh) of exceptional dispatch instruction for each resource. The minimum load costs and start up costs, shown in Table 2 are the eligible minimum load and start up costs which are different from the bid-in minimum load and start up costs⁷. Only those quantities which are relevant to pre-day-ahead unit commitments are shown in this table.

Table 2: Instructions Prior to Day-Ahead Market

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch level (MW)	Reason	Total Volume (MWh)	Min-Load Cost	Start- Up Cost	CC6620 (BCR)
01-Jul-09	DA	A	SCE	LA BASIN	05:00	10:00	50	7630	300	\$5000	\$0	0
01-Jul-09	DA	B	SCE	LA BASIN	08:00	20:00	30	7630	390	\$6000	\$500	\$4000
01-Jul-09	DA	C	SCE	LA BASIN	09:00	23:00	20	7630	300	\$400	\$1000	\$1000

This data is summarized as shown in Table 3, which is the prescribed format specified in the FERC order on September 02, 2009. This summary classifies the data by reason, resource location, local reliability area, and trade date. The MW column in Table 3 is the range of MW; in this case the minimum instruction MW is 20 MW for resource C which occurs from hours ending 21 through 23. The maximum instruction occurs in hour ending 10. In this hour resource A is committed at 50 MW, resource B is committed at 30 MW and resource C is committed at 20 MW. This adds up to 100 MW. Thus the MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. Commitments are broken out separately from energy dispatches. In the day-ahead, however the exceptional dispatches are nearly always just commitments, as in this example. The Begin Time column shows hour ending 5 as this was the hour ending for first dispatch of the day, and the End Time column shows hour ending 23, as this was the hour with last dispatch. It is also possible that there might be some hours between the begin time and the end time where there might not be exceptional dispatch instructions for the given reason, meaning that the range between the begin time and end time can include null hours with no dispatch. The total volume (MWh) is the sum of MWh quantity for each resource, which adds up to 990 MWh. Similarly, all cost information is sum of individual resource costs. It is possible that some resources bid-in zero start-up cost; as seen in this example, resource A bid in zero for its start up cost. Since the ISO does not explicitly pay a resource for bid-in minimum load costs and start-up costs; these costs are recovered through the charge code CC6620 (Bid Cost Recovery), this table shows the summary of CC6620 for the classification. In this case, it is the sum of CC6620 for all three resources which adds up to \$5000. This column shows the impact of exceptional dispatch on bid cost recovery for all pre-day-ahead exceptional dispatch commitments.

Table 3: FERC Summary of Instructions Prior to DAM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time	Total Volume (MWh)	Min-Load Cost	Start-Up Cost	CC6620
1	DA	7630	SCE	LA Basin	1-Jul-09	20-100	Yes	N/A	19	05:00	23:00	990	\$11,400	\$1,500	\$5000

⁷ Please refer to the BPM configuration Guide: Bid Cost Recovery Settlements published on the ISO's website for details about eligible minimum load and start up costs.

Example 2: Incremental Exceptional Dispatch Instructions in RTM

In this fictitious example, the ISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 30 MW from hours 6:00 through 11:00 after completion of the day-ahead market for the transmission procedure 7110. This resource did not have a day-ahead award in those hours. The ISO issued another exceptional dispatch instruction to resource B, to be dispatched at 40 MW from hours 7:00 through 9:00 in real-time for the transmission procedure 7110. This resource had a day-ahead schedule of 20 MW from the day-ahead market, which implies that this exceptional dispatch instruction was an incremental instruction and the exceptional dispatch MW was 20 MW. Similarly, the details of exceptional dispatch (ED) instruction for resource C is shown in Table 4. This table also shows volume (MWh) and various real-time charge codes associated with the exceptional dispatch instructions. The total MWh column for each resource shows the sum of all types of imbalance energy quantities for this resource between the begin time and end time which includes both the exceptional dispatch energy quantities and optimal energy quantities.

Resource A was committed at its Pmin so its total volume (MWh) is equal to its Pmin times the number of hours, which is calculated as 30 MW times 6 hours and is equal to 180 MWh. The resource Minimum load costs and the start up costs are its eligible commitment costs for that period. LMP at this resource is \$10/MWh for hours, so the charge code CC6470 is calculated at (180 MWh * \$10/MWh) and is equal to 1800. Since this resource is not dispatched above its Pmin, it has a zero volume (MWh) of exceptional dispatch. As a result, all charge codes associated with the exceptional dispatch increment or decrement quantities are zero.

Resource B is dispatched 20 MW above its day-ahead schedule, so its total volume (MWh) is calculated as 20 MW times 3 hours which is equal to 60 MWh. Since the resource was committed in the Day-Ahead Market there are no minimum load quantity and start up costs associated with this resource. The resource had a bid price of \$100/MWh and the LMP at that resource was \$10/MWh. All of 60 MWh is considered as exceptional dispatch incremental quantity which is shown in ED Volume (MWH INC/DEC) column. The charge code CC6470 INC is calculated as 60 MWh * resource LMP (\$10/MWh) which is equal to \$600. Since the only imbalance energy in this timeframe was the exceptional dispatch volume, the charge code CC6470 is equal to CC6470 INC. The charge code CC6488 is calculated as MWh quantity *(bid price – LMP), which is equal to \$5400 (60 MWh * (\$10/MWh-\$100/MWh)). Similarly, volumes and real-time charge codes are calculated for resource C.

Table 4: Incremental Exceptional Dispatch Instructions in RTM

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch level (MW)	Day-Ahead Award (MW)	Commitment	INC/DEC	ED (MW)	Reason	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488
1-Jul-09	RT	A	PG&E	Humboldt	6:00	11:00	30	0	Yes	INC	30	7110	180	1000	50	1800	0	0	0	0	0
1-Jul-09	RT	B	PG&E	Humboldt	7:00	9:00	40	20	No	INC	20	7110	60	0	0	600	60	600	0	0	5400
1-Jul-09	RT	C	PG&E	Humboldt	12:00	15:00	50	50	No	INC	0	7110	0	0	0	0	0	0	0	0	0
1-Jul-09	RT	C	PG&E	Humboldt	16:00	20:00	50	40	No	INC	10	7110	50	0	0	300	20	300	0	0	200

This data is summarized as shown in Table 5 and is classified by reason, resource location, local reliability area, and trade date. The MW column in Table 5 is the range of MW; in this case the minimum instruction MW is 0 MW for resource C which occurs from hours ending 13 through 15. The maximum instruction occurs in hours ending 8 & 9, as during these two hours both resources A and B have an ED MW of 30MW and 20MW, respectively. This adds up to 50 MW. Thus the MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. This column shows a commitment if there was a single commitment in the entire interval of exceptional dispatch. The Begin Time column shows the time of the first dispatch of the day. This is a time not a range. Similarly, the End Time column shows a time and not a range. Exceptional dispatches occurred between these two times. Since there was a commitment between the begin time and end time then the Commitment column displays yes for the summary. Similarly, the INC/DEC column shows an INC as there was an incremental dispatch between the begin time and end time. As mentioned in the previous example it is possible that there might be some hours between the begin time and end time where there were no exceptional dispatch instructions for the given reason. Both volume and cost information columns are simply the summation for all the respective columns for resource A, B and C. For instance the Total volume (MWh) column is calculated as summation of 180,60,0 and 50 which are the individual volumes (MWh) for resources A, B and C for time periods shown in Table 4 on the previous page.

Table 5: FERC Summary of ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488
1	RT	7110	PG&E	Humboldt	1-Jul-09	0-50	Yes	INC	15	6:00	20:00	290	1000	50	1700	140	1500	0	0	11000

Please note that it is possible that the ISO would dispatch a particular resource for instance at 10 MW from hours ending 1 through 4, and all or part of its energy might settle as optimal energy. This situation occurs when the LMP at the resource pricing node is above the resource bid price. This cost will only be captured in charge code 6470. It is also possible that ISO issues an exceptional dispatch for the resource to operate at a minimum of 10 MW which is its Pmin; however the market application might dispatch this resource above Pmin because the resource is economical. When this occurs, the charge code CC6470 and the total MWh quantity might overstate the actual exceptional dispatch MWh quantities. So, to best estimate the cost and volume (MWh) of exceptional dispatch it is appropriate to consider only the following columns: ED MWh (INC/DEC), CC6470 INC, CC6470 DEC, CC6482, CC6488.

20141201-5297 FERC (Under Review) 12/24/2014

Example 3: Decremental Exceptional Dispatch Instructions in RTM

This example highlights decremental exceptional dispatch instructions in the real-time market. In this fictitious example the ISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 20 MW from hours ending 15 through 20 after completion of the day-ahead market for the transmission procedure 7430. The ISO issued additional exceptional dispatch instructions for resources B and C; details of those instructions are shown in Table 6. This table also includes volume (MWh) and cost information.

Resource A is committed in real-time at its Pmin, its total volume (MWh) is 20MW *6 hours which is equal to 120 MWh. This resource has a zero MW of incremental dispatch in all hours, so all other relevant cost and volume columns result in zeros. Resource B has a decremental MW of 20 MW in 3 hours, which results in 60 MWh of decremental volume. Since this resource is not committed in real-time, both the minimum load cost and start up costs are zero. This resource had a bid price of \$50/MWh and LMP at the resource pricing node is \$10/MWh. Based on this information CC6470-Dec is calculated as 60 MWh *\$10/MWh which is equal to \$600. Since this resource has its ED volume (MWh) equal to its Total volume, CC6470 is equal to CC6470-DEC. The CC6488 is calculated as (60 MWh * (\$50/MWh - \$10/MWh)) which is equal to \$2400. Resource C had a bid price of \$10/MWh and the LMP at its pricing node is \$50/MWh. Based on this information, volume and cost information is calculated for resource C.

Table 6: Decremental Exceptional Dispatch Instructions in RTM

Date	Market Type	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch level (MW)	Day-Ahead Award (MW)	Commitment	INC/DEC	ED (MW)	Reason	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488
1-Jul-09	RT	A	PG&E	Fresno	15:00	20:00	20	0	Yes	INC	20	7430	120	\$ 120	\$ 100	\$ -	0	\$ -	\$ -	\$ -	\$ -
1-Jul-09	RT	B	PG&E	Fresno	7:00	9:00	40	60	No	DEC	20	7430	(60)	\$ -	\$ -	\$ 600	-60	\$ -	\$ 600	\$ -	\$2,400
1-Jul-09	RT	C	PG&E	Fresno	10:00	14:00	40	50	No	DEC	10	7430	(50)	\$ -	\$ -	\$ 500	-50	\$ -	\$ 500	\$ -	\$2,000

This data is summarized according to FERC convention as shown in Table 7. This summary classifies the data by reason, resource location, local reliability area, and trade date. Please note that incs and decs are broken out separately. The inc entry is self-explanatory and similar to the previous example. Regarding the dec entry the MW column is the range of MW; in this case the minimum dec instruction is 10 MW (actually -10MW as it is a dec) for resource C which occurs from hours ending 10 through 14. The maximum instruction occurs from hours ending 7 through 9, when resource B was issued a dec instruction of 20 MW. Thus the MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. The volume and cost information are summarized by INC and DEC classification.

Table 7: FERC Summary of Decremental ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488
1	RT	7430	PG&E	Fresno	1-Jul-09	20	Yes	INC	6	15:00	20:00	120	\$ 120	\$ 100	\$ -	0	\$ -	\$ -	\$ -	\$ -
2	RT	7430	PG&E	Fresno	1-Jul-09	10-20	Yes	DEC	8	7:00	14:00	(110)	\$ -	\$ -	\$ (1,100)	\$ (110)	\$ -	\$ (1,100)	\$ -	\$ (4,400)

Appendix B: Price Impact Analysis

In the September 2 FERC order, FERC requested the ISO to perform price impact analysis on two distinct pricing nodes for the entire reporting period. The order also mentioned that the ISO must pick two pricing nodes for the entire reporting period that are most impacted by the exceptional dispatch instructions, and the two pricing nodes must belong to two different load aggregation points (LAPs).

Based on this requirement the ISO implemented a methodology to perform price impact analysis. First, the ISO identified a heavily impacted pricing node from each of the Pacific Gas & Electric (PG&E) LAP and Southern California Edison (SCE) LAP. These two pricing nodes had the maximum amount of exceptional dispatch volume (MWh) in their respective LAP. Point A is in PG&E LAP and point B is in SCE LAP. Please note these two points correspond to an actual pricing node in the ISO system. Only one resource was connected to each of these pricing nodes. For each resource the following input parameters were obtained to perform the analysis:

Exceptional dispatch information: constrained level, constraint type, start of exceptional dispatch instruction and end of exceptional dispatch instruction.
 Real-Time LMPs for each of the five minute intervals for the month.
 Real-Time hourly bid set for each trade hour.
 Day-Ahead award for the resources.

The exceptional dispatch intervals have a begin time and an end time which can span as small as one minute to as large as 24 hours. Since the market application dispatches resources on five-minute basis, the exceptional dispatch instructions for each of these resources were broken down into five-minute intervals. If the begin time or end time for an instruction was in the middle of the five-minute interval, that instruction was rounded up to the next five-minute interval. These five-minute intervals were then coupled with resource five-minute LMPs calculated by the real-time market application. Also, the hourly bid information and the hourly day-ahead schedule were put together to create a dataset that had all the necessary information to perform price impact analysis.

An exceptional dispatch instruction can be generally classified as a start up instruction, an instruction to be dispatched at or above the constrained level, an instruction to be dispatched at or below a constrained level, an instruction to be dispatched at a fixed constrained level, or a shut down instruction. In general, the Locational Marginal Price (LMP) is set by a resource which can provide the next incremental MW of energy. Based on this definition of LMP and the classification of exceptional dispatches based on constraint type, a resource is allowed to set the LMP in only those intervals in which the resource is eligible to move either up or down from its constrained level. Hence, in those intervals in which the resource was constrained up at its Pmax or, in other words, the resource was exceptionally dispatched to its Pmax and forced to generate at that level, the resource was considered ineligible to set the price as it had no room to move up. Similarly, if the resource was constrained down at its Pmin, then the resource was not eligible to set the price. All those intervals in which the resource was ineligible to set the price were dropped from the dataset under consideration. From this dataset of only eligible intervals, for both pricing nodes A and B, LMPs were calculated for all intervals based on the resource dispatch level and the its bid set. The calculated LMP is equal to that bid price corresponding to the constrained MW segment.

Table 8 shows the price impact analysis information for node A, which is located in the PG&E area. This table shows all the five minute intervals in which the resource at PNode A was issued an exceptional dispatch instruction. Out of the 8,064 five-minute intervals in August, this resource was issued exceptional dispatch instructions in 59 five-minute intervals. This resource was eligible to set the LMP in 56 intervals. Out of the 56 intervals, resource calculated LMP was larger than the market LMP in 49 intervals. In the 49 intervals, the average increase in five minute LMP was \$175.28/MWh. Out of the 56 intervals, resource calculated LMP was less than the market LMP in 7 intervals. In the 7 intervals, the average decrease in five minute LMP was \$34.18/MWh. This implies that if the ISO was able to model the constraint for this exceptional dispatch, then this resource and all other pricing nodes associated with that constraint would observe an average increase of \$151.07/MWh.

Table 9 shows the price impact analysis information for node B, which is located in the SCE area. This table shows all the five minute intervals in which the resource at PNode B was issued an exceptional dispatch instruction. Out of the 8,064 five minute intervals, this resource was issued an exceptional dispatch instruction in 24 five minute intervals. This resource was eligible to set the LMP in 22 intervals. Out of the 22 intervals, resource calculated LMP was larger than the market LMP in all 22 intervals. In the 22 intervals, the average increase in five minute LMP was \$26.11/MWh. This implies that if the ISO was able to model the constraint for this exceptional dispatch, then this resource and all other pricing nodes associated with that constraint would observe an average increase of \$27.96/MWh.

Table 8: Price Impact Analysis Information for Pricing Node A in PG&E LAP

Number	Trade Date	Trade Hour	Interval	Market LMP	Eligible Flag	Calculated LMP	Change in LMP
1	02-Aug-14	18	5	183.7883	Yes	206.57	22.7817
2	02-Aug-14	18	10	183.7883	Yes	206.57	22.7817
3	05-Aug-14	23	5	51.10395	Yes	229.88	178.77605
4	05-Aug-14	23	10	48.59762	Yes	229.88	181.28238
5	06-Aug-14	21	10	51.78247	Yes	247.66	195.87753
6	08-Aug-14	13	5	84.66783	Yes	247.66	162.99217
7	08-Aug-14	13	10	84.66783	Yes	247.66	162.99217
8	08-Aug-14	14	5	38.76017	Yes	247.66	208.89983
9	08-Aug-14	14	10	200.03817	Yes	247.66	47.62183
10	09-Aug-14	14	5	38.63656	Yes	229.88	191.24344
11	09-Aug-14	14	10	38.63656	Yes	229.88	191.24344
12	09-Aug-14	15	5	37.01736	Yes	229.88	192.86264
13	09-Aug-14	15	10	36.90962	Yes	229.88	192.97038
14	12-Aug-14	14	5	278.08595	Yes	229.88	-48.20595
15	12-Aug-14	14	5	278.08595	Yes	247.66	-30.42595
16	12-Aug-14	14	10	117.72462	Yes	229.88	112.15538
17	12-Aug-14	14	10	117.72462	Yes	247.66	129.93538
18	12-Aug-14	15	5	54.70834	Yes	247.66	192.95166
19	12-Aug-14	15	5	54.70834	Yes	309.67	254.96166
20	12-Aug-14	15	10	54.70834	Yes	247.66	192.95166
21	12-Aug-14	15	10	54.70834	Yes	309.67	254.96166
22	12-Aug-14	16	5	77.98617	Yes	309.67	231.68383
23	12-Aug-14	16	10	78.89763	Yes	309.67	230.77237
24	14-Aug-14	14	5	65.36944	Yes	281.95	216.58056
25	14-Aug-14	14	10	75.88712	Yes	281.95	206.06288
26	16-Aug-14	14	5	42.28221	Yes	325.24	282.95779
27	16-Aug-14	14	10	42.39009	Yes	325.24	282.84991
28	16-Aug-14	15	5	371.02382	Yes	325.24	-45.78382
29	16-Aug-14	15	10	371.00533	Yes	325.24	-45.76533
30	16-Aug-14	19	5	50.71092	Yes	325.24	274.52908
31	16-Aug-14	19	10	34.55287	Yes	325.24	290.68713
32	17-Aug-14	14	5	258.91179	Yes	229.88	-29.03179
33	17-Aug-14	14	10	267.07032	Yes	229.88	-37.19032
34	17-Aug-14	15	5	62.79691	Yes	229.88	167.08309
35	17-Aug-14	15	10	62.79691	Yes	229.88	167.08309
36	17-Aug-14	19	5	223.63061	Yes	229.88	6.24939
37	17-Aug-14	19	10	118.93202	Yes	229.88	110.94798
38	17-Aug-14	22	5	51.54836	Yes	229.88	178.33164
39	17-Aug-14	22	10	48.77337	Yes	229.88	181.10663
40	19-Aug-14	9	5	45.65728	No	229.88	184.22272
41	19-Aug-14	9	10	39.03202	No	229.88	190.84798

Department of Market Quality and Renewable Integration – California ISO

20141201-5297 FERRO PDE (Unofficial) 12/1/2014 4:16:04 PM

42	19-Aug-14	10	5	36.24688	No	229.88	193.63312
43	22-Aug-14	17	5	70.50362	Yes	281.95	211.44638
44	22-Aug-14	17	10	52.31826	Yes	325.24	272.92174
45	22-Aug-14	18	5	51.45779	Yes	247.66	196.20221
46	22-Aug-14	18	5	51.45779	Yes	281.95	230.49221
47	22-Aug-14	18	10	49.12079	Yes	247.66	198.53921
48	22-Aug-14	19	5	56.0212	Yes	281.95	225.9288
49	22-Aug-14	20	5	62.09605	Yes	247.66	185.56395
50	22-Aug-14	20	5	62.09605	Yes	281.95	219.85395
51	22-Aug-14	20	10	54.73577	Yes	247.66	192.92423
52	22-Aug-14	21	5	226.74441	Yes	247.66	20.91559
53	22-Aug-14	21	10	226.74441	Yes	247.66	20.91559
54	22-Aug-14	22	5	87.4664	Yes	247.66	160.1936
55	22-Aug-14	22	10	85.35824	Yes	247.66	162.30176
56	22-Aug-14	24	5	76.28404	Yes	229.88	153.59596
57	28-Aug-14	15	5	135.40839	Yes	247.66	112.25161
58	28-Aug-14	15	10	250.49194	Yes	247.66	-2.83194
59	29-Aug-14	15	10	71.32175	Yes	178.88	107.55825

Table 9: Price Impact Analysis Information for Pricing Node B in SCE LAP

Number	Trade Date	Trade Hour	Interval	Market LMP	Eligible Flag	Calculated LMP	Change in LMP
1	8/2/2014	1	10	41.54484	Yes	84.16	42.61516
2	8/2/2014	2	5	47.47143	Yes	84.16	36.68857
3	8/2/2014	2	10	48.48664	Yes	84.16	35.67336
4	8/2/2014	3	5	38.40383	Yes	84.16	45.75617
5	8/2/2014	3	10	39.67805	Yes	84.16	44.48195
6	8/2/2014	4	5	35.72216	Yes	84.16	48.43784
7	8/2/2014	4	10	36.31711	Yes	84.16	47.84289
8	8/4/2014	21	5	84.09421	Yes	84.16	0.06579
9	8/4/2014	21	10	84.09421	Yes	84.16	0.06579
10	8/4/2014	22	10	40.52733	Yes	84.16	43.63267
11	8/4/2014	23	5	35.08389	No	84.16	49.07611
12	8/4/2014	23	5	35.08389	Yes	84.16	49.07611
13	8/4/2014	23	10	36.4437	No	84.16	47.7163
14	8/5/2014	20	5	44.57225	Yes	61.71	17.13775
15	8/5/2014	20	10	48.20051	Yes	61.71	13.50949
16	8/5/2014	21	5	53.00567	Yes	61.71	8.70433
17	8/5/2014	21	10	53.00567	Yes	61.71	8.70433
18	8/5/2014	22	5	49.24403	Yes	61.71	12.46597
19	8/5/2014	22	10	49.24403	Yes	61.71	12.46597
20	8/5/2014	23	5	47.44248	Yes	61.71	14.26752
21	8/5/2014	23	10	45.11573	Yes	61.71	16.59427
22	8/5/2014	24	10	36.55597	Yes	61.71	25.15403
23	8/6/2014	1	5	41.02277	Yes	68.76	27.73723
24	8/6/2014	1	10	45.38196	Yes	68.76	23.37804

Department of Market Quality and Renewable Integration – California ISO

Appendix C: Exceptional Dispatch Bid Mitigation Analysis

The ISO analysis of mitigated exceptional bids showed no difference.

CERTIFICATE OF SERVICE

I hereby certify that I have served the foregoing document upon the parties listed on the official service lists in the above-referenced proceedings, in accordance with the requirements of Rule 2010 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2010).

Dated at Folsom, California this 1st day of December 2014.

Is/ Anna Pascuzzo

Anna Pascuzzo

Document Content(s)

2014-12-01_ER08-1178_EL08-88_Aug2014_ExDRpt_Chart2data.PDF.....1-25