

"Potential DGD worksheet" for the SCE service territory (all values in Megawatts unless otherwise noted)

DG Node		A	B	C	D	E	F	G	H	I	J	K	L
Substation	Transmission Level KV	DG in Base Portolio	WDAT / Rule 21 non-NEM DG	Existing non-NEM DG	Existing FCDS non-NEM DG	DG Modeled	DG Deliverable	Existing EO non-NEM DG	WDAT FC Request (not assigned FCDS in DGD process)	Prior Commitment	Potential DGD		
VICTOR	115	62.60	351.68	0.90	0.00	352.58	352.58	0.90	100.00	0.00	63.50		
ANTELOPE	66	8.92	0.00	0.00	0.00	94.73	94.73	0.00	0.00	0.00	8.92		
CORUM	66	0.00	0.00	0.00	0.00	6.02	6.02	0.00	0.00	0.00	0.00		
PALMDALE	66	2.00	0.00	0.00	0.00	2.00	2.00	0.00	0.00	0.00	2.00		
ROSAMOND	66	20.00	0.00	0.00	0.00	20.00	20.00	0.00	0.00	0.00	20.00		
GOLDTOWN	66	15.00	15.00	0.00	0.00	15.00	15.00	0.00	10.00	0.00	5.00		
VALLEY	500	6.16	557.06	17.17	17.17	601.88	601.88	0.00	507.50	17.17	6.16		
MIRAGE	230	0.00	0.00	0.00	0.00	84.67	84.67	0.00	0.00	0.00	0.00		
VISTA	230	80.00	0.00	401.36	400.36	599.92	599.92	1.00	0.00	400.36	81.00		
SAN BERNADINO	115	0.00	0.00	6.90	4.90	42.84	42.84	2.00	0.00	4.90	2.00		
DELAGO	230	0.00	9.58	35.00	0.00	112.78	112.78	35.00	0.00	0.00	35.00		
EL NIDO	230	0.00	56.90	0.00	0.00	56.90	56.90	0.00	0.00	0.00	0.00		
ETIWANDA	230	0.00	8.24	80.46	78.46	156.95	156.95	2.00	0.00	78.46	2.00		
HINSON	230	0.00	1.20	58.18	58.18	59.38	59.38	0.00	0.00	58.18	0.00		
LA FRESA	230	0.00	1.90	2.24	2.24	40.75	40.75	0.00	0.00	2.24	0.00		
LITEHIPE	230	0.00	12.35	50.00	1.00	68.34	68.34	49.00	0.00	1.00	49.00		
PADUA	230	0.00	6.97	11.81	11.81	86.29	86.29	0.00	0.00	11.81	0.00		
CENTER	230	0.00	4.65	68.31	68.31	148.92	148.92	0.00	0.00	68.31	0.00		
EAGLROCK	230	0.00	7.50	0.00	0.00	26.57	26.57	0.00	0.00	0.00	0.00		
GOULD	230	0.00	0.00	0.00	0.00	1.79	1.79	0.00	0.00	0.00	0.00		
LA CIENEGA	230	0.00	0.15	4.74	4.74	26.05	26.05	0.00	0.00	4.74	0.00		
MESA	230	0.00	0.00	0.85	0.85	78.84	78.84	0.00	0.00	0.85	0.00		
RIO HONDO	230	0.00	0.00	2.72	2.72	104.73	104.73	0.00	0.00	2.72	0.00		
MIRA LOMA	230	0.99	6.01	122.04	117.04	244.16	244.16	5.00	0.00	117.04	5.99		
WALNUT	230	1.60	3.60	54.75	54.75	160.27	160.27	0.00	0.00	54.75	1.60		
CHINO	230	2.50	10.99	65.27	65.27	237.05	237.05	0.00	0.00	65.27	2.50		
BARRE	230	3.56	0.00	47.00	47.00	232.57	232.57	0.00	0.00	47.00	3.56		
LAGUBELL	230	4.46	3.53	155.60	155.60	349.40	349.40	0.00	0.00	155.60	4.46		
ALMITO	230	7.04	6.25	0.00	0.00	17.94	17.94	0.00	0.00	0.00	7.04		
VILLA PARK	230	15.55	0.00	4.10	4.10	112.71	112.71	0.00	0.00	4.10	15.55		
LEWIS	230	19.00	0.00	235.44	235.44	289.44	289.44	0.00	0.00	235.44	19.00		
JOHANNA	230	74.23	0.10	0.01	0.01	77.50	77.50	0.00	0.00	0.01	74.23		
ELLIS	230	76.52	0.00	0.00	0.00	76.52	76.52	0.00	0.00	0.00	76.52		
OLINDA	230	99.00	0.00	35.92	35.92	217.04	217.04	0.00	0.00	35.92	99.00		
SANTIAGO	230	160.56	13.38	6.22	6.22	211.86	211.86	0.00	0.00	6.22	160.56		

Total Potential DGD = 744.60