

Congestion Revenue Rights (CRR) Upgrade Project Customer Partnership Group

Sep 20, 2023 10:00 a.m.–11:00 a.m. (Pacific Time)

Web Conference Information	Conference Call Information
Web Address: https://caiso.webex.com/caiso/j.php?MTID=m4c62047c8c a3c36c50e2d1182518f8f9	1-844-621-3956 United States Toll Free +1-650-479-3208 United States Toll
Audio connection instructions will be available after connecting to the web conference. When prompted, select "Call me" and enter the phone number you will use during the call. You will be called by the conference shortly.	Access code: 248 723 65119

Calls and webinars are recorded for stakeholder convenience, allowing those who are unable to attend to listen to the recordings after the meetings. The recordings will be publicly available on the ISO web page for a limited time following the meetings. The recordings, and any related transcriptions, should not be reprinted without the ISO's permission.

https://www.caiso.com/Pages/documentsbygroup.aspx?GroupID=54E8D66B-1CA6-4935-AD6E-C1C4D6CDD989

ISO PUBLIC Page 1

Instructions for raising your hand to ask a question

 If you are connected to audio through your computer or used the "call me" option, select the raise hand icon located on the top right " above the chat window. Note: #2 only works if you dialed into the meeting.



- Please remember to state your name and affiliation before makingyour comment.
- You may also send your questions via chat to Brenda Corona or to all panelists.

Agenda

Time (PST)	Topic	
10:00 – 10:05	Welcome	
10:05 – 10:10	RECAP: CRR Upgrade Project – Overview / Overview of changes	
10:10 – 10:15	 CRR Upgrade Project – Project updates Updated timeline Draft Market Sim plan 	
10:15 – 10:45	B2B Improvement Initiative: API Mocking Service	
10:45 – 10:55	Questions	
10:55 – 11:00	Next Steps	




Page 3

CRR System Replacement Update & Timeline

Updated September 2023

- Construction nearing end, but will continue through Factory Acceptance Testing (FAT)
- Big Milestone! Factory Acceptance Testing started week of 9/18, but delayed from target date
- Opportunities identified to compress functional testing timelines (SAT), so time savings anticipated
- Impact on Go Live Date still TBD will know more as FAT progresses
- Connectivity 3 weeks extend connectivity plus standard one week connectivity.



Market Sim - Overview

- Market participant training will complete prior to last week of connectivity, and one week before start of Market Sim
- 4 weeks connectivity
 - Week two CAISO will provide ability for allocation and auction API upload
 - No functionality will be available to test until the start of Market Sim
- 3 week structured scenario execution
- 2 week unstructured
- CAISO will request all interested CRR market participants sign up to participate in Market Sim
- All current user profiles will be migrated into Map-stage for Market Sim, new participants will need to request to be provisioned



Market Sim - Timeline

Market Sim Month

MONDAY	MONDAY TUESDAY WEDNESDAY THURSDAY FRIDAY				
MONDAT	IOESDAI	WEDNESDAT	IHURSDAI	FRIDAT	
week 1	[Post all preloaded data] Open and close by 5pm - T1 mini Make available special processes that have changed	Post T1 mini results MP – review T1 results, need MEQ values and then build nominations when market is opens on Thursday Need Set aside post [time]	open and close at 5pm T2 mini	Post T2 mini results	
week 2 CRR team setup for Monthly Mini Auction	[Send process ownership data] Market Sim call to discuss T1&T2 Monthly Mini Auction open Collateral verified	Market Sim Post Monthly Mini Auction Results (starts Settlements) Settlement T+3B	T1/PNP Annual Mini Annual data separate (2025 process, use 2024 annual data and mock it up)	T1/PNP Annual Mini Annual Post results	
week 3 Market Sim / UAT – prep for mini Annual 2025	Settlement results available UAT – Open Mini Annual Auction	UAT - Close Mini Annual Auction by 5pm	UAT – post all Reports	UAT – Post Mini Annual Auction Results	
week 4	unstructured	unstructured	unstructured		
week 5	unstructured	unstructured	unstructured		





B2B Improvement Initiative: API Mocking Service

Rick Lam & Suresh Radhakrishnan September 20th, 2023

Agenda

- Problem Statement
- OpenAPI Overview
- API Mock Service
- Demo





Problem Statement:

We need an API mock service to enable parallel development, reduce external dependencies, enhance test coverage, improve collaboration, and accelerate our development and testing cycles while minimizing costs and ensuring data security.



OpenAPI Overview




https://www.openapis.org/



REST API


- The OpenAPI Specification is a specification describing, producing, consuming, and visualizing RESTful web services.
- OpenAPI is known to many developers as a standard that enables API reference documentation to be generated automatically from the specification document.

OpenAPI: Process Improvements





OpenAPI: Process Improvements





API Mock Service: Not Supported Features

Features Not Support by the current version of API Mock Service:

- Cannot support any API responses with binary data
 - i.e. application/octet-stream
- Business specific use cases
- Transactions or Process Flows
- Performance Testing
- Security Testing




API Mock Service: Benefits and Supported Features


- Improves collaboration between our Dev teams and Market Participants
- Early feedback to address
 Design & Requirements errors
- Connectivity Testing and Certificate Validation for Market Participants
- Early QAT Setup and Validation
- Specification File Validation
- Data Dictionary Validation

- No code necessary to test the services
- Supports Chaos Engineering
- No Confidential Data Risk
- Contract Driven Development
- Supports All OpenAPI project development
- Supports All REST API Testing Tools
- Language and Platform Agnostic
- Self-contained, DB or external storage needed



API Mock Service: Project Delivery Improvements








API Mock Architecture

https://developerint.oa.caiso.com/pages/application.aspx?app=CRR





API Mock Demo

DEMO

https://mapstage-apimock.caiso.com/mocks



QUESTIONS?



Next Steps

- Next meeting is October 18, 2023
- Discuss following topics



ISO Public Page 19

REFERENCE SLIDES



RECAP: CRR Upgrade Project - Overview

- The ISO has decided to upgrade the existing CRR system with a new system that adopts the
 latest technology stack aligned with the ISO's technology standards, consolidates all CRR related
 functions, minimizes human errors, reduces processing time, eliminates manual workarounds,
 and positions the system to accommodate policy changes down the road.
- This on-going Customer Partnership Group (CPG) will provide an overview of the schedule, review
 of external BRS and answer questions. Subsequent meetings will include detailed review and
 discussion of business process changes impacting market participants.
- http://www.caiso.com/Documents/BusinessRequirementsSpecification CongestionRightsRevenueUpgrade.pdf
- The goal of this CPG is to ensure customer readiness as this project deploys to Production in 2024.



RECAP: CRR Upgrade Project – Overview of changes

Load submission process

 At the time of load submission participant will be notified of any failed validation per sink location based on the exceedance load and allow to resubmit

OBAALSE process

EQ load election will be submitted through the UI during the OBAALSE load submission

Consolidate data publishing in MUI and/or OASIS

- Calendar: change from webpost to OASIS
- Model data: change from webpost to MUI, including both NDA and non NDAfiles
- Market Result data: from webpost to MUI

Modeling data

- Powerflow case to be released in PSSE v30
- ITC definition will be modeled as source and sink

Features added to enable user performing additional tasks

- MT_TOR: user to submit through UI, currently performed by CRR group
- Changes to Load Migration and Source and Sink processes
- User access
 - User will be provisioned to specific functions within the system, based on the application access request approval process
- Webservices interface for interacting with MUI



RECAP: CRR Upgrade Project— Overview of changes cont.

Source and Sink list release

- Remove the existing 30 days ahead of allocation version
- Will be released in v0, v1 and other updates within the active market period

Retired resource mapping

- Re-map the retired PNode to the closest electrically connected PNode that is also a biddable location in the CRR processes and has the same source/sink designation as the retired location
- Baseloading CRR will be mapped based on the model used in the active market period to capture the most accurate topology
- Mapping will be released for the corresponding market period

Source and Sink islanded by outage

- With baseloading CRR, sell offerallowed
- No baseloading CRR, will not be biddable for the effective market



CAISO B2B Improvements – Goals & Current Status

Goals

- Enhance the developer experience working with CAISO Web API's
- Provide API's in REST/JSON using OpenAPI 3.0 specification
- Provide examples, mock services and tooling to generate client/server stubs and SDK
- Provide tests for the API's using Postman collections
- Collaboration using Git and forums on developer.caiso.com
- Simplify authentication using mutual TLS and X.509 certificates

Update

- POC updates and notes and recording from meetings are posted on developer forum at https://developer.caiso.com/forum/topics.aspx?ForumID=4.
- Documents uploaded to the Developer Forum:
 https://developer.caiso.com/forum/messages.aspx?TopicID=6119
 - PowerPoint presentation and webinar recording
 - Draft version of CRR Auction Service OpenAPI Specifications
 - Draft version of CRR business validate message bundle



CAISO B2B Improvements – SOAP vs REST

SOAP

REST

POST /GetStock HTTP/1.1 Host: www.example.org Content-Type: application/soap+xml

<?xml version="1.0"?>
<soap:Envelope
xmlns:soap="http://www.w3.org/2001/12/soapenvelope"
soap:encodingStyle="http://www.w3.org/
2001/12/soap-encoding">

<soap:Body xmlns:m="http://www.example.org/ stock"> <m:GetStockPrice> <m:StockName>IBM</m:StockName> </m:GetStockPrice> </soap:Body> </soap:Envelope> GET http://example.org/stock/IBM

- SOAP (Simple Object Access Protocol) provides the following advantages when compared to REST:
 - Language, platform, and transport independent (REST requires use of HTTP)
 - Works well in distributed enterprise environments (REST assumes direct point-to-point communication)
 - Standardized
 - Provides significant pre-build extensibility in the form of the WS* standards
 - Built-in error handling
 - Automation when used with certain language products
- REST (Representational State Transfer) is easier to use for the most part and is more flexible. It has the following advantages when compared to SOAP:
 - Uses easy to understand standards like swagger and OpenAPI Specification 3.0
 - Smaller learning curve
 - Efficient (SOAP uses XML for all messages, REST mostly uses smaller message formats like JSON)
 - Fast (no extensive processing required)
 - Closer to other Web technologies in design philosophy
 - As one REST API tutorial put it: SOAP is like an envelope while REST is just a postcard

https://www.soapui.org/learn/api/soap-vs-rest-api/



ISO Public Page 25

CAISO B2B Improvements – OpenAPI Overview



https://www.openapis.org/




REST API

- The OpenAPI Specification is a specification describing, producing, consuming, and visualizing RESTful web services.
- OpenAPI is known to many developers as a standard that enables API reference documentation to be generated automatically from the specification document.

Page 26

CAISO B2B Improvements – OpenAPI Specification File






CAISO B2B Improvements – CRR Developer Forum

https://developer.caiso.com/pages/application.aspx?app=CRR

Q Search RESTful service	Q Search RESTful services				
SERVICE	SPECIFICATION	DOCUMENTATION	STATUS	RELEASE 5	EFFE
CRR Auction	crr_auction_1.0.0.yaml	crr_auction_1.0.0.html	NA	NA	NA.
CRR Historical and Forecasted Load	crr_historical_and_forecasted_load_1.0.0.yaml	crr_historical_and_forecasted_load_1.0.0.html	NA	NA	NA
CRR Market Data	crr_market_data_1.0.0.yaml	crr_market_data_1.0.0.html	NA	NA	NA
CRR Market Status	crr_market_status_v1.0.0.yaml	crr_market_status_v1.0.0.html	NA	NA	NA.
CRR Message	crr_message_1.0.0.yaml	crr_message_1.0.0.html	NA	NA	NA
CRR Nomination	crr_nomination_1.0.0.yaml	crr_nomination_1.0.0.html	NA	NA	NA:
CRR Secondary Market	crr_secondary_market_1.0.0.yaml	crr_secondary_market_1.0.0.html	• PROD_LATEST	Spring 2020	NA
	crr_secondary_market_0.0.0.yaml	crr_secondary_market_0.0.0.html	MAP_STAGE	DRAFT	NA
CRR Tor Conversion	crr_tor_conversion_1.0.0.yaml	crr_tor_conversion_1.0.0.html	NA	NA	NA



CAISO B2B Improvements – Example: CRR Auction API






ISO Public Page 29

CAISO B2B Improvements – Free Swagger Editor Tool

https://editor.swagger.io/





CAISO B2B Improvements – New Web Services for CRR

Service	Operation
Allocation Nomination Portfolio	POST/GET
Auction Bid Portfolio	POST/GET
Historical and Forecasted Load	POST/GET
Existing CRRs (CRR Market Data)	GET
Market Data (CRR Market Data)	GET
Market Results (CRR Market Data)	GET
Private Allocation Results (CRR Market Data)	GET
Private Auction Results (CRR Market Data)	GET
Load Migration Data	POST/GET
Market Status (Market Info)	GET
CRR Messages	GET
Secondary Market	POST/GET
TOR Conversion	POST/GET



CAISO B2B Improvements – File Naming Convention

A2A/B2B OpenAPI File Naming Conventions for versioning:

File name example: caiso_crr_market_info_v1.0.0_openapi.yaml

Version Numbering Format: MAJOR.MINOR.MINI

MAJOR version of the file name will be incremented if there are any newservices added or any major version update to any of the existing services

MINOR version of the file name will be incremented if there any minor version update to any of the existing services

MINI version of the file name will be incremented if there are onlydocumentation changes/corrections, with no service changes.



Page 32

CAISO B2B Improvements

Each version update of the file name will reset the version numbers on the right

Version numbers will be tracked into the YAML file as part of the Release Notes

Edits were made to documentations, no functional changes

Example:

v1.0.0 File is published to market participants v1.0.1 Edits were made to documentations, no functional changes v1.0.2 Edits were made to documentations, no functional changes v1.0.3 Edits were made to documentations, no functional changes v1.1.0 Added a Minor version for a service Edits were made to documentations, no functional changes v1.1.1 v1.2.0 Added a Minor version for a service v1.3.0 Added a Minor version for a service **v2**.0.0 Added a Major version for a service



v2.0.1

v3.0.0

Added a new service

ISO Public Page 33