

Release User Group Agenda

February 23, 2021

10:00 a.m.-11:00 a.m. (Pacific Time)

Web Conference Information	Conference Call Information
Web Address: <u>https://caiso.webex.com/meet/RUG</u> Meeting Number: 960 941 245	
Audio connection instructions will be available after connecting to the web conference. When prompted, select "Call me" and enter the phone number you will use during the call. You will be called by the conference shortly.	1-844-517-1271 US Toll Free +1-682-268-6591 US Toll Access code: 960 941 245

Calls and webinars are recorded for stakeholder convenience, allowing those who are unable to attend to listen to the recordings after the meetings. The recordings will be publicly available on the ISO web page for a limited time following the meetings. The recordings, and any related transcriptions, should not be reprinted without the ISO's permission.

Release User Group Agenda

February 23, 2021

10:00 a.m. – 11:00 a.m. (Pacific Time)

Time	Торіс	Facilitator
10:00 – 10:05	Agenda & ISO Roll call	Adrian Chiosea
10:05 – 10:45	Release Plan	Trang Vo Janet Morris Jeremy Malekos



The ISO offers innovative training programs

Date	Training courses and workshops	
March 2-3, 2021 (9am – 12pm)	Intro to ISO Markets (Virtual Workshop)	
March 9-10, 2021 (9am – 12pm)	Market Transactions (Virtual Workshop)	
March 16-17, 2021 (9am – 12pm)	ISO Settlements (Virtual Workshop)	
	Email us at <u>CustomerReadiness@caiso.com</u> for any training or readiness related questions	

New Modules (recorded webinar and slides)

You can now find the following new initiatives training courses on the learning center web page:

ADS Training Part 1 & 2	RC Settlements
DOT Tariff Clarification	• FERC 841
Excess Behind the Meter Production	 Market Settlements Timeline Transformation
Flexible Ramping Product Refinements	Intertie Deviation Settlement



CustomerReadiness@caiso.com

Computer Based Training

There are more than 20 computer based training modules on the ISO website covering: Markets and Operations, Settlements and Metering, Reference Materials, Western Energy Imbalance Market and more!

Visit our Learning Center web page to access our training calendar, register for courses and find other informational resources: http://www.caiso.com/particip ate/Pages/LearningCenter/de fault.aspx



Release Plan Summary: 2021

Independent 2020 – Wrap-up

Activation – Feb 16, 2021

✓ Commitment Costs and Default Energy Bid Enhancements Phase 1

Spring 2021

- Energy Imbalance Market 2021 BANC Ph 2/WAPA, TID, PNM, NWE, LADWP
- EIM Enhancements 2021 Phase 1
- Base Schedule Submission Deadline Phase 1
- Real-Time Settlement Review Phase 1
- FERC Order 831 Compliance: Raise the Bid Cap to \$2000/MWh

Summer 2021 - tentative, subject to change

- Summer 2021 Readiness
- RA Enhancements
- FERC Order 831 Pricing Parameters, Import Bid Screening, and Validation

Independent 2021

- CIRA Enhancements
- Energy Imbalance Market (EIM) Enhancements 2020 Inter-tie Multi-Stage Generator
- Aliso Canyon Phase 5
- System Market Power Mitigation Phase 1



Release Plan Summary: 2021 - 2022

Fall 2021

- Energy Storage and Distributed Energy Resources Phase 4
- Flexible Ramping Product Refinements
- Hybrid Resources Phase 2
- Western EIM Sub-Entity Scheduling Coordinator Role
- EIM Enhancements 2021 Phase 2
- EIM Base Schedule Submission Deadline Phase 2
- Real-Time Settlement Review Phase 2
- Variable Operations and Maintenance Cost Review
- Intertie Shadow Pricing Resolution

Spring 2022

- Energy Imbalance Market (EIM) 2022 Avista
- Energy Imbalance Market (EIM) 2022 Bonneville Power Administration
- Energy Imbalance Market (EIM) 2022 Tacoma Power
- Energy Imbalance Market (EIM) 2022 Xcel Energy Colorado
- Energy Imbalance Market (EIM) 2022 Tucson Electric Power



Release Schedule 2021

Date of Data Refresh: 2/19/2021

Date of Data Refresh:	2/19/2021
California ISO Legend CA ISO Holiday External Testina Deployment Week	
	\```\`````````````````````````````````
MAP Stage Environment Window	
CIRA Enhancements - Market Sim EIM Enhancements 2021 Phase 1 - Market Sim	CIRA Enhancements - Market Sim (TBD) EIM Enhancements 2021 Phase 1 - Market Sim (03/18-03/31)
	Eine Enhancements 2021 Phase 1 - Market Sim (03/18-03/31) Eine Base Schedule Submission Deadline Phase 1 - Market Sim (03/18-03/31)
EIM Base Schedule Submission Deadline Phase 1 - Market Sim	
Real-Time Settlement Review Phase 1 - Market Sim	Real-Time Settlement Review Phase 1 - Market Sim (03/01-03/31) Summer 2021 Readiness - Market Sim (04/26-05/21)
Summer 2021 Readiness - Market Sim	
Resource Adequacy (RA) Enhancements - Market Sim	Resource Adequacy (RA) Enhancements - Market Sim (04/26-05/21)
Energy Storage and Distributed Energy Resources Phase 4 - Market Sim	Energy Storage and Distributed Energy Resources Phase 4 - Market Sim (07/26-09/03)
Flexible Ramping Product Refinements - Market Sim	Flexible Ramping Product Refinements - Market Sim (07/26-09/03)
Hybrid Resources Phase 2 - Market Sim	Hybrid Resources Phase 2 - Market Sim (07/26-09/03)
Western EIM Sub-Entity Scheduling Coordinator Role - Market Sim	Western EIM Sub-Entity Scheduling Coordinator Role - Market Sim (07/26-09/03)
EIM Enhancements 2021 Phase 2 - Market Sim	EIM Enhancements 2021 Phase 2 - Market Sim (07/26-09/03) EIM Base Schedule Submission Deadline Phase 2 - Market Sim (07/26-09/03)
EIM Base Schedule Submission Deadline Phase 2 - Market Sim	
Real-Time Settlement Review Phase 2 - Market Sim	Real-Time Settlement Review Phase 2 - Market Sim (07/26-09/03)
Variable Operations and Maintenance Cost Review - Market Sim	Variable Operations and Maintenance Cost Review - Market Sim (07/26-09/03)
Intertie Shadow Pricing Resolution - Market Sim	Intertie Shadow Pricing Resolution - Market Sim (07/26-09/03)
EIM - Avista - Market Sim	EIM - Avista - Market Sim (10/01-11/30)
EIM - Bonneville Power Administration - Market Sim	EIM Bonneville Power Administration - Market Sim (10/01-11/30)
EIM - Tacoma Power - Market Sim	EIM - Tacoma Power - Market Sim (10/04-02/03)
EIM - Xcel Energy - Colorado - Market Sim	EIM - Xcel Energy - Colorado - Market Sim (12/01-01/26)
EIM - Tucson Electric Power - Market Sim	EIM - Tucson Electric Power - Market Sim (12/01-01/31)
Production Environment Window	EIM Enhancements 2020 - Inter-tie Multi-Stage Generator (03/01)
EIM Enhancements 2020 - Inter-tie Multi-Stage Generator	CIRA Enhancements (03/03)
CIRA Enhancements	
FERC Order 831 - Compliance: Raise the Bid Cap to \$2000/MWh	FERC Order 831 - Compliance: Raise the Bid Cap to \$2000/MWh (NLT 03/21) EIM Enhancements 2021 Phase 1 (03/31)
EIM Enhancements 2021 Phase 1	EIM Base Schedule Submission Deadline Phase 1 (03/31)
EIM Base Schedule Submission Deadline Phase 1	
Real-Time Settlement Review Phase 1	Real-Time Settlement Review Phase 1 (04/01) EIM - BANC Phase 2 / WAPA (03/25)
EIM - BANC Phase 2 / WAPA	
EIM - Turlock Irrigation District	EIM - Turlock Irrigation District (03/25) EIM - Public Service Company of New Mexico (04/01)
EIM - Public Service Company of New Mexico	
EIM - Los Angeles Dept. of Water & Power	EIM - Los Angeles Dept. of Water & Power (04/01)
EIM - North-Western Energy	EIM - North-Western Energy (04/01)
Aliso Canyon Phase 5	Aliso Canyon Phase 5 (April)
Summer 2021 Readiness	Market Enhancements for Summer 2021 Readiness (06/01) Resource Adequacy (RA) Enhancements (06/01)
Resource Adequacy (RA) Enhancements	
FERC Order 831 - Pricing Parameters, Import Bid Screening, and Validation	FERC Order 831 - Pricing Parameters, Import Bid Screening, and Validation (June)
Energy Storage and Distributed Energy Resources Phase 4	Energy Storage and Distributed Energy Resources Phase 4 (10/01) Flexible Ramping Product Refinements (10/01)
Flexible Ramping Product Refinements	Hybrid Resources Phase 2 (10/01)
Hybrid Resources Phase 2	Western EIM Sub-Entity Scheduling Coordinator Role (10/01)
Western EIM Sub-Entity Scheduling Coordinator Role EIM Enhancements 2021 Phase 2	EIM Enhancements 2021 Phase 2 (10/01)
	EIM Base Schedule Submission Deadline Phase 2 (10/01)
EIM Base Schedule Submission Deadline Phase 2 Real-Time Settlement Review Phase 2	Real-Time Settlement Review Phase 2 (10/01)
Variable Operations and Maintenance Cost Review	Variable Operations and Maintenance Cost Review (10/01)
Intertie Shadow Pricing Resolution	Intertie Shadow Pricing Resolution (10/01)
, , , , , , , , , , , , , , , , , , ,	

http://www.caiso.com/Documents/ReleaseSchedule.pdf



2021 Spring Release



Spring 2021 – EIM integrations for BANC Phase 2, TID, PNM, LADWP, and NWE

Project Info	Details/Date
Application Software Changes	Implementation of BANC Phase 2, TID, PNM, LADWP, and NWE as EIM Entities
BPM Changes	EIM BPM will be updated if needed to reflect new modeling scenarios identified during implementation and feedback from BANC Phase 2, TID, PNM, LADWP, and NWE.
Market Simulation	December 2020 – January 2021
Parallel Operations	February 2021 – March 2021

		Dates					
Milestone Type	Milestone Name	BANC Phase 2	TID	PNM	LADWP	NWE	Status
Market Sim	Market Sim Window	11/3/20 - 1/31/21	11/3/20 - 1/31/21	11/3/20 - 1/31/21	11/3/20 - 1/31/21	12/1/20 - 1/31/21	✓
Parallel Operations	Parallel Operations	1/27/21 – 3/25/21	1/27/21 – 3/25/21	1/30/20 — 4/1/21	1/30/20 — 4/1/21	1/30/20 – 4/1/21	
Tariff	File Readiness Certification	Mar 2021					
Production	Activation	3/25/21	3/25/21	4/1/21	4/1/21	4/1/21	



Spring 2021 – EIM Enhancements 2021 Phase 1

Project Information	Details/Date
High Level Business Problem or Need	To collectively address important issues identified by EIM market participants through Customer Inquiry, Dispute and Information system (CIDI) requests to improve the visibility, functions, and features in Energy Imbalance Market (EIM)
High Level Project Scope	 Two EIM enhancement CIDI requests for Phase 1 in Spring 2021 BAAOP: ITC and ETSR data sharing among the related EIM Entities CMRI: ITC Limits report and sharing among the related EIM Entities
BPM Changes	EIM, Market Instruments
Tariff Change	Section 29.4
Impacted Systems	RTM/BAAOP, RTM/Integration, CMRI, RTM/BAAOP



Spring 2021 – EIM Enhancements 2021 Phase 1 (cont'd)

System	High Level Changes
Master File (MF) For CIDI: 226744 (226917) 226745 (226918)	 Define ITC, ETSR association with EIM entities SC For the EIM entities that share the same path, associate the EIM entity SC with ETSR resources. For the EIM entities that share the same path, associate the EIM entity SC with ITC
Real-Time Market (RTM) /Balancing Authority Area Operations Portal (BAAOP) For CIDI: 226744 (226917) 226745 (226918)	 Receive association ETSR/ITC with EIM entities Allow the associated EIM entities to view the ITC and associated ETSR Add New UI ITC detail display in BAAOP, a table of all internal BAA ITCs and shared/global ITC's which should include the ITC name, import limit, export limit, net flow (cleared value). Each ITC should have a sub-table displaying each resource included in the ITC with a calculation row with the sum of each data column for the market horizon for RTPD and RTD Ensure No impact on existing function and UI
CAISO Market Results Interface (CMRI) For CIDI: 226744 (226917) 226745 (226918)	 Receive association ITC with EIM entities Allow the associated EIM entities to view the ITC limits report through ACL Receive the ITC/TCOR/PTST limits from market Create ITC/TCOR limit reports, UI/API
Real-Time Market (RTM) /Integration For CIDI: 226744 (226917) 226745 (226918)	Publish ITC/TCOR limits



Spring 2021 – Base Schedule Submission Deadline Phase 1

Project Information	Details/Date		
High Level Business Problem or Need	 Provide EIM Scheduling Coordinators with additional flexibility to submit more accurate base schedules closer to the operating hour. Update tariff rules and market systems to allow EIM Entities to submit base schedules with energy below a resource's minimum load. Allow CAISO and EIM Entities to more accurately capture the startup energy of large conventional resources within their Resource Sufficiency Evaluations (RSE), thus increasing their ability to pass the RSE while lowering their exposure to uninstructed imbalance energy settlement. *across Phase 1 & 2 		
High Level Project Scope	Phase 1: Inclusion of startup energy below a resource's minimum load: •Include startup energy in an EIM base schedule o Include startup energy in the resource sufficiency evaluation (RSE) o Reduction of imbalance energy settlement Phase 2, Fall 2021: Updates to the base schedule submission timeline •Move market closing for the final binding EIM base schedule submissions from T-40 to T-30 - oAdding additional RSE at T-40		
BPM Changes	EIM Market Instruments Market Operations Settlements *across Phase 1 & 2		
Tariff Change	11.8.6.3 BCR Settlement 29.11 Startup Energy Settlement 29.34 Base Schedules below Pmin and Submission Timeline Adjustment *across Phase 1 & 2		
Impacted Systems	Phase 1: RTM, Settlements, BSAP, RCBSAP, CMRI Phase 2, Fall 2021: RTM, BSAP, ITS, CMRI		



Spring 2021 – Base Schedule Submission Deadline Phase 1 (cont'd)

System	High Level Changes		
RTM	 Phase 1: Include startup energy in balancing test only for EIM enti EIM RSE to include energy below minimum load (startup Startup energy will not be included as part of CAISO's R Phase 2, Fall 2021: Shorten the run time of the current T-37.5 RTPD interval Move start time to after T-30 Result publication remains at T-22.5 Final RSE will begin following T-30 deadline Add additional RSE test 	energy) would only be on the balancing test SE	
Settlements	 Phase 1: Settlements will treat startup energy as part of a EIM bas Deviations from the base schedule to be settled as unins The intervals where BASE Schedules reflect Start Up En Startup energy will not be included as part of CAISO's Reflect Startup energy will not be included as part of CAISO's Re	tructed imbalance energy (UIE) ergy, should be considered self-committed startups SE amounts (if this initiative precedes Real-Time Settlements initiative then r	equirements will be
BSAP	 Phase 1: Modify the logic of the BSAP to allow for startup energy t EIM base schedules to include a resources entire energy Phase 2, Fall 2021: Send base schedule to market at T-30 	o be submitted as part of an EIM entity's base schedule	
RCBSAP	Phase 1: Modify the logic of the RCBSAP to allow for startup energy t	o be submitted as part of an EIM entity's base schedule	
ITS	Phase 2, Fall 2021:	ecks and adjustments to account for the RTPD change from T-37.5 RTPD	o to T-30
CMRI	 Phase 1: Leverage existing EIM Base Schedule report in CMRI Base schedule energy below Pmin reflected Phase 2, Fall 2021: Additional payload consumed at T-30 for test results Receive results from RTPD 5 run by T-22.5 		
🥝 Cali	ornia ISO	ISO PUBLIC	Page 12

Spring 2021 – Base Schedule Submission Deadline Phase 1 (cont'd)

Milestone Type	Milestone Name	Dates	Status
Board Approval	Obtain Board of Governors Approval	Dec 17, 2020	\checkmark
External BRS	Milestone: Post External BRS	Jan 15, 2021	×
Config Guides	Post Draft Config Guides	Jan 19, 2021	×
Tech Spec	Create ISO Interface Spec (Tech Spec)	TBD	
Tariff	File Tariff	Jan 27, 2021	×
BPMs	Draft BPM changes	N/A	
External Training	Deliver External Training	Mar 08, 2021	
Market Simulation	Market Simulation - unstructured	March 18 – March 31	
Production Activation	EIM BSSD Phase 1_Start-up Energy	Mar 31, 2021	



Spring 2021 – Real-Time Settlement Review Phase 1

Project Information Details/Date High Level Business Problem or Need The scope of this initiative is to identify and address any inappropriate cost shifting that may be occurring in ISO's real-time market between the Western Energy Imbalance Market (EIM) balancing authority areas. *across Phase 1 & 2 *across Phase 1 & 2 High Level Project Scope Phase 1: • Eliminate the option for EIM entities to settle their base ETSR schedule deviations bilaterally. Deviations will be settle through the CAISO market at scheduling point intertie prices at a unique pricing location (LMP) • Calculation changes for real-time bid cost recovery (BCR) uplift costs for EIM transfers. Allocate real-time BCR uplift costs to load and exports. Phase 2, Fail 2021: • Allow EIM entities using a load derivation approach the option to not settle unaccounted for energy (UFE). Master File, BSAP, Settlements *across Phase 1 & 2 High Level Changes	
High Level Business Problem or Need between the Western Energy Imbalance Market (EIM) balancing authority areas. *across Phase 1 & 2 High Level Project Scope Phase 1: • Eliminate the option for EIM entities to settle their base ETSR schedule deviations bilaterally. Deviations will be settle through the CAISO market at scheduling point intertie prices at a unique pricing location (LMP) • Calculation changes for real-time bid cost recovery (BCR) uplift costs for EIM transfers. Allocate real-time BCR uplift costs to load and exports. Phase 2, Fall 2021: • Allow EIM entities using a load derivation approach the option to not settle unaccounted for energy (UFE). Master File, BSAP, Settlements *across Phase 1 & 2	
High Level Project Phase 1: • Eliminate the option for EIM entities to settle their base ETSR schedule deviations bilaterally. Deviations will be settle through the CAISO market at scheduling point intertie prices at a unique pricing location (LMP) • Calculation changes for real-time bid cost recovery (BCR) uplift costs for EIM transfers. Allocate real-time BCR uplift costs to load and exports. Phase 2, Fall 2021: • Allow EIM entities using a load derivation approach the option to not settle unaccounted for energy (UFE). Impacted Systems *across Phase 1 & 2	
High Level Project Scope • Eliminate the option for EIM entities to settle their base ETSR schedule deviations bilaterally. Deviations will be settle through the CAISO market at scheduling point intertie prices at a unique pricing location (LMP) • Calculation changes for real-time bid cost recovery (BCR) uplift costs for EIM transfers. Allocate real-time BCR uplift costs to load and exports. Phase 2, Fall 2021: • Allow EIM entities using a load derivation approach the option to not settle unaccounted for energy (UFE). Master File, BSAP, Settlements *across Phase 1 & 2	
Allow EIM entities using a load derivation approach the option to not settle unaccounted for energy (UFE). Master File, BSAP, Settlements *across Phase 1 & 2	
Impacted Systems *across Phase 1 & 2	
*across Phase 1 & 2	
High Level Changes	
System *across Phase 1 & 2	
Master File• Establish base energy transfer system resources (ETSR) at a transfer location between EIM BAAs and default the Settlement Flag = Y	
Base Schedule Aggregation Portal Aggregation Portal Set transmission loss percentage to zero for calculating the hourly load base schedule for EIM entities the elect not to settle UFE. (BSAP) Set transmission loss percentage to zero for calculating the hourly load base schedule for EIM entities the elect not to settle UFE.	
Configuration changes for unaccounted for energy (UFE) – CAISO to exclude EIM entities that elect to not settle UFI from calculation of UFE amount.	
 Settlements Configuration changes for Bid Cost Recovery (BCR) – CAISO to update EIM RT BCR Uplift formula to remove uninstructed imbalance energy (UIE) and unaccounted for energy (UFE) and replace with Load and Exports. 	



Spring 2021 – Real-Time Settlement Review Phase 1 (cont'd)

Milestone Type	Milestone Name	Dates	Status
External BRS	Milestone: Post External BRS	Jan 21, 2021	\checkmark
Config Guides	Post Draft Configuration Guides	Jan 19, 2021	\checkmark
External Training	Deliver External Training	Mar 04, 2021	
Market Sim	Market Sim Window	Mar 01, 2021 - Mar 19, 2021	
Production Activation	Real-Time Settlement Review Phase 1	Apr 01, 2021	



Spring 2021 - FERC Order 831 - Compliance: Raise the Bid Cap to \$2000/MWh

Project Information	Details/Date	
High Level Business Problem or Need	 The CAISO submitted its proposed tariff changes to comply with FERC Order No. 831 in September 2019. In its proposed tariff changes, the CAISO did not submit a separate filing requesting authority to cost-verify or price screen import bids above \$1,000/MWh. However, the CAISO decided to further address this topic in this initiative because of the CAISO balancing authority area's increasing dependence on imports. In addition, a number of stakeholders objected to the CAISO's proposal in the compliance filing to continue to set the power balance constraint penalty price at the hard energy bid cap, which under Order No. 831 increases from \$1,000/MWh to \$2,000/MWh. This would result in market prices being set to \$2,000/MWh if the market has to relax the power balance constraint. Consequently, this initiative also addresses this topic. 	
High Level Project Scope	 The FERC 831 Import Bidding and Market Parameters project focuses on process and system modifications related to CAISO's Federal Energy Regulatory Commission (FERC) Order No. 831 compliance filing. In its compliance filing, CAISO revised the tariff to raise the energy bid cap from \$1,000/MWh to \$2,000/MWh. CAISO also revised the tariff to require suppliers within the CAISO balancing authority area (BAA), that submit energy bids above \$1,000/MWh, to base bids on verifiable actual or expected costs. The CAISO's associated policy initiative objective is to ensure all supply bids priced above \$1,000/MWh represent verified costs, when supply is needed to meet the ISO's load responsibility. The FERC 831 project addresses two topics related to the changes CAISO proposed: A price-screening methodology for import bids greater than \$1,000/MWh. The "penalty prices" at which CAISO markets will relax market constraints under the increased energy bid cap. A methodology to establish market constraint relaxation penalty prices under a \$2,000/MWh hard energy bid cap. 	
Tariff Change	 Section 30, Section 27.4.3, 27.4.3.1 thru .5, Appendix C Part B ; See FERC Filing - Petition for Waiver to Extend Date of FERC Order No. 831 Compliance Filing – market notice "The California ISO is planning to file tariff revisions for the Federal Energy Regulatory Commission (FERC) Order No. 831 - Import Bidding and Market Parameters initiative in February 2021 in order to implement this initiative by June 2021. Separately, the ISO must comply with the directives of FERC Order No. 831 by March 21, 2021. These directives include allowing for cost justified energy bids above \$1,000 MWh from resources and sets the ISO's maximum energy bid at \$2,000 MWh. Pursuant to the directives of FERC Order No. 831, the maximum energy bid for import bids, virtual bids and demand bids will rise from \$1,000 MWh to \$2,000 MWh without any need to cost-justify those bids. In addition, the parameters the ISO uses for establishing market prices in certain instances under its tariff will also reflect the \$2,000 MWh maximum energy bid. The ISO has filed a petition for limited waiver to extend the date on which it must comply with these directives in order to implement them simultaneously with the ISO's FERC Order No. 831 – Import Bidding and Market Parameters Initiative. If granted, this petition would allow the ISO to implement the March 21 compliance revisions in June simultaneously with the ISO's enhancements." 	
Impacted Systems	SIBR, IFM / RTM	
🎯 Cal	lifornia ISO PUBLIC Page 16	

Spring 2021 - FERC Order 831 - Compliance: Raise the Bid Cap to \$2000/MWh (cont'd)

System	High Level Changes
SIBR	 Hard cap \$2000 (parameter change) The following is being delivered with CCDEBE functionality: Soft cap \$1000 Generators can bid up to their DEB if they bid above \$1000. Interties, Virtuals, and Load can all bid to \$2000 without any restrictions.
IFM / RTM	• DA and RT market applications scale scheduling and pricing run constraint penalty prices to be consistent with a \$2000 hard energy bid cap.

Milestone Type	Milestone Name	Dates	Status
	Milestone: Post External BRS	Dec 21, 2020	✓
External BRS	Revised BRS to synch with tariff filing and differentiate compliance scope from enhancements scope	Feb 8, 2021	×
Tariff Filing	Petition to FERC for extension and requesting a decision by March 11	Jan 26,2021	~
Production Activation	FERC Order 831 - Compliance: Raise the Bid Cap to \$2000/MWh	No later than March 21, 2021	



2021 Summer Release



Summer 2021 – Summer 2021 Readiness

Initiative definition in the policy process at

caiso.com > Stay Informed > Stakeholder Initiatives Market enhancements for summer 2021 readiness

Project Information	Details/Date
High Level Business Problem or Need	A historic heat storm impacted the western US for several consecutive days in mid-August 2020, causing energy supply shortages that led to two rotating power outages in the ISO footprint on August 14 and 15.ISO commits to the development of actions to prevent supply gaps in advance of summer 2021. This initiative focuses on near-term efforts on market rules, procedural changes, and resource adequacy necessary to manage heat events next summer.
High Level Project Scope	 Scope described below is preliminary and may evolve as we move into the final phase of policy development Export and load scheduling priorities Including reliability demand response resources in real-time pre-dispatch Management of storage resources during tight conditions Import and export market incentives during tight system conditions EIM coordination and resource sufficiency test review New OASIS report showing gross exports and imports by intertie Resource adequacy capacity validation for load at 8 PM CIRA Notifications Addressing 15% PRM
BPM Changes	Energy Imbalance Market (EIM), Market Instruments, Market Operations, Reliability Requirements, Settlements and Billing,
Tariff Change	Tariff sections: 4.13.3, 11.6.4, 29.7, 29.34, 30.6, 31.4, 34.4, 34.8, 34.12, 34.22, 40.4, 40.6, Sections L.1.6 of Appendix L, Section 4 of Appendix DD
Impacted Systems	ALFS, SIBR, CIRA, IFM/RTN, Master File, OASIS, OMS, RTM, Settlements.



Summer 2021 – Summer 2021 Readiness

Milestone Type	Milestone Name	Dates	Status
Board Approval	Obtain Board of Governors Approval	Mar 25, 2021	
External BRS	Post Draft External BRS	Feb 25, 2021	
	Post External BRS v1.0	Mar 15, 2021	
Config Guides	Post Draft Config Guides	Apr 05, 2021	
Tech Spec	Publish Technical Specifications	Apr 05, 2021	
Tariff	FERC Filing	Apr 01, 2021	
BPMs	Post Draft BPM changes	Apr 20, 2021	
External Training	Deliver External Training	Apr 21, 2021	
Market Sim	Market Sim Window	Apr 26, 2021 - May 21, 2021	
Production Activation	Summer 2021 Readiness Initiative	Jun 01, 2021	



Summer 2021 – Resource Adequacy (RA) Enhancements

Project Information	Details/Date
High Level Project Scope	 Capacity Procurement Mechanism (CPM - for local availability limitations) RA Import rules Operationalizing Storage Portfolio Assessment – Phase 1 CIRA payload modifications Update tool for new analysis Incorporate planned outage process into portfolio analysis Unforced Capacity (UCAP) – Phase 1 Set up systems to track resources' forced outage rates, supply cushion hours Modifications to how OMS data is tracked and stored, alignment with RC definitions if not already aligned.
BPM Changes	Market Instruments, Reliability Requirements, Outage Management
Tariff Change	Yes
Impacted Systems	CIRA, OMS, SIBR, Master File, RTM/IFM



Summer 2021– Resource Adequacy (RA) Enhancements (cont'd)

System	High Level Changes
Customer Interface for Resource Adequacy (CIRA)	 Unforced Capacity Evaluations (System RA) UCAP Phase 1: Ability for Demand runs to calculate UCAP availability values Outage data must be made readily available for end users Calculate Supply cushion hours Access to the daily RA data for calculation of the Supply Cushion hours excluding the Wind and Solar RA capacity. Calculate the weighted average of the yearly historical Seasonal Average Availability Factor (SAAF) for the UCAP per resource (must maintain 5 years worth of historical data) Calculate the class average rate for new resources that will be coming online There will be a unique UCAP calculation methodology for the following resource types: Hybrid, DR, QF, Hydro, imports & storage resources (unique fuel types) UCAP calculations for Hybrid resources will require the Dynamic Limit functionality from the Real Time Market. UCAP calculations for Hydro resources will require the Users worth of bidding data (currently there are 3 years). Will leverage UCAP tool (using template) to obtain 10 years of bidding data from LSEs. UCAP calculations for DR & QF resources will require a metric to measure performance against dispatch instructions. The system must calculate DR performance with respect to dispatch response (for the last 3 years). UCAP calculations for imports will need an additional input if their transmission product is firm or non-firm (from source to sync) and if there was curtailment on the e-tag. Reason for needing if transmission product is firm or non-firm form source to sync will determine if curtailment derates the UCAP values. For non dispatchable resources will Ave a different calculation. Regarding Wind & Solar resources, UCAP values = NQC. For calculating Supply cushion hours, hourly net load is needed for UCAP calculation & Contingency reserves. RAImport Rules: Need to obtain transmission profile to showcase firm or non-firm transm
Outage Managemen t System (OMS)	 Unforced Capacity Evaluations (System RA) UCAP Phase 1: In order to calculate supply cushion hours, system must provide hourly outage impact per resource (This is currently performed at daily level). Planned Outage Provisions: Addition of validation rules to automatically deny planned outages without substitution.
Integrated Forward Market (IFM)/ Real Time Markets (RTM)	 Operationalizing Storage: Creation of a new energy constraint that at the end of the time horizon has a state of charge. DA schedule for next several hours should have guaranteed delivery. If the resource has a DA discharge schedule and shown for resource adequacy then its requirement is set.

Summer 2021 – Resource Adequacy (RA) Enhancements (cont'd)

Milestone Type	Milestone Name	Dates	Status
Board Approval	Obtain Board of Governors Approval	Mar 24, 2021	
External BRS	Post External BRS v1.0 - Planned Outage Substitution	Feb 26, 2021	
	Post External BRS v2.0 - Operationalizing Storage	Mar 15, 2021	
Config Guides	Post Draft Config Guides	Apr 21, 2021	
Tech Spec	Publish Technical Specifications	Mar 30, 2021	
Tariff	File Tariff	Apr 01, 2021	
BPMs	Post Draft BPM changes	Apr 20, 2021	
External Training	External Training	Apr 22, 2021	
Market Sim	Market Sim Window	Apr 26, 2021 - May 21, 2021	
Production Activation	Resource Adequacy Enhancements Track 1	Jun 01, 2021	



Summer 2021 - FERC Order 831 - Pricing Parameters, Import Bid Screening, and Validation

Project Information	Details/Date
High Level Business Problem or Need	 The CAISO submitted its proposed tariff changes to comply with FERC Order No. 831 in September 2019. In its proposed tariff changes, the CAISO did not submit a separate filing requesting authority to cost-verify or price screen import bids above \$1,000/MWh. However, the CAISO decided to further address this topic in this initiative because of the CAISO balancing authority area's increasing dependence on imports. In addition, a number of stakeholders objected to the CAISO's proposal in the compliance filing to continue to set the power balance constraint penalty price at the hard energy bid cap, which under Order No. 831 increases from \$1,000/MWh to \$2,000/MWh. This would result in market prices being set to \$2,000/MWh if the market has to relax the power balance constraint. Consequently, this initiative also addresses this topic
High Level Project Scope	 The FERC 831 Import Bidding and Market Parameters project focuses on process and system modifications related to CAISO's Federal Energy Regulatory Commission (FERC) Order No. 831 compliance filing. In its compliance filing, CAISO revised the tariff to raise the energy bid cap from \$1,000/MWh to \$2,000/MWh. CAISO also revised the tariff to require suppliers within the CAISO balancing authority area (BAA), that submit energy bids above \$1,000/MWh, to base bids on verifiable actual or expected costs. The CAISO's associated policy initiative objective is to ensure all supply bids priced above \$1,000/MWh represent verified costs, when supply is needed to meet the ISO's load responsibility. The FERC 831 project addresses two topics related to the changes CAISO proposed: A price-screening methodology for import bids greater than \$1,000/MWh. The "penalty prices" at which CAISO markets will relax market constraints under the increased energy bid cap. A methodology to establish market constraint relaxation penalty prices under a \$2,000/MWh hard energy bid cap.
BPM Changes	Market Instruments, Market Operations, Definitions & Acronyms
Tariff Change	Section 30, Section 27.4.3, 27.4.3.1 thru .5, Appendix C Part B ; See FERC Filing - Petition for Waiver to Extend Date of FERC Order No. 831 Compliance Filing – market notice "The California ISO is planning to file tariff revisions for the Federal Energy Regulatory Commission (FERC) Order No. 831 - Import Bidding and Market Parameters initiative in February 2021 in order to implement this initiative by June 2021. Separately, the ISO must comply with the directives of FERC Order No. 831 by March 21, 2021. These directives include allowing for cost justified energy bids above \$1,000 MWh from resources and sets the ISO's maximum energy bid at \$2,000 MWh. Pursuant to the directives of FERC Order No. 831, the maximum energy bid for import bids, virtual bids and demand bids will rise from \$1,000 MWh to \$2,000 MWh without any need to cost-justify those bids. In addition, the parameters the ISO uses for establishing market prices in certain instances under its tariff will also reflect the \$2,000 MWh maximum energy bid. The ISO has filed a petition for limited waiver to extend the date on which it must comply with these directives in order to implement them simultaneously with the ISO's FERC Order No. 831 – Import Bidding and Market Parameters Initiative. If granted, this petition would allow the ISO to implement the March 21 compliance revisions in June simultaneously with the ISO's enhancements."
Impacted Systems	SIBR, IFM/RTM, OASIS Page 24

Summer 2021 - FERC Order 831 - Pricing Parameters, Import Bid Screening, and Validation (cont'd)

System	High Level Changes
SIBR	 Hard cap \$2000 (parameter change) The following is being delivered with CCDEBE functionality: Soft cap \$1000 Generators can bid up to their DEB if they bid above \$1000. Interties, Virtuals, and Load can all bid to \$2000 without any restrictions. Rule change: For an import bid of non-resource specific RA resource, the System shall limit the resource to the higher of the soft bid cap or the max import bid price. Rule change: When the maximum import bid price is greater than \$1000/MWh, or a cost verified resource bid is greater than \$1000/MWh, the System shall allow a non-resource specific non-RA import and virtual bids to bid up to the hard energy bid cap price.
IFM / RTM	 DA and RT market applications receive maximum import bid prices calculated from ECIC. RT market applications receive EIM BAA-specific constraint relaxation thresholds from the master file. DA and RT markets define the high bid cap condition for a given hour as: maximum import bid price or cost-verified resource bid is greater than \$1000. DA market scales scheduling and pricing run constraint penalty prices to be consistent with a \$2000 bid cap when the high bid cap condition holds during any hour in time horizon. Otherwise, current scaling is used. RT market scales scheduling and pricing run constraint penalty prices to be consistent with a \$2000 bid cap when the high bid cap condition holds during any hour in the horizon or held for the DA market. Otherwise, current scaling is used. When RT market uses constraint penalty prices scaled to be consistent with the \$2000 bid cap, and an EIM BAA has a power balance infeasibility less than or equal to its constraint relaxation threshold, the pricing run energy prices in that EIM BAA are set based on the highest-priced economic bid cleared in the scheduling run, but no lower than \$1000 when the infeasibility is positive.
OASIS	 Publish the Hourly Energy Price Shaping Factor for day-ahead and real-time markets. Publish the static constraint relaxation threshold value(s) for the CAISO BAA and each EIM BAA annually.

Milestone Type	Milestone Name	Dates	Status	
	Milestone: Post External BRS	Dec 21, 2020	✓	
External BRS	Revised BRS to synch with tariff filing and differentiate compliance scope from enhancements scope	Feb 8, 2021	✓	
Tariff Filing	Petition to FERC for extension and requesting a decision by March 11	Jan 26, 2021	~	
	Tariff filing – Import Bidding and Market Parameters	Feb, 2021		0.5
Production Activation	FERC Order 831 - Pricing Parameters, Import Bid Screening, and Validation	Jun 2021	ł	Page 25

2021 Independent



2021 - CIRA Enhancements

	CIRA Enhancements	MAP- Stage	Production
1	LSE IDs from Master File		
2	CIRA Flex RA-Upload Screen & Flex Capacity Survey layer changes		
3	CIRA Acquired Resource (Phase 1)		
4	CIRA – Add SC Contact Info	TBD	Mar 3, 2021
5	Publish NQC data to OASIS - this report will move from public website to a new report in OASIS (upcoming OASIS tech spec)	IDU	IVIAI 5, 2021
6	Publish CPM to OASIS - this report will move from public website to a new report in OASIS (upcoming OASIS tech spec)		

- OASIS tech spec published January 14 with TUG review January 19
- Training re: provisioning changes for the new CIRA LSE IDs were discussed during the AIM Enhancements training for UAAs January 21
- Customer training for these enhancements occurred February 18
- The enhancements will be available in MAP-Stage prior to Production
- For item 1, CIRA will cease to use the LSEID list in CIRA and will use the list in Masterfile and this will require provisioning changes to prevent loss of access to CIRA
 - ISO will contact impacted organization's UAAs to reprovision to the new IDs to retain access to CIRA
 - ISO will validate that the organizations have been reprovisioned prior to go-live to prevent loss of access to CIRA
 - Please work with your UAA to Provision your LSEID for following roles:
 - EXTERNAL RA READ-ONLY
 - EXTERNAL RA READ-WRITE
 - The re-provisioning of the LSEID access to these roles are needed to retain access to see the data in several CIRA reports such as
 - RA Plan Upload/download
 - Generic Obligation Report
 - Flex Obligation Report



2021 - EIM Enhancements 2020: Inter-tie Multi-Stage Generator

Project Info	Details/Date
Application Software Changes	Scope : Support for modeling an Intertie Generating (TG) resource as an Intertie Multi-Stage Generator (TMSG) shall be added to allow for optimal coordination of the MSG schedule with its inter-temporal constraints between MSG configuration states that may have non-overlapping capacity ranges.
	IFM/RTN : support inter-tie Multi-Stage Generator (TMSG) resource model under the rules defined in MF. MF: support the modeling of the intertie generating resource as a multi-stage generator (TMSG)
BPM Changes	Energy Imbalance Market
Tariff Changes	• N/A

Milestone Type	Milestone Name	Dates	Status
Board Approval	Obtain Board of Governors Approval	N/A	
External BRS	Milestone: Post External BRS	Jun 19, 2020	✓
Tech Spec		N/A	
Tariff	File Tariff	N/A	
BPMs	Draft BPM changes - Market Instruments – PRR 1281	Aug 31, 2020	√
External Training	Deliver External Training – coordinate via customer readiness EIM operations meeting		
Market Sim	Market Sim Window – unstructured	Feb 4 – Feb 18, 2021	×
Production Activation	EIM Enhancements 2020 Phase 3	Mar 1, 2021	



2021 – Aliso Canyon Ph5

Project Info	Details/Date						
	Scope : This project will consider enhancements to the existing Dynamic Competitive Path Assessment (DCPA) and Gas Nomogram capabilities currently in production.						
	This enhancement includes the effect of gas nomogram that limit the supply counter flow in the calculation of the Residual Supply Index (RSI) within the existing DCPA methodology.						
Application Software Changes	 IFM/RTN: Formulate and solve the linear programming problem for maximizing the Residual Supplier Index (RSI) for each binding constraint that DCPA is applied. SMDM: Enhance the User Interface to include "All Markets" when the user is defining "Market" within the Curtailment to Process section. SMDM: Creation of error message if the RT curtail type "incremental" or "absolute" are used and total curtailment is left null. 						
BPM Changes	Managing Full Network ModelMarket Operations						
Tariff Changes	• N/A	• N/A					
Milestone Type	Milestone Name	Dates	Status				
Board Approval	Obtain Board of Governors Approval - NO BOG Needed	N/A					
External BRS	Post External BRS	May 05, 2020	\checkmark				
Config Guides	Post Draft Config Guides	N/A					
Tech Spec	Publish Technical Specifications	N/A					
Tariff	File Tariff N/A						
BPMs	Post Draft BPM changes Jul 17, 2020		\checkmark				
External Training	Deliver External Training N/A						
Market Sim	Market Sim Window N/A						
Production Activation	Aliso Canyon Phase 5 April 2021						
California ISO ISO PUBLIC Pag							

2021 Fall Release



Fall 2021 Release - Overview

	BOG	BRS	Config Guide	Tech Spec	Mkt Sim Scenarios	Draft Tariff	Draft BPMs	Training	Market Sim	Production Activation
Fall 2021 Release		04/01/21	05/28/21	05/28/21	05/25/21	06/26/21	07/19/21	07/19/21	Jul 26, 2021 - Sep 3, 2021	10/01/21
ESDER Phase 4	9/30/20	02/03/21							Jul 26, 2021 - Sep 3, 2021	10/01/21
Flexible Ramping Product Refinements	9/30/20	01/28/21							Jul 26, 2021 - Sep 3, 2021	10/01/21
Hybrid Resources Phase 2	11/18/20	03/01/21							Jul 26, 2021 - Sep 3, 2021	10/01/21
Western EIM Sub-Entity Scheduling Coordinator Role	5/20/21								Jul 26, 2021 - Sep 3, 2021	10/01/21
EIM Enhancements 2021 – Phase 2	N/A	03/01/21							Jul 26, 2021 - Sep 3, 2021	10/01/21
EIM Base Schedule Submission Deadline - Phase 2	12/17/20	01/15/21							Jul 26, 2021 - Sep 3, 2021	10/01/21
Real-Time Settlement Review Phase 2	12/17/20	01/21/21							Jul 26, 2021 - Sep 3, 2021	10/01/21
Variable O&M CR	11/18/20								Jul 26, 2021 - Sep 3, 2021	10/01/21
Intertie Shadow Pricing Resolution		01/25/21							Jul 26, 2021 - Sep 3, 2021	10/01/21



Project Information	Details/Date
High Level Business Problem or Need	 Number and diversity of NGR energy storage resources continue to grow and represent an important part of the future grid. This initiative focuses on lowering barriers and enhancing the ability of these resources to participate in the CAISO's market.
High Level Project Scope	Phase 4A: For NGR energy storage resources (LESR non-REM only): Allowing End-Of-Hour (EOH) State-of-charge (SOC) biddable parameter in RTM. Modification of Settlements RTM BCR to account for 1. EOH SOC, and 2. Self-Scheduling For PDR, PDR-LSR curtailment and RDRR resources: Considering Maximum Daily Run Time (MDRT) parameter. Phase 4B: For NGR energy storage resources (LESR non-REM only): Enhanced DEB calculations for storage resources that take into account: 1. Energy Costs, 2. Variable Costs* (including Cell Degradation Cost), and 3. Opportunity Costs. Note: This component may be removed for DAM in revised policy proposal per MSC recommendations. Applying Market Power Mitigation (MPM).* Note: Sufficiently small "Safe Harbor" resources may be still be exempted from bid mitigation in DAM and RTM in revised policy proposal per MSC recommendations.
BPM Changes	Demand Response, Energy Imbalance Market, Market Instruments, Market Operations, Settlements and Billing
Tariff Change	Section 4, 11, 30, 31, 34, 39, Appendix A, Appendix B
Impacted Systems	ALFS, CMRI, IFM, MF, OASIS, RTM, Settlements, SIBR



System	High Level Changes
Integrated Forward Market (IFM)	 Calculate DEB for all storage resources to account for: 1. Energy cost, 2. Variable cost, and 3. Opportunity cost Energy cost (including accounting for round-trip efficiency) Assume one cycle of charge/discharge per day. Assume charging during least expensive continuous LMP prices. Assume discharging during most expensive continuous LMP prices. Assume tround-trip efficiency. For DA DEB: Vas DA LMP from IFM-MPM pass. For RTM DEB: Vas actual binding DA LMP from same trade day IFM runs. Applies to NGR LESR non-REM resources only. For NGR LESR non-REM resources only. For NGR LESR non-REM resources only. For NGR LESR non-REM resources: EOH SOC does not apply to DAM. Apply MPM for the entire operating range (discharging and charging). Note: Per MSC recommendations, a "Safe Harbor" designation for some NGR storage resources that are sufficiently small according to a TBD criteria, will be needed so that these resources can be exempted from bid mitigation. For PDR, PDR-LSR curtailment and RDRR resources: Add Max Daily Run Time (MDRT) as constraint in the optimization. Null shall be considered as no constraint. Variable cost (including Cell degradation cost [also called Cycling Cost]) Submitted by Resource SC via MF Opportunity cost Calculated as the fourth highest hourly DA LMP price of the previous trade day IFM, scaled by the DA Bilateral hub index prices (DAB) between the two days. Note: This component may be remov
Automated Load Forecast System (ALFS)	Forecasting tools need to be tuned to reflect changes of the way NGR storage get dispatched.

System	High Level Changes
CAISO Market Results Interface (CMRI)	 Update Default Energy Bid Curve report to add new Default Bid Type for storage resources. Applies to NGR LESR non-REM resources only.
Master File (MF)	 Define the following parameters for each NGR energy storage resource (LESR non-REM only) with an effective date: Variable Cost (including Cycling Cost [also called Cell Degradation Cost]) Mapping between NGR energy storage resources and bilateral hub index (ICE hub) Note: This functionality may be removed in revised policy proposal per MSC recommendations. SC for each NGR storage resource may rank its resource DEB option as:



System	High Level Changes
Open Access Same Time Information System (OASIS)	 Publish masked hourly EOH SOC public bids for NGR energy storage resources on T+90 (90 days after the trade date). Applies to NGR LESR non-REM resources only.
Real-Time Market (RTM)	 For NGR LESR non-REM resources: Add hourly EOH SOC Min and Max as constraints in the optimization. RTM shall dispatch resources economically or uneconomically to satisfy most restrictive constraints among EOH SOC constraints and registered and bid-in energy storage limits. EOH SOC constraints shall take precedence over economic outcome of the optimization, including but not limited to energy bid curve and ancillary services bid. Respecting ancillary services awards, schedules, and obligations take precedence over satisfying EOH SOC constraints. This also applies to awarded AS in lower markets. EOH constraint shall apply to the last market interval of the hour (e.g. last 15-min for FMM [00:45-01:00] and last 5-min for RTD [00:55-01:00]. When the RTD end of horizon is earlier than the last interval of the hour where EOH SOC exist:



System	High Level Changes
Settlements	 For accepted RTM EOH SOC bids in an hour: Disqualify the resource from receiving RTM Bid Cost shortfall for that hour and the previous hour (flagged hours). For RTM self-schedules in an hour: Disqualify the resource from receiving RTM Bid Cost shortfall for the previous hour (flagged hour). For RTM bid cost/revenue shortfall assessment shall be evaluated at each 5-minute interval of the flagged hours. If energy bid cost is > than revenue (shortfall), this interval will be set to 0 in the daily BCR settlements; If energy bid cost is <= revenue (surplus), there will be no change in this interval. Existence of ED/MD instruction shall nullify the new BCR rules similar to how ED/MD instruction nullify existing RTM BCR rules for self-schedules resources. RTM BCR rules applies to charging and discharging. Business will verify that no rule changes to Metering Energy Adjustment Factors (MEAF). There is no change to the AS award components of the RTM BCR settlement due EOH constraint or self-schedules. There is no change to the DAM BCR settlement due EOH constraint or self-schedules. No impact for: Exemption of variable output DRs that bids their <u>true</u> availability from RAAIM, similar to wind and solar is also be tied to ELCC approach adoption by the CPUC and implementation of DAME and RAE initiatives. Applies to NGR LESR non-REM resources only.
Scheduling Infrastructu re and Business Rules (SIBR)	 Add optional Min and Max End-Of-Hour (EOH) State Of Charge (SOC) as hourly biddable real-time parameters (in MWh) for NGRs. Note: Does not apply to DA bids. Add validation for Min EOH SOC <= Max EOH SOC Add validation for Min and Max EOH SOC to be within most restrictive of biddable Energy Storage Limits and MF registered Energy Storage Limits. EOH SOC biddable parameters shall apply to NGR energy storage resources that have SOC management. Do not send EOH SOC parameters to STUC in advisory payloads. Applies to NGR LESR non-REM resources only. Note: NGR energy storage resources shall not submit EOH SOC below Must Offer Obligation (MOO) or use it to withhold additional RA capacity that is not scheduled in IFM or RUC. This is market monitoring task rather than a SIBR enforced rule. Need to align with RA Enhancements initiative project.


Fall 2021 – Flexible Ramping Product Refinements

Project Information	Details/Date
High Level Project Scope	 The scope of the project FRP Deliverability is: 1. Procurement of FRP for BAA's that fails the flex test is separate for each BAA. 2. Procurement of FRP for BAA's that pass the flex test for the entire group of BAA. 3. Transmission constraints and transfer limits are enforced in FRP deployment scenarios 4. Distributing the uncertainty requirement in each BAA load and VER locations versus just load 5. Distributing the demand curve surplus variable as a decision variable at load aggregation points (LAP) versus Balancing Authority Areas (BAA) 6. To establish the Locational Marginal Capacity Prices (LMCP) for FRP
BPM Changes	Market Instruments, Market Operations
Tariff Change	Yes
Impacted Systems	RTM, Settlements, CMRI/OASIS



Fall 2021 – Flexible Ramping Product Refinements (cont'd)

System	High Level Changes
Real Time Markets (RTM)	 RTM to be impacted based on the change in the FRP procurement systems. Input data needed for forecasted advisory in the binding interval for RTPD for approx. 40 work days or weekends. New demand curve calculation is needed.
Settlements	 Prices are nodal therefore mechanics for cost allocation pricing to be changed Nodal FRP prices
CAISO Market Results Interface (CMRI)/ Open Access Same time Information (OASIS)	 Publish Resource Nodal prices for the FRP awards (CMRI) Publish requirements for FRP per BAA and BAA group (OASIS) Publish surplus by LAP (OASIS) Publish the nodal FRP prices (OASIS)



Fall 2021 – Hybrid Resources Phase 2

Project Information	Details/Date
High Level Business Problem or Need	The ISO launched this stakeholder initiative to identify new or enhanced market rules and business processes needed to accommodate hybrid resources, resources that consist of two sets of market rule changes that will facilitate mixed-fuel type project participation (hybrid and co-located resources) in the ISO markets.
High Level Project Scope	Phase 2 focuses on modifications that will explore how hybrid generation resources can be registered and configured to operate within the ISO market. The initiative will further develop solutions allowing developers to maximize the benefits of their resource's configuration. Additionally, hybrid resource configurations also raise new operational and forecasting challenges that the ISO plans to address during this initiative.
BPM Changes	Direct Telemetry, Market Instruments, Market Operations, Metering, Settlements and Billing
Tariff Change	Section 39, Appendix Q
Impacted Systems	ALFS, CMRI, Reporting, IFM/RTM, MF, OASIS, RIMS, Settlements, MRI-S Metering, SIBR



Fall 2021 – Hybrid Resources Phase 2 (cont'd)

System	High Level Changes
Automated Load	Identification of variable energy resources (VER)
Forecast System (ALFS)	New forecast type for hybrid resources
	Forecast for hybrid resources that elect for ISO forecast
CAISO Market Results Interface (CMRI)	Updates to include resource specific forecast data for hybrid resources (VER components).
Reporting	 Potential: Update report(s) for resource tagging changes: Solar Total tag, Wind Total Tag, Battery Total Tag (Renewable watch, Curtailment Report, ISO Today), and new Hybrid Total Tag
Integrated Forward	When any resource behind an ACC constraint has an AS award, all resources behind that ACC constraint must follow their DOT
Market (IFM)/Real-Time	and receive the must follow flag
Market (RTM)	Create a new user interface to display the hybrid summary
	Include dispatchable generation calculation in RTD and RTPD for co-located resources
	Modify 'Must Follow DOT' flag for AS cleared or AS dispatched award
	 Must Follow DOT Flag must turn to 'Y' for Ancillary Service Cleared by resource ID
	 HSL needs to be integrated with the persistent methodology for co-located resources: Validation rules must be developed for the HSL
	Validate the dynamic operating limits
	Software that takes the submitted limit and haircuts the energy bid used in each interval of the market time horizon
	 Limit the economic dispatch of a hybrid resource in the real-time market based on data submitted to SIBR
	 For co-located resources and hybrids, add new user interfaces
	Dynamic Limit functionality:
	Display a hybrid resources upper limit and lower limit
	Display VER availability
	Display ambient derates
	Provide the capability to submit energy-not-available thru the functionality



Fall 2021 – Hybrid Resources Phase 2 (cont'd)

High Level Changes
 Enhance MF to identify Hybrid resources Create a new categorization in MF to identify hybrid resources to handle dynamic limits Add the ability to store the state-or-charge minimum and maximum limit Identification of variable energy resources (VER) Enhance MF to map hybrid resource to individual VER component(s) Note: Renewable registration for VER components is currently mapped to Resource ID; will need further automation to map to individual VER component New unit type to identify a hybrid resource under the existing NGR model New identification of individual renewable components that make up a hybrid resource Ability to elect for ISO forecast or SC submitted forecast to be at the renewable component level Make the new categorization of hybrid resources along with associated attributes available for downstream applications Add a MF rule to make sure the 'MOO Qualified Flag' is set to "N" for hybrid resources Modifications to support the need for a few MF resource attributes (for example, fuel type, technology type, QF Flag, VER NGR flag, etc.) that need to be associated to the VER components that make up the hybrid resources Map PI Tags (VER actual and meteorological tags) to each Resource ID or VER component. Note: System to be determined per Architecture Definition
Updates to create a new category for hybrid resources to be included in the forecast data reports.
 Consume new VER Component ID for forecasting fee Updates to forecast fee calculation based on meter data submitted for the VER components that elect ISO forecast
 Ability to receive meter data at the VER Component ID level for hybrid resources Updates for Western Renewable Energy Generation Information System (WREGIS) reporting of meter data on the Hybrid components
 Treat all hybrid resources as non REM NGRs Flagging must be configured to ensure bid insertion does not occur SIBR rules and new rule flow needs to be created to receive and validate the dynamic operating limits Software that allows market participant to submit their dynamic limit Allow submission of upper and lower economic limits for each 5-minute interval in a three hour window for hybrid resources Validate the dynamic operating limits



Fall 2021 – Hybrid Resources Phase 2 (cont'd)

System	High Level Changes
Resource Interconnection Management System (RIMS)	 Enhance to identify Hybrid resources Enhance to identify Hybrid resources RIMS will need to add a new Milestone type under App & Study > Project Summary > Status Report and Milestones: add Milestone Type "Co-located / Hybrid" Under MPAI > General Info, below the drop box for additional fuel type, add "Co-located/Hybrid:" and add a drop down box with three choices – blank, "Co-located" and "Hybrid." App & Study will provide this information to MPAI when the project is pulled from App & Study. Collect topographical map and Site Information for hybrid resources Reference Tariff Appendix Q: Automation of existing manual processes for all renewable resources (resources ID or VER component) - Site Sheets and Dopo Maps Impacts and Design Suggestions: Automate the Site Sheets to automatically validate and review for accuracy by creating validation checks for the submitter. Allow the submitter to enter all of their information in a web form (one form for solar resources and one for wind resources). Incorporate validation check on information submitted to ensure all fields are entered correctly and match Appendix Q formatting (e.g., WGS84 coordinates, resource type filled out, address provided is a legitimate address). Add a web form check option to determine if primary met station equipment is LiDAR or not. Information entered into the system can be compiled into a site sheet (XLSX or PDF format), but the information can also be stored in a database for retrieval and query. Automate Top Maps validation checks. Require submitter to enter all is of coordinates for necessary elements on the topo map (project corners, met station location, and/or turbine locations) via a web form. The web form could then cross reference coordinates with the site sheet to confirm all information has



Fall 2021 – Western EIM Sub-Entity Scheduling Coordinator Role		
Project Information	Details/Date	
	 CAISO will send load settlements to each of its utility members instead of by EIM entity. New roles need to be created for non-participating load +SC. New role for EIM-only BAA. >Network Model DFNM expansion to include for PSCO EIM participating and non-participating resources. Dincluded into market network model. >Delineation of LSEs Consumption of market input data that are provided by each utility member. Drovision of detailed market results to EIM entity. >Load Forecast Creation of multiple LAPs for EIM entity. >Load Forecast Creation of OLSED Consumption of Demand Forecast to include utility member for each LAP area that is not using CAISO demand forecast. >Scheduling Desonsumption of Base Schedule from each participating resources' SC. DConsumption of Base Schedule from non-participating resources' SC into BSAP. DConsumption of Base Schedule from non-participating resources' SC into BSAP. DConsumption of Base Schedule from non-participating resources via EIM Entity SC into BSAP. DConsumption of Base Schedule from non-participating resources via EIM Entity SC into BSAP. DConsumption of Base Schedule from participating resources SC into BSAP. DConsumption of Base Schedule from participating resources SC into BSAP. DConsumption of meter data from participating resources SC into BSAP. DConsumption of meter data from participating resources SC into BSAP. DConsumption of meter data from participating resources SC into BSAP. DConsumption of meter data from participating resources SC into BSAP. DConsumption of meter data from participating resources SC into BSAP. DConsumption of meter data from participating resources SC into BSAP. DConsumption of meter data from participating resources SC into BSAP. DConsumption of mete	
	Access to Load settlement statements/invoices information shall be granted to parent EIM Entity SC.	



Fall 2021 – Western EIM Sub-Entity Scheduling Coordinator Role

Project Information	Details/Date
BPM Changes	Energy Imbalance Market (EIM), Market Instruments, Outage Management
Tariff Change	No
Impacted Systems	ALFS, CMRI, Master File, RC-BSAP, RIMS, WebOMS



Fall 2021 – Western EIM Sub-Entity Scheduling Coordinator Role (cont'd)

System	High Level Changes
Automated Load Forecast System (ALFS)	 Provide forecast for 4 load forecast zones: Sum the total load. Consumption of Demand Forecast that are provided by each utility member for each LAP area that is not using CAISO demand forecast. Expansion of CAISO Demand Forecast to include utility member LAPs that are using CAISO demand forecast. Stop consumption of hourly load forecasts for each load forecast area for D+1 and further out from SPP RC. Consumption of hourly load forecasts for each load forecast area for D+1, D+2, D+3, D+4 from EIM entity. Stop consumption of hourly load forecasts for each load forecast area for real-time from SPP RC. Consumption of hourly load forecasts for each load forecast area for real-time from SPP RC. Consumption of hourly load forecasts for each load forecast area for real-time from SPP RC. Consumption of hourly load forecasts for each load forecast area for real-time from SPP RC. Consumption of hourly load forecasts for each load forecast area for real-time from SPP RC. Consumption of hourly load forecasts for each load forecast area for real-time from SPP RC. Consumption of hourly load forecast and forecast area for DACA. (existing functionality). data available for the ALFS forecast engine: Historical meter data. Weather zone and weather station data. EIM provides historic load for each of the 4 load forecast areas. CAISO ALFS will train the forecast each of the 4 load forecast areas. Model market implementation of as its own EIM BAA, ELAP, and include CLAPs for LSEs. Include load in EIM system load. Publish CAISO total and 4 individual load forecasts to downstream systems. (existing functionality) Evaluate performance and data storage.
CAISO Market Results Interface (CMRI)	 Potential System Impact: EIM to Load Base Schedule report (accessed by EIM Entity SC, and Non- Participating Resource SC): Will show multiple registered loads for EIM BAA, showing multiple loads per BAA. Applies to non-participating load SCs for their specific load resources.
Master File (MF)	 System Impact: Define 4 non-participating load SCs to represent each utility member. Define mapping between EIM Entity SC and the non-participating load SCs.
Reliability Coordinator Base Schedule Aggregation Portal (RC-BSAP)	 System Impact: Stop consumption of base schedules for D+1 and further from SPP RC. Stop consumption of base schedules for real-time and further from SPP RC.



Fall 2021 – Western EIM Sub-Entity Scheduling Coordinator Role (cont'd)

System	High Level Changes
Resource Interconnection Management System (RIMS)	 Impact regarding network model data submission. EIM Entity submit model for all its members. Current RIMS access is only available to PTO and RC participants. and related entities (EIM only category) do not fit either of those categories. Accommodations shall be provided. Share network model with SPP RC. Same impact applies to TEP too.
Web Outage Management System (WebOMS)	 Potential System Impact: Stop consumption of EIM Entity SC resource outages from SPP RC. EIM Entity (non-RC West entity) submits resource outages, broken down by ACL Stop consumption of TOP transmission outages from SPP RC. Each TOP (non-RC West entity) submits their transmission outages.



Fall 2021 – EIM Enhancements 2021 Phase 2

Project Information	Details/Date
High Level Business Problem or Need	To collectively address important issues identified by EIM market participants through Customer Inquiry, Dispute and Information system (CIDI) requests to improve the visibility, functions and features in Energy Imbalance Market (EIM).
High Level Project Scope	 Fix/Improve SVG One Lines operator display Allow EIM resources to cycle its unit commitment when base schedules are submitted with three-part economic bids (with specific exceptions detailed) BAAOP: Specify parameters for Shared ramping capability constraint. CMRI: report T-7.5 initial schedule for Resource sufficiency test BAAOP: Separate ETSR Base from ETSR detail display
BPM Changes	EIM, Market Instruments
Tariff Change	Section 29.4
Impacted Systems	RTM/BAAOP, RTM/Integration, CMRI, RTM/BAAOP



Fall 2021 – EIM Enhancements 2021 Phase 2 (cont'd)

Suctor	
System	High Level Changes
Master File (MF)	Define ITC, ETSR association with EIM entities SC
	For the EIM entities that share the same path, if ETSR primary EIM entity SC authorize,
CIDI:	 Associate the other EIM entity SC with ETSR resources. TBD: ETSR and mirror, static intertie resources
226744	For the EIM entities that share the same path, if ITC owner primary EIM entity SC authorize
	 Associate the other EIM entity SC with ITC
226745	TBD: define total ITC for the all ITCs associate of the path of EIM entities for total, instead of market sum up
	• Associate every ETSRs that use this path with total ITC
	 Associate Path operator EIM entity and other EIM entities with total ITC
Real-Time Market (RTM)	Receive association ETSR/ITC with EIM entities
/Balancing Authority	Allow the associated EIM entities to view the ITC and associated ETSR
-	 Add New UI (TBD)ITC detail display in BAAOP, a table of all internal BAA ITCs and shared/global ITC's which should include the
Area Operations Portal	ITC name, import limit, export limit, net flow (cleared value).
(BAAOP)	 Each ITC should have a sub-table displaying each resource included in the ITC with a calculation row with the sum of each data
	column for the market horizon for RTPD and RTD
CIDI:	TBD: monitor ATC Total ITC and associated ETSR
226744	Ensure No impact on existing function
226693	Remove ETSR BASE from ETSR details table
220000	
Deal Time Market (DTM)	Build a new UI for ETSR base
Real-Time Market (RTM)	Within particulate provident during productions in all product displays displays Operities to show data and display with produce durith
/Balancing Authority	• Within system data persistent during market run in all market display: displays Continue to show data on display until replaced with
Area Operations Portal	new data
(BAAOP)	
CIDI: 215444	



Fall 2021 – EIM Enhancements 2021 Phase 2 (cont'd)

System	High Level Changes
Real-Time Market (RTM) /Real-Time Base Schedule (RTBS) Real-Time Market	 Offline units with Base schedule centralized activation/de-activation means of this functionality System shall consider offline resources that are cycling as available for the balancing, bid range capacity, and flexible ramp sufficiency tests if capable for startup within the next hour. Same for shutdown Shared ramping capability constraint
(RTM)	 UI for EIM entity input parameters for ramp sharing Use in the optimization for each resource based on BAA ramp share parameters
CAISO Market Results Interface (CMRI) CIDI: 226745	 Create ITC limit report Receive association ITC with EIM entities Allow the associated EIM entities to view the ITC limits report through ACL Receive the ITC/TCOR/PTST limits from market Create ITC limit report UI/API Create TCOR limit report UI/API TBD: Create PTST limit report UI/API
CAISO Market Results Interface (CMRI)	 Create reports on for each BS test at T-75, T-55, T-40, T-30 Resource T-7.5 initial schedule for BS resource sufficiency (RS) test UI/API Load forecast T-7.5 for RS test UI/API
For CIDI: 225772 226693	
Real-Time Market (RTM)/Real-Time Unit Commitment (RTUC) [(HASP, STUC, FMM)]	 Cycling resource with base schedule in Market centralized activation/de-activation means of this functionality



Fall 2021 – EIM Base Schedule Submission Deadline Phase 2

Project Information	Details/Date
High Level Business Problem or Need	Provide EIM Scheduling Coordinators with additional flexibility to submit more accurate base schedules closer to the operating hour. Allow CAISO and EIM Entities to more accurately capture the startup energy of large conventional resources within their Resource Sufficiency Evaluations (RSE), thus increasing their ability to pass the RSE while lowering their exposure to uninstructed imbalance energy settlement.
High Level Project Scope	 Updates to the base schedule submission timeline Move market closing for the final binding EIM base schedule submissions from T-40 to T-30, and add additional RSE at T-40 Note: Base Schedule Validation outlined in the Policy paper will be covered in existing Market Validation processes so no additional manual or automated business process requirements are needed for Tariff compliance.
BPM Changes	EIM, MI, MO, Settlements
Tariff Change	No
Impacted Systems	RTM, Settlements, BSAP, RCBSAP, ITS, ADS, CMRI/OASIS



Fall 2021 – EIM Base Schedule Submission Deadline Phase 2 (cont'd)

System	High Level Changes
Real-Time Market (RTM)	 Phase 2: Shorten the run time of the current T-37.5 RTPD interval Move start time to after T-30 Result publication remains at T-22.5 Final RSE will begin following T-30 deadline Add additional RSE test
Base Schedule Aggregation Portal (BSAP)	 Phase 2: Send base schedule to market at T-30
Interchange Transaction Scheduler (ITS)	 Phase 2: ITS will need to adjust the timing of RTPD publication checks and adjustments to account for the RTPD change from T-37.5 RTPD to T-30 RTPD 5 run will be decreased to around five and a half minutes RTPD 5 run will be considered late at T-22.5 RTPD 4 should start at T-21.5 Payload times need to be adjusted
CAISO Market Results Interface (CMRI)	 Phase 2: Additional payload consumed at T-30 for test results Receive results from RTPD 5 run by T-22.5



Fall 2021 – Real Time Settlements Review Phase 2

Project Information	Details/Date						
High Level Project Scope	Clarify Tariff language that involves a market rule change that will allow an EIM entity not to settle Unaccounted for Energy (UFE) for each EIM entity.						
BPM Changes	Settlements & Billing						
Tariff Change	29.11 (q), (r), (c) (2), 11.8.6.3						
Impacted Systems	Settlements, Master File, RTBS						

System	High Level Changes					
Settlements	Configuration settlement changes for UFE charge codes					
Master File (MF)	 Need to establish a base transfer system resources at a transfer location between EIM BAAs and the default the Settlement Flag = Y 					
Real Time Base Schedule (RTBS)	 System shall receive the transmission loss percentage from Master File. Note: This requirement moves the maintenance of this data set to Master File. 					



Fall 2021 – Variable Operations & Maintenance Cost Review

Project Information	Details/Date
High Level Business Problem or Need	This project proposes to change the structure of how operations and maintenance (O&M) costs are estimated for use in the CAISO markets. This project is composed of three scope items
High Level Project Scope	 Scope 1: Defining the O&M cost components, including how to differentiate between fixed and variable O&M costs Scope 2: Redefining the VOM adder as only a variable operations (VO) adder Scope 3: Allow market participants to bid in <i>all</i> of their variable maintenance costs through a new default maintenance adder in lieu of the current MMA.
BPM Changes	Market Instruments
Tariff Change	39.7.1.1.2
Impacted Systems	SIBR, Master File, Settlements



Fall 2021 – Variable Operations & Maintenance Cost Review (cont'd)

System	High Level Changes						
Settlements	Scope 1: Potential charge code impacts due to RMR contracts. Policy is in the process of accessing these impacts and will have an update by the time of the Draft Final Proposal publication.						
Scheduling Infrastructure Business Rules (SIBR)	<u>Scope 3:</u> SIBR will receive the Maintenance Adder (MA) from Master File. System must be enhanced to perform an automated calculation for a resource specific maintenance adder (<i>RSMA = Default MA * Resource's Pmax</i>), if the resource has elected for the default MA. If the resource has elected for a negotiated MA, the value can be used directly without the need to multiply with the Pmax. Potential performance impact due to the number of resources applying for default maintenance adder (10x as many hydro resources as today and 2x as many gas resources as today). SIBR rules will need to be updated to reflect the latest terminology: Major Maintenance Adder to new term "Default Maintenance Adder".						
Master File	Scope 2: Default Variable Operations (VO) Adder and Maintenance Adder (MA) will be stored against the technology type. Two new data sets must be stored:						
	-Default VO Adder to Technology Type Mapping – new						
	- Default MA to Technology type mapping – new						
	Two new flags will need to be added at the resource/configuration level:						
	 Default or Negotiated VO Adder (naming change: VO adder replaces the O&M adder) 						
	• Default or Negotiated Maintenance adder (new)						
	Two new columns to store the VO adder and MA adder at the resource/configuration level. Depending on whether the resource/configuration has selected default or negotiated, one of these values will be displaced in these new columns for both adders.						
	The two new flags and the two new adder values must be visible within the Resource Data Template (RDT).						
	The current database table that is based on technology type needs to be updated with the latest values outlined within the Revised Straw Proposal policy paper. Additional technology types may need to be added.						
	Scope 3: Only the final calculated default Maintenance Adder (MA) will be stored against the technology type (can either be in \$/run-hour or \$/start-up).						



Fall 2021 – Intertie Shadow Pricing Resolution

Project	Details/Date				
Information					
	What: Fix AS shadow price ambiguity in OASIS.				
High Level Business Opportunity	When: It occurs at the Malin500 intertie 4-5 days per year.				
	Why do we have this opportunity: The shadow price is appearing in OASIS, however it is not labelled as being for AS, and thus participants incorrectly assume it is for EA. This causes confusion when it does not match expected shadow prices.				
High Level Project Scope	Add a feature to OASIS to indicate whether shadow prices are from ancillary services alone (AS) or Energy + Ancillary Services (EA)				
Coope	Use AS shadow price in calculating AS resource price				
BPM Changes	Market Instruments				
Tariff Change	11.10.1.1, 11.10.1.2.1				
Impacted Systems	OASIS, Settlements				
System	High Level Changes				
OASIS	Existing OASIS shadow-price related reports to indicate whether the Intertie Transmission Constraint (ITC) or Intertie Scheduling Limit (ISL) Shadow Price was congested due to either (1) Energy and Ancillary Service [EA] or (2) Ancillary Service [AS] only for each market interval				
	(suggested identifier attribute "Limit Type").				
	 (suggested identifier attribute "Limit Type"). Market runs DA, RTPD, RTD = report: Intertie Constraint Shadow Prices 				
	 Market runs DA, RTPD, RTD = report: Intertie Constraint Shadow Prices 				
	 Market runs DA, RTPD, RTD = report: Intertie Constraint Shadow Prices Market run real-time Contingency Dispatch = report: Contingency Dispatch Intertie Constraint Shadow Prices Market runs DA, RTPD, RTD MPM process = report: MPM Intertie Constraint Shadow Prices The report must publish the market output "Limit Type" result per interval, as well any post-market corrections. 				
Settlements	 Market runs DA, RTPD, RTD = report: Intertie Constraint Shadow Prices Market run real-time Contingency Dispatch = report: Contingency Dispatch Intertie Constraint Shadow Prices Market runs DA, RTPD, RTD MPM process = report: MPM Intertie Constraint Shadow Prices The report must publish the market output "Limit Type" result per interval, as well any post-market corrections. Settlements shall map to TIE CONGESTION component to define AS Imports Congestion Shadow Price in the import & export direction. 				
Settlements	 Market runs DA, RTPD, RTD = report: Intertie Constraint Shadow Prices Market run real-time Contingency Dispatch = report: Contingency Dispatch Intertie Constraint Shadow Prices Market runs DA, RTPD, RTD MPM process = report: MPM Intertie Constraint Shadow Prices The report must publish the market output "Limit Type" result per interval, as well any post-market corrections. 				
Settlements	 Market runs DA, RTPD, RTD = report: Intertie Constraint Shadow Prices Market run real-time Contingency Dispatch = report: Contingency Dispatch Intertie Constraint Shadow Prices Market runs DA, RTPD, RTD MPM process = report: MPM Intertie Constraint Shadow Prices The report must publish the market output "Limit Type" result per interval, as well any post-market corrections. Settlements shall map to TIE CONGESTION component to define AS Imports Congestion Shadow Price in the import & export direction. For Regulation Up, Non-Spinning Reserve, and Spinning Reserve, the tie congestion component will reflect the shadow prices of EA 				
Settlements	 Market runs DA, RTPD, RTD = report: Intertie Constraint Shadow Prices Market run real-time Contingency Dispatch = report: Contingency Dispatch Intertie Constraint Shadow Prices Market runs DA, RTPD, RTD MPM process = report: MPM Intertie Constraint Shadow Prices The report must publish the market output "Limit Type" result per interval, as well any post-market corrections. Settlements shall map to TIE CONGESTION component to define AS Imports Congestion Shadow Price in the import & export direction. For Regulation Up, Non-Spinning Reserve, and Spinning Reserve, the tie congestion component will reflect the shadow prices of EA and AS type in the import direction. 				

2022 Spring Release



Spring 2022 – EIM integrations for Avista, BPA, Tacoma Power, Xcel Energy - Colorado, Tucson Electric Power

Project Info	Details/Date
Application Software Changes	Implementation of Avista, BPA, Tacoma Power, Xcel Energy - Colorado, and Tucson Electric Power as EIM Entities
BPM Changes	EIM BPM will be updated if needed to reflect new modeling scenarios identified during implementation and feedback from BANC Phase 2, TID, PNM, LADWP, and NWE.
Market Simulation	October 1, 2021 - February 3, 2022
Parallel Operations	February 2022 thru March 2022

Milestone Type	Milestone Name	Dates					
		Avista	ВРА	Tacoma Power	Xcel Energy - Colorado	Tucson Electric Power	Status
Market Sim	Market Sim Window	10/1/21 - 11/30/21	10/1/21 - 11/30/21	10/4/21 - 12/3/21	12/1/21 - 1/26/21	12/1/20 - 1/31/21	
Parallel Operations	Parallel Operations	Feb 2020 thru Mar 2022					
Tariff	File Readiness Certification	Mar 2022					
Production	Activation	3/2/22	3/2/22	3/2/22	4/1/22	4/1/22	



Stay Informed



Ways to participate in releases

- Visit the Release Planning page
 - <u>http://www.caiso.com/informed/Pages/ReleasePlanning/Default.aspx</u>
- Attend meetings
 - Release Users Group (RUG) bi-weekly meetings
 - Initiative status updates
 - System change updates on independent releases
 - Market Simulation calls
 - Visit the ISO calendar at <u>www.caiso.com</u> for meeting dates and times and add events to your calendar
 - Typically held on Mondays and Thursdays
 - Market Performance and Planning Forum
 - Bi-monthly review of market performance issues
 - High level discussion of release planning, implementation and new market
 enhancements



What to look for on the calendar...



