

April 15, 2015

The Honorable Kimberly D. Bose Secretary Federal Energy Regulatory Commission 888 First Street, NE Washington, DC 20426

Re: California Independent System Operator Corporation Docket Nos. ER08-1178-____, and EL08-88-___ February 2015 Exceptional Dispatch Report (Chart 1 data)

Dear Secretary Bose:

Pursuant to the Commission's September 2, 2009 and May 4, 2010 orders in the above referenced dockets, the California Independent System Operator Corporation submits the attached report. The attached report provides details concerning Exceptional Dispatches the Commission directed to be included in "Chart 1" as set forth in Appendix A of the September 2 order, as modified by the ISO's September 14 motion for clarification, which the Commission granted in its May 4 order. The attached report provides Chart 1 data for the month of February 2015.

Respectfully submitted,

By: /s/ Sidney M. Davies

Roger E. Collanton
General Counsel
Sidney M. Davies
Assistant General Counsel
California Independent System
Operator Corporation
250 Outcropping Way
Folsom, CA 95630
Tel: (916) 608-7144

Fax (916) 608-7222 sdavies@casio.com



Exceptional Dispatch Report

Table 1: February 2015

CAISO Market Quality and Renewable Integration

April 15, 2015

TABLE OF CONTENTS

Introduction	3
The Nature of Exceptional Dispatch	
Appendix A: Explanation by Example	
Example 1: Exceptional Dispatch Instructions Prior to DAM	10
Example 2: Incremental Exceptional Dispatch Instructions in RTM	11
Example 3: Decremental Exceptional Dispatch Instructions in RTM	13
LIST OF TABLES AND FIGURES Table 1: Exceptional Dispatches in February 2015	5
	5
Table 2: Instructions Prior to Day-Ahead Market	
Table 3: FERC Summary of Instructions Prior to DAM	
Table 4: Incremental Exceptional Dispatch Instructions in RTM	
Table 5: FERC Summary of ED Instructions in RTM	
Table 6: Decremental Exceptional Dispatch Instructions in RTM	
Table 7: FERC Summary of Decremental ED Instructions in RTM	13

Introduction

This report is filed pursuant to FERC's September 2, 2009 and June 4, 2010 orders in ER08-1178. These orders require two monthly Exceptional Dispatch reports—one issued on the 15th of each month and one issued on the 30th of each month. This report provides data on the frequency and reasons for Exceptional Dispatches issued in February 2015

The Nature of Exceptional Dispatch

The CAISO can issue exceptional dispatch instructions for a resource as a preday-ahead unit commitment, which may also include an indicative exceptional dispatch energy schedule, a post-day-ahead unit commitment, or a real-time exceptional dispatch¹. A pre-day-ahead commitment is an exceptional dispatch instruction that commits a resource at or above its physical minimum operating level in the day-ahead market. A post-day-ahead market commitment is an exceptional dispatch instruction that commits a resource at or above its physical minimum operating level in the real-time market. A real-time exceptional dispatch instruction is a dispatch of a resource at or above its physical minimum operating point. For the purposes of this report, a real-time exceptional dispatch above the resource day-ahead award is considered an incremental exceptional dispatch instruction and an exceptional dispatch below the day-ahead award is considered a decremental dispatch instruction.

The CAISO issues exceptional dispatch instructions to maintain the reliability of the grid when the market software cannot do so. Whenever the CAISO issues an exceptional dispatch instruction, the operator logs the dispatch and the associated reason.

Many of the exceptional dispatches listed below in Table 1, were to satisfy either a local area or system reliability requirements, and are classified into local generation requirements, transmission management requirements, non-modeled transmission outages or other non-modeled constraints or requirements and intertie emergency assistance. All of the transmission procedures are available on the CAISO website².

The following reason for exceptional dispatch instructions in February 2015 was not related to specific generation or transmission operating procedures: Software Limitation, when an exceptional dispatch instruction was used to bridge schedules across days for resources with a minimum down time of 24 hours, as the CAISO software does not handle multi day commitment. For instance, a resource has a day-ahead schedule from 0600 till 2300, and then is shut down in

_

¹ The CAISO can issue exceptional dispatch instructions subject to authority of the CAISO Tariff Section 34.9 and in accordance with CAISO Operating Procedure 2330 (formerly M-402).

² A list of all of the CAISO's publicly available Operating Procedures are available at the following link: http://www.caiso.com/thegrid/operations/opsdoc/index.html

2400. If this resource had a minimum down time of 24 hours and it is required the following day, then the CAISO issues an exceptional dispatch to commit this resource in 2400 so that it can be dispatched economically in the following day. Software limitation reason was also used for exceptional dispatches to manually issue shut down instructions to a resource because of a temporary Automatic Dispatch System ("ADS") failure, or similar issues. There were a few other reasons used to explain exceptional dispatch instructions in February 2015, which are self-explanatory.

As mentioned earlier, the data shown in Table 1 is based on a template specified in the September 2009 order³. Each entry in Attachment A is a summary of exceptional dispatches classified by (1) the reason for the exceptional dispatch; (2) the location of the resource by Participating Transmission Owner ("PTO") service area; (3) the Local Reliability Area ("LRA") where applicable; (4) the market in which the exceptional dispatch occurred (day-ahead vs. real-time); and (5) the date of the exceptional dispatch. For each classification the following information is provided: (1) Megawatts (MW); (2) Commitment (3) Inc or Dec (4) Hours; (5) Begin Time; and (6) End Time.

The MW column shows the range of exceptional dispatch instructions in MW for the classification. The Commitment column specifies if there was a unit commitment for the classification. The INC/DEC/NA column specifies if there was an incremental dispatch, a decremental dispatch, or only a unit commitment. If the exceptional dispatch was only a unit commitment, the column shows NA for the classification. The Begin Time column shows the start of exceptional dispatch for the classification and the End Time column shows the end of exceptional dispatch for the classification. The column Hours is the difference between end time and begin time rounded up to the next hour. The data shown is further explained by way of example in Attachment A.

Table 1 indicates that there were a total of 94 exceptional dispatches in February 2015, as compared to 109 exceptional dispatches in January 2015. Exceptional dispatches issued for the following reasons accounted for approximately 60 percent of the total exceptional dispatches during the reporting period: start up instructions, planned transmission outages and software limitations and operating procedure numbers.

CAISO\Market Quality and Renewable Integration

³ The data in Table 1 is principally SLIC information supplemented with data from the Market Quality System (MQS). It is the most accurate currently available and it is worth noting that this data has been through the T+38B initial statement process wherein many unresolved issues are fixed. The CAISO believes that this data will correlate well with the settlements data that will be available when the CAISO files the Table 2 report for the reporting period.

Table 1: Exceptional Dispatches in February 2015

California Independent System Operator Corporation Exceptional Dispatch Report April 15, 2015

Chart 1: Table of Exceptional Dispatches for Period 01/February/2015 - 28/February/2015

	Mar						Co				
Num	ket Typ		Locatio	Local Reliability			mm itm	INC	Hou	Begin	End
ber	e	Reason	n	Area	Trade Date	MW	ent	DEC	rs	Time	Time
1	RT	Fast Start Unit Management	SDG&E	San Diego-IV	2/7/2015	0	No	INC	2	3:50	5:14
2	RT	Incomplete or Inaccurate Transmission	SCE	N/A	2/5/2015	172	No	INC	16	2:00	17:59
3	RT	Load Forecast Uncertainty	PG&E	N/A	2/9/2015	180	No	INC	14	10:00	23:59
4	RT	Load Forecast Uncertainty	SDG&E	San Diego-IV	2/14/2015	20	No	INC	22	2:00	23:59
5	RT	Market Disruption	PG&E	Bay Area	2/7/2015	120- 148	No	INC	1	19:25	20:19
6	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	2/5/2015	28- 60	No	INC	6	2:05	7:59
7	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	2/13/2015	10- 88	No	INC	17	7:30	23:59
8	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	2/14/2015	12- 15	No	INC	1	23:10	23:59
9	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	2/15/2015	32	No	INC	2	22:10	23:59
10	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	2/16/2015	16- 149	No	INC	24	0:00	23:59
11	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	2/17/2015	14- 56	No	INC	24	0:00	23:59
12	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	2/18/2015	16	No	INC	7	16:00	22:59
13	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	2/19/2015	12- 24	No	INC	9	15:00	23:29
14	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	2/24/2015	12	No	INC	4	6:48	10:44
15	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	2/26/2015	16- 40	No	INC	15	9:05	23:59
16	RT	Operating Procedure Number and Constraint	PG&E	Humboldt	2/27/2015	23- 74	No	INC	14	8:35	21:59
17	RT	Operating Procedure Number and Constraint	PG&E	NCNB	2/7/2015	75- 80	No	INC	8	1:17	8:59
18	RT	Operating Procedure Number and Constraint	SDG&E	San Diego-IV	2/18/2015	45- 90	No	INC	3	8:27	11:04
19	RT	Other Reliability Requirement	PG&E	N/A	2/25/2015	0	No	INC	3	8:05	10:14
20	RT	Other Reliability Requirement	PG&E	Sierra	2/25/2015	0	No	INC	1	8:15	8:19

	Mar ket						Co mm				
Num	Тур		Locatio	Local Reliability			itm	INC_	Hou	Begin	End
ber	е	Reason	n	Area	Trade Date	MW	ent	DEC	rs	Time	Time
21	RT	Other Reliability Requirement	SCE	LA Basin	2/25/2015	510	No	INC	1	7:44	7:59
22	RT	Other Reliability Requirement	SCE	N/A	2/21/2015	340	No	INC	8	9:00	16:59
23	RT	Other Reliability Requirement	SDG&E	San Diego-IV	2/14/2015	100- 200	No	INC	7	14:50	21:14
24	RT	Over Generation	PG&E	Fresno	2/27/2015	-314	No	INC	2	12:20	13:59
25	RT	Over Generation	PG&E	N/A	2/14/2015	0	No	INC	1	4:05	4:19
26	RT	Over Generation	PG&E	Sierra	2/14/2015	0	No	INC	1	4:05	4:19
27	RT	Over Generation	SCE	LA Basin	2/27/2015	255	No	INC	7	8:20	14:59
28	RT	Planned transmission outage	SDG&E	San Diego-IV	2/3/2015	20	No	INC	18	6:00	23:59
29	RT	Planned Transmission Outage and Constraint	PG&E	Bay Area	2/21/2015	253	No	INC	19	1:00	19:59
30	RT	Planned Transmission Outage and Constraint	PG&E	Bay Area	2/24/2015	180- 320	No	INC	10	9:53	18:59
31	RT	Planned Transmission Outage and Constraint	PG&E	Fresno	2/28/2015	22	No	INC	10	9:00	18:59
32	RT	Planned Transmission Outage and Constraint	PG&E	Humboldt	2/2/2015	60- 88	No	INC	6	16:40	21:59
33	RT	Planned Transmission Outage and Constraint	PG&E	Humboldt	2/3/2015	40	No	INC	3	18:45	21:29
34	RT	Planned Transmission Outage and Constraint	PG&E	Humboldt	2/4/2015	44- 84	No	INC	6	18:05	23:59
35	RT	Planned Transmission Outage and Constraint	PG&E	Humboldt	2/5/2015	16- 68	No	INC	8	16:25	23:59
36	RT	Planned Transmission Outage and Constraint	PG&E	Humboldt	2/6/2015	28- 84	No	INC	5	16:50	20:59
37	RT	Planned Transmission Outage and Constraint	PG&E	Humboldt	2/9/2015	92	No	INC	6	16:30	21:59
38	RT	Planned Transmission Outage and Constraint	PG&E	Humboldt	2/10/2015	102	No	INC	5	17:21	21:59
39	RT	Planned Transmission Outage and Constraint	PG&E	Humboldt	2/11/2015	10- 140	No	INC	15	8:40	22:59

	Mar ket						Co				
Num	Тур		Locatio	Local Reliability			itm	INC_	Hou	Begin	End
ber	е	Reason	n	Area	Trade Date	MW	ent	DEC	rs	Time	Time
40	RT	Planned Transmission Outage and Constraint	PG&E	Humboldt	2/12/2015	60- 90	No	INC	5	17:56	21:59
41	RT	Planned Transmission Outage and Constraint	PG&E	Humboldt	2/24/2015	12	No	INC	11	10:20	20:59
42	RT	Planned Transmission Outage and Constraint	PG&E	Humboldt	2/25/2015	16- 32	No	INC	13	9:20	21:59
43	RT	Planned Transmission Outage and Constraint	PG&E	Sierra	2/20/2015	10- 40	No	INC	4	13:10	16:29
44	RT	Planned Transmission Outage and Constraint	SCE	LA Basin	2/1/2015	20	No	INC	5	12:00	16:59
45	RT	Planned Transmission Outage and Constraint	SCE	N/A	2/5/2015	172	No	INC	2	18:05	19:09
46	RT	Planned Transmission Outage and Constraint	SCE	N/A	2/6/2015	172	No	INC	16	2:00	17:59
47	RT	Shutdown	PG&E	Fresno	2/22/2015	0	No	INC	1	0:15	0:54
48	RT	Shutdown	SCE	LA Basin	2/11/2015	0	No	INC	1	11:00	11:59
49	RT	Shutdown	SCE	LA Basin	2/17/2015	0	No	INC	1	10:30	11:24
50	RT	Shutdown	SCE	LA Basin	2/21/2015	0	No	INC	1	1:05	2:04
51	RT	Shutdown	SCE	LA Basin	2/22/2015	0	No	INC	1	0:00	0:59
52	RT	Shutdown	SCE	LA Basin	2/23/2015	0	No	INC	23	1:45	23:59
53	RT	Shutdown	SCE	LA Basin	2/24/2015	0	No	INC	1	0:00	0:44
54	RT	Software Limitation	PG&E	Fresno	2/8/2015	-316	No	INC	2	1:15	2:59
55	RT	Software Limitation	PG&E	N/A	2/11/2015	0	No	INC	1	18:25	19:24
56	RT	Software Limitation	PG&E	N/A	2/18/2015	0	No	INC	3	19:15	21:59
57	RT	Software Limitation	PG&E	N/A	2/19/2015	0	No	INC	4	16:30	19:39
58	RT	Software Limitation	PG&E	N/A	2/23/2015	0	No	INC	4	20:20	23:59
59	RT	Software Limitation	PG&E	N/A	2/26/2015	0	No	INC	1	20:25	21:19
60	RT	Software Limitation	PG&E	N/A	2/27/2015	0	No	INC	5	16:25	20:59
61	RT	Software Limitation	SCE	LA Basin	2/23/2015	0	No	INC	1	23:25	23:59
62	RT	Software Limitation	SCE	LA Basin	2/24/2015	0	No	INC	1	0:00	0:24

	Mar ket						Co				
Num	Typ		Locatio	Local Reliability			mm itm	INC	Hou	Begin	End
ber	e e	Reason	n	Area	Trade Date	MW	ent	DEC	rs	Time	Time
63	RT	Software Limitation	SDG&E	San Diego-IV	2/10/2015	280	No	INC	5	19:20	23:59
64	RT	Software Limitation	SDG&E	San Diego-IV	2/13/2015	242	No	INC	2	21:55	22:59
65	RT	Software Limitation	SDG&E	San Diego-IV	2/17/2015	0	No	INC	1	4:45	5:44
66	RT	Software Limitation	SDG&E	San Diego-IV	2/19/2015	0	No	INC	1	4:57	5:29
67	RT	Startup	PG&E	Fresno	2/7/2015	49	No	INC	1	2:15	2:29
68	RT	Startup	SCE	Big Creek- Ventura	2/7/2015	47	No	INC	1	2:15	2:29
69	RT	Startup	SCE	LA Basin	2/7/2015	525	No	INC	1	2:15	2:29
70	RT	Startup	SDG&E	San Diego-IV	2/7/2015	108	No	INC	1	2:15	2:29
71	RT	Start-Up Instructions	PG&E	Bay Area	2/7/2015	0	No	INC	2	20:20	21:24
72	RT	Start-Up Instructions	PG&E	Fresno	2/20/2015	83- 415	No	INC	5	12:45	16:59
73	RT	Start-Up Instructions	PG&E	Fresno	2/21/2015	0	No	INC	1	23:55	23:59
74	RT	Start-Up Instructions	PG&E	Fresno	2/22/2015	0	No	INC	1	0:00	0:54
75	RT	Start-Up Instructions	PG&E	Humboldt	2/13/2015	10	No	INC	1	7:10	7:54
76	RT	Start-Up Instructions	SCE	Big Creek- Ventura	2/7/2015	0	No	INC	1	4:45	5:44
77	RT	Start-Up Instructions	SCE	LA Basin	2/2/2015	0	No	INC	15	9:00	23:59
78	RT	Start-Up Instructions	SCE	LA Basin	2/7/2015	0	No	INC	3	3:45	6:19
79	RT	Start-Up Instructions	SCE	LA Basin	2/12/2015	0	No	INC	1	17:05	17:14
80	RT	Start-Up Instructions	SCE	LA Basin	2/17/2015	0	No	INC	1	10:30	11:24
81	RT	Start-Up Instructions	SCE	LA Basin	2/23/2015	0	No	INC	10	14:20	23:59
82	RT	Start-Up Instructions	SCE	LA Basin	2/24/2015	0	No	INC	1	0:00	0:29
83	RT	Unit Testing	PG&E	Bay Area	2/9/2015	150	No	INC	2	19:07	20:19
84	RT	Unit Testing	PG&E	Fresno	2/3/2015	12	No	INC	8	11:10	18:59
85	RT	Unit Testing	PG&E	Fresno	2/4/2015	6 - 12	No	INC	7	12:00	18:59
86	RT	Unplanned Outage	PG&E	Bay Area	2/19/2015	64	No	INC	8	14:00	21:59
87	RT	Unplanned Outage	PG&E	Stockton	2/19/2015	89	No	INC	9	14:00	22:29
88	RT	Unplanned Outage	SDG&E	San Diego-IV	2/12/2015	155	No	INC	1	23:12	23:59
89	RT	Unplanned Outage	SDG&E	San Diego-IV	2/14/2015	275	No	INC	5	15:50	19:59

Num ber	Mar ket Typ	Reason	Locatio	Local Reliability Area	Trade Date	MW	Co mm itm ent	INC_ DEC	Hou	Begin Time	End Time
	RT		n DC ° E						rs		
90	ΚI	Voltage Support	PG&E	Sierra	2/4/2015	20	No	INC		12:16	13:29
91	RT	Voltage Support	SCE	N/A	2/19/2015	344	No	INC	7	17:00	23:59
92	RT	Voltage Support	SCE	N/A	2/20/2015	172	No	INC	17	7:30	23:59
93	RT	Voltage Support	SCE	N/A	2/21/2015	172	No	INC	23	1:20	23:59
94	RT	Voltage Support	SCE	N/A	2/22/2015	172	No	INC	9	15:10	23:59

Appendix A: Explanation by Example

All examples listed below are based on fictitious data.

Example 1: Exceptional Dispatch Instructions Prior to DAM

In this fictitious example, the CAISO issued an exceptional dispatch instruction for resource A to be committed at its physical minimum (Pmin) of 50 MW from hours ending 5 through 10 for a generation procedure 7630. Similarly, the CAISO issued additional instructions to resources B and C for the same reason as shown in Table 2. Generally, exceptional dispatches prior to the day-ahead market are commitments to minimum load. In this case the dispatch levels are all at minimum load.

Table 2: Instructions Prior to Day-Ahead Market

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch Level (MW)	Reason
01-Jul-09	DA	Α	SCE	LA BASIN	05:00	10:00	50	7630
01-Jul-09	DA	В	SCE	LA BASIN	08:00	20:00	30	7630
01-Jul-09	DA	С	SCE	LA BASIN	09:00	23:00	20	7630

This data is summarized as shown in Table 3, which is the prescribed format specified in the FERC order on September 02, 2009. This summary classifies the data by reason, resource location, local reliability area, and trade date. The MW column in Table 3 is the range of MW; in this case the minimum instruction MW is 20 MW for resource C which occurs from hours ending 21 through 23. The maximum instruction occurs in hour ending 10. In this hour resource A is committed at 50 MW, resource B is committed at 30 MW and resource C is committed at 20 MW. This adds up to 100 MW. Thus the MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. Commitments are broken out separately from energy dispatches. In the day-ahead, however the exceptional dispatches are nearly always just commitments, as in this example. The Begin Time column shows hour ending 5 as this was the hour ending for first dispatch of the day, and the End Time column shows hour ending 23, as this was the hour with last dispatch. It is also possible that there might be some hours between the begin time and the end time where there might not be exceptional dispatch instructions for the given reason, meaning that the range between the begin time and end time can include null hours with no dispatch.

Table 3: FERC Summary of Instructions Prior to DAM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time
1	DA	7630	SCE	LA Basin	1-Jul-09	20- 100	Yes	N/A	19	05:00	23:00

Example 2: Incremental Exceptional Dispatch Instructions in RTM

In this fictitious example, the CAISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 30 MW from hours ending 7 through 11 after completion of the day-ahead market for the transmission procedure 7110. This resource did not have a day-ahead award in those hours. The CAISO issued another exceptional dispatch instruction to resource B, to be dispatched at 40 MW from hours ending 8 through 9 in real-time for the transmission procedure 7110. This resource had a day-ahead schedule of 20 MW from the day-ahead market, which implies that this exceptional dispatch instruction was an incremental instruction and the exceptional dispatch MW was 20 MW. Similarly, the details of exceptional dispatch (ED) instruction for resource C are shown in Table 4.

Table 4: Incremental Exceptional Dispatch Instructions in RTM

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch Level (MW)	Day- Ahead Award (MW)	Commitment	INC/DEC	ED (MW)	Reason
01-Jul-09	RT	Α	PG&E	Humboldt	06:00	11:00	30	0	Yes	INC	30	7110
01-Jul-09	RT	В	PG&E	Humboldt	07:00	09:00	40	20	No	INC	20	7110
01-Jul-09	RT	С	PG&E	Humboldt	12:00	15:00	50	50	No	INC	0	7110
01-Jul-09	RT	С	PG&E	Humboldt	16:00	20:00	50	40	No	INC	10	7110

This data is summarized as shown in Table 5 and is classified by reason, resource location, local reliability area, and trade date. The MW column in Table 5 is the range of MW; in this case the minimum instruction MW is 0 MW for resource C which occurs from hours ending 13 through 15. The maximum instruction occurs in hours ending 8 & 9, as during these two hours both resources A and B have an ED MW of 30MW and 20MW, respectively. This adds up to 50 MW. Thus the MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. This column shows a commitment if there was a single commitment in the entire interval of exceptional dispatch. The Begin Time column shows the time of the first dispatch of the day. This is a time not a range. Similarly the End Time column shows a time and not a range. Exceptional dispatches occurred between these two times. Since there was a commitment between the begin time and end time then the Commitment column displays yes for the summary. Similarly, the INC/DEC column shows an INC as there was an incremental dispatch between the begin time and end time. As mentioned in the previous example it is possible that there might be some hours between the begin time and end time where there were no exceptional dispatch instructions for the given reason.

Table 5: FERC Summary of ED Instructions in RTM

٠	Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time
	1	RT	7110	PG&E	Humboldt	1-Jul-09	0-50	Yes	INC	15	06:00	20:00

Example 3: Decremental Exceptional Dispatch Instructions in RTM

This example highlights decremental exceptional dispatch instructions in the real-time market. In this fictitious example the CAISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 20 MW from hours ending 15 through 20 after completion of the day-ahead market for the transmission procedure 7430. The CAISO issued additional exceptional dispatch instructions for resources B and C; details of those instructions are shown in Table 6.

Table 6: Decremental Exceptional Dispatch Instructions in RTM

Date	Market Type	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch Level (MW)	Day- Ahead Award (MW)	Commitment	INC/ DEC	ED (MW)	Reason
01-Jul-09	RT	Α	PG&E	Fresno	15:00	20:00	20	0	Yes	INC	20	7430
01-Jul-09	RT	В	PG&E	Fresno	07:00	09:00	40	60	No	DEC	20	7430
01-Jul-09	RT	С	PG&E	Fresno	10:00	14:00	40	50	No	DEC	10	7430

This data is summarized according to FERC convention as shown in Table 7. This summary classifies the data by reason, resource location, local reliability area, and trade date. Please note that inc and dec are broken out separately. The inc entry is self-explanatory and similar to the previous example. Regarding the dec entry the MW column is the range of MW; in this case the minimum dec instruction is 10 MW (actually -10MW as it is a dec) for resource C which occurs from hours ending 10 through 14. The maximum instruction occurs from hours ending 7 through 9, when resource B was issued a dec instruction of 20 MW. Thus the MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time.

Table 7: FERC Summary of Decremental ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time
1	RT	7430	PG&E	Fresno	1-Jul-09	20	Yes	INC	6	15:00	20:00
1	RT	7430	PG&E	Fresno	1-Jul-09	10-20	Yes	DEC	8	07:00	14:00

CERTIFICATE OF SERVICE

I hereby certify that I have served the foregoing document upon the parties listed on the official service lists in the above-referenced proceedings, in accordance with the requirements of Rule 2010 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2010).

Dated at Folsom, California this 15th day of April 2015.

Isl anna Pascuzzo