California Independent System Operator Corporation



April 8, 2020

The Honorable Kimberly D. Bose Secretary Federal Energy Regulatory Commission 888 First Street, NE Washington, DC 20426

#### Re: California Independent System Operator Corporation Docket No. ER15-861-\_\_\_\_ Energy Imbalance Market – Fourth Quarter 2018 Available Balancing Capacity Report

Dear Secretary Bose:

The California Independent System Operator Corporation (CAISO) hereby submits its quarterly informational report for the fourth quarter of 2018 (October 1 to December 31, 2018) on the Available Balancing Capacity (ABC) enhancement for the western Energy Imbalance Market (EIM). The quarterly informational report is to provide the Commission with information on the performance of the ABC enhancement and to provide the same information the CAISO provides in its monthly informational reports submitted during an EIM entity's first six-month transition period.

Consistent with the Commission's directive in the December 17, 2015 order, the CAISO will continue to file such quarterly reports for at least the first year after implementation of the ABC enhancement, or until the Commission finds the quarterly informational reports are no longer needed.

Please contact the undersigned with any questions.

Respectfully submitted

#### By: /s/ Anna A. McKenna

Roger E. Collanton General Counsel Anna A. McKenna Assistant General Counsel California Independent System Operator Corporation 250 Outcropping Way Folsom, CA 95630 Tel: (916) 608-7182 Fax: (916) 608-7222 amckenna@caiso.com



Energy Imbalance Market October 1 – December 31, 2018 Available Balancing Capacity Report

April 8, 2020

California ISO Department of Market Quality and Renewable Integration

# Table of Contents

Ι.	Background Highlights		3
II.			4
III.		le Balancing Capacity	
	A.	Available Balancing Capacity Submitted to the Market	5
	В.	Resources Supporting Available Balancing Capacity	12
	C.	Available Balancing Capacity and Power Balance Constraint Infeasibilities	15
IV.	EIM Pe	rformance	24
	A.	Prices	24
	В.	Frequency of Power Balance Constraint Relaxation	30
	C.	Balancing and Sufficiency Test Failures	36
	D.	Flexible Ramping Constraint Infeasibilities	44

# I. Background

On December 17, 2015, the Federal Energy Regulatory Commission (Commission) approved the California Independent System Operator Corporation's (CAISO) proposed tariff revisions to comply with the Commission's July 20, 2015 order in FERC Docket No. ER15-861-006.<sup>1</sup> The CAISO's proposed tariff provisions enhanced the western Energy Imbalance Market (EIM) functionality so that the market systems automatically recognize and account for capacity an EIM entity has available to maintain reliable operations in its own balancing authority area (BAA), but has not been bid into the EIM.<sup>2</sup> This enhancement is referred to as the Available Balancing Capacity (ABC) enhancement. The CAISO implemented the ABC enhancement on March 23, 2016.

Consistent with the CAISO's commitments made in this proceeding, the Commission directed the CAISO to prepare and file with the Commission quarterly informational reports for at least the first year after implementation of the ABC enhancement, and until the Commission finds the quarterly informational reports are no longer needed.<sup>3</sup> The quarterly informational reports are to provide information on the performance of the ABC enhancement and to include the same information the CAISO provides in its monthly informational reports submitted during an EIM entity's first sixmonth transition period.<sup>4</sup>

<sup>&</sup>lt;sup>1</sup> *Cal. Indep. Sys. Operator Corp.*, 152 FERC ¶ 61,060 (2015) (July 20 Order); and *Cal. Indep. Sys. Operator Corp.*, 153 FERC ¶ 61, 305 (2015) (December 17 Order).

<sup>&</sup>lt;sup>2</sup> December 17 Order at P 1.

<sup>&</sup>lt;sup>3</sup> December 17 Order at P 99

<sup>&</sup>lt;sup>4</sup> December 17 Order at P 39.


# II. Highlights


- The CAISO implemented the ABC enhancement on March 23, 2016. During the fourth quarter of 2018, there were no EIM entities under the transitional period or tariff provisions for price discovery.
- The Powerex, NV Energy, and PSE BAAs submitted ABC in nearly all intervals of the fourth quarter of 2018; this contrasts with the lower frequency of ABC submitted by other EIM entities.
- The EIM dispatched ABC, in either upward or downward direction very infrequently, as high as three percent for the APS BAA, but as low as zero percent in other EIM BAAs.
- The APS BAA used as many as eight different resources to support their ABC submissions.
- Overall, the impact of ABC was low, based on the relative low frequency of scheduling and availability when power constraint infeasibilities were observed.

# III. Available Balancing Capacity

# A. Available Balancing Capacity Submitted to the Market

Each EIM entity can identify and set the amount of ABC they will make available to the CAISO and the resources supporting this capacity through its EIM entities resource plan. The EIM entity submits this capacity to the CAISO on an hourly basis, and it is available for both the Fifteen-Minute Market (FMM) and the five-minute Real-Time Dispatch (RTD). Figures 1 through 12 show the ABC made available in each of the EIM BAAs: PacifiCorp West (PAC West), PacifiCorp East (PAC East), NV Energy, Arizona Public Service (APS), Puget Sound Energy (PSE), and Powerex (PWRX). Portland General Electric (PGE) and Idaho Power Corporation (IPCO) did not submit any ABC bids in the fourth quarter of 2018 thus are not included graphically below. For each BAA, there are two plots to show the amount of ABC dispatched in the FMM and RTD, separately. The blue bars indicate positive values and illustrate the upward ABC made available by the EIM entity; the green bars indicate negative values and illustrate the downward ABC made available. Red markers indicate the instances where the ABC was dispatched in either the upward or downward direction.








Figure 2: Submitted and Dispatched ABC in the PAC West BAA – RTD




Figure 3: Submitted and Dispatched ABC in the PAC East BAA – FMM




Figure 4: Submitted and Dispatched ABC in the PAC East BAA – RTD




Figure 5: Submitted and Dispatched ABC in the NV Energy BAA – FMM




Figure 6: Submitted and Dispatched ABC in the NV Energy BAA – RTD




Figure 7: Submitted and Dispatched ABC in the APS BAA – FMM




Figure 8: Submitted and Dispatched ABC in the APS BAA – RTD




Figure 9: Submitted and Dispatched ABC in the PSE BAA – FMM





Figure 10: Submitted and Dispatched ABC in the PSE BAA – RTD








Figure 12: Submitted and Dispatched ABC in the PWRX BAA – RTD

Table 1 summarizes the percentage of intervals in which each EIM entity submitted ABC to the EIM. The NV Energy and PWRX BAAs submitted both upward and downward ABC nearly all of the time during the fourth quarter of 2018 to the EIM. In contrast, the other EIM entities submitted infrequent or no ABC to the EIM.

Balancing Authority Area	Upward Capacity	Downward Capacity
PAC West	0.32%	0.23%
PAC East	2.99%	5.68%
NV Energy	99.86%	99.91%
APS	21.90%	8.17%
PSE	90.54%	95.21%
IPCO	0%	0%
PGE	0%	0%
PWRX	100%	100%

#### Table 1: Frequency of ABC Submitted to the EIM

Table 2 shows the frequency of each EIM entity's dispatched ABC, when the EIM entities made ABC available, for both the FMM and RTD. Overall, the CAISO dispatched ABC very infrequently with a maximum dispatch of 3.06 percent of submitted downward capacity by APS in the FMM.


Balancing Authority	Upward Capacity		Downward Capacity	
Area	FMM	RTD	FMM	RTD
PAC West	0%	1.19%	0%	0%
PAC East	0%	0%	0%	0.07%
NV Energy	0.49%	0.30%	1.73%	1.73%
APS	1.92%	1.45%	3.06%	0.56%
PSE	0.12%	0.04%	0%	0.06%
IPCO	0%	0%	0%	0%
PGE	0%	0%	0%	0%
PWRX	0.32%	0.04%	0.11%	0.05%

## Table 2: Frequency of EIM Dispatched ABC in the FMM and RTD

# B. Resources Supporting Available Balancing Capacity

Figures 13 through 18 show the number of different resources supporting the ABC the EIM entities submitted to the FMM and RTD. The Powerex, NV Energy, and PSE BAAs had a larger pool of resources to support the ABC.









Figure 14: Number of Resources Supporting the Submitted ABC in the PAC East BAA

Figure 15: Number of Resources Supporting the Submitted ABC in the NV Energy BAA







Figure 16: Number of Resources Supporting the Submitted ABC in the APS BAA

Figure 17: Number of Resources Supporting the Submitted ABC in the PSE BAA






Figure 18: Number of Resources Supporting the Submitted ABC in the PWRX BAA

#### C. Available Balancing Capacity and Power Balance Constraint Infeasibilities

The purpose of the ABC enhancement is to make capacity available that otherwise would not be visible to the EIM. The primary objective in making such capacity available is that the EIM can recognize and access that capacity when the conditions warrant its use, namely when the EIM is running out of capacity made available through economic bids. The ABC is capacity stacked above economic bids, but below the power balance constraint relaxation penalty price. When the market is tight in supply and it has exhausted all effective economic bids, the market clearing process will access the ABC. If there is sufficient ABC, the EIM will relax the power balance constraint to clear the market. As such, the market clearing process uses the ABC to resolve the power balance infeasibility. If instead the ABC identified is not sufficient to cure the infeasibility, the ABC may be exhausted and there may still be the need to relax the power balance constraint in order to clear the EIM.

Figures 19 through 32 show the amount of ABC bids submitted in the FMM and RTD, along with the power balance constraint infeasibilities, separately. There were no reported FMM Power Balance Constraint Infeasibilities for both PGE and IPCO in the fourth quarter of 2018.





Figure 19: Submitted ABC and Power Balance Constraint Infeasibilities in the PAC West BAA – FMM

Figure 20: Submitted ABC and Power Balance Constraint Infeasibilities in the PAC West BAA – RTD







Figure 21: Submitted ABC and Power Balance Constraint Infeasibilities in the PAC East BAA – FMM

Figure 22: Submitted ABC and Power Balance Constraint Infeasibilities in the PAC East BAA – RTD







Figure 23: Submitted ABC and Power Balance Constraint Infeasibilities in the NV Energy BAA – FMM

Figure 24: Submitted ABC and Power Balance Constraint Infeasibilities in the NV Energy BAA – RTD







Figure 25: Submitted ABC and Power Balance Constraint Infeasibilities in the APS BAA – FMM

Figure 26: Submitted ABC and Power Balance Constraint Infeasibilities in the APS BAA – RTD







Figure 27: Submitted ABC and Power Balance Constraint Infeasibilities in the PSE BAA – FMM

Figure 28: Submitted ABC and Power Balance Constraint Infeasibilities in the PSE BAA – RTD








Figure 29: Submitted ABC and Power Balance Constraint Infeasibilities in the IPCO BAA – RTD









Figure 31: Submitted ABC and Power Balance Constraint Infeasibilities in the PWRX BAA – FMM





Based on the data provided in the Figures 19 through 32, above, Table 3 shows the frequency of intervals in which the EIM entities did not make any ABC available to the EIM, which caused the power balance constraint to relax. Specifically, the data in Table 3 provides the percentage amount of over-supply infeasibilities where downward ABC was needed, and under-supply infeasibilities where upward ABC was needed. For instance, for the PAC West BAA, the metric for the RTD for undersupply was 100 percent, indicating that in all intervals when an undersupply infeasibility was observed in the RTD, the EIM entity did not submit any ABC to the EIM.

	Over-supply		Und	er-supply
BAA	FMM	RTD	FMM	RTD
PAC West	0%	100%	0%	100%
PAC East	0%	0%	0%	100%
NV Energy	0%	0%	33.33%	48%
APS	100%	89.72%	80%	76.34%
PSE	0%	0%	0%	0%
IPCO	0%	0%	0%	0%
PGE	0%	0%	0%	0%
PWRX	0%	0%	0%	0%

# Table 3: Frequency of Power Balance Infeasibilities When no ABC was Availablein the Market

Through its evaluation of the ABC performance, the CAISO has observed two additional scenarios that can occur in the EIM:

Use of ABC related to resource constraints: The CAISO market 1. optimization software recognizes the resource constraints and characteristics of capacity identified as ABC, just as it does of any other participating capacity in the market. Therefore, at times the market is constrained from utilizing the identified capacity due to the operational characteristics of the resources identified as such. The CAISO has observed that in several instances when the power balance constraint was relaxed, the ABC identified by the EIM entity was not sufficient to resolve the power balance infeasibility because of the operational ramp limitations of the resources. In some cases, the resources ramp rate may be very limited because of the resource's operating point at any given point in time. In other cases, the resource is not available because in that particular interval the resource must cross a forbidden region first in order to access the ABC and that may take several market intervals, thereby preventing the market optimization software from utilizing the identified capacity. In some instances, a resource is required to cross the operational range where the ABC is defined, and given its ramp rate, the only way for the resource to reach an expected operating point is by

dispatching it within the operating region with ABC.

2. Use of ABC related to congestion management: The CAISO market systems release the ABC in the scheduling run based on the scheduling run's assessment of system conditions. However, the CAISO schedules and prices resources in the CAISO markets. The ABC is considered as part of the market clearing process in the pricing run. The pricing run will optimize the entire EIM BAA, which is the combination of all BAAs that participate in the EIM, including the CAISO's BAA. The market software will simultaneously consider the ABC in clearing the least-cost congestion management solution based on resource constraints and system conditions it observes. Consequently, in some instances the market clearing process released the ABC in the EIM BAA it was necessary to release the capacity to address congestion in either the EIM or elsewhere in the system. The ABC is considered as part of the single market optimization for the entire EIM BAA, the need to re-dispatch resources to manage congestion efficiently would have resulted in the re-allocation of resources such that the ABC would need to be released to ensure the EIM are could operate its system reliably.

However, because the CAISO aims to ensure the EIM BAA can operate its system reliably with the use of the ABC it identifies, the CAISO enforces a constraint that ensures that when the market clearing process clears ABC, it stays within the EIM entity BAA. While the CAISO is not able to isolate the electrons, the constraint ensures that EIM does not export the ABC to another BAA to the detriment of the specific EIM BAA by ensuring that the exports from the EIM BAA are net of the ABC released in an EIM entity BAA.

# IV. EIM Performance

This section provides the information the CAISO previously provided in its monthly informational reports submitted during an EIM entity's first six-month transition period.

# A. Prices

Figures 33 through 40 show the EIM load aggregation point (ELAP) prices<sup>5</sup> for the FMM and RTD in each EIM BAA. The red line represents FMM ELAP prices, the blue line represents RTD ELAP prices, and the dashed line represents proxy prices; there are no proxy prices to report for Powerex. These trends show only the factual prices, which are financially binding. In prior reports, the CAISO provided these factual prices in comparison to counterfactual prices in order to show the effect of using the pricing waiver of the price discovery mechanism. This comparison is no longer meaningful because the transitional period provisions are not applicable to any EIM

<sup>&</sup>lt;sup>5</sup> The ELAP provides aggregate prices that are representative of pricing in the overall area of NV Energy.

entity during the fourth quarter of 2018.6

The CAISO may correct prices posted on its Open Access Same-time Information System (OASIS) pursuant to the CAISO's price correction authority in section 35 of the CAISO tariff, if it finds: (1) that the prices were the product of an invalid market solution; (2) the market solution produced an invalid price due to data input failures, hardware or software failures; or (3) a result that is inconsistent with the CAISO Tariff. The prices presented in Figures 33 through 40 include all prices produced by the CAISO consistent with the CAISO tariff requirements. That is, the trends below represent: (1) prices as produced in the market for which the CAISO deemed valid; (2) prices that the CAISO could and did correct pursuant to section 35; and (3) any prices the CAISO tariff.

Table 4 shows the average ELAP prices for all EIM BAAs observed in the period of October 1 through December 31, 2018.

BAA	FMM	RTD
PAC West	\$38.15/MWh	\$36.83/MWh
PAC East	\$35.23/MWh	\$34.19/MWh
NV Energy	\$37.63/MWh	\$35.61/MWh
APS	\$38.10/MWh	\$35.62/MWh
PSE	\$38.97/MWh	\$36.65/MWh
IPCO	\$40.37/MWh	\$39.26/MWh
PGE	\$39.05/MWh	\$36.45/MWh
PWRX	\$41.60/MWh	\$39.61/MWh

## Table 4: Average ELAP Prices for the Various EIM BAAs

<sup>&</sup>lt;sup>6</sup> In Docket ER15-402, the CAISO reported on prices based on the price discovery mechanism in effect during the term of the Commission's waiver granted in that docket and the prices as they would be if the waiver was not in effect, *i.e.*, what prices would have been had they been on the penalty prices in the CAISO tariff. Because pricing under the waiver pricing is based on the last economic bid price signal, these prices are a proxy of what the prices would have been absent the seven category of learning curve type issues experience in that market. The difference between the counterfactual pricing and the price in effect during the term of the reports in that docket illustrated the market impact of the waiver pricing.




Figure 33: Daily Average Price for the PAC West BAA ELAP

Figure 34: Daily Average Price for the PAC East BAA ELAP






Figure 35: Daily Average Price for the NV Energy BAA ELAP

Figure 36: Daily Average Price for the APS BAA ELAP






Figure 37: Daily Average Price for the PGE BAA ELAP

Figure 38: Daily Average Price for the PSE BAA ELAP







Figure 39: Daily Average Price for the PWRX BAA ELAP

Figure 40: Daily Average Price for the IPCO BAA ELAP



# B. Frequency of Power Balance Constraint Relaxation

Figures 41 through 50 show the frequency of intervals in which the power balance constraint was relaxed in each EIM BAA for under-supply or over-supply conditions in the FMM and RTD, respectively. A bar with positive frequency represents an under-supply power balance constraint infeasibility, and a bar with negative frequency represents an over-supply power balance constraint infeasibility. The CAISO excluded invalid infeasibilities and, therefore, these frequencies reflect only actual infeasibilities. Invalid infeasibilities are power balance constraint infeasibilities for intervals that were subject to a price correction under the provisions of the CAISO tariff.

The CAISO uses a load conformance limiter in the CAISO BAA and the EIM BAAs to prevent over-adjustments through use of load conformance, and thus prevent an artificial infeasibility – that is, one that does not reflect actual scarcity. When the quantity of the infeasibility is less than the operator's adjustment, and the infeasibility is in the same direction as the adjustment, the load conformance limiter automatically limits the operator's adjustments to at least the feasibility level. In the pricing run, the limiter will remove an infeasibility that is less than or equal to the operator's adjustment, *i.e.*, the load conformance. The limiter will not apply to infeasibilities greater than or in the opposite direction of the load conformance. Use of the load conformance limiter avoids invalid constraints that arise through operations rather than because of real supply issues.<sup>7</sup> This feature applies to either over- or under-supply infeasibilities.


<sup>&</sup>lt;sup>7</sup> The CAISO amended its tariff to include enhancements to the limiter later in 2018, which were approved and became effective in February 2019: <u>http://www.caiso.com/informed/Pages/StakeholderProcesses/CompletedClosedStakeholderInitiatives/Imb</u> alanceConformanceEnhancements.aspx .

For the NV Energy BAA, there were 36 valid undersupply infeasibilities (0.4 percent of the time) in the FMM during the reported three-month period with no infeasibilities covered by the load conformance limiter. For the RTD, there were 25 under-supply infeasibilities (0.09 percent of the time); the load conformance limiter covered approximately 16 percent of these instances.





Figure 42: Frequency of RTD Power Balance infeasibilities in the NV Energy BAA




For the PAC West and PAC East BAAs, there were no valid undersupply infeasibilities in the FMM during the reported three-month period and no infeasibilities covered by the load conformance limiter. For the PAC West RTD, there were 19 undersupply infeasibilities (0.07 percent of the time); the load conformance limiter covered approximately 21 percent of these instances. For the PAC East RTD, there were eight under-supply infeasibilities (0.03 percent of the time) with no instances of load conformance.



Figure 43: Frequency of RTD Power Balance in Feasibilities in the PAC West BAA

Figure 44: Frequency of RTD Power Balance Infeasibilities in PAC East BAA



There were 408 valid undersupply infeasibilities (4.6 percent of the time) in the FMM in the APS BAA during the reported three-month period; the load conformance limiter covered 93 percent of these instances. For the RTD, there were 392 under-supply infeasibilities (1.5 percent of the time); the load conformance limiter covered approximately 95 percent of these instances.





Figure 45: Frequency of FMM Power Balance Infeasibilities in the APS BAA

Figure 46: Frequency of RTD Power Balance Infeasibilities in the APS BAA



There were 12 (0.1 percent of the time) valid undersupply infeasibilities in the FMM in the PSE BAA during the reported three-month period, with no instances of load conformance. For the RTD, there were three under-supply infeasibilities (0.01 percent of the time), with no instances of load conformance.




Figure 47: Frequency of FMM Power Balance Infeasibilities in the PSE BAA




Figure 48: Frequency of RTD Power Balance Infeasibilities in the PSE BAA

There were no undersupply infeasibilities in the FMM in the IPCO and PGE BAAs during the reported three-month period, with no instances of load conformance. For the RTD in the IPCO BAA, there were nine under-supply infeasibilities (0.03 percent of the time) and the load conformance limiter covered approximately eleven percent of these instances. For the RTD in the PGE BAA, there were six under-supply infeasibilities (0.02 percent of the time) with no instances of load conformance.




Figure 49: Frequency of RTD Power Balance Infeasibilities in the IPCO BAA




Figure 50: Frequency of RTD Power Balance Infeasibilities in the PGE BAA

# C. Balancing and Flexible Ramping Sufficiency Test Performance

Figures 51 through 57 show the trend of balancing test failures for the period of October 1 through December 31, 2018 for each of the EIM entity BAAs. The CAISO performs the balancing test pursuant to Section 29.34(k) of the CAISO tariff.

The NV Energy BAA passed the balancing test 99 percent of the time, where approximately half of the failures were due to under-scheduling. These failures are within normal ranges and reflect the incidence of the forecasting and balancing process that has occurred at a frequency that is well within expected performance tolerances.





Figure 51: Frequency of Balancing Test Failures for the NV Energy BAA

The PAC West BAA passed the balancing test for the reported period approximately 99 percent of the time, where approximately half of the failures reflected under-scheduling. Similarly, the PAC East BAA passed the balancing test 99.5 percent of the time, and approximately two-thirds of the failures were associated with underscheduling.




Figure 52: Frequency of Balancing Test Failures for the PAC West BAA

Figure 53: Frequency of Balancing Test Failures for the PAC East BAA



The APS BAA passed the balancing test in 96.4 percent of the hours and approximately 60 percent of the failures were for under-scheduling conditions. For the PSE BAA, the passing rate was 98.7 percent of the hours and approximately two-thirds of infeasibilities were for under-scheduling conditions.









The IPCO BAA passed the balancing test in 99.5 percent of the hours and approximately 60 percent of the failures were for under-scheduling conditions. For the PGE BAA, the passing rate was 99.6 percent of the hours and 45 percent of infeasibilities were due to under-scheduling conditions.





Figure 57: Frequency of Balancing Test Failures for the PGE BAA



Figures 58 through 65 represent the flexible ramping sufficiency test trends in each of the EIM entity's BAA for the period of October 1 through December 31, 2018. For the reported period, the NV Energy BAA passed the test approximately 99.6 percent of the hours; the PAC West BAA passed the test approximately 99.6 percent of the hours; the PAC East BAA passed the test 99.2 percent of the hours; the APS BAA passed the test in 96.7 percent of the hours; the PSE BAA passed the test in 99.6 percent of the hours; the IPCO BAA passed the test in 99.97 percent of the hours; the PGE BAA passed the test in 99.97 percent of the hours; and the PWRX BAA passed the test in 99.8 percent of the hours. All of these passing rates are within the expected range.



Figure 58: Frequency of Flexible Ramping Sufficiency Test Failures in the NV Energy BAA





Figure 59: Frequency of Flexible Ramping Sufficiency Test Failures in the PAC West BAA

Figure 60: Frequency of Flexible Ramping Sufficiency Test Failures in the PAC East BAA






Figure 61: Frequency of Flexible Ramping Sufficiency Test Failures in the APS BAA

Figure 62: Frequency of Flexible Ramping Sufficiency Test Failures in the PSE BAA








Figure 63: Frequency of Flexible Ramping Sufficiency Test Failures in the IPCO BAA

Figure 64: Frequency of Flexible Ramping Sufficiency Test Failures in the PGE BAA







# D. Flexible Ramping Constraint Infeasibilities

As described in the monthly EIM transitional period reports for APS and PSE, the CAISO implemented the flexible ramping product on November 1, 2016. The flexible ramping product uses a price-responsive demand curve. Consequently, there no longer are constraint infeasibilities related to the flexible ramping constraint to report.

#### **CERTIFICATE OF SERVICE**

I hereby certify that I have served the foregoing document upon the parties listed on the official service list in the above-referenced proceeding, in accordance with the requirements of Rule 2010 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2010).

Dated at Folsom, California, this 8<sup>th</sup> day of April 2020.

<u>Isl Anna Pascuzzo</u> Anna Pascuzzo