

# Price Correction Report

## Week of March 11 – March 15, 2019

### Overview

This document is intended to meet the requirements of ISO Tariff section 35.6, and provides the Market Participants with a summary of all price corrections that occurred during the week. For example, report titled with May 5-9, 2014 will cover all corrections made during the week of May 5-9. In a normal situation, it will include trade dates that have price corrections which are due between May 5-9, 2014 based on the five business day for Real-Time market and three business day for Day-Ahead market.

The structure of the report is as follows:

- Price correction listing – this section includes a listing of all the corrections, including market intervals affected, locations, reason (which would tie back to the description of issues section), and method of price correction.
- Description of Issues – this section describes each issue which resulted in a correction in more detail.
- Price-fill report – metrics on the number of empty price intervals that were filled by adjacent interval prices, usually due to failed runs.

For the week covered by this report, **112** intervals were corrected.

The trade dates covered by this report are:

DAM: 3/6/2019 – 3/12/2019

RTM: 3/4/2019 – 3/10/2019

### ***Correction methodologies***

The following are the definitions of the correction methodologies used:

**Selective recalculation:** The CAISO will selectively recalculate incorrect financially binding prices when the invalid prices are isolated and can be corrected such that no other financially binding prices are affected by the correction.

**System recalculation:** The CAISO will recalculate all prices for the invalidated market interval using corrected or recreated input data, or repaired software as applicable.

**Replacement:** If the above correction methods are not applicable and practicable, the CAISO shall use, in place of prices for the binding interval of an invalidated market solution, replicated prices from binding or advisory intervals from the validated market solution in which the market conditions were most similar to the market conditions in the invalidated market solution for the affected interval.

# Price Correction Report

## Week of March 11 – March 15, 2019

### Price Correction Listing

The following is a list of the corrections made during the week, sorted by date and time. The number to the left of the reason field corresponds to the issue number in the Description of Issues section. The count of corrected Pnode/Apnode for each corrected interval is listed left to the Affected Location field. In case of many intervals with the same correction reason, instead of providing the exact count of corrected Pnode/Apnode, the range of Pnode/Apnode affected is provided and listed in another table. Please note that there are only flex ramp prices corrections for those intervals that have the Count of Corrected Pnode/Apnode column missing.

#### Corrections made through selective recalculation: 112

Date	HE	Intervals	Market	#	Reason	Number of corrected Pnodes/Apnodes	Affected Area
03/04/2019	15	1-4	RTPD	1	Software Defect	854	Local
03/05/2019	22	1-2,12	RTD	1	Software Defect	459	Local
03/05/2019	22	1	RTPD	1	Software Defect	459	Local
03/06/2019	17	1-6	RTD	1	Software Defect	948	Local
03/06/2019	17	1-4	RTPD	1	Software Defect	948	Local
03/07/2019	11	1-12	RTD	1	Software Defect	854	Local
03/07/2019	13	10-12	RTD	1	Software Defect	854	Local
03/07/2019	8	1	RTPD	2	Data Input Error	1085	Local
03/07/2019	11	1-4	RTPD	1	Software Defect	854	Local
03/07/2019	13	1-3	RTPD	1	Software Defect	854	Local
03/08/2019	8	1-2	RTD	1	Software Defect		Local
03/08/2019	8	3-12	RTD	1	Software Defect	1385	Local
03/08/2019	9	1-12	RTD	1	Software Defect	948	Local
03/08/2019	8	1,4	RTPD	1	Software Defect	1385	Local
03/08/2019	9	1,3-4	RTPD	1	Software Defect	948	Local
03/08/2019	10	1-4	RTPD	1	Software Defect		Local
03/09/2019	7	12	RTD	2	Data Input Error	366	Local
03/09/2019	7	10-11	RTD	2	Data Input Error	386	Local
03/09/2019	8	1	RTD	2	Data Input Error	1022	Local
03/09/2019	8	2-3	RTD	2	Data Input Error	987	Local
03/09/2019	10	4	RTD	2	Data Input Error	958	Local
03/09/2019	10	10	RTD	2	Data Input Error	1020	Local
03/09/2019	10	11-12	RTD	2	Data Input Error	955	Local
03/09/2019	15	1-12	RTD	1	Software Defect	1385	Local
03/09/2019	15	1-4	RTPD	1	Software Defect	1385	Local
03/10/2019	11	3	RTD	1	Software Defect	605	Local
03/10/2019	11	6	RTD	1	Software Defect	604	Local
03/10/2019	11	1-2	RTD	1	Software Defect	546	Local
03/10/2019	11	4-5	RTD	1	Software Defect	602	Local
03/10/2019	11	7-8	RTD	1	Software Defect	603	Local
03/10/2019	11	3	RTPD	1	Software Defect		Local
03/10/2019	11	1-2,4	RTPD	1	Software Defect	546	Local

Corrections made through interval replacement: 0

Corrections made through market rerun: 0

# Price Correction Report

## Week of March 11 – March 15, 2019

### Description of Issues:

#### 1. Software Defect:

- Invalid prices due to a software defect impacting EIM functionality.

Prices were corrected by selective recalculation.

#### 2. Data Input Error:

- Invalid congestion on the transmission constraint due to data input error impacting power flow solution.

Prices were corrected by selective recalculation.

### Price Fill Report

A price fill occurs whenever a market run failed to publish to the Settlement system. This usually occurs whenever a market run failed, for example when a market fails to come to a solution. It could also occur when an operator decides that a market is not to be run, for example during a contingency event. Automatic price fills also occur in real-time when an operator chooses to utilize the previous interval's solution for the current interval.

Prices are filled according to the rules in CAISO Tariff section 7.7.9 which states that administrative pricing applies to intervals where we have had a market disruption, and requires the prices to be set differently depending on the number of consecutive market disruptions.

The number of prices which were adjusted by the fill process is as follows.

**Total number of filled price intervals: 0**

Note: Intervals filled are subject to subsequent price corrections where applicable.