

# Price Correction Report

## Week of March 11 – March 15, 2024

### Overview

This document is intended to meet the requirements of ISO Tariff section 35.6, and provides the Market Participants with a summary of all price corrections that occurred during the week. For example, report titled with May 5-9, 2014 will cover all corrections made during the week of May 5-9. In a normal situation, it will include trade dates that have price corrections which are due between May 5-9, 2014 based on the five business day for Real-Time market and three business day for Day-Ahead market.

The structure of the report is as follows:

- Price correction listing – this section includes a listing of all the corrections, including market intervals affected, locations, reason (which would tie back to the description of issues section), and method of price correction.
- Description of Issues – this section describes each issue which resulted in a correction in more detail.
- Price-fill report – metrics on the number of empty price intervals that were filled by adjacent interval prices, usually due to failed runs.

For the week covered by this report, **162** intervals were corrected.

The trade dates covered by this report are:

DAM: 03/06/2024 – 03/12/2024

RTM: 03/04/2024 – 03/10/2024

### ***Correction methodologies***

The following are the definitions of the correction methodologies used:

**Selective recalculation:** The CAISO will selectively recalculate incorrect financially binding prices when the invalid prices are isolated and can be corrected such that no other financially binding prices are affected by the correction.

**System recalculation:** The CAISO will recalculate all prices for the invalidated market interval using corrected or recreated input data, or repaired software as applicable.

**Replacement:** If the above correction methods are not applicable and practicable, the CAISO shall use, in place of prices for the binding interval of an invalidated market solution, replicated prices from binding or advisory intervals from the validated market solution in which the market conditions were most similar to the market conditions in the invalidated market solution for the affected interval.

# Price Correction Report

## Week of March 11 – March 15, 2024

### Price Correction Listing

The following is a list of the corrections made during the week, provided with date and time. The number to the left of the reason field corresponds to the issue number in the Description of Issues section. The count of corrected Pnode/APnode/SP-Tie for each corrected interval is listed left to the Affected Location field, for Energy and FRP respectively. In case of many intervals with the same correction reason, instead of providing the exact count of corrected Pnode/APnode/SP-Tie, the range of Pnode/APnode/SP-Tie affected is provided and listed in another table. Please note that there are only AS price corrections or only constraint shadow price correction for those intervals that have the Count of Corrected Pnode/APnode/SP-Tie columns missing.

#### Corrections made through selective recalculation: 160

Date	HE	Intervals	Market	#	Reason	Number of corrected Pnodes/APnodes/SP-Ties for Energy	Number of corrected Pnodes/APnodes/SP-Ties for Flex Ramp	Method	Affected Area
03/04/2024	2,4	4-12	RTD	3	Software Defect	249	216	Selective Recalc	Local
03/04/2024	3	1-12	RTD	3	Software Defect	249	216	Selective Recalc	Local
03/04/2024	5	10-12	RTD	3	Software Defect	249	216	Selective Recalc	Local
03/04/2024	2,4	2-4	RTPD	3	Software Defect	249		Selective Recalc	Local
03/04/2024	3	1-4	RTPD	3	Software Defect	249		Selective Recalc	Local
03/05/2024	2	1,5-12	RTD	4	Software Defect	249	216	Selective Recalc	Local
03/05/2024	2	2-4	RTD	4	Software Defect	249		Selective Recalc	Local
03/05/2024	3	1-5,7-12	RTD	4	Software Defect	249	216	Selective Recalc	Local
03/05/2024	3	6	RTD	4	Software Defect	249		Selective Recalc	Local
03/05/2024	4	1-12	RTD	4	Software Defect	249	216	Selective Recalc	Local
03/05/2024	2-4	1-4	RTPD	4	Software Defect	249	216	Selective Recalc	Local
03/06/2024	10,13-14	0	DA	1	Data Input Error	1263		Selective Recalc	Local
03/06/2024	11	0	DA	1	Data Input Error	1260		Selective Recalc	Local
03/06/2024	12	0	DA	1	Data Input Error	1241		Selective Recalc	Local
03/06/2024	15-16	0	DA	1	Data Input Error	1266		Selective Recalc	Local
03/06/2024	8	0	DA	1	Data Input Error	1212		Selective Recalc	Local
03/06/2024	9	0	DA	1	Data Input Error	1262		Selective Recalc	Local
03/06/2024	12	1-3,5-12	RTD	1	Data Input Error	4362		Selective Recalc	Local
03/06/2024	13	1-12	RTD	1	Data Input Error	4349		Selective Recalc	Local
03/06/2024	14	1-6	RTD	1	Data Input Error	4350		Selective Recalc	Local
03/06/2024	14	7-12	RTD	1	Data Input Error	4386		Selective Recalc	Local
03/06/2024	15	1	RTD	1	Data Input Error	4375		Selective Recalc	Local
03/06/2024	15	2	RTD	1	Data Input Error	4386		Selective Recalc	Local
03/06/2024	7	10	RTD	1	Data Input Error	4339		Selective Recalc	Local
03/06/2024	7	9	RTD	1	Data Input Error	4361		Selective Recalc	Local
03/06/2024	8	1,3-4	RTD	1	Data Input Error	4349		Selective Recalc	Local
03/06/2024	8	8	RTD	1	Data Input Error	4327		Selective Recalc	Local
03/06/2024	12	3-4	RTPD	1	Data Input Error	4362		Selective Recalc	Local
03/06/2024	13	1-4	RTPD	1	Data Input Error	4349		Selective Recalc	Local
03/06/2024	14	1	RTPD	1	Data Input Error	4349		Selective Recalc	Local
03/06/2024	14	2-3	RTPD	1	Data Input Error	4350		Selective Recalc	Local

# Price Correction Report

## Week of March 11 – March 15, 2024

03/06/2024	14	4	RTPD	1	Data Input Error	4386		Selective Recalc	Local
03/06/2024	15	1-2	RTPD	1	Data Input Error	4386		Selective Recalc	Local
03/06/2024	7	3	RTPD	1	Data Input Error	4358		Selective Recalc	Local
03/06/2024	7	4	RTPD	1	Data Input Error	4349		Selective Recalc	Local
03/06/2024	8	1-3	RTPD	1	Data Input Error	4349		Selective Recalc	Local

### Corrections made through interval replacement: 2

Date	HE	Intervals	Market	#	Reason	Affected Area
03/04/2024	13	12	RTD	2	Software Defect	System
03/04/2024	14	1	RTD	2	Software Defect	System

Note: NA.

### Corrections made through market rerun: 0

### Description of Issues:

**1. Data Input Error:**

Invalid congestion on 7820\_13810A\_RAS\_MS-SA\_NG due to a data input error impacting constraint enforcement.

Prices were corrected by selective recalculation.

**2. Software Defect:**

Invalid RTD run due to a software issue impacting the loss calculation.

Prices were corrected by interval replacment.

**3. Software Defect:**

Invalid prices due to a software defect impacting flex ramp test.

Prices were corrected by selective recalculation.

**4. Software Defect:**

Invalid prices due to a software defect impacting resource dispatch.

Prices were corrected by selective recalculation.

### Price Fill Report

A price fill occurs whenever a market run failed to publish to the Settlement system. This usually occurs whenever a market run failed, for example when a market fails to come to a solution. It could also occur when an operator decides that a market is not to

# Price Correction Report

## Week of March 11 – March 15, 2024

be run, for example during a contingency event. Automatic price fills also occur in real-time when an operator chooses to utilize the previous interval's solution for the current interval.

Prices are filled according to the rules in CAISO Tariff section 7.7.9 which states that administrative pricing applies to intervals where we have had a market disruption, and requires the prices to be set differently depending on the number of consecutive market disruptions.

The number of prices which were adjusted by the fill process is as follows.

**Total number of filled price intervals for energy, AS and GHG: 0**

**Total number of filled price intervals for FRP: 0**

Note: Intervals filled are subject to subsequent price corrections where applicable.

**Total number of filled intervals due to WEIM BAA market separation: 0**