

Overview

This document is intended to meet the requirements of ISO Tariff section 35.6, and provides the Market Participants with a summary of all price corrections that occured during the week. For example, report titled with May 5-9, 2014 will cover all corrections made during the week of May 5-9. In a normal situation, it will include trade dates that have price corrections which are due between May 5-9, 2014 based on the five business day for Real-Time market and three business day for Day-Ahead market.

The structure of the report is as follows:

- Price correction listing this section includes a listing of all the corrections, including market intervals affected, locations, reason (which would tie back to the description of issues section), and method of price correction.
- Description of Issues this section describes each issue which resulted in a correction in more detail.
- Price-fill report metrics on the number of empty price intervals that were filled by adjacent interval prices, usually due to failed runs.

For the week covered by this report, **46** intervals were corrected.

The trade dates covered by this report are:

DAM: 9/16/2020 – 9/22/2020 RTM: 9/14/2020 – 9/20/2020

Correction methodologies

The following are the definitions of the correction methodologies used:

Selective recalculation: The CAISO will selectively recalculate incorrect financially binding prices when the invalid prices are isolated and can be corrected such that no other financially binding prices are affected by the correction.

System recalculation: The CAISO will recalculate all prices for the invalidated market interval using corrected or recreated input data, or repaired software as applicable.

Replacement: If the above correction methods are not applicable and practicable, the CAISO shall use, in place of prices for the binding interval of an invalidated market solution, replicated prices from binding or advisory intervals from the validated market solution in which the market conditions were most similar to the market conditions in the invalidated market solution for the affected interval.



Price Correction Listing

The following is a list of the corrections made during the week, provided with date and time. The number to the left of the reason field corresponds to the issue number in the Description of Issues section. The count of corrected Pnode/Apnode for each corrected interval is listed left to the Affected Location field. In case of many intervals with the same correction reason, instead of providing the exact count of corrected Pnode/Apnode, the range of Pnode/Apnode affected is provided and listed in another table. Please note that there are only flex ramp prices corrections or AS price corrections for those intervals that have the Count of Corrected Pnode/Apnode column missing.

Corrections made through selective recalculation: 46

Date	HE	Intervals	Market	#	Reason	Number of corrected	Affected
						Pnodes/Apnodes	Area
09/14/2020	18	3	RTPD	4	Software Defect		Local
09/14/2020	19	4	RTPD	5	Software Defect	381	Local
09/14/2020	20	1-2	RTPD	5	Software Defect	381	Local
09/17/2020	24	1-3,9	RTD	1	Data Input Error	911	Local
09/17/2020	24	10-12	RTD	1	Data Input Error	919	Local
09/17/2020	24	4	RTD	1	Data Input Error		Local
09/17/2020	24	5	RTD	1	Data Input Error	913	Local
09/17/2020	24	6-8	RTD	1	Data Input Error	912	Local
09/17/2020	24	3	RTPD	1	Data Input Error	909	Local
09/17/2020	24	4	RTPD	1	Data Input Error		Local
09/18/2020	1	3-4	RTD	1	Data Input Error	917	Local
09/18/2020	1	5	RTD	1	Data Input Error	932	Local
09/18/2020	1	6	RTD	1	Data Input Error	951	Local
09/18/2020	1	2	RTPD	2	Data Input Error	10780	Local
09/18/2020	1	3	RTPD	2	Data Input Error	7333	Local
09/18/2020	1	4	RTPD	1	Data Input Error	908	Local
09/19/2020	18	1-3	RTD	3	Data Input Error	1451	Local
09/19/2020	18	10	RTD	3	Data Input Error	1432	Local
09/19/2020	18	11	RTD	3	Data Input Error	1458	Local
09/19/2020	18	4	RTD	3	Data Input Error	1443	Local
09/19/2020	18	5	RTD	3	Data Input Error	1444	Local
09/19/2020	18	6	RTD	3	Data Input Error	1467	Local
09/19/2020	18	8-9	RTD	3	Data Input Error	1431	Local
09/19/2020	19	1	RTD	3	Data Input Error	1442	Local
09/19/2020	19	2	RTD	3	Data Input Error	12256	Local
09/19/2020	18	1	RTPD	3	Data Input Error	1449	Local
09/19/2020	18	2	RTPD	3	Data Input Error	1490	Local
09/19/2020	18	3	RTPD	3	Data Input Error	1451	Local
09/19/2020	18	4	RTPD	3	Data Input Error	1436	Local
09/19/2020	19	1	RTPD	3	Data Input Error	1437	Local
09/19/2020	19	2	RTPD	3	Data Input Error	1441	Local
09/19/2020	19	3	RTPD	3	Data Input Error	1504	Local
09/20/2020	18	3	RTPD	3	Data Input Error	1430	Local
09/20/2020	19	2	RTPD	4	Software Defect		Local

Corrections made through interval replacement: 0



Corrections made through market rerun: 0

Description of Issues:

1. Data Input Error:

• Invalid EIM prices due to a data input error affecting a resource dispatch.

Prices were corrected by selective recalculation.

2. Data Input Error:

Invalid congestion due to a data input error impacting the constraint limit.

Prices were corrected by selective recalculation.

3. Data Input Error:

 Invalid congestion on EIM constraint due to a data input error related to load distribution factors.

Prices were corrected by selective recalculation.

4. Software Defect:

• Invalid flex ramp shadow price due to a software defect impacting flex pricing.

Prices were corrected by selective recalculation.

5. Software Defect:

• Invalid pricing on 32214_RIO OSO _115_30330_RIO OSO _230_XF_2 due to a software defect related to price calculation.

Prices were corrected by selective recalculation.

Price Fill Report

A price fill occurs whenever a market run failed to publish to the Settlement system. This usually occurs whenever a market run failed, for example when a market fails to come to a solution. It could also occur when an operator decides that a market is not to be run, for example during a contingency event. Automatic price fills also occur in real-time when an operator chooses to utilize the previous interval's solution for the current interval.

Prices are filled according to the rules in CAISO Tariff section 7.7.9 which states that administrative pricing applies to intervals where we have had a market disruption, and



requires the prices to be set differently depending on the number of consective market distriputions.

The number of prices which were adjusted by the fill process is as follows.

Total number of filled price intervals: 10

Date	HE	Intervals	Market
09/14/2020	15	7	RTD
09/14/2020	15	8	RTD
09/14/2020	15	9	RTD
09/14/2020	15	10	RTD
09/14/2020	16	1	RTPD
09/17/2020	24	11	RTD
09/17/2020	24	12	RTD
09/18/2020	22	4	RTD
09/18/2020	1	1	RTPD
09/18/2020	18	2	RTPD

Note: Intervals filled are subject to subsequent price corrections where applicable.

Disconnected Pnode Report

According to Congestion Revenue Rights BPM Section 15, when the IFM cannot identify an electrically connected PNODE within the fixed level of proximity, a post process will be performed to determine the next closest electrically connected PNode and replace the LMP of the disconnected PNode with this price. This price update will be done within the DAM price correction timeline.

The number of prices which were adjusted by the disconnected Pnode process is as follows.

Total number of hours with disconnected pnode price update: 41

Date	HE
09/16/2020	1-24
09/17/2020	1-17