

# EIR Transition Guide for 2019 Reliability Coordinator Changes

## Version 2.0

### Purpose of Document

This document describes the changes required in the North American Energy Standards Board (NAESB) Electric Industry Registry (EIR) system to facilitate the Western Interconnection Reliability Coordinator changes occurring in 2019. Reliability Coordinators (RCs) and Balancing Authorities (BAs) must edit their records in the NAESB EIR to ensure all processes and systems related to transmission scheduling reflect the appropriate RC entity.

### Background on Electric Industry Registry

The EIR is a web-based industry tool managed by NAESB for which Open Access Technology International, Inc. (OATI) serves as the NAESB chosen system administrator and manages the tool under the webRegistry platform. As described in the NAESB EIR webRegistry User Guide v3.1, the EIR “will serve as the central repository for information required to support commercial, scheduling, and transmission management operations in North America”. The EIR provides for registration by entities who serve operations or merchant roles in scheduling and transmission management operations. The operations’ roles include RCs, BAs, Market Operators (MOs), and Transmission Service Providers (TSPs). For the RC transition activities described in this guide, updates should only be required by entities serving the RC and BA functions.

### EIR Publication Cycles

The normal NAESB EIR publication is at midnight Central Standard Time year-round. The following table shows the effective times for the NAESB EIR publication relative to Western RC time zones and time of year:

<i>00:00 CST EIR Publication</i>	<b>Daylight Time (Mar – Nov)</b>	<b>Standard Time (Nov – Mar)</b>
<b>Mountain Time</b>	00:00	23:00
<b>Pacific Time</b>	23:00	22:00

The webRegistry system distributes a Pending publication on weekdays that will become the Active publication the following evening. The pending publication does not occur on weekends or NERC holidays without using the emergency publication process. The following table shows the relationship between the Pending and Active publications:

<b>Pending Publication (00:00 CST)</b>	<b>Active Publication (00:00 CST)</b>
Monday	Tuesday
Tuesday	Wednesday
Wednesday	Thursday
Thursday	Friday
Friday	Saturday

Outside of the normal publication cycle, the NAESB EIR offers an Emergency Publication process. The Emergency Publication can be requested anytime via the NAESB EIR interface and carries an associated \$1,000 fee. A completed Emergency Publication request results in the release of a new pending publication that is comprised of all pending data that the registry has accumulated since the previous publication was released. Questions regarding the timing of an emergency publication can be directed to the OATI Help Desk. At this time, none of the RCs are planning to use the emergency publication process for their NAESB EIR transition activities.

### EIR Records Impacted by RC Transitions

The NAESB EIR is designed with hierarchical record sets. The top layer for records are Entities which serve as an organization's primary NAESB EIR registration. The Entity record lists the entity's name, URL, DUNS number, physical location, and listed contacts.

Entity Code-Roles are the second layer of records below an entity. Each entity can choose one or more code-roles for their entity within the NAESB EIR. Those code-roles include the ability to designate as a BA or RC within the NAESB EIR. The Entity Code-Role records are what are used by the e-Tag systems to understand the association between a BA and its RC.

Once an entity is set up with the proper code-roles, Object records are the next layer of records which belong to given entity code-roles. Object records include Source/Sink points, POR/POD Points, and Pseudo-Ties.

For the Western RC transitions, new RC entity code-roles will need to be created under an entity. Some RCs may have an existing entity record that can serve as the parent for the RC entity code-role, whereas some may have a business need to create an entirely new entity within the NAESB EIR. Once the RC entity code-roles are created and approved, BAs will need to modify their BA entity code-role record to associate to the new RC. This guide has subsequent sections on the specific steps RCs and BAs need to take in the NAESB EIR to facilitate the changes.


The last level of EIR records, Objects, do not require any manual changes. The only Object records which have a RC association are Pseudo Tie records. Those records will automatically update to the proper RC association based on the changes made in the RC and BA entity code-role records.

Before a new RC or BA is included in the registry publication, the registration process must be completed, including any necessary approvals. Any modifications to an existing RC or BA must also obtain the necessary approvals before inclusion in the NAESB EIR publication.

## RC Actions for Transition

The following steps explain how a RC enters their RC entity code-role in the NAESB EIR. This guide does not cover if a RC needed to establish a new entity as the parent for the RC code-role; any RC needing that configuration can contact NAESB for assistance.

1. Log in to the NAESB EIR for your RC entity.
2. Navigate to the Entity Code-Role display (Entities > Entity Code-Role).



©2019 OATI, Inc. All Rights Reserved.

3. The Entity Code-Role Entry display opens. The following steps outline which sections need to be entered.

A screenshot of the 'Entity Code-Role Entry' form. The form contains the following fields and sections:

- NERC ID:** 100829
- Entity:** PEAK (Peak Reliability) (dropdown menu)
- Long Name:** Peak Reliability (text field)
- Entity Role Code:** (text field)
- Effective Date:** 05/01/2019 (calendar icon) to 01/01/3000 (calendar icon)
- Approval Status:** (text field)
- Approval Notes:** (text area)
- Tagging ID:** (text field)
- Entity Role:** Please select one... (dropdown menu)
- Approval Timestamp:** (text field)
- Contacts:** A table with columns: Type, User, Name, Phone, Fax, E-mail. The Type column has a dropdown menu with 'Please select one...'.
- Applications:** A table with columns: Application, Service, Load from ASP, URL. The Application, Service, and Load from ASP columns have dropdown menus with 'Select if applicable...'.

At the bottom of the form are 'Enter' and 'Close' buttons.

©2019 OATI, Inc. All Rights Reserved.

4. The Entity and Long Name should prepopulate from the Entity record.
5. The RC will enter the Entity Code-Role for their RC. This code is a three or four letter identifier and should be coordinated with NAESB to ensure it does not conflict with other identifiers in the EIR.

A close-up screenshot of the 'Entity Role Code' field. The label 'Entity Role Code' is in blue text, and the text input field is empty.

©2019 OATI, Inc. All Rights Reserved.

- The RC will select the “RC” option from the Entity Role dropdown box.

©2019 OATI, Inc. All Rights Reserved.

- The RC will select the “WSCC” option from the Reliability Region dropdown box.

©2019 OATI, Inc. All Rights Reserved.

- The RC will enter the Effective Date as the start date that coincides with the transition date they have chosen. The stop date can remain at the default of 01/01/3000.

©2019 OATI, Inc. All Rights Reserved.

- The Contacts section can be entered at the RC’s discretion to identify NAESB EIR administrators, 24 hour contacts, and other contacts as identified. The Contacts section does require at least one record for 24 Hour contact to be entered. The User dropdown box can be used to prepopulate information for NAESB EIR users of a given entity.

©2019 OATI, Inc. All Rights Reserved.

- The RC will enter a record in the Applications section for Tag Forwarding URL. The filters in this section can be used to prepopulate the URL. Use the dropdown boxes to make the following choices:

Application = E-Tag  
 Service = Tag Forwarding URL  
 Load from ASP = OATI

Those filters will automatically load the proper URL.

©2019 OATI, Inc. All Rights Reserved.

- After the RC enters the changes described above, the RC entity code-role record is saved by clicking the “Enter” button.

©2019 OATI, Inc. All Rights Reserved.

**NOTE:** Each RC will be required to pay for the new RC code-role; contact the OATI Help Desk if you require assistance with the payment section of the NAESB EIR.

## BA Actions for Transition

1. Log in to the NAESB EIR for your BA entity.
2. Navigate to the Entity Code-Role display (Entities > Entity Code-Role).
3. Find the proper BA entity code-role and open the record by clicking on the hyperlink in the “Code” column (example of display below).

Entity Code-Role Entry

<b>MERC ID</b> 100829	<b>Tagging ID</b>
<b>Entity</b> PEAK (Peak Reliability)	<b>Entity Role</b> BA
<b>Long Name</b> Peak Reliability	
<b>Entity Role Code</b> WEST	
<b>Balancing Area</b> WEST	
<b>Reliability Region</b> WSCC	<b>Interconnection</b> WESTERN INTERCONNECTION
<b>Market Area</b> Please select one...	<b>Reliability Area</b> WECC
<b>Effective Date</b> 05/01/2019 01/01/3000	
<b>Approval Status</b>	<b>Approval Timestamp</b>
<b>Approval Notes</b>	

Legacy Attributes

0-NHMBAM  Pseudo CA

▼ Contacts

Type	User	Name	Phone	Fax	E-mail
Administration	jwest	Jeremy West	(970)613-3542		jwest@peakrc.com

▼ Applications

Application	Service	Load from ASP	URL
E-Tag	Tag Agent URL	OATI	https://spapp.tag.oati.com/oati/tagg
E-Tag	Tag Approval URL	OATI	https://spapp.tag.oati.com/oati/tagg
E-Tag	Tag Authority URL	OATI	https://spapp.tag.oati.com/oati/tagg

Enter Close

©2019 OATI, Inc. All Rights Reserved.

4. In order to see the new RC in this display, the BA must set the start time Effective Date equal to the effective date for their RC.

Effective Date 11/01/2019 01/01/3000

©2019 OATI, Inc. All Rights Reserved.

**NOTE:** The Effective Date for each RC transition as well as the date the RC record will be available for RCs to select are listed in a table in the subsequent “Summary of RC Transitions” section of the guide.

- After setting the Effective Date, the Reliability Area dropdown box should list the future RC as a choice for the BA. The screen below shows an example from testing where both AESO and WECC are choices.

The screenshot shows a web form with a dropdown menu for 'Reliability Area'. The dropdown is open, showing a list of options: AESO, ERCO, FPL, HQT, ISNE, MISO, NBSO, NLSO, NYIS, ONT, PJM, SOCO, SPC, SWPP, TVA, VACS, and WECC. The 'Reliability Area' label is on the left, and the dropdown is on the right. Below the dropdown, there are other form fields like 'Fax' and 'JWE'.

©2019 OATI, Inc. All Rights Reserved.

**NOTE:** The new NAESB EIR RC codes are listed in a table in the subsequent “Summary of RC Transitions” section of the guide.

- No changes should be required to any other sections of the BA entity code-role record.
- After the BA enters the changes described above, the BA entity code-role record is saved by clicking the “Modify” button.

Application	Service	Load from ASP	
E-Tag	Tag Agent URL	Select if applicable...	https://spapp.
E-Tag	Tag Approval URL	Select if applicable...	https://spapp.
E-Tag	Tag Authority URL	Select if applicable...	https://spapp.

Below the table, there are four buttons: Modify, Copy, Close, and Terminate. The 'Modify' button is circled in red.

©2019 OATI, Inc. All Rights Reserved.

## Options for Transitioning RC and BA Records

As the RCs coordinate on the NAESB EIR transitions for 2019, the following objectives were considered in evaluating the best approach for the NAESB EIR changes:

1. Determine future structure of West RCs in EIR system.
2. Minimize impacts to ECC, WIT, and other downstream systems from NAESB EIR changes.
3. Minimize impacts to scheduling for each RC transition.

For objective #1, all future RCs in the Western Interconnection determined that they will register as a RC for their BA footprint within the NAESB EIR. For objective #2, the RCs coordinated with NAESB and OATI to determine what technical impacts exist from the changes to the NAESB EIR. RC affiliation to e-Tag records occur at e-Tag creation time, so there are no impacts to e-Tags as long as each BA has an effective RC affiliation in the NAESB EIR. Additionally, downstream systems such as ECC and WIT are configured so that all of the NAESB EIR transitions can be accommodated without a technical impact.

The final objective the RCs considered is how to minimize impacts to scheduling with four transitions occurring this year (tentatively July 1<sup>st</sup>, September 2<sup>nd</sup>, November 1<sup>st</sup>, and December 3<sup>rd</sup>). The RCs considered the following two options as viable approaches for NAESB EIR transition activities. Subsequent sections of this guide describe which option each RC plans to use for their specific transition.

### Option 1 – Move RC of record to accommodate prescheduling period

The first option is setting the RC and BA effective dates in the NAESB EIR for a given RC transition to coincide with the prescheduling day prior to the RC effective date. The majority of prescheduling occurs the business day prior to an operating day. For example, prescheduling for Monday usually occurs on Friday so that a significant portion of e-Tags flowing on Monday are created on the prescheduling day.

The NAESB EIR effective date for a given RC transition can be set to coincide with the prescheduling day. The NAESB EIR records would become effective at midnight Central Standard Time under the normal NAESB EIR publication cycle, so all the Western Interconnection transitions would be up to two hours prior to this time (see table on page 1). This approach would allow new e-Tags created after the NAESB EIR publication to link to the new RC for a given sink BA. This approach allows normal e-Tag scheduling practices to be utilized and reduce the amount of e-Tags with an improper RC association. The normal NAESB EIR publication cycle also can be used to implement the effective dates under the prescheduling approach as they all occur on weekdays.

WECC coordinates with the industry on publishing a prescheduling calendar to better accommodate holidays and weekends. There are two RC transitions that would be impacted by this calendar, the RC West transition on July 1<sup>st</sup> and the BC Hydro transition on September 2<sup>nd</sup>. In those cases, the prescheduling will occur as follows:

<b>New Month – Monday, July 1, 2019</b>
Wednesday, June 26—Preschedule for Thursday-Friday June 27-28 (2)
Thursday, June 27—Preschedule for Saturday-Sunday, June 29-30 (2)
Friday, June 28—Preschedule Monday, July 1 (1)

<b>New Month &amp; Labor Day—Sunday, September 1; Monday, September 2, 2019</b>
Thursday, August 29—Preschedule for Friday-Saturday, August 30-31 (2)
Friday, August 30—Preschedule for Sunday-Monday-Tuesday, September 1-3 (3)

The effective date for the RC West transition in the NAESB EIR under the prescheduling approach would be Friday, June 28<sup>th</sup>. Both prescheduling and real-time e-Tags created June 28<sup>th</sup> forward for BAs in RC West would have the new RC association. The effective date for the BC Hydro transition in the NAESB EIR would be Friday, August 30<sup>th</sup>. Both prescheduling and real-time e-Tags created August 30<sup>th</sup> forward for BAs in BC Hydro RC would have the new RC association. The other two proposed RC transition dates are November 1<sup>st</sup> for AESO to become a RC in the NAESB EIR and for RC West to take an expanded footprint and December 3<sup>rd</sup> for SPP to become a RC. Both of these transitions occur on a normal business day, so the NAESB EIR transition would occur the business day prior to actual RC effective date (October 31<sup>st</sup> and December 2<sup>nd</sup>).

#### Option 2 – Move RC on Date of Record as RC

The second option is setting the RC and BA effective dates in the NAESB EIR for a given RC transition to coincide with the actual RC of record date. Under this approach, the NAESB EIR transition would not take into account the prescheduling calendar. All e-Tags created prior to a given RC effective date would still be related to the Peak Reliability “WECC” entity code-role. The “WECC” entity code would remain until after all RC and EIR transitions have been fully completed.

Under this approach, all e-Tags created in the prescheduling window would be linked to Peak with the WECC code-role acronym. These e-Tags would maintain that link until the e-Tag reached its stop datetime or was set to an inactive status via termination. A subsequent section of this guide describes when Peak Reliability plans to sunset their RC code-role and any impacts to e-Tags.



### RC West Transition 7/1/2019

RC West will use Option 1 and transition their RC to coincide with the prescheduling day. Since RC West becomes the RC of record on Monday, July 1<sup>st</sup>, that date coincides with the WECC prescheduling calendar where prescheduling for July 1<sup>st</sup> will occur on Friday, June 28<sup>th</sup>. Therefore, RC West will set the Effective Time for the RC NAESB EIR entry as June 28<sup>th</sup>. All BAs transitioning to RC West on July 1<sup>st</sup> also will set the Effective Time for RC West as their RC to begin on June 28<sup>th</sup>. Any e-Tags created with a source or sink BA in the RC West footprint after Thursday, June 27<sup>th</sup> 23:00 Pacific Daylight time will reflect the new RC West association. RC West will use their stakeholder communication process to alert BAs when the RC West NAESB EIR record is approved, but BAs should ensure this BA transition activity in the NAESB EIR system is completed no later than Friday, June 14<sup>th</sup>.

### BC Hydro Transition 9/2/2019

BC Hydro RC will use Option 1 to transition their RC to coincide with the prescheduling day. Since BC Hydro becomes the RC of record on Monday, September 2<sup>nd</sup>, that date coincides with the WECC prescheduling calendar where prescheduling for September 2<sup>nd</sup> will occur on Friday, August 30<sup>th</sup>. Therefore, BC Hydro RC will set the Effective Time for the RC NAESB EIR entry as August 30<sup>th</sup>. The BC Hydro BA also will set the Effective Time for BC Hydro as their RC to begin on August 30<sup>th</sup>. Any e-Tags created with BC Hydro as the source or sink BA after Thursday, August 29<sup>th</sup> 23:00 Pacific Daylight time will reflect the new BC Hydro association.

### RC West Transition 11/1/2019

RC West also will use Option 1 to transition the expansion of additional BAs which occurs on November 1<sup>st</sup>. The RC West NAESB EIR record already will be active from the July 1<sup>st</sup> activities, so no additional RC West actions are required in the NAESB EIR. All BAs transitioning to RC West on November 1<sup>st</sup> will need to set the Effective Time for RC West as their RC to begin on October 31<sup>st</sup>. Any e-Tags created for these BAs in the RC West footprint after Wednesday, October 30<sup>th</sup> 23:00 Pacific Daylight time will reflect the new RC West association. RC West will use their stakeholder communication process to alert BAs when they should make the necessary EIR changes, but should ensure this BA transition activity in the NAESB EIR system is completed no later than Friday, October 18<sup>th</sup>.

### AESO Transition 11/1/2019

AESO RC will use Option 2 to transition their RC. AESO RC is in a unique situation because they already serve as the RC for the AESO BA, but there is currently a single RC entry in the NAESB EIR for the Western Interconnection in the transition from WECC to Peak and then AESO becoming RC for their footprint. AESO chose a transition date which aligned with one of the existing RC transition dates. AESO RC will set the Effective Time for the RC NAESB EIR entry as November 1<sup>st</sup>. The AESO BA also will set the Effective Time for AESO as their RC to begin on November 1<sup>st</sup>. Any e-Tags created with AESO as the source or sink BA after Friday, November 1<sup>st</sup> 00:00 Mountain Daylight time will reflect the new AESO association.

## SPP Transition 12/3/2019

SPP will use Option 2 to transition the on the date of record that they become a RC for Western Interconnection BAs. SPP will set the Effective Time for the RC NAESB EIR entry as December 3<sup>rd</sup>. All BAs transitioning to SPP on December 3<sup>rd</sup> also will set the Effective Time for SPP as their RC to begin on December 3<sup>rd</sup>. Any e-Tags created with a source or sink BA in the SPP footprint after Monday, December 2<sup>nd</sup> 23:00 Mountain Standard time will reflect the new SPP association. SPP will use their stakeholder communication process to alert BAs when the SPP NAESB EIR record is approved, but BAs should ensure this BA transition activity in the NAESB EIR system is completed no later than Friday, November 15<sup>th</sup>.

## Gridforce Transition

Gridforce had originally planned to perform RC services for the GRID BA beginning on December 3<sup>rd</sup>. The GRID BA now will take contract RC services from RC West for a period of 18 months with a tentative plan to begin their own RC services in 2021.

## Summary of RC Transitions

The following table summarizes the choices for each RC transition as described in the prior sections. The NAESB EIR Effective Date lists the start date that RCs and BA should enter in their respective NAESB EIR entity code-role records.

	RC West 7/1/2019	BC Hydro 9/2/2019	RC West 11/1/2019	AESO 11/1/2019	SPP 12/3/2019
RC Code in NAESB EIR	RCW	BCRC	RCW	AESO	SPPW
Option 1 Prescheduling	X	X	X		
Option 2 RC Date of Record				X	X
NAESB EIR Effective Date	6/28/2019	8/30/2019	10/31/2019	11/1/2019	12/3/2019
Time when new e-Tags are linked to new RC	Jun 27 23:00 PDT	Aug 29 23:00 PDT	Oct 30 23:00 PDT	Nov 1 00:00 MDT	Dec 2 23:00 MST*
Date RC Record Available to BAs in NAESB EIR	5/23/2019	5/23/2019	5/23/2019	5/23/2019	8/1/2019
Date BAs must have RC Association Change Entered in NAESB EIR	6/21/2019	8/23/2019	10/24/2019	10/25/2019	11/26/2019

\*Note: 2019 Fall DST transition to MST/PST occurs on November 3<sup>rd</sup>

## Peak EIR Deregistration 3/1/2020

After all BAs are transitioned from Peak to new RCs in the Western Interconnection, the NAESB EIR record for Peak Reliability with WECC as the code-role acronym is no longer needed. Any new e-Tags created at this point will use the new RC affiliations. Any longer duration e-Tags created prior to a BA transitioning their RC affiliation will still reflect the Peak RC affiliation on the e-Tag. These e-Tags require that the Peak EIR record is active to allow curtailments from Step 4 Unscheduled Flow Mitigation Plan (UFMP) events to function properly. Outside of the UFMP dependency, OATI has identified no other downstream impacts from the NAESB EIR transitions for Western Interconnection RCs.

Peak will set the termination date for its RC record in the EIR to March 1, 2020. This date coincides with Peak effectively not renewing its RC record in the NAESB EIR. The RCs will review and identify the subset of e-Tags which are still associated to the Peak RC record and contact the impacted BAs to work on replacement of those e-Tags. This e-Tag replacement must be completed prior to the March 1, 2020 date.

## Additional Information

If you have additional questions on EIR, there are two organizations who can provide assistance. NAESB serves as the tool owner of the EIR and can be contacted at (713) 356-0060. Additionally, OATI is the NAESB chosen system administrator for the tool and can provide assistance via their help desk at (763) 201-2020 or [support@oati.net](mailto:support@oati.net).