

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Table of Contents

30.	Bid and Self-Schedule Submission for all CAISO Markets	3
30.1	Bids, Including Self-Schedules	3
30.1.1	Day-Ahead Market	3
30.1.2	Real-Time Market	3
30.2	Bid Types	4
30.3	[Not Used]	4
30.4	Default Start-Up Bids, Default Minimum Load Bids, and Default Transition Bids	4
30.4.1	Generally	4
30.4.2	Transition of Use-Limited Resources to Proxy Costs	4
30.4.3	Scheduling Coordinator Reference Level Change Requests	5
30.4.4	Default Commitment Cost Bids	5
30.4.5	Proxy Cost Methodology	6
30.5	Bidding Rules	22
30.5.1	General Bidding Rules	22
30.5.2	Supply Bids	29
30.5.3	Demand Bids	37
30.5.4	Wheeling Through Transactions	38
30.5.5	Scheduling Sourcing/Sinking in Same Balancing Authority Area	38
30.5.6	Non-Generator Resource Bids	39
30.5.7	E-Tag Rules and Treatment of Intertie Schedules	41
30.5.8	Demand Bids, Export Bids, Virtual Bids, and Bids for Non-Resource-Specific System Resources Above the Soft Energy Bid Cap	45
30.6	Bidding and Scheduling of PDRs and RDRRs	46
30.6.1	Bidding and Scheduling of PDRs	46
30.6.2	Bidding and Scheduling of RDRRs	47
30.6.3	Net Benefits Test for PDRs or PDRRs	51
30.7	Bid Validation	52
30.7.1	Scheduling Coordinator Access	52
30.7.2	Timing of CAISO Validation	53
30.7.3	Day-Ahead Market Validation	53
30.7.4	RTM Validation	59
30.7.5	Validation of ETC Self-Schedules	59
30.7.6	Validation and Treatment of Ancillary Services Bids	59
30.7.7	Format and Validation of Operational Ramp Rates	62
30.7.8	Format and Validation of Start-Up and Shut-Down Times	63
30.7.9	Format and Validation of Start-Up Bids and Shut-Down Costs	64
30.7.10	Format and Validation of Minimum Load Bids	65
30.7.11	Format and Validation of Transition Bids	66
30.7.12	Validation of Bids in Excess of Soft Energy Bid Cap, Hard Energy Bid Cap, or Minimum Load Cost Hard Cap	67
30.8	Bids on Out-of-Service Paths at Scheduling Points Prohibited	69
30.9	Virtual Bids	70
30.9.1	Virtual Bid Components	70
30.10	Use of AC Solution and Nodal MW Constraints	70
30.11	Adjustments to Reference Levels Prior to CAISO Market Processes	71
30.11.1	Reasonableness Thresholds	71
30.11.2	Reference Level Change Requests	73
30.11.3	Automated Reference Level Change Requests	74
30.11.4	Manual Reference Level Change Requests	77
30.11.5	Application of Revised Reference Level	78
30.12	After-CAISO Market Process Cost Recovery	79
30.12.1	Applicability	79
30.12.2	Notice	79

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

30.12.3	Supporting Documentation.....	79
30.12.4	CAISO After-Market Evaluation of Fuel Costs	80
30.12.5	FERC Fuel Cost Recovery Filings.....	81

30. Bid and Self-Schedule Submission for all CAISO Markets

30.1 Bids, Including Self-Schedules

Scheduling Coordinators shall submit Bids to participate in the CAISO Markets, as well as any Self-Schedules, ETC Self-Schedules, TOR Self-Schedules, or Self-Provided Ancillary Services. Bidding rules for each type of resource are contained in this Section 30 and additional specifications regarding bidding practices are contained in the Business Practice Manuals posted on the CAISO Website. Bids will consist of various components described in this Section 30 through which the Scheduling Coordinator provides information regarding the parameters and conditions pursuant to which the Bid may be optimized by the CAISO Markets.

30.1.1 Day-Ahead Market

Bids submitted in the DAM apply to the twenty-four (24) hours of the next Trading Day (23 or 25 hours on the Daylight Savings transition days) and are used in both the IFM and RUC. Bids for the Regulation Up, Regulation Down, Spinning Reserve, and Non-Spinning Reserve service in the Day-Ahead Market must be received by Market Close for the Day-Ahead Market. The Bids shall include information for each of the twenty-four (24) Settlement Periods of the Trading Day. Failure to provide the information within the stated time frame shall result in the Bids being declared invalid by the CAISO. Scheduling Coordinators may submit Bids for the DAM as early as seven (7) days ahead of the targeted Trading Day.

30.1.2 Real-Time Market

Economic Bids and Self-Schedules submitted in the RTM apply to a single Trading Hour and are used for all market processes of the RTM. The CAISO will require Scheduling Coordinators to honor their Day-Ahead Ancillary Services Awards when submitting Ancillary Services Bids in the RTM. Bids for Regulation Up, Regulation Down, Spinning Reserve, and Non-Spinning Reserve service for each Settlement Period must be received at least seventy-five minutes prior to the commencement of that Settlement Period. The Bids shall include information for only the relevant Settlement Period. Failure to provide the information within the stated timeframe shall result in the Bids being declared invalid and rejected by the CAISO.

30.2 Bid Types

There are three types of Bids: Energy Bids (which include Virtual Bids), Ancillary Services Bids, and RUC Availability Bids. Each Bid type can be submitted as either an Economic Bid or a Self-Schedule (except for RUC Availability Bids and Virtual Bids, which cannot be self-scheduled). Economic Bids specify prices for MW amounts of capacity or MWh amounts of Energy. Self-Schedules do not have any prices associated for MW or MWh. Energy Bids, including both Economic Bids and Self-Schedules (where Self-Schedules are otherwise permitted), may be either Supply Bids, Demand Bids, Virtual Supply Bids, or Virtual Demand Bids. Ancillary Services Bids and RUC Availability Bids are Supply Bids only. Ancillary Services may be self-provided by providing a Submission to Self-Provide an Ancillary Service and having that submission accepted by the CAISO. Rules for submitting the three types of Bids vary by the type of resource to which the Bid applies as described in Section 30.5 and as further required in each CAISO Markets process as specified in Sections 31, 33, and 34.

30.3 [Not Used]

30.4 Default Start-Up Bids, Default Minimum Load Bids, and Default Transition Bids

30.4.1 Generally

The CAISO will calculate Default Commitment Cost Bids using the Proxy Cost methodology for all resources, except for:

- (a) Non-Resource-Specific Resources and Non-Generating Resources; or
- (b) a resource that is qualified by the CAISO as a Use-Limited Resource and the resource has fewer than twelve (12) consecutive months of fifteen-minute LMPs for Energy at the resource's PNode or Aggregated PNode, in which case the resource's Default Commitment Cost Bids will be determined as Registered Costs under the Registered Cost methodology pursuant to Section 30.4.7.

30.4.2 Transition of Use-Limited Resources to Proxy Costs

Scheduling Coordinators on behalf of Use-Limited Resources with fewer than 12 months of data can elect to use the Registered Cost methodology and remain on that methodology for a two-month period once 12 months of pricing data is collected, while the Scheduling Coordinator and the CAISO are going through the process of determining what Opportunity Costs, if any, apply to the Use-Limited Resource. Once this

process concludes, all such Use-Limited Resources must be subject to the Proxy Cost methodology. For Use-Limited Resources eligible for the Registered Cost methodology, Scheduling Coordinators may elect on a thirty (30) day basis to use either the Proxy Cost methodology or the Registered Cost methodology for calculating their Default Start-Up Bids and Default Minimum Load Bids to be used for those resources in the CAISO Markets Processes, as well as for Default Transition Bids in the case of Multi-Stage Generating Resources. The elections are independent as to Default Start-Up Bids and Default Minimum Load Bids; that is, a Scheduling Coordinator for such a Use-Limited Resource may elect to use either the Proxy Cost methodology or the Registered Cost methodology for Default Start-Up Bids and may make a different election for Default Minimum Load Bids. However, in the case of Multi-Stage Generating Resources, the Scheduling Coordinator must make the same election (Proxy Cost methodology or Registered Cost methodology) for Default Transition Bids as it makes for Default Start-Up Bids. If a Scheduling Coordinator has not made an election, the CAISO will assume the Proxy Cost methodology as the default.

30.4.3 Scheduling Coordinator Reference Level Change Requests

The CAISO will verify Reference Level Change Requests for changes to Default Start-Up Bids and Default Minimum Load Bids as described in Section 30.11.

30.4.4 Default Commitment Cost Bids

30.4.4.1 Using Proxy Cost Methodology

For resources under the Proxy Cost methodology, the CAISO will calculate a resource's Default Commitment Cost Bids as the applicable Proxy Cost multiplied by the Commitment Cost Multiplier.

30.4.4.2 Use-Limited Resources

For Use-Limited Resources using the Proxy Cost methodology, the CAISO will calculate a resource's Default Commitment Cost Bids as the applicable Proxy Cost multiplied by Commitment Cost Multiplier plus the Start-Up Opportunity Cost, Transition Opportunity Cost, or Minimum Load Opportunity Cost as applicable.

30.4.4.3 Registered Costs

For Use-Limited Resources using the Registered Cost methodology, the CAISO will use the Registered Costs as registered in the Master File as the Default Commitment Cost Bids.

30.4.4.4 Insufficient Information

In the event that the Scheduling Coordinator for a resource (other than a Multi-Stage Generating Resource or a Multi-Stage Generating Resource in its lowest configuration in which it can be started) does not provide sufficient data for the CAISO to determine the resource's Default Commitment Cost Bids or one or more components of the resource's Default Commitment Cost Bids, the CAISO will assume that the resource's Default Commitment Cost Bids, or the indeterminable component(s) of the resource's Default Commitment Cost Bids, are zero. In the event that the Scheduling Coordinator for a Multi-Stage Generating Resource does not provide such data for an MSG Configuration beyond its lowest configuration in which it can be started, Section 30.4.5.3 applies.

30.4.4.5 Resources with Greenhouse Gas Compliance Obligations

For each resource registered with the California Air Resources Board or the Washington Department of Ecology as having a greenhouse gas compliance obligation, the information provided to the CAISO by the Scheduling Coordinator must be consistent with the information submitted to the California Air Resources Board or the Washington Department of Ecology.

30.4.4.6 Maximum Default Minimum Load Bid

In no case shall a Default Minimum Load Bid exceed the Minimum Load Cost Hard Cap.

30.4.5 Proxy Cost Methodology

The CAISO will calculate Proxy Costs as described in this Section 30.4.5.

30.4.5.1 Natural Gas-Fired Resources

For each natural gas-fired resource, the CAISO will calculate a resource's Proxy Costs based on the resource's actual unit-specific performance parameters and applicable gas prices as described below.

- (a) **Fuel Input.** The CAISO will calculate Proxy Costs using formulaic natural gas cost values adjusted for fuel-cost variation, based on the natural gas price calculated pursuant to Section 39.7.1.1.1.3, and consistent with the requirements specified below.
- (b) **Proxy Start-Up Cost.** Proxy Start-Up Costs will also include:
 - (i) a Variable Start-Up Operations and Maintenance Adder as provided in Section 30.4.5.4;
 - (ii) a greenhouse gas cost adder for each resource located within the CAISO

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Balancing Authority Area or an EIM Entity Balancing Authority Area within California or Washington, and registered with the California Air Resources Board or the Washington Department of Ecology as having a greenhouse gas compliance obligation, which is calculated for each Start-Up as the product of the resource's fuel requirement per Start-Up, the greenhouse gas emissions rate authorized by the California Air Resources Board or the Washington Department of Ecology, and the applicable Greenhouse Gas Allowance Price;

- (iii) the rates for the Market Services Charge and System Operations Charge multiplied by the shortest Start-Up Time listed for the resource in the Master File, multiplied by the PMin of the resource as registered in the Master File, multiplied by 0.5; and
- (iv) the cost of auxiliary power calculated using the unit-specific MWh quantity of auxiliary power used for Start-Up multiplied by a resource-specific electricity price.

(c) **Proxy Cost Minimum Load Costs.** Proxy Cost Minimum Load Costs will also include:

- (i) a Variable Energy Operations and Maintenance Adder as provided in Section 30.4.5.4;
- (ii) a Variable Minimum Load Operations and Maintenance Adders as provided in Section 30.4.5.4.
- (iii) a greenhouse gas cost adder for each resource located within the CAISO Balancing Authority Area or an EIM Entity Balancing Authority Area within California or Washington, and registered with the California Air Resources Board or the Washington Department of Ecology as having a greenhouse gas compliance obligation, which is calculated for each run-hour as the product of the resource's fuel requirement at Minimum Load as registered in the Master File, the greenhouse gas emissions rate authorized by the California Air Resources Board or the Washington Department of Ecology, and the applicable Greenhouse Gas Allowance Price;

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

- (iv) the rates for the Market Services Charge and System Operations Charge multiplied by the PMin of the resource as registered in the Master File; and
 - (iv) the Bid Segment Fee.
- (d) **Proxy Transition Costs.** For each Multi-Stage Generating Resource under the Proxy Cost methodology, the CAISO will calculate the Proxy Transition Costs utilized for each feasible transition from a given MSG Configuration to a higher MSG Configuration based on the difference between the Proxy Start-Up Costs for the higher MSG Configuration, and the Proxy Start-Up Costs for the lower MSG Configuration, as those costs are determined in accordance with the Proxy Start-Up Cost calculation methodology set forth in Section 30.4.5. If the result of this calculation is negative for any transition between two MSG Configurations, then the associated Proxy Transition Cost shall be zero.

30.4.5.2 Non-Natural Gas-Fired Resources

For each non-natural gas-fired resource, the CAISO shall calculate the Proxy Start-Up Cost and Proxy Minimum Load Cost values under the Proxy Cost methodology as specified below.

- (a) **Fuel Input.** The Scheduling Coordinator for the resource will provide the fuel or fuel-equivalent input costs, which the CAISO will maintain in the Master File, pursuant to Section 39.7.1.1.1.2.
- (b) **Proxy Start-Up Costs.** Proxy Start-Up Costs will also include, if applicable:
 - (i) a Variable Start-Up Operations and Maintenance Adder as provided in Section 30.4.5.4;
 - (ii) greenhouse gas allowance costs for each resource located within the CAISO Balancing Authority Area or an EIM Entity Balancing Authority Area within California or Washington, and registered with the California Air Resources Board or the Washington Department of Ecology as having a greenhouse gas compliance obligation, as provided to the CAISO by the Scheduling Coordinator;
 - (iii) the rates for the Market Services Charge and System Operations Charge multiplied by the shortest Start-Up Time listed for the resource in the Master File, multiplied by the PMin of the resource as registered in the Master File, multiplied

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

by 0.5.

- (c) **Proxy Minimum Load Costs.** Proxy Minimum Load Costs will also include, if applicable:
- (i) A Variable Energy Operation and Maintenance Adder as provided in Section 30.4.5.4 multiplied by the PMin of the resource or MSG Configuration of the resource as registered in the Master File;
 - (ii) a Variable Minimum Load Operations and Maintenance Adder as provided in Section 30.4.5.4;
 - (iii) greenhouse gas allowance costs for each resource located within the CAISO Balancing Authority Area or an EIM Entity Balancing Authority Area within California or Washington, and registered with the California Air Resources Board or the Washington Department of Ecology as having a greenhouse gas compliance obligation, as provided to the CAISO by the Scheduling Coordinator;
 - (iv) the rates for the Market Services Charge and System Operations Charge multiplied by the PMin of the resource as registered in the Master File; and
 - (v) the Bid Segment Fee.
- (d) **Proxy Transition Costs.** For each Multi-Stage Generating Resource under the Proxy Cost methodology, the CAISO will calculate the Proxy Transition Costs utilized for each feasible transition from a given MSG Configuration to a higher MSG Configuration based on the difference between the Proxy Start-Up Costs for the higher MSG Configuration, and the Proxy Start-Up Costs for the lower MSG Configuration, as those costs are determined in accordance with the Proxy Start-Up Cost calculation methodology set forth in Section 30.4.5. If the result of this calculation is negative for any transition between two MSG Configurations, then the associated Proxy Transition Cost shall be zero.

30.4.5.3 Multi-Stage Generating Resources

30.4.5.3.1 Application of Proxy Costs

For Multi-Stage Generating Resources under the Proxy Cost methodology, the CAISO will apply the Proxy Cost methodology to all the MSG Configurations. The Proxy Costs for Multi-Stage Generating Resources will be calculated for each specific MSG Configuration, including for each MSG Configuration

that cannot be directly started.

30.4.5.3.2 Insufficient Information

Notwithstanding the rules set forth in Sections 30.4.5.1 and 30.4.5.2, to the extent that a Scheduling Coordinator for a Multi-Stage Generating Resource, other than in its lowest configuration in which the Multi-Stage Generating Resource can be started, does not provide sufficient data for the CAISO to determine a component of the Proxy Start-Up Costs or Proxy Minimum Load Costs for a particular MSG Configuration, the CAISO will, if feasible, use the value for that component associated with the next-lowest MSG Configuration.

30.4.5.4 Variable Operations and Maintenance Adders

30.4.5.4.1 Generally

Each resource that satisfies the applicable fuel source and technology requirements set forth in Section 30.4.5.4.2 will receive the default Variable Operations and Maintenance Adders specified thereunder. The Scheduling Coordinator for any resource may choose to negotiate with the CAISO pursuant to Section 30.4.5.4.3 for negotiated Variable Operations and Maintenance Adders that supersede or replace any default Variable Operations and Maintenance Adders the resource may receive. Variable Operations and Maintenance Adders are subject to renegotiation pursuant to Section 30.4.5.4.4 and to informational filings pursuant to Section 30.4.5.4.5. Pursuant to Section 30.4.5.4.6, the CAISO will convert negotiated operations and maintenance values that were established for a resource prior to January 1, 2022 into corresponding negotiated Variable Operations and Maintenance Adders.

30.4.5.4.2 Default Variable Operations and Maintenance Adders

The default Variable Start-Up Operations and Maintenance Adder for a frame combustion turbine resource will equal \$52.13 per start per MW multiplied by the PMax of the resource or MSG Configuration of the resource.

The default Variable Minimum Load Operations and Maintenance Adder will vary by fuel source or technology as follows: (1) for a natural gas-fired combined cycle resource, the adder will equal \$1.74 per run-hour per MW multiplied by the PMax of the resource or MSG Configuration of the resource; (2) for an aeroderivative combustion turbine resource, the adder will equal \$4.38 per run-hour per MW multiplied by the PMax of the resource or MSG Configuration of the resource; and (3) for a hydroelectric resource, the

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

adder will equal \$0.65 per run-hour per MW multiplied by the PMax of the resource or MSG Configuration of the resource.

The default Variable Energy Operations and Maintenance Adder will vary by fuel source or technology as follows: (1) nuclear \$1.08/MWh; (2) coal \$2.69/MWh; (3) wind \$0.28/MWh; (4) natural gas-fired combined cycle units \$0.59/MWh; (5) steam units \$0.33/MWh; (6) geothermal \$1.16/MWh; (7) landfill gas \$1.21/MWh; (8) frame combustion turbines \$0.97/MWh; (9) aeroderivative combustion turbines \$2.15/MWh; (10) reciprocating internal combustion engines \$1.10/MWh; and (11) biomass \$1.65/MWh.

Effective January 1, 2022, default adders established pursuant to this Section 30.4.5.4.2 will supersede and replace any then-existing default adders established prior to that effective date.

30.4.5.4.3 Negotiated Variable Operations and Maintenance Adders

30.4.5.4.3.1 Principles

The CAISO will negotiate resource-specific and MSG Configuration-specific Variable Operations and Maintenance Adders with a Scheduling Coordinator based on the following principles:

- (a) Any operations costs proposed for inclusion in the Variable Operations and Maintenance Adders must be variable operations costs, meaning the costs of consumables and other costs that vary directly with electrical production (i.e., Start-Up/Shut-Down, run-hours, or electricity output) of a resource. Variable operations costs exclude maintenance costs, auxiliary power costs, Greenhouse Gas Allowance Prices, fuel costs, grid management charges, Opportunity Costs, and other excluded costs set forth in the Business Practice Manual.
- (b) Any maintenance costs proposed for inclusion in the Variable Operations and Maintenance Adders must be variable maintenance costs, meaning the costs associated with the repair, overhaul, replacement, or inspection of a resource that meet the following conditions:
 - (i) The costs must vary with the electrical production (i.e., Start-Up/Shut-Down, run-hours, or electricity output) of the resource.
 - (ii) The costs should reflect future maintenance costs that are expected to be

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

incurred within the service life of a major component of plant or equipment.

- (iii) The costs should be consistent with Good Utility Practice.
- (iv) The costs should not effect a substantial betterment of the resource.
- (v) If the item is a replacement, it cannot be a replacement of an existing major component of plant or equipment.

30.4.5.4.3.2 CAISO Process

Scheduling Coordinators may submit updated resource-specific and MSG Configuration-specific information for purposes of seeking a change to any negotiated Variable Operations and Maintenance Adder, no sooner than thirty (30) Business Days after a negotiated Variable Operations and Maintenance Adder has been determined. The CAISO will evaluate the information provided by Scheduling Coordinators, and may require Scheduling Coordinators to provide additional information, to enable the CAISO to determine reasonable negotiated Variable Operations and Maintenance Adders or to conduct audits of negotiated Variable Operations and Maintenance Adders. Within fifteen (15) Business Days of receipt of the information or any requested additional information, the CAISO will notify the Scheduling Coordinator in writing whether it has sufficient and accurate information to determine reasonable negotiated Variable Operations and Maintenance Adders to be included in the calculations for the Proxy Start-Up Cost, Proxy Minimum Load Cost, and/or Default Energy Bid under the Variable Cost Option. Within ten (10) Business Days after providing written notification to the Scheduling Coordinator that the information is sufficient and accurate, the CAISO will determine the reasonable negotiated Variable Operations and Maintenance Adders to be included in the Proxy Start-Up Costs, Proxy Minimum Load Costs, and/or Default Energy Bids under the Variable Cost Option, and will so inform the Scheduling Coordinator in writing.

In the event of a dispute regarding the sufficiency or accuracy of the information provided by the Scheduling Coordinator, the CAISO and the Scheduling Coordinator will enter a period of good-faith negotiations that terminates sixty (60) days after the date the dispute began. If the CAISO and the Scheduling Coordinator resolve the dispute during the 60-day negotiation period, within ten (10) Business Days of such agreement, the CAISO will determine the reasonable negotiated Variable Operations and Maintenance Adders and will provide the adders to the Scheduling Coordinator in writing. If the CAISO

and the Scheduling Coordinator fail to agree upon the sufficiency or accuracy of the information during the 60-day negotiation period, the Scheduling Coordinator has the right to petition FERC to resolve the dispute as to the sufficiency or accuracy of its information.

In the event of a dispute regarding the CAISO's determination of Variable Operations and Maintenance Adders, the CAISO and the Scheduling Coordinator will enter a period of good-faith negotiations that terminates sixty (60) days after the date the dispute began. If the CAISO and the Scheduling Coordinator resolve the dispute during the 60-day negotiation period, the agreed-upon negotiated Variable Operations and Maintenance Adders will be effective as of the third Business Day following the resolution date.

30.4.5.4.3.3 FERC Process

If the CAISO and the Scheduling Coordinator fail to agree on the Variable Operations and Maintenance Adders for the Proxy Start-Up Costs, Proxy Minimum Load Costs, and/or Default Energy Bids under the Variable Cost Option following the 60-day negotiation period, the Scheduling Coordinator has the right to file proposed values and supporting information for the adders with FERC pursuant to Section 205 of the Federal Power Act.

30.4.5.4.3.4 Interim Variable Operations and Maintenance Adders Pending Dispute Resolution

In the event of a dispute regarding the reasonableness of the Variable Operations and Maintenance Adders determined by the CAISO, but not a dispute regarding the sufficiency or accuracy of the information provided by the Scheduling Coordinator, the CAISO will determine reasonable interim Variable Operations and Maintenance Adders until the adders are determined by agreement between the CAISO and the Scheduling Coordinator or by FERC. Any subsequent agreement or FERC order determining the Variable Operations and Maintenance Adders will be reflected in an adjustment to the interim Variable Operations and Maintenance Adders in the next applicable Settlement Statement.

30.4.5.4.4 Renegotiation of Variable Operations and Maintenance Adders

The CAISO may require the renegotiation of any negotiated or interim Variable Operations and Maintenance Adders established pursuant to Section 30.4.5.4.3 that have become outdated, are possibly erroneous, or for which the Scheduling Coordinator has changed. In the renegotiation process, the CAISO may review and propose modifications to such Variable Operations and Maintenance Adders, and may require the Scheduling Coordinator to provide updated information to support their continuation.

30.4.5.4.5 Informational Filings

The CAISO shall make an informational filing with FERC of any default Variable Operations and Maintenance Adders established pursuant to Section 30.4.5.4.2 and any negotiated or interim Variable Operations and Maintenance Adders established pursuant to Section 30.4.5.4.3, no later than seven (7) days after the end of the month for which the Variable Operations and Maintenance Adders were established.

30.4.5.4.6 Conversion of Existing Negotiated Values

Notwithstanding any other provision in this Section 30.4.5.4, effective January 1, 2022, the CAISO will convert any then-existing adder values for major maintenance expenses previously established for a resource pursuant to Section 30.4.5.4 (or any predecessor of that Section), and will convert any then-existing negotiated operations and maintenance values previously established for a resource pursuant to Section 39.7.1.1.2 (or any predecessor of that Section), into corresponding negotiated Variable Operations and Maintenance Adders with values equivalent to the previously established values. Each Scheduling Coordinator for a resource for which the CAISO performs such conversions will subsequently have the option to either: (1) retain the corresponding Variable Operations and Maintenance Adders for the resource; (2) negotiate changes to all of the corresponding Variable Operations and Maintenance Adders for the resource pursuant to Section 30.4.5.4.3; or (3) negotiate changes to some of the corresponding Variable Operations and Maintenance Adders for the resource pursuant to Section 30.4.5.4.3, and have the CAISO convert the balance of the corresponding Variable Operations and Maintenance Adders into default Variable Operations and Maintenance Adders pursuant to Section 30.4.5.4.2.

30.4.6 Use Limited Resources

30.4.6.1 Registration and Validation Process

A Scheduling Coordinator seeking to obtain Use-Limited Resource status for resource(s) will follow the registration and validation process set forth in this CAISO Tariff and the Business Practice Manual. The registration and validation process requires each Scheduling Coordinator to demonstrate on an annual basis that the resource has one or more limits that meet the Use-Limited Resource criteria as set forth in Section 30.4.6.1.1 and the Business Practice Manual, and allows each Scheduling Coordinator to seek to

recover Opportunity Costs for Use-Limited Resources by making the demonstration set forth in Section 30.4.6.1.2.

30.4.6.1.1 Use-Limited Resource Criteria

In order for a resource to be considered a Use-Limited Resource, a Scheduling Coordinator must provide sufficient documentation demonstrating that the resource has one or more limits that meet all three of the following criteria:

- (1) The resource has one or more limitations affecting its number of starts, its number of run-hours, or its Energy output due to (a) design considerations, (b) environmental restrictions, or (c) qualifying contractual limitations;
- (2) The CAISO Market Process used to dispatch the resource cannot recognize the resource's limitation(s); and
- (3) The resource's ability to select hours of operation is not dependent on an energy source outside of the resource's control being available during such hours but the resource's usage needs to be rationed.

Design considerations that satisfy the requirements of this Section are those resulting from physical equipment limitations. A non-exhaustive list of such physical equipment limitations includes restrictions documented in original equipment manufacturer recommendations or bulletins, or limiting equipment such as storage capability for hydroelectric generating resources. Other design considerations that satisfy the requirements of this Section are those resulting from performance criteria for Demand Response Resources established pursuant to programs or contracts approved by Local Regulatory Authorities. Environmental restrictions that satisfy the requirements of this Section are those imposed by regulatory bodies, legislation, or courts. A non-exhaustive list of such environmental restrictions includes limits on emissions, water use restrictions, run-hour limitations in operating permits or other environmental limits that directly or indirectly limit starts, run hours, or MWh limits, but excludes restrictions with soft caps that allow the resource to increase production above the soft caps through the purchase of additional compliance instruments. Qualifying contractual limitations that satisfy the requirements of this Section are those contained in long-term contracts that: (i) were reviewed and approved by a Local Regulatory Authority on or before January 1, 2015, or were pending approval by a Local Regulatory Authority on or

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

before January 1, 2015 and were later approved; and (ii) were evaluated by the Local Regulatory Authority for the overall cost-benefit of those contracts taking into consideration the overall benefits and burdens, including the limitations on such resources' numbers of starts, numbers of run-hours, or Energy output. Contracts limits that provide for higher payments when start-up, run-hour, or Energy output thresholds are exceeded are not qualifying contractual limitations. Effective April 1, 2022, no contractual limitations will constitute qualifying contractual limitations that satisfy the requirements of this Section. Pursuant to a process set forth in the Business Practice Manual, the CAISO will review the limits and the supporting documentation provided by the Scheduling Coordinator as well as any translation of indirect limits to determine whether the Scheduling Coordinator has made the required showing under this Section. Any dispute regarding the CAISO's determination will be subject to the generally applicable CAISO ADR Procedures set forth in Section 13, which apply except where a CAISO Tariff provision expressly provides for a different means of resolving disputes.

The following types of resources are not eligible to register as Use-Limited Resources: Reliability Demand Response Resources, Regulatory Must-Take Generation, where 100% of the capacity is regulatory must-take, Combined Heat and Power Resources where 100% of the capacity is dedicated to a host industrial process, and Variable Energy Resources.

30.4.6.1.2 Establishing Opportunity Cost Adders

A Scheduling Coordinator for a Use-Limited Resource that elects the Proxy Cost methodology may seek to establish Opportunity Cost adders for any limitation(s) that meet all three (3) of the following criteria:

- (1) Satisfy the requirements of Section 30.4.6.1.1;
- (2) Apply for period(s) longer than the time horizon considered in the applicable Day-Ahead Market process; and
- (3) Can be reflected in a monthly, annual, and/or rolling twelve (12) month period.

The CAISO will review the documentation provided by the Scheduling Coordinator and determine whether the CAISO can calculate an Opportunity Cost pursuant to the methodology set forth in Section 30.4.6.2 using the Opportunity Cost calculator, or whether the Opportunity Cost for the limitation must instead be established pursuant to the negotiation process set forth in Section 30.4.6.3. Resources with limits that can be modelled using the Opportunity Cost calculator, are not eligible for a negotiated

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Opportunity Cost. Any Opportunity Cost formula rate resulting from either through the calculated or negotiated process, will remain in place unless and until the formula rate is modified or terminated by the CAISO. Opportunity Costs determined pursuant to a formula rate will remain in place until updated pursuant to Section 30.4.6.2.1 or Section 30.4.6.3 to reflect any changes in input values to the formula rate. Any Opportunity Cost bid adder will not be available until the first day of the month following the effective date of this tariff section.

A Scheduling Coordinator may submit documentation, either to establish a new limitation or to modify an existing limitation, in which case the Scheduling Coordinator can request reconsideration that may result in a new formula rate. In addition, Scheduling Coordinators must demonstrate on an annual basis that the resource has one or more limits that meet the Use-Limited Resource criteria as required pursuant to Section 30.4.6.1. In accordance with Section 39.7.1.3.2.2, the CAISO will make informational filings with FERC of any new, modified, or terminated Opportunity Cost formula rate developed pursuant to Section 30.4.6.2 or negotiated pursuant to Section 30.4.6.3.

A Use-Limited Resource to the extent it has a limitation that satisfies the requirements of Section 30.4.6.1 but applies for a period less than or equal to the time horizon considered in the Day-Ahead Market, is not eligible for an Opportunity Cost for any limitation.

30.4.6.2 Calculation of Opportunity Cost Adders

30.4.6.2.1 Calculation Schedule

The CAISO will calculate, and will update the most recent calculations of, Start-Up Opportunity Costs for each validated limitation on a Use-Limited Resource's number of starts, Minimum Load Opportunity Costs for each validated limitation on a Use-Limited Resource's number of run-hours, and Variable Energy Opportunity Costs for each validated limitation on a Use-Limited Resource's Energy output for which the Scheduling Coordinator has made the required showing under Section 30.4.6.1.2. Such calculations or updated calculations will actually be used to set the adder for each validated limitation that can be reflected in a monthly or a rolling twelve (12) month period and will be advisory for each validated limitation that can be reflected in an annual period. The CAISO plans to perform the calculations and updated calculations once a month. It is possible that circumstances may prevent the CAISO from performing the calculations on a monthly basis, in which case the CAISO will prioritize the workload

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

based on Opportunity Costs most likely to need updating. The CAISO will provide the results of the calculations or updated calculations for a Use-Limited Resource to its Scheduling Coordinator.

In the event that the CAISO is unable to perform such calculations or updated calculations for all Use-Limited Resources, the CAISO will give priority to performing such calculations or updated calculations for those Use-Limited Resources that are currently on pace to reach their maximum allowed numbers of starts, maximum allowed numbers of run-hours, or maximum allowed Energy output more quickly than the most recent calculations of Opportunity Costs indicated. To the extent that the CAISO is unable to perform such calculations or updated calculations for a Use-Limited Resource, the CAISO will utilize the most recently calculated or updated Opportunity Costs that have been set or are advisory for the Use-Limited Resource.

30.4.6.2.2 Methodology for Opportunity Cost Calculator

For the Opportunity Cost calculator developed by the CAISO, each calculation of Opportunity Costs will equal the estimated profits foregone if the Use-Limited Resource had one fewer unit of starts, run-hours, or Energy output, whichever is applicable, in the future time period of the validated limitation. With regard to each validated limitation of the Use-Limited Resource, the calculation will take into account a margin set forth in the Business Practice Manual. The calculation will also take into account the effect of any validated limitation on a Use-Limited Resource's number of starts, number of run-hours, or Energy output in the monthly and annual and/or rolling twelve month periods. For MSG Transitions, the Opportunity Cost for each transition will be derivative of the number of Start-Ups required for the MSG Resource to achieve a specific MSG Configuration.

The CAISO will calculate the estimated profits for each validated limitation over the future time period of the limitation based on the following estimated inputs: (a) the forecasted hourly average of fifteen-minute LMPs for Energy at the Use-Limited Resource's PNode or Aggregated PNode multiplied by (b) the optimal hourly dispatch of the Use-Limited Resource, minus (c) the estimated monthly Proxy Start-Up Cost of the Use-Limited Resource, minus (d) the estimated monthly Proxy Minimum Load Cost of the Use-Limited Resource, minus (e) the estimated monthly variable Energy cost of the Use-Limited Resource multiplied by the difference between (f) the optimal hourly commitment and dispatch of the Use-Limited Resource and (g) the PMin of the Use-Limited Resource, minus (h) the estimated monthly

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Transition Cost of the Use-Limited Resource.

The CAISO will calculate input (a) listed above by executing the following steps in the order shown below:

- (1) For each future hour, calculate an hourly implied heat rate at each applicable PNode or Aggregated PNode for a Use-Limited Resource based on the hourly average of the fifteen-minute Real-Time LMPs (reflecting the gas price index used in the Real-Time Market calculated pursuant to Section 39.7.1.1.1.3) from the same hour of the previous year, the Greenhouse Gas Allowance Price, calculated pursuant to Section 39.7.1.1.1.4, from the same day of the previous year, and the gas price index of the applicable fuel region from the same day of the previous year.
- (2) For each future month, calculate a monthly future implied heat rate based on the applicable wholesale future power price of the applicable electric pricing hub as published by Intercontinental Exchange, the most recent Greenhouse Gas Allowance Price calculated pursuant to Section 39.7.1.1.1.4, and the natural gas future commodity price of the applicable fuel region. The CAISO determines the natural gas futures commodity price by fuel region averaging available prices from the following vendors: Intercontinental Exchange, Natural Gas Intelligence, and SNL Energy/BTU's Daily Gas Wire.
- (3) For each future month, calculate a monthly historical implied heat rate based on the wholesale historic power price of the applicable electric pricing hub as published by Intercontinental Exchange for the same month of the previous year, the average Greenhouse Gas Allowance Price calculated pursuant to Section 39.7.1.1.1.4 for the same month of the previous year, and the average natural gas commodity price, reflecting the gas price index used in the Real-Time Market calculated pursuant to Section 39.7.1.1.1.3, of the applicable fuel region for the same month of the previous year.
- (4) For each future month, calculate a monthly power price conversion factor as the ratio of the future implied heat rate calculated under (2) above and the historical implied heat rate calculated under (3) above.

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

- (5) For each future hour, scale the hourly implied heat rate calculated under (1) above by the power price conversion factor calculated under (4) above.
- (6) For each future hour, calculate the LMPs by applying the gas price index of the future month and the most recent Greenhouse Gas Allowance Price calculated pursuant to Section 39.7.1.1.1.4 to the scaled implied heat rates calculated under (5) above.

For a Use-Limited Resource that has twelve (12) or fewer months of LMP data at its PNode or Aggregated PNode, the CAISO will calculate input (a) listed above using LMP data from a comparable PNode or Aggregated PNode.

Additional detail regarding the calculation of Opportunity Costs is provided in Appendix N to the Business Practice Manual for Market Instruments. Any dispute regarding the calculation of Opportunity Costs will be subject to the CAISO ADR Procedures set forth in Section 13.

30.4.6.3 Negotiation of Opportunity Costs

If, after receipt of the documentation required pursuant to Section 30.4.6.1.2, the CAISO determines that it cannot rely on the Opportunity Cost calculator to calculate Opportunity Costs for an eligible limitation pursuant to Section 30.4.6.2, the CAISO will establish the Opportunity Costs for the limitation pursuant to this Section. Upon making this determination, the CAISO will notify the Scheduling Coordinator for the resource and request that the Scheduling Coordinator provide the CAISO with a proposed methodology for determining Start-Up Opportunity Costs, Minimum Load Opportunity Costs, and/or Variable Energy Opportunity Costs for the limitation along with documentation supporting the methodology, and a proposed schedule for the CAISO to update such Opportunity Cost(s) under the methodology. The CAISO will either approve the submitted Opportunity Cost methodology or enter into good-faith negotiations with the Scheduling Coordinator to establish an agreed-upon Opportunity Cost methodology and the schedule for updating the Opportunity Costs under the methodology.

If the CAISO and the Scheduling Coordinator enter into good-faith negotiations, the negotiation period will be a minimum of sixty (60) days following the provision of all required documentation by the Scheduling Coordinator. Following the 60-day period, the parties can agree to continue good-faith negotiations or the Scheduling Coordinator can exercise its right to file with FERC as described below. In the event that the CAISO and the Scheduling Coordinator are unable to agree upon negotiated Opportunity Costs before

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

the negotiation period terminates, the CAISO may propose reasonable interim Opportunity Cost value(s) that will apply to the Use-Limited Resource until the CAISO and the Scheduling Coordinator agree upon negotiated Opportunity Costs. The Scheduling Coordinator may accept or reject the proposed interim Opportunity Cost value(s). If the Scheduling Coordinator rejects the proposed interim Opportunity Cost value(s), the Use-Limited Resource will not receive Opportunity Costs unless and until the CAISO and the Scheduling Coordinator agree upon negotiated Opportunity Costs, or such costs are established by an order issued by FERC. In the event that the negotiation period terminates without the CAISO and the Scheduling Coordinator reaching agreement upon negotiated Opportunity Costs, and the Scheduling Coordinator declines to continue negotiations, the Scheduling Coordinator may file proposed Opportunity Costs and supporting documentation with FERC pursuant to Section 205 of the Federal Power Act. Any updates to the negotiated Opportunity Costs adders established pursuant to this Section will consist solely of updates to the Opportunity Cost values themselves, and shall not affect the methodology for establishing those values. Any change in methodology would require the Scheduling Coordinator to initiate a new request pursuant to Section 30.4.6.1.2.

30.4.7 Registered Cost Methodology

Under the Registered Cost methodology, the Scheduling Coordinator for a Use-Limited Resource that is eligible for Opportunity Costs and either (i) does not have at least twelve (12) consecutive months of fifteen-minute LMPs for Energy at the Use-Limited Resource's PNode or Aggregated PNode; or (ii) has at least twelve (12) consecutive months of such LMPs but has not yet reached the start of the second month after the end of the twelfth consecutive month of having such LMPs, may register values of its choosing for Default Start-Up Bids and/or Default Minimum Load Bids in the Master File subject to the maximum limit specified in Section 39.6.1.6. A Scheduling Coordinator for a Multi-Stage Generating Resource that is a Use-Limited Resource registering Default Start-Up Bids must also register Default Transition Bids for each feasible MSG Transition, subject to the maximum limit specified in Section 39.6.1.7. For a Use-Limited Resource to be eligible for the Registered Cost methodology there must be sufficient information in the Master File to calculate the value pursuant to the Proxy Cost methodology, which will be used to validate the specific value registered using the Registered Cost methodology. Any such values will be fixed for a minimum of thirty (30) days in the Master File unless:

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

- (a) the resource's costs for any such value, as calculated pursuant to the Proxy Cost methodology, exceed the value registered using the Registered Cost methodology, in which case the Scheduling Coordinator may elect to switch to the Proxy Cost methodology for the balance of any thirty (30)-day period, except as set forth in Section 30.4.7; or
- (b) any cost registered in the Master File exceeds the maximum limit specified in Section 39.6.1.6 or Section 39.6.1.7 after this minimum thirty (30)-day period, in which case the value will be lowered to the maximum limit specified in Section 39.6.1.6 or Section 39.6.1.7.

If a Multi-Stage Generating Resource elects to use the Registered Cost methodology, that election will apply to all the MSG Configurations for that resource. The cap for the Registered Cost values for each MSG Configuration will be based on the Proxy Cost values calculated for each MSG Configuration, including for each MSG Configuration that cannot be directly started, which are also subject to the maximum limits specified in Sections 39.6.1.6 and 39.6.1.7.

30.5 Bidding Rules

30.5.1 General Bidding Rules

- (a) All Energy and Ancillary Services Bids of each Scheduling Coordinator submitted to the DAM for the following Trading Day shall be submitted at or prior to 10:00 a.m. on the day preceding the Trading Day, but no sooner than seven (7) days prior to the Trading Day. All Energy and Ancillary Services Bids of each Scheduling Coordinator submitted to the RTM for the following Trading Day shall be submitted starting from the time of publication, at 1:00 p.m. on the day preceding the Trading Day, of DAM results for the Trading Day, and ending seventy-five (75) minutes prior to each applicable Trading Hour in the RTM. Scheduling Coordinators may submit only one set of Bids to the RTM for a given Trading Hour, which the CAISO uses for all Real-Time Market processes. The CAISO will not accept any Energy or Ancillary Services Bids for the following Trading Day between 10:00 a.m. on the day preceding the Trading Day and the publication, at 1:00 p.m. on the day preceding the Trading Day, of DAM results for the Trading Day;

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

- (b) Bid prices submitted by a Scheduling Coordinator for Energy accepted and cleared in the IFM and scheduled in the Day-Ahead Schedule may be increased or decreased in the RTM . Bid prices for Energy submitted but not scheduled in the Day-Ahead Schedule may be increased or decreased in the RTM. Incremental Bid prices for Energy associated with Day-Ahead AS or RUC Awards in Bids submitted to the RTM may be revised.
- (c) A Scheduling Coordinator may submit in the Real-Time Market new daily Start-Up Bids, Minimum Load Bids, and Transition Bids for resources and MSG Configurations for which the Scheduling Coordinator previously submitted such Bids in the Day-Ahead Market, except for: (1) Trading Hours in which a resource or MSG Configuration has received a Day-Ahead Schedule or has received a Start-Up Instruction in RUC; and (2) Trading Hours that span the Minimum Run Time of the resource or MSG Configuration after the CAISO has committed the resource or the Scheduling Coordinator has self-committed the resource in the RTM.
- (d) Scheduling Coordinators may revise ETC Self-Schedules for Supply in the RTM to the extent such a change is consistent with TRTC Instructions provided to the CAISO by the Participating TO in accordance with Section 16.
- (e) Scheduling Coordinators may revise TOR Self-Schedules for Supply only in the HASP to the extent such a change is consistent with TRTC Instructions provided to the CAISO by the Non-Participating TO in accordance with Section 17. Energy associated with awarded Ancillary Services capacity cannot be offered in the Real-Time Market separate and apart from the awarded Ancillary Services capacity.
- (f) Scheduling Coordinators may submit Energy Bids, AS Bids and RUC Bids in the DAM that are different for each Trading Hour of the Trading Day.
- (g) Bids for Energy or capacity that are submitted to one CAISO Market, but are not accepted in that market are no longer a binding commitment and Scheduling Coordinators may submit Bids in a subsequent CAISO Market at a different price.
- (h) The CAISO shall be entitled to take all reasonable measures to verify that Scheduling

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Coordinators meet the technical and financial criteria set forth in Section 4.5.1 and the accuracy of information submitted to the CAISO pursuant to this Section 30.

- (i) In order to retain the priorities specified in Section 31.4 and 34.12 for scheduled amounts in the Day-Ahead Schedule associated with ETC and TOR Self-Schedules or Self-Schedules associated with Regulatory Must-Take Generation, a Scheduling Coordinator must submit to the Real-Time Market ETC or TOR Self-Schedules, or Self-Schedules associated with Regulatory Must-Take Generation, at or below the Day-Ahead Schedule quantities associated with the scheduled ETC, TOR, or Regulatory Must-Take Generation Self-Schedules. If the Scheduling Coordinator fails to submit such Real-Time Market ETC, TOR, or Regulatory Must-Take Generation Self-Schedules, the defined scheduling priorities of the ETC, TOR, or Regulatory Must-Take Generation Day-Ahead Schedule quantities may be subject to adjustment in the HASP and the Real-Time Market as further provided in Sections 31.4 and 34.12 in order to meet operating conditions.
- (j) For Multi-Stage Generating Resources that receive a Day-Ahead Schedule, are awarded a RUC Schedule, or receive an Ancillary Services Award the Scheduling Coordinator must submit an Energy Bid in the Real-Time Market for the same Trading Hour(s). If the Scheduling Coordinator submits an Economic Bid for such Trading Hour(s), the Economic Bid must be for either: the same MSG Configuration scheduled or awarded in the Integrated Forward Market, or the MSG Configuration committed in RUC. If the Scheduling Coordinator submits a Self-Schedule in the Real-Time Market for such Trading Hour(s), then the Energy Self-Schedule may be submitted in any registered MSG Configuration, including the MSG Configuration awarded in the Day-Ahead Market, that can support the awarded Ancillary Services (as further required by Section 8).
- (k) Scheduling Coordinators for Multi-Stage Generating Resources may submit into the Real-Time Market bids from up to six (6) MSG Configurations in addition to the MSG Configuration scheduled or awarded in the Integrated Forward Market and Residual Unit Commitment, provided that the MSG Transitions between the MSG Configurations bid into the Real-Time Market are feasible and the transition from the previous Trading Hour

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

are also feasible.

- (l) For the Trading Hours that Multi-Stage Generating Resources do not have a CAISO Schedule or award from a prior CAISO Market run, the Scheduling Coordinator can submit up to six (6) MSG Configurations into the RTM.
- (m) A Scheduling Coordinator cannot submit a Bid to the CAISO Markets for a MSG Configuration into which the Multi-Stage Generating Resource cannot transition due to lack of Bids for the specific Multi-Stage Generating Resource in other MSG Configurations that are required for the requisite MSG Transition.
- (n) In order for Multi-Stage Generating Resource to meet any Resource Adequacy must-offer obligations, the responsible Scheduling Coordinator must submit either an Economic Bid or Self-Schedule for at least one MSG Configuration into the Day-Ahead Market and Real-Time Market that is capable of fulfilling that Resource Adequacy obligation, as feasible. The Economic Bid shall cover the entire capacity range between the maximum bid-in Energy MW and the higher of Self-Scheduled Energy MW and the Multi-Stage Generating Resource plant-level PMin as registered in the Master File.
- (o) For any given Trading Hour, a Scheduling Coordinator may submit Self-Schedules and/or Submissions to Self-Provide Ancillary Services in only one MSG Configuration for each Generating Unit.
- (p) In any given Trading Hour in which a Scheduling Coordinator has submitted a Self-Schedule for a Multi-Stage Generating Resource, the Scheduling Coordinator may also submit Bids for other MSG Configurations provided that they concurrently submit Bids that enable the applicable CAISO Market to transition the Multi-Stage Generating Resource to other MSG Configurations.
- (q) If in any given Trading Hour the Multi-Stage Generating Resource was awarded Regulation or Operating Reserves in the IFM, any Self-Schedules or Submissions to Self-Provide Ancillary Services the Scheduling Coordinator submits for that Multi-Stage Generating Resource in the RTM must be for the same MSG Configuration for which Regulation or Operating Reserve is Awarded in IFM for that Multi-Stage Generating

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Resource in that given Trading Hour.

- (r) If a Multi-Stage Generating Resource has received a binding RUC Start-Up Instruction as provided in Section 31, any Self-Schedule or Submission to Self-Provide Ancillary Services in the RTM must be in the same MSG Configuration committed in RUC.
- (s) If in any given Trading Hour the Multi-Stage Generating Resource is scheduled for Energy in the IFM, any Self-Schedules the Scheduling Coordinator submits for that Multi-Stage Generating Resource in the RTM must be for the same MSG Configuration for which Energy is scheduled in IFM for that Multi-Stage Generating Resource in that given Trading Hour.
- (t) For a Multi-Stage Generating Resource, the Bid(s) submitted for the resource's configuration(s) shall collectively cover the entire capacity range between the maximum bid-in Energy MW and the higher of the Self-Scheduled Energy MW and the Multi-Stage Generating Resource plant-level PMin as registered in the Master File. This rule shall apply separately to the Day-Ahead Market and the Real-Time Market.
- (u) A Scheduling Coordinator may submit a Self-Schedule Hourly Block for the RTM as an import to or an export from the CAISO Balancing Authority Area and may also submit Self-Scheduled Hourly Blocks for Ancillary Services imports. Such a Bid shall be for the same MWh quantity for each of the four (4) fifteen (15)-minute intervals that make up the applicable Trading Hour.
- (v) A Scheduling Coordinator may submit a Variable Energy Resource Self-Schedule for the RTM can be submitted from a Variable Energy Resource. A Scheduling Coordinator can use either the CAISO forecast for Expected Energy in the RTM or can provide its own forecast for Expected Energy pursuant to the requirements specified in Section 4.8.2. The Scheduling Coordinator must indicate in the Master File whether it is using its own forecast or the CAISO forecast for its resource in support of the Variable Energy Self-Schedule. The Scheduling Coordinator is not required to include the same MWh quantity for each of the four (4) fifteen (15)-minute intervals that make up the applicable Trading Hour for the Variable Energy Resource Self-Schedule include. If an external Variable

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Energy Resource that is not using a forecast of its output provided by the CAISO submits a Variable Energy Resource Self-Schedule and the Expected Energy is not delivered in the FMM, the Scheduling Coordinator for the Variable Energy Resource will be subject to the Under/Over Delivery Charge as described in Section 11.31. Scheduling Coordinators for Dynamically Scheduled Variable Energy Resources that provide the CAISO with a two (2)-hour rolling forecast with five (5)-minute granularity can submit Variable Energy Resource Self-Schedules.

- (w) Scheduling Coordinators can submit Economic Hourly Block Bids to be considered in the HASP and to be accepted as binding Schedules with the same MWh award for each of the four (4) FMM intervals. Scheduling Coordinator can also submit Economic Hourly Block Bids for Ancillary Services. As specified in Section 11, a cleared Economic Hourly Block Bid is not eligible for Bid Cost Recovery.
- (x) Scheduling Coordinators can submit Economic Hourly Block Bids with Intra-Hour Option. If accepted in the HASP, such a Bid creates a binding schedule with same MWh awards for each of the four (4) FMM intervals. After that, the RTM can optimize such schedules for economic reasons once through an FMM during the Trading Hour. As specified in Section 11, a cleared Economic Hourly Block Bid with Intra-Hour Option is not eligible for Bid Cost Recovery.
- (y) A Scheduling Coordinator submitting Bids to the RTM is not required to submit a Self-Schedule Hourly Block, a Variable Energy Resource Self-Schedule, an Economic Hourly Block Bid, or an Economic Hourly Block Bid with Intra-Hour Option, and may instead choose to participate in the RTM through Economic Bids or Self-Schedules.
- (z) For a Wheeling Through Self Schedule to be eligible as a Priority Wheeling Through for a given month, the Scheduling Coordinator must notify the CAISO of the MW quantity of the power supply contract MW supporting the export Self-Schedule of the Priority Wheeling Through transaction and confirm it meets the eligibility requirements to support a Priority Wheeling Through. The Scheduling Coordinator must provide such information to the CAISO by 45 days prior to the applicable month.

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

- (aa) A Scheduling Coordinator for a CAISO Balancing Authority Area resource will indicate through a resource parameter as prescribed in the Business Practice Manual that it has sold capacity to an out-of-balancing authority area Load Serving Entity, and no CAISO Load Serving Entity has a right to such capacity. If the Scheduling Coordinator does not indicate this status, the resource cannot be a designated resource for an export Self-Schedule at Scheduling Points backed by non-Resource Adequacy Capacity. The CAISO will notify a Scheduling Coordinator hourly, to the extent practicable, that its resource, which is flagged to support an export, is designated by another entity to support export Self-Schedules at Scheduling Points backed by non-Resource Adequacy Capacity. Upon receiving the notice, the Scheduling Coordinator for the designated resource shall notify the CAISO if it does not have a contractual commitment to support such export Self-Schedule or does not have a reasonable expectation to be available to support the export Self Schedule. The Scheduling Coordinator for the designated resource and the Scheduling Coordinator for the export Self-Schedule shall designate a resource to support such export only if the resource is expected to have sufficient available capacity to support the export quantity throughout the entire hour. For Variable Energy Resources, this requirement can only be satisfied if the resource's forecasted output for each of the applicable four (4) fifteen (15) minute intervals in the applicable hour for which a bid has been submitted, based on the most recent forecast for that hour, is for Generation that is equal to or greater than the Self Schedule export quantity. The designated capacity must be the deliverable capacity of a resource with Full Capacity Deliverability Status, Partial Capacity Deliverability Status, or Interim Deliverability Status that is shown on the CAISO's NQC list.
- (bb) In addition to meeting any obligations applicable to Resource Adequacy Resources, a Scheduling Coordinator for a resource supporting Self-Schedules of exports at Scheduling Points backed by non-Resource Adequacy Capacity shall submit a \$0/MW RUC Availability Bid for a quantity equal to or greater than the quantity of the export.
- (cc) The Scheduling Coordinator for the resource shall offer Energy Bids into the Real-Time

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Market to support Self-Schedules of exports at Scheduling Points backed by non-Resource Adequacy Capacity.

- (dd) The positive difference in quantity between a designated resource's RUC Schedule and the RUC Schedule of the corresponding Self-Schedule at a Scheduling Point backed by non-Resource Adequacy Capacity cannot back additional exports at a Scheduling Point backed by non-Resource Adequacy Capacity scheduled in the Real-Time Market.
- (ee) A Scheduling Coordinator shall not schedule an import Self-Schedule to support an export Self-Schedule of exports at Scheduling Points explicitly sourced by non-Resource Adequacy Capacity. The transaction is properly scheduled as a Wheeling Through transaction as described in section 30.5.4.

30.5.2 Supply Bids

30.5.2.1 Common Elements for Supply Bids

In addition to the resource-specific Bid requirements of this Section, all Supply Bids must contain the following components: Scheduling Coordinator ID Code; Resource Location or Resource ID, as appropriate; MSG Configuration ID, as applicable; PNode or Aggregated Pricing Node as applicable; Energy Bid Curve; Self-Schedule component; Ancillary Services Bid; RUC Availability Bid as applicable, the CAISO Market to which the Bid applies; Trading Day to which the Bid applies; Priority Type (if any), and a Transaction ID as created by the CAISO. Supply Bids offered in the CAISO Markets must be monotonically increasing. Energy Bids in the RTM must also contain a Bid for Ancillary Services to the extent the resource is certified and capable of providing Ancillary Service in the RTM up to the registered certified capacity for that Ancillary Service less any Day-Ahead Ancillary Services Awards.

Scheduling Coordinators must submit the applicable Supply Bid components, including Self-Schedules, for the submitted MSG Configuration.

Scheduling Coordinators submitting Bids for Scheduling Points must adhere to the E-Tagging requirements outlined in Section 30.5.7.

30.5.2.2 Supply Bids for Participating Generators

In addition to the common elements listed in Section 30.5.2.1, Supply Bids for Participating Generators shall contain the following components as applicable: Start-Up Bid, Minimum Load Bid, Ramp Rate,

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Minimum and Maximum Operating Limits; Energy Limit, Regulatory Must-Take/Must-Run Generation; Contingency Flag; and Contract Reference Number (if any). Scheduling Coordinators submitting these Bid components for a Multi-Stage Generating Resource must do so for the submitted MSG Configuration. Scheduling quantities that a Scheduling Coordinator schedules as Regulatory Must-Take Generation for a CHP Resource shall be limited to the quantity necessary in any hour to meet the reasonably anticipated industrial host's thermal requirements and shall not exceed any established RMTMax values. The CHP Resource owner or operator shall provide its Scheduling Coordinator with the Regulatory Must-Take Generation values and is solely responsible for the accuracy of the information. The Scheduling Coordinator for the CHP Resource will schedule the quantities consistent with information provided subject to any contract rights between the CHP Resource Generating Unit owner or operator and its counter-party to any power purchase agreement regarding curtailment or dispatchability of the CHP Resource. If the CHP Resource Generating Unit has a power purchase agreement and its counter-party is not the Scheduling Coordinator for the resource, the parties to the agreement share the responsibility for ensuring that the Scheduling Coordinator schedules the resource consistent with contractual rights of the counter-parties. A Scheduling Coordinator for a Physical Scheduling Plant or a System Unit may include Generation Distribution Factors as part of its Supply Bid. If the Scheduling Coordinator has not submitted the Generation Distribution Factors applicable for the Bid, the CAISO will use default Generation Distribution Factors stored in the Master File. All Generation Distribution Factors used by the CAISO will be normalized based on Outage data that is available to the automated market systems. A Multi-Stage Generating Resource and its MSG Configurations are registered under a single Resource ID and Scheduling Coordinator for the Multi-Stage Generating Resource must submit all Bids for the resource's MSG Configurations under the same Resource ID. For a Multi-Stage Generating Resources Scheduling Coordinators may submit bid curves for up to ten individual MSG Configurations of their Multi-Stage Generating Resources into the Day-Ahead Market and up to three individual MSG Configurations into the Real-Time Market. Scheduling Coordinators for Multi-Stage Generating Resources must submit a single Operational Ramp Rate for each MSG Configuration for which it submits a supply Bid either in the Day-Ahead Market or Real-Time Market. For Multi-Stage Generating Resources the Scheduling Coordinator may submit the Transition Times, which cannot be greater than the maximum Transition

Time registered in the Master File. To the extent the Scheduling Coordinator does not submit the Transition Time that is a registered feasible transition the CAISO will use the registered maximum Transition Time for that MSG Transition for the specific Multi-Stage Generating Resource.

30.5.2.3 Supply Bids for Participating Loads, Including Pumped-Storage Hydro Units and Aggregated Participating Loads

In addition to the common elements listed in Section 30.5.2.1, Scheduling Coordinators submitting Supply Bids for Participating Loads, which includes Pumping Load or Pumped-Storage Hydro Units, may include the following components: Pumping Level (MW), Minimum Load Bid (Generation mode only of a Pumped-Storage Hydro Unit), Load Distribution Factor, Ramp Rate, Energy Limit, Pumping Cost, and Pump Shut-Down Costs. If no values for Pumping Cost or Pump Shut-Down Costs are submitted, the CAISO will generate these Bid components based on values in the Master File. Scheduling Coordinators may only submit Supply Bids for Aggregated Participating Loads by using a Generating Unit or Physical Scheduling Plant Resource ID for the Demand reduction capacity represented by the Aggregated Participating Load as set forth in a Business Practice Manual. The CAISO will use Generation Distribution Factors provided by the Scheduling Coordinator for the Aggregated Participating Load.

30.5.2.4 Supply Bids for System Resources

In addition to the common elements listed in Section 30.5.2.1, Supply Bids for Resource-Specific System Resources shall also contain Start-Up Bids and Minimum Load Bids. Resource-Specific System Resources are subject to the Proxy Cost methodology or the Registered Cost methodology for Default Start-Up Bids and Default Minimum Load Bids as provided in Section 30.4, and Transaction ID as created by the CAISO. Other System Resources are not eligible to recover Start-Up Costs and Minimum Load Costs. Resource-Specific System Resources are eligible to participate in the Day-Ahead Market on an equivalent basis as Generating Units and are not obligated to participate in RUC or the RTM if the resource did not receive a Day-Ahead Schedule unless the resource is a Resource Adequacy Resource. If the Resource-Specific System Resource is a Resource Adequacy Resource, the Scheduling Coordinator for the resource is obligated to make it available to the CAISO Market as prescribed by Section 40.6. Dynamic Resource-Specific System Resources are also eligible to participate in the RTM on an equivalent basis as Generating Units. The quantity (in MWh) of Energy categorized as Interruptible

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Imports (non-firm imports) can only be submitted through Self-Schedules in the Day-Ahead Market and cannot be incrementally increased in the RTM. Bids submitted to the Day-Ahead Market for ELS Resources will be applicable for two days after they have been submitted and cannot be changed the day after they have been submitted. Bids for System Resources that exceed the Soft Energy Bid Cap are subject to the rules in Sections 30.7.12, as applicable.

30.5.2.4.1 Intertie Block Bids

Intertie Block Bids must contain the same energy Bid price for all hours of the period for which the Intertie Block Bid is submitted. Intertie Block Bids may only be submitted in the DAM.

30.5.2.5 Supply Bids for Metered Subsystems

Consistent with the bidding rules specified in this Section 30.5, Scheduling Coordinators that represent MSS Operators may submit Bids for Energy and Ancillary Services, including Self-Schedules and Submissions to Self-Provide an Ancillary Service, to the DAM. All Bids to supply Energy by MSS Operators must identify each Generating Unit on an individual unit basis. The CAISO will not accept aggregated Generation Bids without complying with the requirements of Section 4.9.12 of the CAISO Tariff. All Scheduling Coordinators that represent MSS Operators must submit Demand Bids at the relevant MSS LAP. Scheduling Coordinators that represent MSS Operators must comply with Section 4.9 of the CAISO Tariff. Scheduling Coordinators that represent MSS Operators that have opted out of RUC participation pursuant to Section 31.5 must Self-Schedule one hundred percent (100%) of the Demand Forecast for the MSS. For an MSS that elects Load following, the MSS Operator shall also self-schedule or bid Supply to match the Demand Forecast. All Bids for MSSs must identify each Generating Unit on an individual unit basis or a System Unit. For an MSS that elects Load following consistent with Section 4.9.13.2, the Scheduling Coordinator for the MSS Operator must include the following additional information with its Bids: the Generating Unit(s) that are Load following; the range of the Generating Unit(s) being reserved for Load following; whether the quantity of Load following capacity is either up or down; and, if there are multiple Generating Units in the MSS, the priority list or distribution factors among the Generating Units. The CAISO will not dispatch the resource within the range declared as Load following capacity, leaving that capacity entirely available for the MSS to dispatch. The CAISO uses this

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

information in the IFM runs and the RUC to simulate MSS Load following. The Scheduling Coordinator for the MSS Operator may change these characteristics through the Bid submission process in the RTM. If the Load following resource is also an RMR Unit, the MSS Operator must not specify the RMR Contract Capacity specified in the RMR Contract as Load following up or down capacity to allow the CAISO to access such capacity for RMR Dispatch.

30.5.2.6 Supply Bids for Distributed Energy Resource Aggregations

In addition to the common elements listed in Section 30.5.2.1, Supply Bids for Distributed Energy Resource Aggregations will contain the following components as applicable: Generation Distribution Factors, Ramp Rate, Minimum and Maximum Operating Limits; Energy Limit, and Contingency Flag. If the Scheduling Coordinator does not submit the Generation Distribution Factors for the Bid, the CAISO will use default Generation Distribution Factors registered in Master File.

30.5.2.7 Ancillary Service Bids

There are four distinct Ancillary Services: Regulation Up, Regulation Down, Spinning Reserve and Non-Spinning Reserve. A resource shall be eligible to provide Ancillary Service if it has complied with the CAISO's certification and testing requirements as contained in Appendix K and the CAISO's Operating Procedures. Scheduling Coordinators may use Dynamic System Resources to Self-Provide Ancillary Services as specified in Section 8. All System Resources, including Dynamic System Resources and Non-Dynamic System Resources, will be charged the Shadow Price as prescribed in Section 11.10, for any awarded Ancillary Services. A Scheduling Coordinator may submit Ancillary Services Bids for Regulation Up, Regulation Down, Spinning Reserve, and Non-Spinning Reserve for the same capacity by providing a separate price in \$/MW per hour as desired for each Ancillary Service. The Bid for each Ancillary Services is a single Bid segment. Only resources certified by the CAISO as capable of providing Ancillary Services are eligible to provide Ancillary Services and submit Ancillary Services Bids. In addition to the common elements listed in Section 30.5.2.1, all Ancillary Services Bid components of a Supply Bid must contain the following: (1) the type of Ancillary Service for which a Bid is being submitted; (2) Ramp Rate (Operating Reserve Ramp Rate and Regulation Ramp Rate, if applicable); and (3) Distribution Curve for Physical Scheduling Plant or System Unit. A Scheduling Coordinator may only submit an Ancillary Services Bid or Submission to Self-Provide an Ancillary Service for Multi-Stage

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Generating Resources for the Ancillary Service for which the specific MSG Configurations are certified. For any such certified MSG Configurations the Scheduling Coordinator may submit only one Operating Reserve Ramp Rate and Regulation Ramp Rate. An Ancillary Services Bid or Submission to Self-Provide an Ancillary Service submitted to the Day-Ahead Market when submitted to the Day-Ahead Market may be, but is not required to be, accompanied by an Energy Bid that covers the capacity offered for the Ancillary Service. Notwithstanding any other provision, Scheduling Coordinators for storage resources participating as Non-Generator Resources must submit accompanying Energy Bids in the Real-Time Market that cover at least half the capacity awarded for Ancillary Services from the Day-Ahead Market. Such covering Energy Bids must be the opposite direction of the Ancillary Service; namely, Bids to charge must accompany capacity awarded for Regulation Up, Spinning Reserve, and Non-Spinning Reserve; and Bids to discharge must accompany capacity awarded for Regulation Down. If a Scheduling Coordinator's Submission to Self-Provide an Ancillary Service is qualified as specified in Section 8.6, the Scheduling Coordinator must submit an Energy Bid that covers the self-provided capacity prior to the close of the Real-Time Market for the day immediately following the Day-Ahead Market in which the Ancillary Service Bid was submitted. Except as provided below, the Self-Schedule for Energy need not include a Self-Schedule for Energy from the resource that will be self-providing the Ancillary Service. If a Scheduling Coordinator is self-providing an Ancillary Service from a Short Start Unit, no Self-Schedule for Energy for that resource is required. If a Scheduling Coordinator proposes to self-provide Spinning Reserve, the Scheduling Coordinator is obligated to submit a Self-Schedule for Energy for that particular resource, unless as discussed above the particular resource is a Short Start Unit. When submitting Ancillary Service Bids in the Real-Time Market, Scheduling Coordinators for resources that either have been awarded or self-provide Spinning Reserve or Non-Spinning Reserve capacity in the Day-Ahead Market must submit an Energy Bid for at least the awarded or self-provided Spinning Reserve or Non-Spinning Reserve capacity, otherwise the CAISO will apply the Bid validation rules described in Section 30.7.6.1.

As provided in Section 30.5.2.6.4, a Submission to Self-Provide an Ancillary Service shall contain all of the requirements of a Bid for Ancillary Services with the exception of Ancillary Service Bid price information. In addition, Scheduling Coordinators must comply with the Ancillary Services requirements

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

of Section 8. Scheduling Coordinators submitting Self-Schedule Hourly Blocks for Ancillary Services Bids for the Real-Time Market must also submit an Energy Bid for the associated Ancillary Services Bid under the same Resource ID, otherwise the bid validation rules in Section 30.7.6.1 will apply to cover any portion of the Ancillary Services Bid not accompanied by an Energy Bid. As described in Section 34.2.3, if the resource submits a Self-Scheduled Hourly Block, the CAISO will only use the Ancillary Services Bid in the RTM optimization and will not use the associated Energy Bid for the same Resource ID to schedule Energy from the Non-Dynamic System Resource in the RTM. Scheduling Coordinators must also comply with the bidding rules associated with the must offer requirements for Ancillary Services specified in Section 40.6.

30.5.2.7.1 Regulation Up or Regulation Down Bid Information

In the case of Regulation Up or Regulation Down, the Ancillary Services Bid or submission to self-provide must also contain: (a) the upward and downward range of generating capacity over which the resource is willing to provide Regulation in ten (10) minutes; (b) the Bid price of the capacity reservation, stated separately for Regulation Up and Regulation Down (\$/MW); and (c) the Bid price (\$) of the Mileage stated separately for Regulation Up and Regulation Down. For submissions to self-provide Regulation Up or Regulation Down, the price for the capacity reservation shall be \$0/MWh and the price for Mileage shall be \$0. In the case of Regulation Up or Regulation Down from Dynamic System Resources, the Ancillary Services Bid must also contain the Contract Reference Number, if applicable. Scheduling Coordinators may include inter-temporal opportunity costs in their Regulation capacity bids, but these inter-temporal opportunity costs must be verifiable. Ancillary Services Bids submitted to the Day-Ahead or Real-Time Market for Regulation need not be accompanied by an Energy Supply Bid that covers the Ancillary Services capacity being offered. A Regulation Down Bid will be erased unless there is an Energy Supply Bid or Energy Self-Schedule at a level that would permit the resource to provide Regulation Down to its lower Regulation Limit. A submission to self-provide Regulation Down will be erased unless there is an Energy Self-Schedule at a level that would permit the resource to provide Regulation Down to its lower Regulation Limit. A Regulation Up Bid will be erased unless there is an Energy Supply Bid or Energy Self-Schedule at a level that would permit the resource to provide Regulation Up within its Regulation Limit. A submission to self-provide Regulation Up will be erased unless there is an Energy Self-Schedule

at a level that would permit the resource to provide Regulation Up within its Regulation Limit.

30.5.2.7.2 Spinning Reserve Capacity Bid Information

In the case of Spinning Reserve capacity, the Ancillary Services Bid must also contain: (a) MW of additional capability synchronized to the system, immediately responsive to system frequency, and available within ten (10) minutes; (b) Bid price of capacity reservation, and (c) an indication whether the capacity reserved would be available to supply imbalance energy only in the event of the occurrence of an unplanned Outage, a Contingency or an imminent or actual System Emergency (Contingency Flag).

In the case of Spinning Reserve capacity from System Resources, the Ancillary Services Bid must also contain: (a) Schedule ID (NERC ID number); and (b) a Contract Reference Number, if applicable.

Ancillary Services Bids and Submissions to Self-Provide an Ancillary Services submitted to the Real-Time Market for Spinning Reserves must also submit an Energy Bid that covers the Ancillary Services capacity being offered into the Real-Time Market.

30.5.2.7.3 Non-Spinning Reserve Capacity

In the case of Non-Spinning Reserve, the Ancillary Service Bid must also contain: (a) the MW capability available within ten (10) minutes; (b) the Bid price of the capacity reservation; (c) time of synchronization following notification (minutes); and (d) an indication whether the capacity reserved would be available to supply imbalance energy only in the event of the occurrence of an unplanned Outage, a Contingency or an imminent or actual System Emergency (Contingency Flag). In the case of Non-Spinning Reserve Capacity from System Resources, the Ancillary Services Bid must also contain: (a) Schedule ID (NERC ID number); and (b) a Contract Reference Number, if applicable. In the case of Non-Spinning Reserve Capacity from Participating Load within the CAISO Balancing Authority Area, the Ancillary Service Bid must also contain: (a) a Load identification name and Location Code; (b) Demand reduction available within ten (10) minutes; (c) time to interruption following notification (minutes); and (d) maximum allowable curtailment duration (hour). In the case of Aggregated Participating Load, and Proxy Demand Resources, Scheduling Coordinators must submit Bids using a Generating Unit, Physical Scheduling Plant Resource ID, or Resource ID for the Proxy Demand Resource for the Demand reduction capacity of the Aggregated Participating Load through a Bid to provide Non-Spinning Reserve or a Submission to Self-Provide an

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Ancillary Service for Non-Spinning Reserve. Ancillary Services Bids and Submissions to Self-Provide an Ancillary Services submitted to the Real-Time Market for Non-Spinning Reserves must also submit an Energy Bid that covers the Ancillary Services capacity being offered into the Real-Time Market.

30.5.2.7.4 Additional Rules for Self-Provided Ancillary Services

Scheduling Coordinators electing to self-provide Ancillary Services shall supply the information referred to in this Section 30.5 in relation to each Ancillary Service to be self-provided, excluding the capacity price information, but including the name of the trading Scheduling Coordinator in the case of Inter-Scheduling Coordinator Ancillary Service Trades. The portion of the Energy Bid that corresponds to the high end of the resource's operating range, shall be allocated to any awarded or Self-Provided Ancillary Services in the following order from higher to lower capacity: (a) Regulation Up; (b) Spinning Reserve; and (c) Non-Spinning Reserve. For resources providing Regulation Up, the upper regulating limit shall be used if it is lower than the highest operating limit. The remaining portion of the Energy Bid (i.e. that portion not associated with capacity committed to provide Ancillary Services) shall constitute a Bid to provide Energy.

30.5.2.8 RUC Availability Bids

Scheduling Coordinators may submit RUC Availability Bids for specific Generating Units capacity that is not Resource Adequacy Capacity or CPM Capacity in the DAM. Scheduling Coordinators for Resource Adequacy Capacity or CPM Capacity must participate in RUC to the extent that such capacity is not reflected in an IFM Schedule but need not submit RUC Availability Bids. Resource Adequacy Capacity participating in RUC will be optimized using a zero dollar (\$0/MW-hour) RUC Availability Bid. For Multi-Stage Generating Resources, the RUC Availability Bids shall be submitted at the MSG Configuration. Capacity that does not have Bids for Supply of Energy in the IFM will not be eligible to participate in the RUC process. The RUC Availability Bid component is MW-quantity of non-Resource Adequacy Capacity in \$/MW per hour.

30.5.3 Demand Bids

Each Scheduling Coordinator representing Demand, including Non-Participating Load and Aggregated Participating Load, shall submit Bids indicating the hourly quantity of Energy in MWh that it intends to purchase in the IFM for each Trading Hour of the Trading Day. Scheduling Coordinators must submit Demand Bids, including Self Schedules, for CAISO Demand at Load Aggregation Points except as

provided in Section 30.5.3.2.

30.5.3.1 Demand Bids Components

Demand Bids must have the following components: Scheduling Coordinator ID Code; a Demand Bid curve that is a monotonically decreasing staircase function of no more than ten (10) segments defined by eleven (11) ordered pairs of MW and \$/MWh; Location Code for the LAP, Custom LAP or PNode, as applicable; and hourly scheduled MWh within the range of the Bid curve, including any zero values, for each Settlement Period of the Trading Day.

30.5.3.2 Exceptions to Requirement for Submission of Demand Bids and Settlement at the LAP

The following are exceptions to the requirement that Demand Bids be submitted and settled at the LAP:

- (a) ETC or TOR Self-Schedules submitted consistent with the submitted TRTC Instructions;
- (b) Participating Load and Aggregated Participating Load Bids for Supply and Demand may be submitted and settled at a PNode or Custom LAP, as appropriate; and
- (c) Export Bids are submitted and settled at Scheduling Points, which do not constitute a LAP.

30.5.4 Wheeling Through Transactions

A Wheeling Through transaction consists of an Export Bid and an Import Bid with the same Wheeling reference (a unique identifier for each Wheeling Through transaction). If the Wheeling reference does not match at the time the relevant market closes, the Wheeling Through transaction will be erased; this includes any Economic Bid or Self-Schedule for the resource for that Trading Hour. Wheeling Through transactions with matching Wheeling references will be kept balanced in the IFM and RTM; that is, to the extent an Export Bid or Import Economic Bid or Self-Schedule specify different quantities, only that matching quantity will clear the CAISO Markets.

30.5.5 Scheduling Sourcing/Sinking in Same Balancing Authority Area

30.5.5.1 Prohibition

A Scheduling Coordinator is prohibited from submitting Bids that result in a Schedule(s) being awarded to that single Scheduling Coordinator that has an associated E-Tag reflecting a source and sink in the same

Balancing Authority Area. A Schedule or Schedules resulting from Bids submitted in violation of this Section 30.5.5.1 will be settled according to Section 11.2.4.7 and Section 11.33.

30.5.5.2 Exceptions to Prohibition

Bids that otherwise would be prohibited under Section 30.5.5.1 are permitted, and the resulting Schedule(s) will not be settled according to Section 11.2.4.7 and Section 11.33, if any of the following four conditions cause the associated E-Tag to have a source and sink in the same Balancing Authority Area.

- (a) The Schedule(s) includes a transmission segment on a DC Intertie.
- (b) The Schedule(s) involves a Pseudo-Tie generating unit delivering energy from its Native Balancing Authority Area to an Attaining Balancing Authority Area.
- (c) The Schedule(s) are used either to: (i) serve Load that temporarily has become isolated from the CAISO Balancing Authority Area because of an Outage; or (ii) deliver Power from a Generating Unit that temporarily has become isolated from the CAISO Balancing Authority Area because of an Outage.
- (d) The Schedule(s) involve a Wheeling Through transaction that the Scheduling Coordinator can demonstrate was used to serve load located outside the transmission and Distribution System of a Participating TO.

Provided, however, that if the circumstances leading to one of the above four conditions being met were excluded from consideration and the resulting hypothetical Schedule(s) could have an associated E-Tag reflecting a source and sink in the same Balancing Authority Area, then the Schedule(s) will be settled according to Section 11.2.4.7 and Section 11.33.

30.5.6 Non-Generator Resource Bids

Scheduling Coordinators must ensure that Non-Generator Resource Bids or Bids from resources using Non-Generator Resource Generic Modeling functionality contain the Bid components specified in this Section 30.5 based on how the resource is then participating in the CAISO Markets, namely, whether it is providing Supply, Demand, and/or Ancillary Services Bids. Scheduling Coordinators representing Non-Generator Resources using Regulation Energy Management must submit Bids compliant with the requirements of Section 8.4.1.2.

30.5.6.1 State of Charge Bid Components

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

In addition to the Bid components listed in this Section 30.5, Scheduling Coordinators representing Non-Generator Resources may submit Bids including the State of Charge for the Day-Ahead Market to indicate the forecasted starting physical position of the Non-Generator Resource. In the Real-Time Markets, Scheduling Coordinators representing Non-Generator Resources may submit Bids including end-of-hour state-of-charge parameters as MWh ranges or specific MWh values. Where Scheduling Coordinators seek a state-of-charge range, they may submit a minimum and maximum MWh target. Where Scheduling Coordinators seek a specific state-of-charge value, they may submit equal minimum and maximum MWh targets. The CAISO will use reasonable efforts to commit, schedule, and dispatch Non-Generator Resources to meet their end-of-hour state-of-charge targets or ranges. Scheduling Coordinators may not submit MWh targets that (i) exceed their Master File energy or capacity limits; (ii) exceed their State of Charge limits; (iii) include a minimum MWh target greater than the maximum MWh target; (iv) conflict with RA Capacity obligations; or (v) preclude meeting an Ancillary Service Award, Schedule, or Obligation. Where Scheduling Coordinators elect to submit end-of-hour state-of-charge targets, the CAISO RTM optimization processes will give them precedence over other Bid components, including without limitation, the Energy Bid Curve and Ancillary Services Bid. Where Scheduling Coordinators elect to submit end-of-hour state-of-charge parameters, the Non-Generator Resources will be ineligible for Bid Cost Recovery pursuant to Section 11.6.6. Scheduling Coordinators representing Non-Generator Resources using Regulation Energy Management may not include end-of-hour state-of-charge parameters.

30.5.6.2 Hybrid Resource Bids

In addition to the Bid components listed in this Section 30.5, Scheduling Coordinators representing Hybrid Resources will submit Hybrid Dynamic Limits representing Hybrid Resources' upper economic limit and lower economic limit in each Real-Time Market five-minute Trading Interval for a rolling six-hour look-ahead period. These limits will reflect the range of the Hybrid Resource's Economic Bids or Self-Schedules. Hybrid Dynamic Limits should reflect resource availability based on operating capabilities such as State of Charge and forecasted output from the variable component of a Hybrid Resource. Scheduling Coordinators may also use Hybrid Dynamic Limits to manage onsite charging of an energy storage component of a Hybrid Resource.

The CAISO will use reasonable efforts to issue Real-Time Market Schedules that respect Hybrid Dynamic Limits. Scheduling Coordinators may not submit Hybrid Dynamic Limits in the Day-Ahead Market.

30.5.6.3 Co-Located Charging Constraints

For an Aggregate Capability Constraint, the Interconnection Customer for Co-Located Resources may designate to the CAISO which storage resource will include Charging Constraints in its Bids. The Charging Constraint will apply to all storage resources under the Aggregate Capability Constraint. Charging Constraints will reflect an election not to charge beyond the output of the co-located Variable Energy Resource(s) in a given hour. When a Scheduling Coordinator for a Co-Located storage resource includes a Charging Constraint in its Bid, the CAISO will not issue (a) Day-Ahead Schedules for Energy less than the negative value of the co-located Variable Energy Resource's Day-Ahead Schedules; or (b) FMM Schedules or RTD Schedules for Energy that are less than the negative value of the co-located Variable Energy Resources' Dispatch Operating Targets, in the same Operating Intervals in the designated hour. Charging Constraints will not apply in Operating Intervals where the storage resources receive an Ancillary Service Award to provide Regulation, where the storage resources elect to use Regulation Energy Management, or where the CAISO must issue an Exceptional Dispatch pursuant to Section 34.11.

30.5.7 E-Tag Rules and Treatment of Intertie Schedules

In addition to complying with all generally applicable E-Tagging requirements, Scheduling Coordinators must submit their E-Tags consistent with the requirements specified in this Section 30.5.7. If a Scheduling Coordinator receives an intra-hour Schedule change, then the Scheduling Coordinator must, by twenty minutes before the start of the FMM interval to which the Schedule change applies, ensure that an updated energy profile reflects the change. Absent extenuating circumstances, the CAISO automatically updates Energy profiles on E-Tags for Energy Schedules that change from HASP to the FMM within a Trading Hour. In performing this service for a Scheduling Coordinator, the CAISO does not assume any responsibility for compliance with any E-Tag requirements or obligations to which the Scheduling Coordinator is subject. The changed energy profile will apply for the balance of the operating hour unless it is subsequently changed by a further updated energy profile.

30.5.7.1 Self-Schedule Hourly Blocks

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

By forty minutes prior to the applicable Trading Hour, the Scheduling Coordinator must submit an E-Tag (or set of E-Tags) that passes CAISO E-Tag validation procedures and that supports the Self-Schedule Hourly Block. If the Scheduling Coordinator fails to submit a valid E-Tag by forty minutes prior to the applicable Trading Hour, then the CAISO will set the MW quantity of the FMM Schedule associated with the Self-Schedule Hourly Block to zero for each FMM interval of the hour.

The transmission profile of the E-Tag at forty minutes prior to the applicable Trading Hour must be equal to the Self-Schedule Hourly Block. If the Scheduling Coordinator has a transmission profile less than its advisory Energy schedule, then the CAISO will limit the schedule for Energy in the FMM so that it does not exceed the quantity of the transmission profile.

The energy profile of the E-Tag at forty minutes prior to the applicable Trading Hour need not equal the Self-Schedule Hourly Block and the Scheduling Coordinator may revise the Energy profile up to twenty minutes prior to the applicable Trading Hour. At twenty minutes prior to the applicable Trading Hour, the quantity of the Energy profile must be equal to the lower of: (a) the transmission profile of the E-Tag at forty minutes prior to the applicable Trading Hour; or (b) the Self-Schedule Hourly Block. A Scheduling Coordinator is exposed to the Under/Over Delivery Charge if the Energy profile at twenty minutes prior to the applicable Trading Hours is not equal to the Self-Schedule Hourly Block.

The CAISO may modify the Energy profile due to Reliability related curtailments.

30.5.7.2 Variable Energy Resource Self-Schedule

By forty minutes prior to the applicable Trading Hour, the Scheduling Coordinator must submit an E-Tag (or set of E-Tags) that passes CAISO E-Tag validation procedures and that supports the Variable Energy Resource Self-Schedule. If the Scheduling Coordinator fails to submit a valid E-Tag by forty minutes prior to the applicable Trading Hour, then the CAISO will set the MW quantity of the FMM Schedule associated with the Variable Energy Resource Self-Schedule to zero for each FMM interval of the hour.

The transmission profile of the E-Tag at forty minutes prior to the applicable Trading Hour must be equal to the Variable Energy Resource Self-Schedule. If the Scheduling Coordinator has a transmission profile less than its advisory Energy schedule, then the CAISO will limit the schedule for Energy in the FMM so that it does not exceed the quantity of the transmission profile.

The energy profile of the E-Tag at forty minutes prior to the applicable Trading Hour need not equal the

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Variable Energy Resource Self-Schedule and the Scheduling Coordinator may revise the Energy profile up to twenty minutes prior to the applicable Trading Hour. At twenty minutes prior to the applicable Trading Hour, the quantity of the Energy profile must be equal to the lower of: (a) the transmission profile of the E-Tag at forty minutes prior to the applicable Trading Hour; or (b) the Variable Energy Resource Self-Schedule. A Scheduling Coordinator is exposed to the Under/Over Delivery Charge if the Energy profile at twenty minutes prior to the applicable Trading Hour is not equal to the Variable Energy Resource Self-Schedule.

The CAISO may modify the Energy profile due to Reliability related curtailments.

30.5.7.3 Economic Hourly Block Bid

By forty minutes prior to the applicable Trading Hour, the Scheduling Coordinator must submit an E-Tag (or set of E-Tags) that passes CAISO E-Tag validation procedures and that supports the Economic Hourly Block Bid. If the Scheduling Coordinator fails to submit a valid E-Tag by forty minutes prior to the applicable Trading Hour, then the CAISO will set the MW quantity of the FMM Schedule associated with the Economic Hourly Block Bid to zero for each FMM interval of the hour.

The transmission profile of the E-Tag at forty minutes prior to the applicable Trading Hour must be equal to the Economic Hourly Block Bid. If the Scheduling Coordinator has a transmission profile less than its advisory Energy schedule, then the CAISO will limit the schedule for Energy in the FMM so that it does not exceed the quantity of the transmission profile.

The energy profile of the E-Tag at forty minutes prior to the applicable Trading Hour need not equal the Economic Hourly Block Bid and the Scheduling Coordinator may revise the Energy profile up to twenty minutes prior to the applicable Trading Hour. At twenty minutes prior to the applicable Trading Hour, the quantity of the Energy profile must be equal to the lower of: (a) the transmission profile of the E-Tag at forty minutes prior to the applicable Trading Hour; or (b) the quantity of the Economic Hourly Block Bid. A Scheduling Coordinator is exposed to the Under/Over Delivery Charge if the Energy profile at twenty minutes prior to the applicable Trading Hour is not equal to the Economic Hourly Block Bid.

The CAISO may modify the Energy profile due to Reliability related curtailments.

30.5.7.4 Economic Hourly Block Bid with Intra-Hour Option

By forty minutes prior to the applicable Trading Hour, the Scheduling Coordinator must submit an E-Tag

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

(or set of E-Tags) that passes CAISO E-Tag validation procedures and that supports the Economic Hourly Block Bid with Intra-Hour Option. If the Scheduling Coordinator fails to submit a valid E-Tag by forty minutes prior to the applicable Trading Hour, then the CAISO will set the MW quantity of the FMM Schedule associated with the Economic Hourly Block Bid with Intra-Hour Option to zero for each FMM interval of the hour.

The transmission profile of the E-Tag at forty minutes prior to the applicable Trading Hour must be equal to the Economic Hourly Block Bid with Intra-Hour Option. If the Scheduling Coordinator has a transmission profile less than its advisory Energy schedule, then the CAISO will limit the schedule for Energy in the FMM so that it does not exceed the quantity of the transmission profile.

The energy profile of the E-Tag at forty minutes prior to the applicable Trading Hour need not equal the Economic Hourly Block Bid with Intra-Hour Option and the Scheduling Coordinator may revise the Energy profile up to twenty minutes prior to the applicable Trading Hour. At twenty minutes prior to the applicable Trading Hour, the quantity of the Energy profile must be equal to the lower of: (a) the transmission profile of the E-Tag at forty minutes prior to the applicable Trading Hour; or (b) the quantity of the Economic Hourly Block Bid with Intra-Hour Option. A Scheduling Coordinator is exposed to the Under/Over Delivery Charge if the Energy profile at twenty minutes prior to the applicable Trading Hour is not equal to the Economic Hourly Block Bid with Intra-Hour Option.

The CAISO may modify the Energy profile due to Reliability related curtailments.

In the case of an intra-hour redispatch from the FMM, the CAISO may increment or decrement the Energy profile to correspond to the intra-hour redispatch. The MW level to which the FMM can redispatch an Economic Hourly Block Bid with Intra-Hour Option above its HASP Advisory Schedule is limited by the quantity of the transmission profile submitted by forty minutes prior to the applicable Trading Hour.

30.5.7.5 FMM Economic Bid

By forty minutes prior to the applicable Trading Hour, the Scheduling Coordinator must submit an E-Tag (or set of E-Tags) that passes CAISO E-Tag validation procedures and that supports the FMM Economic Bid. If the Scheduling Coordinator fails to submit a valid E-Tag by forty minutes prior to the applicable Trading Hour, then the CAISO will set the MW quantity of the FMM Schedule associated with the FMM Economic Bid to zero for each FMM interval of the hour.

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

The transmission profile of the E-Tag at forty minutes prior to the applicable Trading Hour must be greater than or equal to the FMM Economic Bid. If the Scheduling Coordinator has a transmission profile less than its advisory Energy schedule, then the CAISO will limit the schedule for Energy in the FMM so that it does not exceed the quantity of the transmission profile.

The energy profile of the E-Tag at forty minutes prior to the applicable Trading Hour need not equal the FMM Economic Bid and the Scheduling Coordinator may revise the Energy profile up to twenty minutes prior to the applicable Trading Hour. At twenty minutes prior to the applicable Trading Hour, the quantity of the energy profile must be equal to the lower of: (a) the transmission profile of the E-Tag at forty minutes prior to the applicable Trading Hour; or (b) the quantity of the FMM energy schedule for the first FMM interval of the applicable Trading Hour.

The CAISO may modify the Energy profile due to Reliability related curtailments.

Scheduling Coordinators with cleared FMM Economic Bids may update either the transmission profile or the Energy profile after forty minutes prior to the applicable Trading Hour and twenty minutes prior to the applicable Trading Hour, respectively. A Scheduling Coordinator choosing to update the transmission profile must submit an updated transmission profile at least 40 minutes prior to the applicable FMM interval. A Scheduling Coordinator choosing to update the Energy profile must submit an updated Energy profile at least 20 minutes prior to the applicable FMM interval. Cleared FMM Economic Bids are eligible for Bid Cost Recovery as specified in Section 11.8.

30.5.8 Demand Bids, Export Bids, Virtual Bids, and Bids for Non-Resource-Specific System

Resources Above the Soft Energy Bid Cap

30.5.8.1 Day-Ahead Market.

Scheduling Coordinators may submit Demand Bids, Export Bids, Virtual Bids, and Bids for Non-Resource-Specific System Resources above the Soft Energy Bid Cap, not to exceed the Hard Energy Bid Cap, for any Trading Hour of the DAM in which the CAISO has accepted a Bid with an Energy Bid price that exceeds the Soft Energy Bid Cap pursuant to Section 30.7.12, or the Maximum Import Bid Price exceeds the Soft Energy Bid Cap.

30.5.8.2 Real-Time Market.

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Scheduling Coordinators may submit Demand Bids, Export Bids, Virtual Bids, and Bids for Non-Resource-Specific System Resources above the Soft Energy Bid Cap, not to exceed the Hard Energy Bid Cap, for any Trading Hour of the Real-Time Market in which

- (a) The conditions in Section 30.5.8.1 applied to the same Trading Hour of the Day-Ahead Market; or
- (b) (1) The CAISO has accepted a Bid for the applicable Trading Hour of the Real-Time Market with an Energy Bid price that exceeds the Soft Energy Bid Cap pursuant to Section 30.7.12, not including Bids from Reliability Demand Response Resources, or (2) the Maximum Import Bid Price exceeds the Soft Energy Bid Cap.

30.6 Bidding and Scheduling of PDRs and RDRRs

30.6.1 Bidding and Scheduling of PDRs

Unless otherwise specified in the CAISO Tariff and applicable Business Practice Manuals, and subject to Section 30.6.3, the CAISO will treat Bids for Energy and Ancillary Services on behalf of Proxy Demand Resources like Bids for Energy and Ancillary Services on behalf of other types of supply resources. The CAISO will only accept the following types of Bids from Proxy Demand Resources:

- (i) Economic Bids for Energy or Ancillary Services;
- (ii) submissions to Self-Provide Ancillary Services;
- (iii) submissions of Energy Self-Schedules from Proxy Demand Resources that have provided Submissions to Self-Provide Ancillary Services;
- (iv) submissions of Energy Self-Schedules in the Real-Time Market up to the Proxy Demand Resource's Day-Ahead Market Schedule in the same Trading Hour; and
- (v) RUC Availability Bids.

A Scheduling Coordinator for a Demand Response Provider representing a Proxy Demand Resource may Self-Provide Ancillary Services for which it is certified. The Demand Response Provider's Demand Response Services for Proxy Demand Resources will be bid separately and independently from the LSE's underlying Demand Bid.

30.6.1.1 Bidding and Scheduling of PDRs in the Real-Time Market

Pursuant to Section 4.13.3, Scheduling Coordinators for Proxy Demand Resources may submit Economic

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Bids for Energy and Ancillary Services in the Real-Time Markets. Pursuant to Section 30.5.1(s), Scheduling Coordinators for Proxy Demand Resources may submit Economic Hourly Block Bids to be considered in the HASP, and to be accepted as binding Schedules with the same MWh award for each of the four FMM intervals. A cleared Economic Hourly Block Bid is not eligible for Bid Cost Recovery. Scheduling Coordinators for Proxy Demand Resources may not submit Economic Hourly Block Bids with an Intra-Hour Option.

30.6.1.2 Bidding and Scheduling of Proxy Demand Resources using the Load-Shift

Methodology

Scheduling Coordinators for Proxy Demand Resources using the load-shift methodology described in Section 4.13.4.7 will submit separate Economic Bids for the curtailment Resource ID and the consumption Resource ID that comprise the Proxy Demand Resource. The CAISO will use reasonable efforts to optimize both Resource IDs to avoid sending conflicting Schedules.

The CAISO will only accept the following types of Bids for the curtailment Resource ID:

- (i) Economic Bids for Energy or Ancillary Services;
- (ii) submissions to Self-Provide Ancillary Services;
- (iii) submissions of Energy Self-Schedules where the curtailment Resource ID has provided Submissions to Self-Provide Ancillary Services;
- (iv) submissions of Energy Self-Schedules in the Real-Time Market up to curtailment Resource ID's Day-Ahead Market Schedule in the same Trading Hour; and
- (v) RUC Availability Bids.

All Economic Bids for Energy for the curtailment Resource ID must be above the Market Clearing Prices established in Section 30.6.3. For the consumption Resource ID, the CAISO will only accept Economic Bids for Energy and submissions of Energy Self-Schedules in the Real-Time Market up to its Day-Ahead Market Schedule in the same Trading Hour. All Economic Bids for the consumption Resources must be below \$0/MWh.

30.6.2 Bidding and Scheduling of RDRRs

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Unless otherwise specified in the CAISO Tariff and applicable Business Practice Manuals, and subject to Section 30.6.3, the CAISO will treat Bids for Energy on behalf of Reliability Demand Response Resources like Bids for Energy on behalf of other types of supply resources. The CAISO will only accept Economic Bids for Energy from Reliability Demand Response Resources. A Scheduling Coordinator for a Demand Response Provider representing a Reliability Demand Response Resource may submit Economic Energy Bids for the Reliability Demand Response Resource only in the Day-Ahead Market and in the Real-Time Market, but may not submit Energy Self-Schedules for the Reliability Demand Response Resource, may not Self-Provide Ancillary Services from the Reliability Demand Response Resource, and may not submit RUC Availability Bids or Ancillary Service Bids for the Reliability Demand Response Resource. The Demand Response Provider's Demand Response Services for Reliability Demand Response Resources will be bid separately and independently from the LSE's underlying Demand Bid.

30.6.2.1 Bidding and Scheduling of RDRRs in the Real-Time Market

Pursuant to Section 4.13.3, Scheduling Coordinators for Reliability Demand Response Resources may submit Economic Bids for Energy in the Real-Time Markets. Scheduling Coordinators for Reliability Demand Response Resources may submit Economic Hourly Block Bids to be considered in the HASP, and to be accepted as binding Schedules with the same MWh award for each of the four FMM intervals. A cleared Economic Hourly Block Bid is not eligible for Bid Cost Recovery. Scheduling Coordinators for Reliability Demand Response Resources may not submit Economic Hourly Block Bids with an Intra-Hour Option.

30.6.2.1.1 Limitations on Obligation to Bid in the Real-Time Market

Within each Reliability Demand Response Services Term, any capacity of a Reliability Demand Response Resource that remains uncommitted after the Day-Ahead Market shall be bid in the Real-Time Market in order to be available to provide Demand Response Services in Real-Time until such time as the Reliability Demand Response Resource has reached the RDRR Availability Limit for the Reliability Demand Response Services Term. Within each Reliability Demand Response Services Term, any capacity of a Reliability Demand Response Resource that remains uncommitted after the Day-Ahead Market may be (but is not required to be) bid in the Real-Time Market in order to be available to provide Demand Response Services in Real-Time after the Reliability Demand Response Resource has reached

the RDRR Availability Limit during the Reliability Demand Response Services Term.

30.6.2.1.2 Real-Time Dispatch Options

For purposes of bidding and scheduling in the Real-Time Market, each Scheduling Coordinator for a Demand Response Provider representing a Reliability Demand Response Resource shall select either the Marginal Real-Time Dispatch Option or the Discrete Real-Time Dispatch Option prior to the start of the initial Reliability Demand Response Services Term applicable to the Reliability Demand Response Resource. The selection for each Reliability Demand Response Resource shall remain in effect until such time as the Scheduling Coordinator for the Reliability Demand Response Resource chooses to change its selection from the Marginal Real-Time Dispatch Option to the Discrete Real-Time Dispatch Option or vice versa, in which case the change in selection shall go into effect at the start of the next Reliability Demand Response Services Term applicable to the Reliability Demand Response Resource. A Reliability Demand Response Resource that is subject to either the Marginal Real-Time Dispatch Option or the Discrete Real-Time Dispatch Option shall have a Default Minimum Load Bids of zero (0) dollars. To promote feasible dispatches, the CAISO will set the Minimum Load of Reliability Demand Response Resources using the Discrete Real-Time Dispatch Option at an administrative value just below the upper economic limit of its Real-Time Bid. The CAISO will add to the Reliability Demand Response Resource's Minimum Load Bid a cost based on the product of this value and its Real-Time Bid price.

30.6.2.1.2.1 Marginal Real-Time Dispatch Option

A Reliability Demand Response Resource that is subject to the Marginal Real-Time Dispatch Option:

- (a) May submit either a single-segment Bid or a multi-segment Bid in the Real-Time Market that must be at least ninety-five percent (95%) of the applicable Soft Energy Bid Cap.
- (b) When (1) the CAISO has accepted a Bid for the applicable Trading Hour of the Real-Time Market with an Energy Bid price that exceeds the Soft Energy Bid Cap pursuant to Section 30.7.12, or (2) the Maximum Import Bid Price exceeds the Soft Energy Bid Cap, may submit either a single-segment Bid or a multi-segment Bid in the Real-Time Market that must be at least ninety-five percent (95%) of the applicable Hard Energy Bid Cap, not to exceed the Hard Energy Bid Cap.

In any instance where the Scheduling Coordinator for a Reliability Demand Response

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Resource has submitted a Real-Time Market Bid and the Soft Energy Bid Cap changes for the same Trading Hour, the Scheduling Coordinator should submit a revised Bid by Market Close. Where the Scheduling Coordinator does not submit a revised Bid, the CAISO will automatically adjust the Bid after Market Close, maintaining the percentage of the bid cap originally submitted by the Scheduling Coordinator, not to exceed the Hard Energy Bid Cap.

- (c) Shall be dispatched as a marginal resource if it is dispatched by the CAISO. For the purpose of making this determination and setting the Locational Marginal Price, the CAISO treats a Reliability Demand Response Resource as if it were flexible with an infinite Ramp Rate between zero (0) and its PMax.

30.6.2.1.2.2 Discrete Real-Time Dispatch Option

A Reliability Demand Response Resource that is subject to the Discrete Real-Time Dispatch Option:

- (a) May submit only a single-segment Bid in the Real-Time Market that must be at least ninety-five percent (95%) of the applicable Soft Energy Bid Cap.
- (b) When (1) the CAISO has accepted a Bid for the applicable Trading Hour of the Real-Time Market with an Energy Bid price that exceeds the Soft Energy Bid Cap pursuant to Section 30.7.12, or (2) the Maximum Import Bid Price exceeds the Soft Energy Bid Cap, may submit only a single-segment Bid in the Real-Time Market that must be at least ninety-five percent (95%) of the applicable Hard Energy Bid Cap, not to exceed the Hard Energy Bid Cap.

In any instance where the Scheduling Coordinator for a Reliability Demand Response Resource has submitted a Real-Time Market Bid and the Soft Energy Bid Cap changes for the same Trading Hour, the Scheduling Coordinator should submit a revised Bid by Market Close. Where the Scheduling Coordinator does not submit a revised Bid, the CAISO will automatically adjust the Bid after Market Close, maintaining the percentage of the bid cap originally submitted by the Scheduling Coordinator, not to exceed the Hard Energy Bid Cap.

- (c) Shall be dispatched as a discrete (non-marginal) resource if it is dispatched by the

CAISO.

30.6.3 Net Benefits Test for PDRs or PDRRs

In accordance with Section 11.6, the CAISO will apply a net benefits test to determine a threshold Market Clearing Price for Proxy Demand Resources and Reliability Demand Response Resources. The CAISO will not accept Proxy Demand Resource or Reliability Demand Response Resource Bids for Energy below this threshold Market Clearing Price in the CAISO Markets.

30.6.3.1 Supply Curve Used in Applying the Net Benefits Test

The CAISO will generate one (1) on-peak supply curve and one (1) off-peak supply curve for each month that depicts the system-wide aggregated power supplies at different offer prices in the CAISO Markets within that month. The CAISO will generate these two supply curves for each month, using the following sequential methodology:

- (i) The CAISO will collect supply curve data for the month that is twelve (12) months prior to the month for which the CAISO is generating the supply curves (the reference month), using all mitigated Bids in the Real-Time Market from any Generating Unit that is either committed or uncommitted and excluding Import Bids and Export Bids.
- (ii) The CAISO will adjust the supply curve data to reflect differences in resource availability and fuel prices between the target month and the reference month. Significant changes in resource availability will be determined using the averages of the hourly supply curves over the entire reference month, with the supply quantities being averaged for every price level. Significant changes in fuel prices will be determined using the simple average of the relevant fuel indices as specified in the Business Practice Manual. For every supply quantity, the corresponding price will be scaled using a scaling factor defined as the forward gas price for the Trading Month divided by the historical average gas price for the reference month. These adjustments will result in two representative supply curves for the target month, one (1) on-peak and one (1) off-peak.
- (iii) The CAISO will smooth the representative supply curves to twice differentiable using an exponential form function and applying a price window that is likely to contain the threshold Market Clearing Price. The price window may need to be adjusted in the

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

process until the smoothed supply curves fit the representative supply curves closely.

Using the smoothed supply curves, the CAISO will determine a candidate threshold Market Clearing Price for the on-peak and a threshold Market Clearing Price for the off-peak corresponding to the point on each supply curve beyond which (i) the product of the amount of supplied Power (prior to the dispatch of Proxy Demand Resources) and the reduction in Market Clearing Price that results from the dispatch of Proxy Demand Resources exceeds (ii) the product of the Market Clearing Price (prior to the dispatch of Proxy Demand Resources) and the reduction in the amount of supplied Power that results from the dispatch of Proxy Demand Resources. If the candidate threshold Market Clearing Price is outside the corresponding price window being used, the price window needs to be adjusted and this process will be repeated until the price window contains the candidate threshold Market Clearing Price and thus makes it the final threshold Market Clearing Price. If multiple candidate threshold Market Clearing Prices exist, the candidate threshold Market Clearing Price that is concave on the supply curve (a supply function of price) will be the final threshold Market Clearing Price.

30.6.3.2 Information Posted on CAISO Website

The net benefits test will be posted on the CAISO website, along with supporting documentation and the threshold Market Clearing Prices that were in effect in the previous twelve (12) months, and any updated supply curve analysis. The CAISO will post the threshold Market Clearing Prices determined for each month on the CAISO Website by the fifteenth (15th) day of the immediately preceding month.

30.7 Bid Validation

The CAISO shall validate submitted Bids pursuant to the procedures set forth in this Section 30.7 and the rules set forth in the Business Practice Manuals.

30.7.1 Scheduling Coordinator Access

Each Scheduling Coordinator will be provided access to the CAISO's secure communication system to submit, modify and cancel Bids prior to the close of both the DAM and RTM, as specified in Section 30.5.1. The CAISO shall provide information regarding submitted Bids including, but not be limited to, the following: (i) notification of acceptance; (ii) notification of validation; (iii) notification of rejection; (iv) notification of status; (v) notification of submission error(s); and (vi) default modification or generation of

Bids, including as further provided below, if any, on behalf of Scheduling Coordinators.

30.7.2 Timing of CAISO Validation

Once a Bid is submitted to the CAISO Markets, the Bid is available for validation, which is conducted in multiple steps. Clean Bids will be generated after Market Close.

30.7.3 Day-Ahead Market Validation

30.7.3.1 Validation Prior to Market Close and Master File Update

The CAISO conducts Bid validation in three steps:

Step 1: The CAISO will validate all Bids after submission of the Bid for content validation which determines that the Bid adheres to the structural rules required of all Bids as further described in the Business Practices Manuals. If the Bid fails any of the content level rules the CAISO shall assign it a rejected status and the Scheduling Coordinator must correct and resubmit the Bid.

Step 2: After the Bids are successfully validated for content, but prior to the Market Close of the DAM, the Bids will continue through the second level of validation rules to verify that the Bid adheres to the applicable CAISO Market rules and if applicable, limits based on Master File data. If the Bid fails any level two validation rules, the CAISO shall assign the Bid as invalid and the Scheduling Coordinator must either correct or resubmit the Bid.

Step 3: If the Bid successfully passes validation in Step 2, it will continue through the third level of validation where the Bid will be analyzed based on its contents to identify any missing Bid components that must be present for the Bid to be valid consistent with the market rules contained in Article III of this CAISO Tariff and as reflected in the Business Practice Manuals. At this stage the Bid will either be automatically modified for correctness and assigned a status of conditionally modified or modified, or if it can be accepted as is, the Bid will be assigned a status of conditionally valid, or valid. A Bid will be automatically modified and assigned a status of modified or conditionally modified Bid, whenever the CAISO inserts or modifies a Bid component. The CAISO will insert or modify a Bid component whenever (1) a Self-Schedule quantity is less than the lowest quantity specified as an Economic Bid for either an Energy Bid or Demand Bid, in which case the CAISO extends the Self-Schedule to cover the gap; (2) for non-Resource Adequacy Resources, the CAISO will extend the Energy Bid Curve or, if the Scheduling

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Coordinator did not submit an Energy Bid Curve, use the Generated Bid to cover any capacity in a RUC Bid component, if necessary; and (3) for a Resource Adequacy Resource that is not a Use-Limited Resource, the CAISO will extend the Energy Bid Curve or, if the Scheduling Coordinator did not submit an Energy Bid Curve, use the Generated Bid to cover any capacity in a RUC Bid component and, if necessary, up to the full registered Resource Adequacy Capacity. The CAISO will generate a Proxy Bid or extend an Energy Bid or Self-Schedule to cover any RUC Award or Day-Ahead Schedule in the absence of any Self-Schedule or Economic Bid components, or to fill in any gaps between any Self-Schedule Bid and any Economic Bid components to cover a RUC Award or Day-Ahead Schedule. To the extent that an Energy Bid to the HASP/RTM is not accompanied by an Ancillary Services Bid, the CAISO will insert a Spinning Reserve and Non-Spinning Reserve Ancillary Services Bid at \$ 0/MW for any certified Operating Reserve capacity. The CAISO will also generate a Self-Schedule Bid for any Generating Unit that has a Day-Ahead Schedule but has not submitted Bids in HASP/RTM, up to the quantity in the Day-Ahead Schedule. Throughout the Bid evaluation process, the Scheduling Coordinator shall have the ability to view the Bid and may choose to cancel the Bid, modify and re-submit the Bid, or leave the modified, conditionally modified or valid, conditionally valid Bid as is to be processed in the designated CAISO Market. These validation rules apply to Bids submitted on behalf of Use Limited Resources. The purpose of the validation rules is not to increase the amount of capacity that a Use Limited Resource has offered into the CAISO Markets.

30.7.3.2 Master File Data Update

Except as otherwise prescribed in this tariff, once a day the Master File data is updated with changes to the Master File that were submitted between at least five (5) and up to eleven (11) Business Days in advance, after which all conditional Bids must be re-validated prior to the trading period when the Bid will take effect. After this re-validation takes place, the status of all conditionally modified and conditionally valid Bids may be changed to modified or valid, if the Bid period is for the next relevant DAM.

30.7.3.3 Validation Prior to Market Close and After Master File Update

Prior to the Market Close of the DAM, after the Master File data has been updated, all Bids must be re-validated using the same process as described in Section 30.7.3.1 to produce either valid Bids or

modified Bids. Throughout this process the Scheduling Coordinator shall have the ability to view the Bid and may choose to re-submit (at which point the Bid would undergo the Bid validation process described in this Section 30.7 again), cancel, or modify the Bid. Valid or modified Bids that are not re-submitted or cancelled become Clean Bids after the Market Close of the DAM. Modified Bids for Resource Adequacy Resources will reflect the full amount of the resource's Resource Adequacy Capacity.

30.7.3.4 Validation After Market Close

To the extent that a Scheduling Coordinator fails to enter a Bid for a resource that is required to submit a Bid in the full range of available capacity consistent with the bidding provisions of Section 30 or the Resource Adequacy provisions of Section 40, the CAISO will create a Bid for the Scheduling Coordinator, which is referred to as the Generated Bid. This does not apply to Load-following MSSs. The Generated Bid will be created only after the Market Close for the DAM and will be based on data registered in the Master File, and, if applicable, published natural gas pricing data and published pricing data for greenhouse gas allowances. The Generated Bid components will be calculated as set forth in Sections 30 and 40.6.8. The Scheduling Coordinator may view Generated Bids, but may not modify such Bids, unless the CAISO has approved a Reference Level Change Request for the resource's Default Energy Bid. The CAISO will provide notice to the Scheduling Coordinator of the use of a Generated Bid prior to Market Clearing of the IFM. In addition, validation of export priority pursuant to Sections 31.4 and 34.12.1 and Wheeling Through transactions pursuant to Section 30.5.4 occur after the Market Close for the DAM.

30.7.3.5 Bid Validation Rules for Multi-Stage Generating Resources

If a Scheduling Coordinator does not submit a Bid in the Day-Ahead Market or Real-Time Market for a Multi-Stage Generating Resource with a Resource Adequacy must-offer obligation at a MSG Configuration that can meet the applicable Resource Adequacy must-offer obligation, the CAISO will create a Generated Bid for the default Resource Adequacy MSG Configuration. If the Multi-Stage Generating Resource is not capable of Start-Up in the default Resource Adequacy MSG Configuration, then the ISO will, based on feasibility of transitions, create a Generated Bid for every MSG Configuration that has a minimum output below the MW level of the Resource Adequacy must-offer obligation, which

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

will cover the operating range from its minimum output to the minimum of its maximum output and the MW level of the Resource Adequacy must-offer obligation. In the event that the Scheduling Coordinator does not submit a Bid in compliance with section 30.5.1(p), the CAISO will create a Generated Bid for all of the capacity not bid into the CAISO Market between the maximum bid-in Energy MW and the higher of Self-Scheduled Energy MW and the Multi-Stage Generating Resource plant-level PMin. If the Scheduling Coordinator submits a Bid for the Multi-Stage Generating Resource, the CAISO will create this Generated Bid for the registered MSG Configurations before the Market Close, and if it does not submit such a Bid the CAISO will create this Generated Bid after the Market Close. Any Generated Bid created by the CAISO for the default Resource Adequacy MSG Configuration will be in addition to the MSG Configurations bid into the Real-Time Market by the responsible Scheduling Coordinator. If the Scheduling Coordinator submits a Bid in the Day-Ahead Market or Real-Time Market for a MSG Configuration that is not the default Resource Adequacy MSG Configuration and that does not cover the full amount of the resource's Resource Adequacy requirements, the CAISO will create a Generated Bid for the full Resource Adequacy Capacity. Before the market closes, if a Scheduling Coordinator submits a Bid in the Day-Ahead Market or Real-Time Market for the default Resource Adequacy MSG Configuration of a Multi-Stage Generating Resource that only meets part of the resource's Resource Adequacy must-offer obligation, the CAISO will extend the last segment of the Energy Bid curve in the submitted Bid for the Multi-Stage Generating Resource up to the Multi-Stage Generating Resource's Resource Adequacy must-offer obligation. After the market closes, to the extent that no Bid is submitted into the Real-Time Market for a Multi-Stage Generating Resource scheduled in the Integrated Forward Market as required in Section 30.5 the CAISO will create a Self-Schedule for MSG Configuration equal to the Day-Ahead Schedule for that resource for the MSG Configuration scheduled in the IFM. To the extent a Multi-Stage Generating Resource is awarded Operating Reserves in the Day-Ahead Market and no Economic Energy Bids is submitted for that resource in the Real-Time Market, the CAISO will insert Proxy Energy Bid in the MSG Configuration that was awarded in the Day-Ahead Market to cover the awarded Operating Reserves. To the extent that a Multi-Stage Generating Resources RUC Schedule is greater than its Day-Ahead Schedule, if the Scheduling Coordinator does not submit an Energy Bid in the RTM to cover the difference, then the CAISO will either create a Bid in the MSG Configuration awarded in

RUC, or extend the Bid submitted by the Scheduling Coordinator before the Market Close. After the Market Close, the CAISO will create a Generated Bid if there is no Bid submitted for the resource for this difference. The CAISO will validate that the combination of the Day-Ahead Ancillary Services Awards and Submissions to Self-Provide Ancillary Services are feasible with respect to the physical operating characteristics of the applicable MSG Configuration. The CAISO will reject Ancillary Services Bids or Submissions to Self-Provide Ancillary Services for MSG Configurations that are not certified Ancillary Services. For any given Multi-Stage Generating Resource, for any given CAISO Market and Trading Hour if one MSG Configuration's Bid fails the bid validation process, all other Bids for all other MSG Configurations are also invalidated.

30.7.3.6 Additional Bid Validation Rules for Virtual Bids

In addition to the validation rules described in Section 30.7.3.1, Virtual Bids will be subject to the following additional validation rules.

30.7.3.6.1 Scheduling Coordinator Validation

The CAISO will validate that the SCID associated with a Virtual Bid is submitted from a Scheduling Coordinator authorized to submit Virtual Bids and that the Virtual Bid is submitted at an Eligible PNode or Eligible Aggregated PNode. The CAISO will reject Virtual Bids that do not satisfy these requirements.

30.7.3.6.2 Credit Requirement

Virtual Bids must satisfy the credit requirements of Section 12.8. The Scheduling Coordinator will be notified if Virtual Bids fail to satisfy the credit requirements. If the Scheduling Coordinator fails to resubmit Virtual Bids that satisfy the credit requirements or to provide adequate additional Financial Security, the CAISO will reject the Scheduling Coordinator's Virtual Bids on a last-in, first-out basis.

30.7.3.6.3 Position Limits

For each Convergence Bidding Entity, the CAISO will reject all Virtual Bids submitted by its Scheduling Coordinator at any Eligible PNode or Eligible Aggregated PNode (other than a Default LAP or Trading Hub) that exceed the position limits specified in this Section 30.7.3.6.3. If the Scheduling Coordinator uses multiple SCIDs on behalf of a Convergence Bidding Entity, the position limits will apply to the sum of those Virtual Bids submitted at the Eligible PNode or Eligible Aggregated PNode (other than a Default LAP or Trading Hub). The CAISO will perform all position limit calculations based on the highest Virtual

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Bid segment MW point submitted in the Virtual Bid Curve. The CAISO will not net Virtual Supply Bids and Virtual Demand Bids in performing the position limit calculations. The affected Scheduling Coordinator will be provided notice that position limits have been violated. If the Scheduling Coordinator does not resubmit Virtual Bids within the position limits, the CAISO will reject Virtual Bids for all hours at each Eligible PNode and Eligible Aggregated PNode (other than a Default LAP or Trading Hub) where the position limits are violated. Position limits only apply to Eligible PNodes or Eligible Aggregated PNodes (other than Default LAPs or Trading Hubs).

30.7.3.6.3.1 Position Limits at Eligible PNodes and Eligible Aggregated PNodes

For an Eligible PNode associated with a single physical supply resource, the CAISO will publish a locational limit that will be equal to the PMax of the physical supply resource. For an Eligible PNode or Eligible Aggregated PNode (other than a Default LAP or Trading Hub) associated with more than one physical supply resource, the CAISO will publish a locational limit that will be equal to the sum of the PMaxes of the physical supply resources. For an Eligible PNode associated with a single physical demand resource, the CAISO will publish a locational limit that will be equal to the forecast of the maximum MW consumption of the physical demand resource. For an Eligible PNode or Eligible Aggregated PNode (other than a Default LAP or Trading Hub) associated with more than one physical demand resource, the CAISO will publish a locational limit that will be equal to the forecast of the maximum MW consumption of the physical demand resources. The percentages used to calculate the position limits for each Convergence Bidding Entity at Eligible PNodes and Eligible Aggregated PNodes (other than Default LAPs or Trading Hubs) will be the following percentages of the published locational limits:

- (a) Position limits of ten (10) percent will apply during the time period beginning as of the effective date of this tariff provision through the last day of the eighth month following the effective date of this tariff provision.
- (b) Position limits of fifty (50) percent will apply during the time period beginning as of the first day of the ninth month following the effective date of this tariff provision through the last day of the twelfth month following the effective date of this tariff provision.
- (c) Position limits will cease to apply beginning on the first day of the month as of the first

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

anniversary of the effective date of this tariff provision.

The CAISO will enforce the position limits for Eligible PNodes and Eligible Aggregated PNodes (other than Default LAPs or Trading Hubs) at the time of Virtual Bid submission. It is possible for the enforcement of position limits on a later-submitted Virtual Bid to cause a previously approved Virtual Bid to be rejected, if both of those Virtual Bids are submitted by a Scheduling Coordinator on behalf of the same Convergence Bidding Entity at the same Eligible PNode or Eligible Aggregated PNode (other than a Default LAP or Trading Hub). The CAISO will timely publish the locational limits for Eligible PNodes and Eligible Aggregated PNodes (other than Default LAPs or Trading Hubs).

30.7.3.6.3.2 [Not Used]

30.7.4 RTM Validation

RTM Bids will include the same validation process implemented in the DAM except that the CAISO will not validate the Bid before and again after the Master File Data update. RTM Bids are only validated based on the current Master File Data on the relevant Trading Day.

30.7.5 Validation of ETC Self-Schedules

ETC Self-Schedules shall be validated pursuant to the procedures set forth in Section 16.6.

30.7.6 Validation and Treatment of Ancillary Services Bids

30.7.6.1 Validation of Ancillary Services Bids

Throughout the validation process described in Section 30.7, the CAISO will verify that each Ancillary Services Bid conforms to the content, format and syntax specified for the relevant Ancillary Service. If the Ancillary Services Bid does not so conform, the CAISO will send a notification to the Scheduling Coordinator notifying the Scheduling Coordinator of the errors in the Bids as described in Section 30.7. When the Bids are submitted, a technical validation will be performed to verify that the bid quantity of Regulation, Spinning Reserve, or Non-Spinning Reserve does not exceed the certified Ancillary Services capacity for Regulation, or Operating Reserves on the Generating Units, System Units, Participating Loads, Proxy Demand Resources, and external imports/exports bid. The Scheduling Coordinator will be notified within a reasonable time of any validation errors. For each error detected, an error message will be generated by the CAISO in the Scheduling Coordinator's notification screen, which will specify the nature of the error. The Scheduling Coordinator can then look at the notification messages to review the

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

detailed list of errors, make changes, and resubmit if it is still within the CAISO's timing requirements. The Scheduling Coordinator is also notified of successful validation. If a resource is awarded or has qualified Self-Provided Ancillary Services in the Day-Ahead Market, the following rules will apply: (1): if no Energy Self-Schedule is submitted to support a Submission to Self-Provide an Ancillary Service for Regulation, the Submission to Self-Provide an Ancillary Service will be invalidated: (2) if no Energy Supply Bid is submitted to cover the awarded or Self- Provided Ancillary Services for Spinning Reserve or Non-Spinning Reserve by the Market Close of the RTM, the CAISO will generate or extend an Energy Supply Bid as necessary to cover the awarded or Self-Provided Ancillary Services capacity using the registered values in the Master File and relevant fuel prices as described in the Business Practice Manuals for use in the RTM and IFM. If an AS Bid or Submission to Self-Provide an AS is submitted in the Real-Time Market for Spinning Reserve or Non-Spinning Reserve without an accompanying Energy Supply Bid at all, the AS Bid or Submission to Self-Provide an Ancillary Service will be erased. If an AS Bid is submitted in the Real-Time Market for Spinning Reserve and Non-Spinning Reserve with only a partial Energy Supply Bid for the AS capacity, the CAISO will generate an Energy Supply Bid for the uncovered portions. If a Submission to Self-Provide an Ancillary Service is submitted in the Real-Time Market for Spinning Reserve and Non-Spinning Reserve with only a partial Energy Supply Bid for the AS capacity bid in, the CAISO will not generate or extend an Energy Supply Bid for the uncovered portions. For Generating Units with certified Regulation capacity, if there no Bid for Regulation in the Real-Time Market, but there is a Day-Ahead award for Regulation Up or Regulation Down or a submission to self-provide Regulation Up or Regulation Down, respectively, the CAISO will generate a Regulation Up or Regulation Down Bid at the default Ancillary Service Bid price of \$0 up to the certified Regulation capacity for the Generating Unit minus any Regulation awarded or self-provided in the Day- Ahead. If there is a Bid for Regulation Up or Regulation Down in the Real-Time Market, the CAISO will increase the respective Bid up to the certified Regulation capacity for the Generating Unit minus any Regulation awarded or self-provided in the Day-Ahead. If a Self-Schedule amount is greater than the Regulation Limit for Regulation Up, the Regulation Up Bid will be erased.

Notwithstanding any of the provisions of Section 30.7.6.1 set forth above, the CAISO will not insert or extend any Bid for Regulation Up or Regulation Down for a Use-Limited Resource of a Load Following

MSS Operator. The CAISO will not insert a Spinning Reserve and Non-Spinning Reserve Ancillary Service Bid at \$0 in the Real-Time Market for any certified Operating Reserve capacity of a resource unless that resource submits an Energy Supply Bid but fails to submit an Ancillary Service Bid in the Real-Time Market.

30.7.6.2 Treatment of Ancillary Services Bids

When Scheduling Coordinators bid into the Regulation Up, Regulation Down, Spinning Reserve, and Non-Spinning Reserve markets, they may submit Bids for the same capacity into as many of these markets as desired at the same time by providing the appropriate Bid information to the CAISO. The CAISO optimization will evaluate AS Bids simultaneously with Energy Bids. A Scheduling Coordinator may specify that its Bid applies only in the markets it desires. A Scheduling Coordinator shall also have the ability to specify different capacity prices for the Spinning Reserve, Non-Spinning Reserve, and Regulation markets. A Scheduling Coordinator providing one or more Regulation Up, Regulation Down, Spinning Reserve or Non-Spinning Reserve services may not change the identification of the Generating Units or Proxy Demand Resources offered in the Day-Ahead Market or in the Real-Time Market for such services unless specifically approved by the CAISO (except with respect to System Units, if any, in which case Scheduling Coordinators are required to identify and disclose the resource specific information for all Generating Units, Participating Loads, and Proxy Demand Resources constituting the System Unit for which Bids and Submissions to Self-Provide Ancillary Services are submitted into the CAISO's Day-Ahead Market and Real-Time Market).

The following principles will apply in the treatment of Ancillary Services Bids in the CAISO Markets:

- (a) not differentiate between bidders for Ancillary Services and Energy other than through cost, price, effectiveness, and capability to provide the Ancillary Service or Energy, and the required locational mix of Ancillary Services;
- (b) select the bidders with most cost effective Bids for Ancillary Service capacity which meet its technical requirements, including location and operating capability to minimize the costs to users of the CAISO Controlled Grid;
- (c) evaluate the Day-Ahead Bids over the twenty-four (24) Settlement Periods of the

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

following Trading Day along with Energy, taking into account Transmission Constraints and AS Regional Limits;

- (d) evaluate Import Bids along with Bids from internal resources (which includes Pseudo-Ties of Generating Units to the CAISO Balancing Authority Area);
- (e) establish Real-Time Ancillary Service Awards through the FMM from imports and resources internal to the CAISO Balancing Authority Area (which includes Pseudo-Ties of Generating Units to the CAISO Balancing Authority Area) at fifteen (15) minutes intervals to the hour of operation; and
- (f) procure sufficient Ancillary Services in the Day-Ahead and Real-Time Markets to meet its forecasted requirements.

30.7.7 Format and Validation of Operational Ramp Rates

The submitted Operational Ramp Rate expressed in megawatts per minute (MW/min) as a function of the operating level, expressed in megawatts (MW), must be a staircase function with up to four segments.

There is no monotonicity requirement for the Operational Ramp Rate. The submitted Operational Ramp Rate shall be validated as follows:

- (a) The range of the submitted Operational Ramp Rate must cover the entire capacity of the resource, from the minimum to the maximum operating capacity, as registered in the Master File for the relevant resource.
- (b) The operating level entries must match exactly (in number, sequence, and value) the corresponding minimum and maximum Operational Ramp Rate breakpoints, as registered in the Master File for the relevant resource.
- (c) If a Scheduling Coordinator does not submit an Operational Ramp Rate for a generating unit for a day, the CAISO shall use the maximum Ramp Rate for each operating range set forth in the Master File as the Ramp Rate for that unit for that same operating range for the Trading Day.
- (d) The last Ramp Rate entry shall be equal to the previous Ramp Rate entry and represent

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

the maximum operating capacity of the resource as registered in the Master File. The resulting Operational Ramp Rate segments must lie between the minimum and maximum Operational Ramp Rates, as registered in the Master File.

- (e) The submitted Operational Ramp Rate must be the same for each hour of the Trading Day, i.e., the Operational Ramp Rate submitted for a given Trading Hour must be the same with the one(s) submitted earlier for previous Trading Hours in the same Trading Day.
- (f) Outages that affect the submitted Operational Ramp Rate must be due to physical constraints, reported in the CAISO's outage management system pursuant to Section 9 and are subject to CAISO approval. All approved changes to the submitted Operational Ramp Rate will be used in determination of Dispatch Instructions for the shorter period of the balance of the Trading Day or duration of reported Outage.
- (g) Operational Ramp Rate derates in the CAISO's outage management system pursuant to Section 9 may be declared for any operational segment established in the Master File. Ramping capability through Forbidden Operating Regions are not affected by derates entered in the CAISO's outage management system pursuant to Section 9.
- (h) The amount of change in Ramp Rates from one operating range to a subsequent operating range must not exceed a 10 to 1 ratio, and any Ramp Rate change in excess will be adjusted to achieve the 10 to 1 ratio. This adjustment will also include the implicit ramp rate in the Forbidden Operating Region.
- (i) For all CAISO Dispatch Instructions of Reliability Must-Run Units the Operational Ramp Rate will be the Ramp Rate declared in the Reliability Must Run Contract Schedule A.

30.7.8 Format and Validation of Start-Up and Shut-Down Times

For a Generating Unit or a Resource-Specific System Resource, the submitted Start-Up Time expressed in minutes (min) as a function of down time expressed in minutes (min) must be a staircase function with up to three (3) segments defined by a set of one (1) to four (4) down time and Start-Up Time pairs. The Start-Up Time is the time required to start the resource if it is offline longer than the corresponding down time. The CAISO shall model Start-Up Times for Multi-Stage Generating Resource at the MSG

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Configuration level and Transition Times are validated based on the Transition Matrix submitted as provided in Section 27.8. The last segment will represent the time to start the unit from a cold start and will extend to infinity. The submitted Start-Up Time function shall be validated as follows:

- (a) The first down time must be zero (0) minutes.
- (b) The down time entries must match exactly (in number, sequence, and value) the corresponding down time breakpoints of the maximum Start-Up Time function, as registered in the Master File for the relevant resource.
- (c) The Start-Up Time for each segment must not exceed the Start-Up Time of the corresponding segment of the maximum Start-Up Time function, as registered in the Master File for the relevant resource.
- (d) The Start-Up Time function must be strictly monotonically increasing, i.e., the Start-Up Time must increase as down time increases.

For Participating Load and for a Proxy Demand Resource or Reliability Demand Response Resource, a single Shut-Down time in minutes is the time required for the resource to Shut-Down after receiving a Dispatch Instruction. For Multi-Stage Generating Resources, the Scheduling Coordinator must provide Start-Up Bids for each MSG Configuration into which the resource can be started.

30.7.9 Format and Validation of Start-Up Bids and Shut-Down Costs

For a Generating Unit or a Resource-Specific System Resource, the submitted Start-Up Bid expressed in dollars (\$) as a function of down time expressed in minutes must be a staircase function with up to three (3) segments defined by a set of one (1) to four (4) down time and Start-Up Bid pairs. The Start-Up Bid is the cost incurred to start the resource if it is offline longer than the corresponding down time. The last segment of the Start-Up Bid will represent the cost to start the resource from cold Start-Up and will extend to infinity. The CAISO will validate the submitted Start-Up Bid as follows:

- (a) The first down time must be zero (0) minutes.
- (b) The down time entries must match exactly (in number, sequence, and value) the corresponding down time breakpoints of the Start-Up Time information, as registered in the Master File.
- (c) The Start-Up Cost for each segment must be non-negative.

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

- (d) The Start-Up Cost Curve must be strictly monotonically increasing non-negative staircase curves (*i.e.*, the Start-Up Cost must increase as down time increases), up to three (3) segments, which represent a function of Start-Up Cost versus down time.
- (e) If the Proxy Cost methodology pursuant to Section 30.4.5 applies to the resource, the Scheduling Coordinator for that resource may submit a daily Start-Up Bid for which the included Start-Up Costs must be non-negative and may be less than or equal to the resource's Default Start-Up Bid.
- (f) For a resource that is eligible and has elected to use the Registered Cost methodology pursuant to Section 30.4.7, if a Start-Up Cost value is submitted in a Start-Up Bid, the CAISO will override that submitted Start-Up Cost with the Registered Cost reflected in the Master File.
- (g) If no Start-Up Cost is submitted in a Bid, the CAISO will insert the Proxy Start-Up Cost plus the applicable Start-Up Opportunity Cost, or the Master File Registered Cost based on the methodology elected pursuant to Section 30.4. If the resource has an approved Reference Level Change Request and if no Start-Up Cost is submitted in a Bid, the CAISO will insert the revised Reference Level Start-Up Cost.
- (h) The Start-Up Bid for a Reliability Demand Response Resource shall be zero (0).
- (i) For Participating Loads and Proxy Demand Resources, a single Shut-Down Cost in dollars (\$) is the cost incurred to Shut-Down the resource after receiving a Dispatch Instruction. The submitted Shut-Down Cost must be non-negative.
- (j) For Multi-Stage Generating Resources, for any MSG Configuration for which a Bid is submitted, the Scheduling Coordinator must provide the Start-Up Bid for each MSG Configuration into which the resource can be started.

30.7.10 Format and Validation of Minimum Load Bids

30.7.10.1 In General

Scheduling Coordinators may submit a Minimum Load Bid for a Generating Unit or a Resource-Specific System Resource, Participating Load, Reliability Demand response Resource, or Proxy Demand Resource, expressed in dollars per hour (\$/hr) representing the cost incurred for operating the unit at

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Minimum Load as registered in the Master File or as modified pursuant to Section 30.7.10.2. The CAISO will validate the Minimum Load Bids as follows:

- (a) The submitted Minimum Load Cost must be non-negative. If the Proxy Cost methodology pursuant to Section 30.4.5 applies to the resource, the Scheduling Coordinator for that resource may submit a daily Bid for the Minimum Load Bid that must be non-negative and may be less than or equal to the Default Minimum Load Bid.
- (b) For a resource that is eligible and has elected to use the Registered Cost methodology pursuant to Section 30.4.7, any submitted Minimum Load Cost must be equal to the Minimum Load Cost as registered in the Master File.
- (c) If no Minimum Load Cost is submitted in a Bid, the CAISO will insert the Proxy Minimum Load Cost plus the applicable Minimum Load Opportunity Cost, or the Master File Registered Cost based on the methodology elected pursuant to Section 30.4. If the resource has an approved Reference Level Change Request and if no Minimum Load Cost is submitted in a Bid, the CAISO will insert the applicable Revised Default Commitment Cost Bid.

30.7.10.2 Adjustments to Minimum Load Costs Due to Increases in Minimum Load

For Generating Units or Resource-Specific System Resources for which the responsible Scheduling Coordinator has temporarily increased their Minimum Load through the CAISO's outage management system as specified in Section 9.3.3, regardless of the election made pursuant to Section 30.4, the CAISO will add to the Minimum Load Costs submitted by the Scheduling Coordinator the cost of the incremental Minimum Load determined as the product of the resource's applicable Default Energy Bid and the corresponding MWs between the resource's original Minimum Load as registered in the Master File and the Minimum Load increased pursuant to Section 9.3.3. The CAISO will use the adjusted Minimum Load Cost in the clearing of the applicable CAISO Markets as well as for Settlement purposes as described in Section 11. For Multi-Stage Generating Resources, the adjustments to Minimum Load Cost will be made at the MSG Configuration level.

30.7.10.3 [Not Used]

30.7.11 Format and Validation of Transition Bids

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

The Scheduling Coordinators may submit Transition Bids for a Multi-Stage Generating Resource that must meet the following requirements:

- (a) The Transition Bids are non-negative.
- (b) For resources under the Proxy Cost methodology, Transition Bids must be less than or equal to the Default Transition Bids calculated under the Proxy Cost methodology.
- (c) For resources under the Registered Cost methodology, Transition Bids must equal the Default Transition Bids as registered in the Master File.
- (d) If no Transition Cost is submitted in a Transition Bid, the CAISO will insert the Proxy Transition Cost plus the applicable Transition Opportunity Cost, or as registered in the Master File, based on the elected methodology pursuant to Section 30.4. If the resource has an approved Reference Level Change Request and if no Transition Cost is submitted in a Bid, the CAISO will insert the difference between the applicable Revised Default Commitment Cost Bid (*i.e.*, revised Default Start-Up Bid) for the higher MSG Configuration minus the applicable Start-Up Opportunity Cost for the higher MSG configuration and the revised applicable Revised Default Commitment Cost Bid (*i.e.*, revised Default Start-Up Cost Bid) for the lower MSG Configuration minus the applicable Start-Up Opportunity Cost for the lower MSG configuration, plus the applicable transition Opportunity Cost. If the result of this calculation is negative for any transition between two MSG Configurations, then the Transition Cost shall be zero.

30.7.12 Validation of Bids in Excess of Soft Energy Bid Cap, Hard Energy Bid Cap, or Minimum Load Cost Hard Cap

30.7.12.1 Generally

Except as otherwise stated in this Section 30.7.12, the validation rules in this Section 30.7.12 apply to all Energy Bids and Minimum Load Bids submitted by Scheduling Coordinators. The provisions of Sections 30.7.12.1 through 30.7.12.4 do not apply to Virtual Bids and Energy Bids submitted for Non-Resource-Specific System Resources; the provisions of Section 30.7.12.5 apply to Virtual Bids and Energy Bids submitted for Non-Resource-Specific System Resources. The CAISO will allow Bids for Non-Resource-Specific System Resources that are Resource Adequacy Resources and that exceed the Soft Energy Bid

Cap subject to the Bid price screens described in Section 30.7.12.5.1. The CAISO will allow Virtual Bids, Export Bids, Demand Bids, and Bids for Non-Resource-Specific System Resources that are not Resource Adequacy Resources and that exceed the Soft Energy Bid Cap subject to the rules specified in Section 30.7.12.5.2. The CAISO will reject Virtual Bids, Export Bids, Demand Bids, and Bids for Non-Resource-Specific System Resources that exceed the Hard Energy Bid Cap.

30.7.12.2 Energy Bids that Exceed the Soft Energy Bid Cap

In addition to all other Bid validation rules that apply to Energy Bids, if a Scheduling Coordinator submits an Energy Bid price that exceeds the Soft Energy Bid Cap, the CAISO will modify the Energy Bid price for purposes of clearing the relevant CAISO Market Process to the higher of the Soft Energy Bid Cap or the resource's Default Energy Bid as modified pursuant to a Reference Level Change Request pursuant to Section 30.11.

30.7.12.3 Energy Bids that Exceed the Hard Energy Bid Cap and Minimum Load Bids that Exceed the Minimum Load Cost Hard Cap

All Energy Bid prices and Minimum Load Bid prices used in the CAISO Market Processes shall not exceed the Hard Energy Bid Cap or the Minimum Load Cost Hard Cap, respectively.

30.7.12.4 After-Market Cost Recovery

For any Energy Bid, except for Energy Bids for Non-Resource-Specific System Resources, Virtual Bids, Export Bids, Demand Bids, or Minimum Load Bid price submitted above the Energy Bid price or the Minimum Load Bid price the CAISO uses in the CAISO Market Processes, the Scheduling Coordinators may be eligible for after-market cost recovery pursuant to Section 30.12.

30.7.12.5 Virtual Bids, Export Bids, Demand Bids, and Bids for Non-Resource-Specific System Resources

30.7.12.5.1 Bids for Non-Resource-Specific System Resources that are Resource Adequacy Resources

The CAISO will reduce Bids for Non-Resource-Specific System Resources that are Resource Adequacy Resources that exceed the Maximum Import Bid Price to the greater of the Soft Energy Bid Cap, the Maximum Import Bid Price, or the highest-priced Energy Bid from a Resource-Specific System Resource that the CAISO has accepted for the applicable Trading Hour pursuant to Section 30.7.12.2.

30.7.12.5.2 Virtual Bids, Export Bids, Demand Bids, and Bids for Non-Resource-Specific System Resources that are not Resource Adequacy Resources

The CAISO will accept Virtual Bids, Export Bids, Demand Bids, and Bids for Non-Resource-Specific System Resources that are not Resource Adequacy Resources that exceed the Soft Energy Bid consistent with the conditions specified in Section 30.5.8. The CAISO will not accept Export Bids, Demand Bids, Virtual Bids, or Bids for Non-Resource-Specific System Resources that are not Resource Adequacy Resources that exceed the Hard Energy Bid Cap.

30.7.12.5.3 Maximum Import Bid Price

The CAISO calculates hourly Maximum Import Bid Prices for the Day-Ahead Market and Real-Time Market, separately, including for on-peak and off-peak hours. The CAISO calculates the Maximum Import Bid Price as 110 percent of the greater of the published bilateral electric index prices for the Mid-Columbia or Palo Verde trading hub locations, multiplied by an hourly shaping ratio. As detailed in the CAISO Business Practice Manual, the CAISO calculates the hourly shaping ratio for each hour by dividing the Day-Ahead Market System Marginal Energy Cost for the CAISO Balancing Authority Area in that hour of a previous representative Trading Day by the average Day-Ahead Market System Marginal Energy Cost for the CAISO Balancing Authority Area in all on-peak hours of the same previous representative Trading Day. If for any given Trading Hour the CAISO cannot calculate the Maximum Import Bid Price, the applicable Maximum Import Bid Price will be the most recently available calculated Maximum Import Bid Price.

30.8 Bids on Out-of-Service Paths at Scheduling Points Prohibited

Scheduling Coordinators shall not submit any Bids or ETC Self-Schedules at Scheduling Points using a transmission path for any Settlement Period for which the Total Transfer Capability for that path is zero (0) MW. The CAISO shall reject Bids or ETC Self-Schedules submitted at Scheduling Points where the Total Transfer Capability on the transmission path is zero (0) MW. If the Total Transfer Capability of a transmission path at the relevant Scheduling Point is reduced to zero (0) after Day-Ahead Schedules have been issued, then, if time permits, the CAISO shall direct the responsible Scheduling Coordinators to reduce all MWh associated with the Bids on such zero-rated transmission paths to zero (0) in the RTM. As necessary to comply with Applicable Reliability Criteria, the CAISO shall reduce any non-zero (0) RTM Bids across zero-rated transmission paths to zero after the Market Close for the RTM.

30.9 Virtual Bids

Virtual Bids are Energy Bids that may be submitted only in the Day-Ahead Market, at Eligible PNodes or Eligible Aggregated PNodes where virtual bidding is permitted, by Scheduling Coordinators representing Convergence Bidding Entities. Virtual Bids are either Virtual Supply Bids or Virtual Demand Bids. A Virtual Bid submitted in the Day-Ahead Market and cleared in the IFM represents a commitment to liquidate a Day-Ahead award in the Real-Time Market at the price determined for the applicable Eligible PNode or Eligible Aggregated PNode as set forth in Section 11.3. For each SCID associated with a Convergence Bidding Entity, there may be only one Virtual Supply Bid and one Virtual Demand Bid per each Eligible PNode or Eligible Aggregated PNode in the Day-Ahead Market. The minimum size of a segment of a Virtual Bid is one (1) MW.

30.9.1 Virtual Bid Components

Each Virtual Bid must have the following components: an indicator that identifies the Virtual Bid as a Virtual Supply Bid or a Virtual Demand Bid; Scheduling Coordinator ID Code; Eligible PNode or Eligible Aggregated PNode as applicable; Virtual Bid Curve; and the Trading Hour or Trading Day to which the Virtual Bid applies. Virtual Bids do not include Start-Up Costs or Minimum Load Costs.

30.10 Use of AC Solution and Nodal MW Constraints

The CAISO will achieve an alternating current (AC) solution in the Day-Ahead Market to the extent practicable. If and when it is impracticable to achieve an AC power flow solution without the initial enforcement of nodal MW limit constraints, the CAISO will apply nodal MW constraints to Eligible PNodes (except for Eligible PNodes established for Interties, which are addressed through the process described in Section 31.8). The CAISO will determine whether to apply such nodal MW constraints as follows:

- (i) The CAISO will calculate a MW limit for each Eligible PNode other than an Eligible PNode established for an Intertie. For an Eligible PNode associated with physical supply resource, the MW limit will be equal to a factor multiplied by the PMax of the physical supply resource. For an Eligible PNode associated with a physical demand resource, the MW limit will be equal to a factor multiplied by the nodal load forecast of the Eligible PNode calculated as the MW portion of the System Demand Forecast that is distributed

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

to the Eligible PNode according to the corresponding system Load Distribution Factor associated with the Eligible PNode. The factors used in these calculations will be determined in accordance with a process set forth in the Business Practice Manuals.

- (ii) For each of the Eligible PNodes or group of Eligible PNodes, the CAISO will calculate the percentage by which the sum of the MW amounts of all Energy Supply Bids, Demand Bids, and Virtual Bids exceeds the MW limit calculated pursuant to Section 30.10(i).
- (iii) Starting with the Eligible PNodes or group of Eligible PNodes at which the MW limits would be exceeded by the largest percentages, and working in descending order of the Eligible PNodes or group of Eligible PNodes that would exceed their MW limits ranked by the extent to which the corresponding MW limits would be exceeded, the CAISO will apply the MW limits to all Energy Supply Bids, Demand Bids, and Virtual Bids at the applicable Eligible PNodes or group of Eligible PNodes and run iterations of the IFM until the CAISO Markets can achieve an AC solution. The application of the MW limit will be enforced by means of a MW limit constraint on the sum of the nodal Energy Supply Bids, Demand Bids, and Virtual Bids as well as the portions of the aggregate Energy Supply Bids, Demand Bids, and Virtual Bids that are applicable to the Eligible PNodes or group of Eligible PNodes. The MW limit constraints will be enforced in the IFM optimization engine to curtail the Bids at the Eligible PNodes or group of Eligible PNodes that have been identified as candidates for causing AC convergence issues. The IFM optimization engine will use the economic criteria based on Bid prices and effectiveness of Bids to mitigate the violation of the MW limit at the Eligible PNode or group of Eligible PNodes.

30.11 Adjustments to Reference Levels Prior to CAISO Market Processes

The CAISO will adjust Reference Levels prior to executing the applicable CAISO Market Processes as described in this Section 30.11.

30.11.1 Reasonableness Thresholds

The CAISO will calculate the Reasonableness Thresholds for the purpose of evaluating increases to Reference Levels pursuant to this Section 30.11.1.

30.11.1.1 General Applicability

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

The CAISO will calculate the Reasonableness Thresholds for all resources except for Non-Resource-Specific System Resources. The CAISO will calculate Reasonableness Thresholds for evaluating Reference Level Change Requests for Bids from resources, other than Hydro Default Energy Bids and Virtual Bids. For resources for which the CAISO does not calculate Default Energy Bids, the CAISO will set the Reasonableness Threshold at the Soft Energy Bid Cap. The Reasonableness Threshold for Default Energy Bid or Default Minimum Load Bid adjustments shall not exceed the Hard Energy Bid Cap or Minimum Load Cost Hard Cap, respectively.

30.11.1.2 Calculations

30.11.1.2.1 Natural Gas-Fired Resources

For natural gas-fired resources, the CAISO will calculate the Reasonableness Threshold to equal the Proxy Cost-based Default Start-Up Bid, the Proxy Cost-based Default Minimum Load Bid, or the Variable Cost-based Default Energy Bid calculated for the specific resource, where the natural gas commodity price component determined pursuant to Section 39.7.1.1.1.3 is multiplied by: (i) one hundred twenty-five percent (125%) for days without a published daily gas price index consistent with the rules in Section 39.7.1.1.1.3, unless the CAISO has updated the natural gas commodity price used to calculate the Reasonableness Threshold pursuant to Section 30.11.1.3, in which case the CAISO will use one hundred ten percent (110%); or (ii) one hundred ten percent (110%) for all other days. Provided, however, that the CAISO will set the Reasonableness Threshold for a specific resource to its Reference Level when it accepts a manual Reference Level Change Request as provided in Section 30.11.5.

30.11.1.2.2 Non-Natural Gas-Fired Resources

For non-natural gas-fired resources, the CAISO will calculate the Reasonableness Threshold to equal the Proxy Cost-based Default Start-Up Bid, the Proxy Cost-based Default Minimum Load Bid, or the Variable Cost-based Default Energy Bid, with the fuel or fuel-equivalent cost component of that calculation registered in the Master File being multiplied by one hundred ten percent (110%).

30.11.1.3 CAISO Updates for the Real-Time Market

After the deadline for the submissions of manual Reference Level Change Requests specified in Section 30.11.4.2, the CAISO will review the same-day gas price information on trades occurring on the Intercontinental Exchange and will review the same-day gas price information submitted in the manual

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Reference Level Change Requests applicable for each commodity gas region, to determine whether the same-day gas prices are ten percent (10%) greater than the gas price index the CAISO previously used to calculate the Reasonableness Thresholds.

- (a) If the CAISO determines that the representative same-day gas prices are ten percent (10%) greater than the gas price index the CAISO previously used to calculate the Reasonableness Thresholds, the CAISO will:
 - (i) use the higher of the volume-weighted average price of same-day gas trades occurring on the Intercontinental Exchange and the volume-weighted average of all relevant verified manual Reference Level Change Requests to update the Reasonableness Thresholds for all resources within the applicable fuel region(s); and
 - (ii) automatically recalculate all Hydro Default Energy Bids in the applicable fuel regions.
- (b) The CAISO will implement the changes to the Reasonableness Thresholds in the next available Real-Time Market interval as soon as practicable. Any updates the CAISO makes to Reasonableness Thresholds through this process will apply to the Real-Time Market throughout the remainder of the Trading Day.

30.11.1.4 CAISO Adjustments for Persistent Conditions

The CAISO may adjust the Reasonableness Thresholds for a specific resource in the event of a resource's actual fuel or fuel-equivalent costs, observed by the CAISO in the after-CAISO Market Processes review pursuant to Section 30.12, are systematically greater than the gas price indices or fuel-equivalent costs used by the CAISO in calculating the resource's corresponding Reference Levels.

30.11.2 Reference Level Change Requests

30.11.2.1 Applicability

A Scheduling Coordinator may submit a Reference Level Change Request for Default Start-Up Bids, Default Minimum Load Bids, and Default Energy Bids, as applicable. Scheduling Coordinators may not submit Reference Level Change Requests for Bids by Non-Resource-Specific System Resources. Resources under the Registered Cost methodology are not eligible for Reference Level Change

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Requests for Default Minimum Load Bids or Default Start-Up Bids. Scheduling Coordinators may not submit Reference Level Change Requests to recover costs associated with gas company imbalance penalties.

30.11.2.2 Requirements

All Reference Level Change Requests must be based on the Scheduling Coordinator's reasonable expectation that its daily actual fuel costs or fuel-equivalent costs for a given Trading Day will exceed the costs used by the CAISO to calculate the resource's Reference Levels, and must reflect reasonable and prudent procurement practices. All Reference Level Change Requests must be calculated using actual or expected fuel costs or fuel-equivalent costs supported by Documentation of Contemporaneously Available Information.

30.11.2.3 Energy Bids Above the Soft Energy Bid Cap

A Scheduling Coordinator whose Default Energy Bid does not exceed the Soft Energy Bid Cap and that intends to submit an Energy Bid that exceeds the Soft Energy Bid Cap must submit a Reference Level Change Request. The CAISO will further verify Energy Bids in excess of the Soft Energy Bid Cap pursuant to the applicable rules in Section 30.7.

30.11.3 Automated Reference Level Change Requests

30.11.3.1 Applicability

Scheduling Coordinators may submit automated Reference Level Change Requests. The CAISO will evaluate automated Reference Level Change Requests prior to the time the applicable CAISO Market Process is executed based on the Reasonableness Thresholds the CAISO calculates for each resource as specified in Section 30.11.1. The Scheduling Coordinator shall not submit a Reference Level Change Request for the purpose of inflating its Default Energy Bids or Default Commitment Cost Bids beyond what these values would be if calculated based on its actual or expected costs, without applying the Default Energy Bid Multiplier or Commitment Cost Multiplier. Scheduling Coordinators shall not submit an automated Reference Level Change Request that is supported by the same Documentation of Contemporaneously Available Information submitted with a manual Reference Level Change Request that the CAISO previously denied. The CAISO shall not accept automated Reference Level Change Requests for Hydro Default Energy Bids.

30.11.3.2 Requirements

Scheduling Coordinators must calculate the Reference Levels amounts included in their Reference Level Change Requests using the same methodology used to calculate the Proxy Cost-based Default Start-Up Bid, (without applying the Commitment Cost Multiplier), the Proxy Cost-based Default Minimum Load Bid (without applying the Commitment Cost Multiplier), and the Variable Cost-based Default Energy Bid (without applying the Default Energy Bid Multiplier).

30.11.3.3 Contemporaneously Available Supporting Documentation

Although the Scheduling Coordinator does not submit Documentation of Contemporaneously Available Information when it submits an automated Reference Level Change Request, the Scheduling Coordinator must retain the Documentation of Contemporaneously Available Information. The CAISO may request the Scheduling Coordinator to provide the CAISO with Documentation of Contemporaneously Available Information pursuant to Section 30.11.3.4.

30.11.3.4 Evaluation of Automated Reference Level Change Requests

If the Reference Level change submitted by the Scheduling Coordinator for a resource in the automated Reference Level Change Request is equal to or less than the applicable Reasonableness Threshold for the resource, the CAISO will approve the Revised Default Commitment Cost Bid and Revised Default Energy Bid. If the Reference Level change submitted by the Scheduling Coordinator for a resource in the automated Reference Level Change Request process exceeds the applicable Reasonableness Threshold for the resource, the CAISO will approve the revised Reference Level to equal the resource's Reasonableness Threshold.

30.11.3.5 CAISO Audit of Automated Reference Level Change Requests

- (a) **Audit Process.** The CAISO may audit a Scheduling Coordinator that submits an automated Reference Level Change Request at any time and may request the Scheduling Coordinator to provide the CAISO with its cost calculations and Documentation of Contemporaneously Available Information. In response to a CAISO audit request for information related to the audit, the Scheduling Coordinator must respond with the requested information within five (5) Business Days of the CAISO's request. The CAISO will evaluate the submitted information and determine whether it

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

supports the Scheduling Coordinator's automated Reference Level Change Request within ten (10) Business Days of receipt of the Scheduling Coordinator's cost calculations and Documentation of Contemporaneously Available Information.

- (b) In the event the CAISO determines the submitted information does not support the Reference Level Change Request, the Scheduling Coordinator may request CAISO ADR Procedures as specified in Section 13 of the CAISO Tariff within five (5) Business Days of the CAISO's response. If the Scheduling Coordinator requests CAISO ADR Procedures, the Scheduling Coordinator will not be permitted to submit automated Reference Level Change Requests for the affected resource as specified in Section 30.11.3.4(c) while the CAISO ADR Procedures are pending. If the CAISO ADR Procedures confirm that the Documentation of Contemporaneously Available Information did not support the Scheduling Coordinator's automated Reference Level Change Request, the Scheduling Coordinator will be prohibited from submitting automated Reference Level Change Requests until the time period specified in Section 30.11.3.4(c) has elapsed.

- (c) **Consequence for Failure to Comply with CAISO Requirements.** If the CAISO determines that the Documentation of Contemporaneously Available Information submitted by the Scheduling Coordinator does not support a conclusion that the Scheduling Coordinator's actual or expected fuel costs, or fuel-equivalent costs, for a resource as calculated in Section 30.11.2.2 were higher than those the CAISO used to determine the resource's Reference Levels:

- (1) The CAISO shall prohibit the Scheduling Coordinator from making any automated Reference Level Change Requests for the affected resource for sixty (60) days from the time the CAISO informs the Scheduling Coordinator that it did not submit Documentation of Contemporaneously Available Information that supports the Scheduling Coordinator's automated Reference Level Change Request.
- (2) Any subsequent determination that the Scheduling Coordinator did not submit

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Documentation of Contemporaneously Available Information that supports its automated Reference Level Change Request will result in the CAISO prohibiting the Scheduling Coordinator from making any automated Reference Level Change Requests for the affected resource for one hundred eighty (180) days from the time the CAISO informs the Scheduling Coordinator of the subsequent failure to submit Documentation of Contemporaneously Available Information that supports its automated Reference Level Change Request.

30.11.4 Manual Reference Level Change Requests

30.11.4.1 Applicability

Scheduling Coordinators may request a manual Reference Level Change Request when the Scheduling Coordinator's actual or expected fuel costs or fuel-equivalent costs exceed the fuel or fuel-equivalent costs the CAISO used to calculate a resource's Reference Level by the greater of ten percent (10%) or \$0.50/MMBTU, as applicable. The Scheduling Coordinator may submit a manual Reference Level Change Request for:

- (a) Default Energy Bids, Default Start-Up Bids, and Default Minimum Load Bids for natural gas-fired resources; and
- (b) Default Energy Bids for non-natural gas-fired resources.

30.11.4.2 Requirements

Scheduling Coordinators must submit any manual Reference Level Change Requests by 8:00 a.m. of the Business Day on which the applicable CAISO Market is executed. Scheduling Coordinators must submit in their manual Reference Level Change Requests their actual or expected fuel costs that they request the CAISO to validate and to be used to calculate their resource's Reference Levels. For gas-fired resources, the Scheduling Coordinator must submit the gas fuel cost only and not include the gas transportation cost. Upon submission of a manual Reference Level Change Request, the Scheduling Coordinator must submit Documentation of Contemporaneously Available Information that shows that its resource's actual or expected fuel costs or fuel-equivalent costs exceed the fuel or fuel-equivalent costs used to calculate the resource's Reference Level.

30.11.4.3 Evaluation of Manual Reference Level Change Requests

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

The CAISO will evaluate requested fuel costs submitted in the manual Reference Level Change Requests based on information submitted by the Scheduling Coordinator and any other available evidence of current costs that applies to the Reference Level Change Request: (1) as practicable prior to the execution of the applicable Day-Ahead Market; and (2) as soon as practicable after submission of the manual Reference Level Change Request for the Real-Time Market. This evaluation will consist of whether the submitted information supports a change in the Reference Level. If the fuel cost submitted in the manual Reference Level Change Request is accepted, the CAISO will recalculate the Reference Level using the accepted actual or expected fuel costs (without applying the Commitment Cost Multiplier or the Default Energy Bid Multiplier). The CAISO will apply the Revised Default Commitment Cost Bid and Revised Default Energy Bid for use in the CAISO Market Processes and for Settlement purposes as specified in Section 30.11.5. If the CAISO does not accept the submitted actual or expected fuel costs, the CAISO will make no changes to the Reference Level.

30.11.5 Application of Revised Reference Level

For the Day-Ahead Market, the Revised Default Commitment Cost Bids and Revised Default Energy Bid will apply to the applicable Trading Day of the Day-Ahead Market. For the Real-Time Market, the Revised Default Commitment Cost Bids and Revised Default Energy Bid will apply from the Real-Time Market Trading Hour for which it is practicable for the CAISO to apply the change until the last Trading Hour of the Trading Day for which the Reference Level Change Request was specified. The CAISO will not update the applicable Reasonableness Threshold when it accepts an automated Reference Level Change Request. The CAISO will update a resource's applicable Reasonableness Threshold to equal the resource's Reference Level when it accepts a manual Reference Level Change Request. The Scheduling Coordinator may submit an application for after-CAISO Market Process adjustments pursuant to Section 30.12 for any costs not verified through the automated Reference Level Change Request process or that were rejected through the manual Reference Level Change Request process. A Multi-Stage Generating Resource cannot submit a Reference Level Change Request for its Proxy Transition Costs but the CAISO will recalculate the Proxy Transition Costs if a Scheduling Coordinator revises the Start-Up Bids that initially were the basis of calculating the Proxy Transition Cost.

30.11.6 Hydro Default Energy Bids

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

In the event a Scheduling Coordinator that controls both a hydro resource and a natural gas-fired resource in the same gas fuel region submits a manual Reference Level Change Request for both the hydro resource's Hydro Default Energy Bid and the natural gas-fired resource's Reference Level, and the CAISO accepts the manual Reference Level Change Request for the natural gas-fired resource, the CAISO may also update the natural gas price used in the calculation of a hydro resource's Hydro Default Energy Bid when the CAISO adjusts the gas price used in the Reasonableness Thresholds for the entire gas fuel region in which the hydro resource is located pursuant to Section 30.11.1.

30.12 After-CAISO Market Process Cost Recovery

30.12.1 Applicability

Scheduling Coordinators may request an additional uplift payment to cover a resource's actual fuel costs or fuel-equivalent costs associated with Start-Up Bid Costs, Minimum Load Bid Costs, Transition Bid Costs, and Energy Bid Costs used in the Bid Cost Recovery mechanism, and that are for:

- (a) amounts in a Reference Level Change Request that were not approved pursuant to Section 30.11; or
- (b) amounts in a Reference Level Change Request for a Default Energy Bid or Default Minimum Load Bid that exceeds the Hard Energy Bid Cap or the Minimum Load Cost Hard Cap, respectively.

Scheduling Coordinators may not request additional uplift payments under this section to cover costs associated with gas company imbalance penalties.

30.12.2 Notice

The Scheduling Coordinator must notify the CAISO within thirty (30) Business Days after the applicable Trading Day whether it will:

- (a) request a CAISO evaluation of its costs, pursuant to Section 30.12.4; or
- (b) submit a filing to FERC to recover its costs pursuant to Section 30.12.5.

30.12.3 Supporting Documentation

Scheduling Coordinators must submit supporting documentation that demonstrates that submitted costs represent actually procured daily fuel costs or fuel-equivalent costs for a given Trading Day that exceed the fuel costs or fuel-equivalent costs the CAISO used to calculate the resource's Reference Levels.

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

These fuel costs or fuel-equivalent costs must be reasonable and reflect prudent procurement practices. Permissible supporting documents include invoices for fuel purchased, or other appropriate documentation demonstrating fuel costs or fuel-equivalent costs actually incurred that exceed the fuel costs or fuel-equivalent costs the CAISO used to calculate the resource's Reference Levels for the applicable Trading Days.

30.12.4 CAISO After-Market Evaluation of Fuel Costs

30.12.4.1 Process

If the Scheduling Coordinator requests that the CAISO evaluate the costs specified in Section 30.12.1, within sixty (60) Business Days after the Trading Day for which the Scheduling Coordinator provides notice to the CAISO per this Section 30.12.4, the CAISO will:

- (a) provide the Scheduling Coordinator with a written explanation of any effect that events or circumstances in the CAISO Markets and fuel market conditions may have had on the resource's inability to recover the costs on the applicable Trading Day; and
- (b) notify the Scheduling Coordinator whether the costs are eligible for evaluation pursuant to this Section 30.12.4.

30.12.4.2 CAISO Evaluation

In evaluating a request submitted by a Scheduling Coordinator, the CAISO will verify that the submitted costs represent actual incurred fuel costs or fuel-equivalent costs, and that these costs are reasonable and reflect prudent procurement practices.

30.12.4.3 Settlement of Recoverable Amounts

To the extent the CAISO's evaluation results in verification that the resource's actually incurred costs claimed by the Scheduling Coordinator were not recovered through the Bid Cost Recovery process, the CAISO will resettle Bid Cost Recovery and Exceptional Dispatch using revised Bid Costs and revised Default Energy Bids, as applicable, for the resource and will issue Recalculation Settlement Statement(s) within the normal Recalculation Settlement Statements timelines specified in Section 11.29.

30.12.4.4 Extensions

If the CAISO is unable to verify within the sixty (60) Business Day period that the resource's incurred costs are eligible for evaluation pursuant to this Section 30.12.4, the CAISO will provide the Scheduling

California Independent System Operator Corporation
Fifth Replacement Electronic Tariff

Coordinator with an extension of thirty (30) Business Days to submit a filing to FERC to recover costs.

30.12.4.5 Ineligibility

If the CAISO determines the resource is ineligible to recover its fuel-related costs through this Section 30.12.4, the Scheduling Coordinator may submit a filing for fuel cost recovery to FERC pursuant to Section 30.12.5.

30.12.5 FERC Fuel Cost Recovery Filings

30.12.5.1 Process

If the Scheduling Coordinator provides notice of its intent to submit a filing for fuel cost recovery to FERC, or if the CAISO has determined that the Scheduling Coordinator is not eligible to recover fuel costs through Section 30.12.4, the Scheduling Coordinator will have ninety (90) Business Days after either the applicable Trading Day or the date the CAISO informs the Scheduling Coordinator that it is not eligible to recover its fuel costs through Section 30.12.4, whichever is applicable, to submit its filing for fuel cost recovery to FERC.

30.12.5.2 Settlement of FERC-Approved Amounts

To the extent FERC issues an order finding the resource actually incurred costs claimed by the Scheduling Coordinator that were not recovered through the Bid Cost Recovery process, the CAISO will resettle Bid Cost Recovery using revised Bid Costs for the resource so that these costs can be recovered through the Recalculation Settlement Statement(s) within the normal timelines specified in Section 11.29.