

# Price Correction Report

## Week of August 7 – August 11, 2023

### Overview

This document is intended to meet the requirements of ISO Tariff section 35.6, and provides the Market Participants with a summary of all price corrections that occurred during the week. For example, report titled with May 5-9, 2014 will cover all corrections made during the week of May 5-9. In a normal situation, it will include trade dates that have price corrections which are due between May 5-9, 2014 based on the five business day for Real-Time market and three business day for Day-Ahead market.

The structure of the report is as follows:

- Price correction listing – this section includes a listing of all the corrections, including market intervals affected, locations, reason (which would tie back to the description of issues section), and method of price correction.
- Description of Issues – this section describes each issue which resulted in a correction in more detail.
- Price-fill report – metrics on the number of empty price intervals that were filled by adjacent interval prices, usually due to failed runs.

For the week covered by this report, **37** intervals were corrected.

The trade dates covered by this report are:

DAM: 08/02/2023 – 08/08/2023

RTM: 07/31/2023 – 08/06/2023

### ***Correction methodologies***

The following are the definitions of the correction methodologies used:

**Selective recalculation:** The CAISO will selectively recalculate incorrect financially binding prices when the invalid prices are isolated and can be corrected such that no other financially binding prices are affected by the correction.

**System recalculation:** The CAISO will recalculate all prices for the invalidated market interval using corrected or recreated input data, or repaired software as applicable.

**Replacement:** If the above correction methods are not applicable and practicable, the CAISO shall use, in place of prices for the binding interval of an invalidated market solution, replicated prices from binding or advisory intervals from the validated market solution in which the market conditions were most similar to the market conditions in the invalidated market solution for the affected interval.

# Price Correction Report

## Week of August 7 – August 11, 2023

### Price Correction Listing

The following is a list of the corrections made during the week, provided with date and time. The number to the left of the reason field corresponds to the issue number in the Description of Issues section. The count of corrected Pnode/APnode/SP-Tie for each corrected interval is listed left to the Affected Location field, for Energy and FRP respectively. In case of many intervals with the same correction reason, instead of providing the exact count of corrected Pnode/APnode/SP-Tie, the range of Pnode/APnode/SP-Tie affected is provided and listed in another table. Please note that there are only AS price corrections or only constraint shadow price correction for those intervals that have the Count of Corrected Pnode/APnode/SP-Tie columns missing.

#### Corrections made through selective recalculation: 37

Date	HE	Intervals	Market	#	Reason	Number of corrected Pnodes/APnodes/SP-Ties for Energy	Number of corrected Pnodes/APnodes/SP-Ties for Flex Ramp	Method	Affected Area
08/01/2023	2	1-3	RTD	1	Data Input Error	5723	72	Selective Recalc	Local
08/01/2023	2	10	RTD	1	Data Input Error	10694		Selective Recalc	Local
08/01/2023	2	11	RTD	1	Data Input Error	10762		Selective Recalc	Local
08/01/2023	2	12	RTD	1	Data Input Error	9631		Selective Recalc	Local
08/01/2023	2	4	RTD	1	Data Input Error	9107	519	Selective Recalc	Local
08/01/2023	2	5	RTD	1	Data Input Error	9003		Selective Recalc	Local
08/01/2023	2	6	RTD	1	Data Input Error	8347	447	Selective Recalc	Local
08/01/2023	2	7	RTD	1	Data Input Error	6984		Selective Recalc	Local
08/01/2023	2	8-9	RTD	1	Data Input Error	9603		Selective Recalc	Local
08/01/2023	2	1	RTPD	1	Data Input Error	3660	519	Selective Recalc	Local
08/01/2023	2	2	RTPD	1	Data Input Error	5071	993	Selective Recalc	Local
08/01/2023	2	3	RTPD	1	Data Input Error	7874	2233	Selective Recalc	Local
08/01/2023	2	4	RTPD	1	Data Input Error	8556	2816	Selective Recalc	Local
08/05/2023	16	3	RTPD	2	Software Defect	979		Selective Recalc	Local
08/05/2023	19	3	RTPD	2	Software Defect	546		Selective Recalc	Local
08/05/2023	19	4	RTPD	2	Software Defect	624		Selective Recalc	Local
08/06/2023	16	9-12	RTD	2	Software Defect	975		Selective Recalc	Local
08/06/2023	18	5	RTD	2	Software Defect	952		Selective Recalc	Local
08/06/2023	18	6	RTD	2	Software Defect	958		Selective Recalc	Local
08/06/2023	19	1,8	RTD	2	Software Defect	537		Selective Recalc	Local
08/06/2023	21	11	RTD	2	Software Defect	537		Selective Recalc	Local
08/06/2023	15	2,4	RTPD	2	Software Defect	950		Selective Recalc	Local
08/06/2023	16	4	RTPD	2	Software Defect	974		Selective Recalc	Local
08/06/2023	18	3	RTPD	2	Software Defect	975		Selective Recalc	Local
08/06/2023	19	2	RTPD	2	Software Defect	547		Selective Recalc	Local
08/06/2023	19	4	RTPD	2	Software Defect	546		Selective Recalc	Local
08/06/2023	20	2-3	RTPD	2	Software Defect	503		Selective Recalc	Local
08/06/2023	20	4	RTPD	2	Software Defect	624		Selective Recalc	Local

# Price Correction Report

## Week of August 7 – August 11, 2023

**Corrections made through interval replacement: 0**

**Corrections made through market rerun: 0**

### Description of Issues:

**1. Data Input Error:**

Invalid pricing due to a data input error impacting flex ramp sufficiency test.

Prices were corrected by selective recalculation.

**2. Software Defect:**

Invalid shadow price due to a software defect impacting pricing formation.

Prices were corrected by selective recalculation.

### Price Fill Report

A price fill occurs whenever a market run failed to publish to the Settlement system. This usually occurs whenever a market run failed, for example when a market fails to come to a solution. It could also occur when an operator decides that a market is not to be run, for example during a contingency event. Automatic price fills also occur in real-time when an operator chooses to utilize the previous interval's solution for the current interval.

Prices are filled according to the rules in CAISO Tariff section 7.7.9 which states that administrative pricing applies to intervals where we have had a market disruption, and requires the prices to be set differently depending on the number of consecutive market disruptions.

The number of prices which were adjusted by the fill process is as follows.

**Total number of filled price intervals for energy, AS and GHG: 13**

Date	HE	Intervals	Market
07/31/2023	24	10-12	RTD
07/31/2023	24	4	RTPD
08/01/2023	1	1-5	RTD
08/01/2023	1	1-3	RTPD
08/05/2023	21	6	RTD

**Total number of filled price intervals for FRP: 13**

# Price Correction Report

## Week of August 7 – August 11, 2023

Date	HE	Intervals	Market
07/31/2023	24	11-12	RTD
08/01/2023	1	1-6	RTD
08/01/2023	1	1-4	RTPD
08/05/2023	21	7	RTD

Note: Intervals filled are subject to subsequent price corrections where applicable.

### Total number of filled intervals due to WEIM BAA market separation: 36

Date	HE	Intervals	Market	Separated WEIM BAA
08/02/2023	10	2 - 4	RTPD	BPAT
08/02/2023	11	1 - 4	RTPD	BPAT
08/02/2023	12	1 - 2	RTPD	BPAT
08/02/2023	10	6 - 12	RTD	BPAT
08/02/2023	11	1 - 12	RTD	BPAT
08/02/2023	12	1 - 6	RTD	BPAT

### Disconnected Pnode Report

According to Congestion Revenue Rights BPM Section 15, when the IFM cannot identify an electrically connected PNODE within the fixed level of proximity, a post process will be performed to determine the next closest electrically connected PNode and replace the LMP of the disconnected PNode with this price. This price update will be done within the DAM price correction timeline.

The number of prices which were adjusted by the disconnected Pnode process is as follows.

**Total number of hours with disconnected pnode price update: 0**