

Price Correction Report

Week of May 8 – May 12, 2023

Overview

This document is intended to meet the requirements of ISO Tariff section 35.6, and provides the Market Participants with a summary of all price corrections that occurred during the week. For example, report titled with May 5-9, 2014 will cover all corrections made during the week of May 5-9. In a normal situation, it will include trade dates that have price corrections which are due between May 5-9, 2014 based on the five business day for Real-Time market and three business day for Day-Ahead market.

The structure of the report is as follows:

- Price correction listing – this section includes a listing of all the corrections, including market intervals affected, locations, reason (which would tie back to the description of issues section), and method of price correction.
- Description of Issues – this section describes each issue which resulted in a correction in more detail.
- Price-fill report – metrics on the number of empty price intervals that were filled by adjacent interval prices, usually due to failed runs.

For the week covered by this report, **516** intervals were corrected.

The trade dates covered by this report are:

DAM: 5/03/2023 – 5/09/2023

RTM: 5/01/2023 – 5/07/2023

Correction methodologies

The following are the definitions of the correction methodologies used:

Selective recalculation: The CAISO will selectively recalculate incorrect financially binding prices when the invalid prices are isolated and can be corrected such that no other financially binding prices are affected by the correction.

System recalculation: The CAISO will recalculate all prices for the invalidated market interval using corrected or recreated input data, or repaired software as applicable.

Replacement: If the above correction methods are not applicable and practicable, the CAISO shall use, in place of prices for the binding interval of an invalidated market solution, replicated prices from binding or advisory intervals from the validated market solution in which the market conditions were most similar to the market conditions in the invalidated market solution for the affected interval.

Price Correction Report

Week of May 8 – May 12, 2023

Price Correction Listing

The following is a list of the corrections made during the week, provided with date and time. The number to the left of the reason field corresponds to the issue number in the Description of Issues section. The count of corrected Pnode/APnode/SP-Tie for each corrected interval is listed left to the Affected Location field, for Energy and FRP respectively. In case of many intervals with the same correction reason, instead of providing the exact count of corrected Pnode/APnode/SP-Tie, the range of Pnode/APnode/SP-Tie affected is provided and listed in another table. Please note that there are only AS price corrections or only constraint shadow price correction for those intervals that have the Count of Corrected Pnode/APnode/SP-Tie columns missing.

Corrections made through selective recalculation: 516

Date	HE	Intervals	Market	#	Reason	Number of corrected Pnodes/APnodes/SP-Ties for Energy	Number of corrected Pnodes/APnodes/SP-Ties for Flex Ramp	Method	Affected Area
05/01/2023	13	1-3	RTD	3	Data Input Error	412		Selective Recalc	Local
05/01/2023	14	4	RTD	3	Data Input Error	437		Selective Recalc	Local
05/01/2023	15	1-3	RTD	3	Data Input Error	416		Selective Recalc	Local
05/01/2023	16	1-5	RTD	3	Data Input Error	412		Selective Recalc	Local
05/01/2023	18	10	RTD	3	Data Input Error	519		Selective Recalc	Local
05/01/2023	18	3	RTD	3	Data Input Error	415		Selective Recalc	Local
05/01/2023	18	4-5	RTD	3	Data Input Error	417		Selective Recalc	Local
05/01/2023	18	6	RTD	3	Data Input Error	522		Selective Recalc	Local
05/01/2023	18	7-9,11-12	RTD	3	Data Input Error	521		Selective Recalc	Local
05/01/2023	19	11	RTD	3	Data Input Error	520		Selective Recalc	Local
05/01/2023	19	12	RTD	3	Data Input Error	518		Selective Recalc	Local
05/01/2023	19	2	RTD	3	Data Input Error	416		Selective Recalc	Local
05/01/2023	20	10-12	RTD	3,1	Data Input Error	12630		Selective Recalc	Local
05/01/2023	20	2-3	RTD	1	Data Input Error	13253		Selective Recalc	Local
05/01/2023	20	4	RTD	1	Data Input Error	12628		Selective Recalc	Local
05/01/2023	20	5-6	RTD	3,1	Data Input Error	12673		Selective Recalc	Local
05/01/2023	20	7-8	RTD	3,1	Data Input Error	12605		Selective Recalc	Local
05/01/2023	20	9	RTD	1	Data Input Error	12492		Selective Recalc	Local
05/01/2023	21	10	RTD	1	Data Input Error	205		Selective Recalc	Local
05/01/2023	21	11	RTD	1	Data Input Error	12582		Selective Recalc	Local
05/01/2023	21	12	RTD	3,1	Data Input Error	12582		Selective Recalc	Local
05/01/2023	21	4	RTD	1	Data Input Error	109		Selective Recalc	Local
05/01/2023	21	5-9	RTD	1	Data Input Error	110		Selective Recalc	Local
05/01/2023	22	1-3	RTD	1	Data Input Error	12221		Selective Recalc	Local
05/01/2023	22	10-11	RTD	3,1	Data Input Error	12264		Selective Recalc	Local
05/01/2023	22	12	RTD	1	Data Input Error	12219		Selective Recalc	Local
05/01/2023	22	4	RTD	3,1	Data Input Error	12327		Selective Recalc	Local
05/01/2023	22	5-6	RTD	1	Data Input Error	12282		Selective Recalc	Local
05/01/2023	22	7	RTD	1	Data Input Error	12214		Selective Recalc	Local
05/01/2023	22	8	RTD	3	Data Input Error	520		Selective Recalc	Local
05/01/2023	22	9	RTD	3,1	Data Input Error	555		Selective Recalc	Local
05/01/2023	23	1	RTD	3,1	Data Input Error	12213		Selective Recalc	Local
05/01/2023	23	10,12	RTD	3,1	Data Input Error	546		Selective Recalc	Local
05/01/2023	23	11	RTD	3,1	Data Input Error	12172		Selective Recalc	Local

Price Correction Report

Week of May 8 – May 12, 2023

05/01/2023	23	2	RTD	1	Data Input Error	12168		Selective Recalc	Local
05/01/2023	23	3	RTD	1	Data Input Error	12181		Selective Recalc	Local
05/01/2023	23	4-6	RTD	1	Data Input Error	12131		Selective Recalc	Local
05/01/2023	23	7-9	RTD	3,1	Data Input Error	12178		Selective Recalc	Local
05/01/2023	24	1	RTD	1	Data Input Error	110		Selective Recalc	Local
05/01/2023	24	10	RTD	3,1	Data Input Error	742		Selective Recalc	Local
05/01/2023	24	11-12	RTD	3,1	Data Input Error	12147		Selective Recalc	Local
05/01/2023	24	2	RTD	3	Data Input Error	507		Selective Recalc	Local
05/01/2023	24	3	RTD	3,1	Data Input Error	507		Selective Recalc	Local
05/01/2023	24	4-9	RTD	3,1	Data Input Error	557		Selective Recalc	Local
05/01/2023	4	11	RTD	1	Data Input Error	113		Selective Recalc	Local
05/01/2023	4	12	RTD	1	Data Input Error	7440		Selective Recalc	Local
05/01/2023	5	1	RTD	1	Data Input Error	8134		Selective Recalc	Local
05/01/2023	5	10,12	RTD	1	Data Input Error	8021		Selective Recalc	Local
05/01/2023	5	11	RTD	1	Data Input Error	7930		Selective Recalc	Local
05/01/2023	5	2	RTD	1	Data Input Error	8164		Selective Recalc	Local
05/01/2023	5	3	RTD	1	Data Input Error	8136		Selective Recalc	Local
05/01/2023	5	4	RTD	1	Data Input Error	8150		Selective Recalc	Local
05/01/2023	5	5-6	RTD	1	Data Input Error	8178		Selective Recalc	Local
05/01/2023	5	7	RTD	1	Data Input Error	8023		Selective Recalc	Local
05/01/2023	5	8-9	RTD	1	Data Input Error	8114		Selective Recalc	Local
05/01/2023	6	1-2	RTD	1	Data Input Error	8343		Selective Recalc	Local
05/01/2023	6	10-11	RTD	1	Data Input Error	8248		Selective Recalc	Local
05/01/2023	6	12	RTD	1	Data Input Error	8220		Selective Recalc	Local
05/01/2023	6	3,8	RTD	1	Data Input Error	8330		Selective Recalc	Local
05/01/2023	6	4-5	RTD	1	Data Input Error	8331		Selective Recalc	Local
05/01/2023	6	6	RTD	1	Data Input Error	8303		Selective Recalc	Local
05/01/2023	6	7	RTD	1	Data Input Error	8302		Selective Recalc	Local
05/01/2023	6	9	RTD	1	Data Input Error	8239		Selective Recalc	Local
05/01/2023	7	1	RTD	1	Data Input Error	12205		Selective Recalc	Local
05/01/2023	7	10	RTD	1	Data Input Error	12092		Selective Recalc	Local
05/01/2023	7	11-12	RTD	1	Data Input Error	12072		Selective Recalc	Local
05/01/2023	7	2-3	RTD	1	Data Input Error	8015		Selective Recalc	Local
05/01/2023	7	4	RTD	1	Data Input Error	12197		Selective Recalc	Local
05/01/2023	7	5-6	RTD	1	Data Input Error	12196		Selective Recalc	Local
05/01/2023	7	7-8	RTD	1	Data Input Error	12206		Selective Recalc	Local
05/01/2023	7	9	RTD	1	Data Input Error	12182		Selective Recalc	Local
05/01/2023	8	3	RTD	1	Data Input Error	72		Selective Recalc	Local
05/01/2023	8	4-6,8	RTD	1	Data Input Error	114		Selective Recalc	Local
05/01/2023	8	7	RTD	1	Data Input Error	11394		Selective Recalc	Local
05/01/2023	22	1	RTPD	1	Data Input Error	12363		Selective Recalc	Local
05/01/2023	22	2	RTPD	1	Data Input Error	12250		Selective Recalc	Local
05/01/2023	22	3-4	RTPD	1	Data Input Error	12276		Selective Recalc	Local
05/01/2023	23	1	RTPD	1	Data Input Error	12130		Selective Recalc	Local
05/01/2023	23	2	RTPD	1	Data Input Error	12099		Selective Recalc	Local
05/01/2023	23	3	RTPD	1	Data Input Error	12101		Selective Recalc	Local
05/01/2023	23	4	RTPD	1	Data Input Error			Selective Recalc	Local
05/01/2023	24	3	RTPD	1	Data Input Error			Selective Recalc	Local
05/01/2023	24	4	RTPD	1	Data Input Error	12095		Selective Recalc	Local
05/01/2023	4	3	RTPD	1	Data Input Error			Selective Recalc	Local
05/01/2023	4	4	RTPD	1	Data Input Error	7345		Selective Recalc	Local
05/01/2023	5	1	RTPD	1	Data Input Error	7242		Selective Recalc	Local
05/01/2023	5	2	RTPD	1	Data Input Error	8096		Selective Recalc	Local
05/01/2023	5	3	RTPD	1	Data Input Error	8062		Selective Recalc	Local
05/01/2023	5	4	RTPD	1	Data Input Error	8030		Selective Recalc	Local
05/01/2023	6	1	RTPD	1	Data Input Error	8281		Selective Recalc	Local
05/01/2023	6	2	RTPD	1	Data Input Error	8253		Selective Recalc	Local
05/01/2023	6	3	RTPD	1	Data Input Error	8241		Selective Recalc	Local

Price Correction Report

Week of May 8 – May 12, 2023

05/01/2023	6	4	RTPD	1	Data Input Error	8199		Selective Recalc	Local
05/01/2023	7	1	RTPD	1	Data Input Error	8052		Selective Recalc	Local
05/01/2023	7	2	RTPD	1	Data Input Error	12233		Selective Recalc	Local
05/01/2023	7	3	RTPD	1	Data Input Error	12230		Selective Recalc	Local
05/01/2023	7	4	RTPD	1	Data Input Error	7647		Selective Recalc	Local
05/02/2023	1	1,3	RTD	3,1	Data Input Error	12159		Selective Recalc	Local
05/02/2023	1	10	RTD	1	Data Input Error	12381		Selective Recalc	Local
05/02/2023	1	11-12	RTD	1	Data Input Error	12361		Selective Recalc	Local
05/02/2023	1	2	RTD	3,1	Data Input Error	12147		Selective Recalc	Local
05/02/2023	1	4-5	RTD	1	Data Input Error	12119		Selective Recalc	Local
05/02/2023	1	6	RTD	1	Data Input Error	12209		Selective Recalc	Local
05/02/2023	1	7-9	RTD	1	Data Input Error	12375		Selective Recalc	Local
05/02/2023	11	2-3	RTD	3	Data Input Error	305		Selective Recalc	Local
05/02/2023	11	4-5	RTD	3	Data Input Error	303		Selective Recalc	Local
05/02/2023	12	1	RTD	3	Data Input Error	305		Selective Recalc	Local
05/02/2023	12	2,4-9	RTD	3	Data Input Error	303		Selective Recalc	Local
05/02/2023	13	1,8	RTD	3	Data Input Error	303		Selective Recalc	Local
05/02/2023	13	10-11	RTD	3	Data Input Error	249		Selective Recalc	Local
05/02/2023	13	2-7,9	RTD	3	Data Input Error	247		Selective Recalc	Local
05/02/2023	2	1-3	RTD	1	Data Input Error	12302		Selective Recalc	Local
05/02/2023	2	10-11	RTD	1	Data Input Error	12425		Selective Recalc	Local
05/02/2023	2	12	RTD	3,1	Data Input Error	12470		Selective Recalc	Local
05/02/2023	2	4-5	RTD	1	Data Input Error	12309		Selective Recalc	Local
05/02/2023	2	6	RTD	1	Data Input Error	12379		Selective Recalc	Local
05/02/2023	2	7-9	RTD	1	Data Input Error	12422		Selective Recalc	Local
05/02/2023	3	1-3	RTD	1,2	Software Defect	12361	212	Selective Recalc	Local
05/02/2023	3	10-12	RTD	1,2	Software Defect	12451	212	Selective Recalc	Local
05/02/2023	3	4-5	RTD	1,2	Software Defect	12354	212	Selective Recalc	Local
05/02/2023	3	6	RTD	1,2	Software Defect	12424	212	Selective Recalc	Local
05/02/2023	3	7-9	RTD	1,2	Software Defect	12446	212	Selective Recalc	Local
05/02/2023	5	1	RTD	3,1	Data Input Error	475		Selective Recalc	Local
05/02/2023	5	10-12	RTD	1	Data Input Error	12285		Selective Recalc	Local
05/02/2023	5	2-3	RTD	1	Data Input Error	12083		Selective Recalc	Local
05/02/2023	5	4-6	RTD	1	Data Input Error	12123		Selective Recalc	Local
05/02/2023	5	7-9	RTD	1	Data Input Error	12169		Selective Recalc	Local
05/02/2023	6	1-3	RTD	1	Data Input Error	12309		Selective Recalc	Local
05/02/2023	6	10	RTD	1	Data Input Error	12343		Selective Recalc	Local
05/02/2023	6	4-8	RTD	1	Data Input Error	12346		Selective Recalc	Local
05/02/2023	6	9	RTD	1	Data Input Error	12366		Selective Recalc	Local
05/02/2023	7	1	RTD	3	Data Input Error	303		Selective Recalc	Local
05/02/2023	7	2	RTD	3	Data Input Error	247		Selective Recalc	Local
05/02/2023	7	3-12	RTD	3	Data Input Error	305		Selective Recalc	Local
05/02/2023	8	2,4-5,7-8	RTD	3	Data Input Error	249		Selective Recalc	Local
05/02/2023	8	9-10	RTD	3	Data Input Error	305		Selective Recalc	Local
05/02/2023	8,12	3	RTD	3	Data Input Error	247		Selective Recalc	Local
05/02/2023	9	1-8	RTD	3	Data Input Error	305		Selective Recalc	Local
05/02/2023	9	9	RTD	3	Data Input Error	249		Selective Recalc	Local
05/02/2023	9-10	11-12	RTD	3	Data Input Error	303		Selective Recalc	Local
05/02/2023	1	1	RTPD	1	Data Input Error	12171		Selective Recalc	Local
05/02/2023	1	2	RTPD	1	Data Input Error	12183		Selective Recalc	Local
05/02/2023	1	3	RTPD	1	Data Input Error	12254		Selective Recalc	Local
05/02/2023	1	4	RTPD	1	Data Input Error	12383		Selective Recalc	Local
05/02/2023	2	1	RTPD	1	Data Input Error	12373		Selective Recalc	Local
05/02/2023	2	2,4	RTPD	1	Data Input Error	12399		Selective Recalc	Local
05/02/2023	2	3	RTPD	1	Data Input Error	12419		Selective Recalc	Local
05/02/2023	3	1-2	RTPD	1	Data Input Error	12372		Selective Recalc	Local
05/02/2023	3	3	RTPD	1,2	Data Input Error	12451	212	Selective Recalc	Local

Price Correction Report

Week of May 8 – May 12, 2023

05/02/2023	3	4	RTPD	1,2	Data Input Error	12428		Selective Recalc	Local
05/02/2023	5	1	RTPD	1	Data Input Error	228		Selective Recalc	Local
05/02/2023	5	2	RTPD	1	Data Input Error	12147		Selective Recalc	Local
05/02/2023	5	3	RTPD	1	Data Input Error	12172		Selective Recalc	Local
05/02/2023	5	4	RTPD	1	Data Input Error	12275		Selective Recalc	Local
05/02/2023	6	1	RTPD	1	Data Input Error	12399		Selective Recalc	Local
05/02/2023	6	2	RTPD	1	Data Input Error	12386		Selective Recalc	Local
05/02/2023	6	3	RTPD	1	Data Input Error	12346		Selective Recalc	Local
05/02/2023	6	4	RTPD	1	Data Input Error	12323		Selective Recalc	Local
05/02/2023	7	1	RTPD	1	Data Input Error	12251		Selective Recalc	Local
05/02/2023	7	2	RTPD	1	Data Input Error	12532		Selective Recalc	Local
05/03/2023	1	11	RTD	1	Data Input Error	12377		Selective Recalc	Local
05/03/2023	1	4,10,12	RTD	1	Data Input Error	56		Selective Recalc	Local
05/03/2023	1	7-9	RTD	1	Data Input Error	69		Selective Recalc	Local
05/03/2023	19	3	RTD	1	Data Input Error	12251		Selective Recalc	Local
05/03/2023	19	4-5	RTD	1	Data Input Error	12236		Selective Recalc	Local
05/03/2023	19	6	RTD	1	Data Input Error	12224		Selective Recalc	Local
05/03/2023	19	7-8	RTD	1	Data Input Error	12219		Selective Recalc	Local
05/03/2023	2	1-3	RTD	1	Data Input Error	56		Selective Recalc	Local
05/03/2023	20	1,3	RTD	1	Data Input Error	12154		Selective Recalc	Local
05/03/2023	20	12	RTD	1	Data Input Error	12144		Selective Recalc	Local
05/03/2023	20	2	RTD	1	Data Input Error	12142		Selective Recalc	Local
05/03/2023	20	4-6	RTD	1	Data Input Error	12149		Selective Recalc	Local
05/03/2023	20	7-8,11	RTD	1	Data Input Error	12089		Selective Recalc	Local
05/03/2023	20	9-10	RTD	1	Data Input Error	12101		Selective Recalc	Local
05/03/2023	21	1	RTD	1	Data Input Error	12151		Selective Recalc	Local
05/03/2023	21	10-11	RTD	1	Data Input Error	12165		Selective Recalc	Local
05/03/2023	21	12	RTD	1	Data Input Error	12155		Selective Recalc	Local
05/03/2023	21	2	RTD	1	Data Input Error	12200		Selective Recalc	Local
05/03/2023	21	3-6	RTD	1	Data Input Error	12197		Selective Recalc	Local
05/03/2023	21	7	RTD	1	Data Input Error	12114		Selective Recalc	Local
05/03/2023	21	8-9	RTD	1	Data Input Error	12119		Selective Recalc	Local
05/03/2023	22	1-3,10-12	RTD	1	Data Input Error	12168		Selective Recalc	Local
05/03/2023	22	4-6	RTD	1	Data Input Error	12250		Selective Recalc	Local
05/03/2023	22	7,9	RTD	1	Data Input Error	12170		Selective Recalc	Local
05/03/2023	22	8	RTD	1	Data Input Error	12121		Selective Recalc	Local
05/03/2023	23	1,3,7	RTD	1	Data Input Error	12173		Selective Recalc	Local
05/03/2023	23	10-12	RTD	1	Data Input Error	12062		Selective Recalc	Local
05/03/2023	23	2	RTD	1	Data Input Error	12163		Selective Recalc	Local
05/03/2023	23	4-5	RTD	1	Data Input Error	12187		Selective Recalc	Local
05/03/2023	23	6	RTD	1	Data Input Error	12174		Selective Recalc	Local
05/03/2023	23	8-9	RTD	1	Data Input Error	12186		Selective Recalc	Local
05/03/2023	24	1-3	RTD	1	Data Input Error	12133		Selective Recalc	Local
05/03/2023	3	7	RTD	1	Data Input Error			Selective Recalc	Local
05/03/2023	4	2-6	RTD	1	Data Input Error	58		Selective Recalc	Local
05/03/2023	4	8-9	RTD	1	Data Input Error	56		Selective Recalc	Local
05/03/2023	4	10	RTD	1	Data Input Error			Selective Recalc	Local
05/03/2023	7	10	RTD	1	Data Input Error	83		Selective Recalc	Local
05/03/2023	7	12	RTD	1	Data Input Error	12324		Selective Recalc	Local
05/03/2023	7	8	RTD	1	Data Input Error			Selective Recalc	Local
05/03/2023	7	9	RTD	1	Data Input Error	12390		Selective Recalc	Local
05/03/2023	7	11	RTD	1	Data Input Error			Selective Recalc	Local
05/03/2023	20	1	RTPD	1	Data Input Error	12092		Selective Recalc	Local
05/03/2023	20	2	RTPD	1	Data Input Error	12096		Selective Recalc	Local
05/03/2023	20	3	RTPD	1	Data Input Error	12184		Selective Recalc	Local
05/03/2023	20,24	4	RTPD	1	Data Input Error	12170		Selective Recalc	Local
05/03/2023	21	1	RTPD	1	Data Input Error	12141		Selective Recalc	Local

Price Correction Report

Week of May 8 – May 12, 2023

05/03/2023	21	4	RTPD	1	Data Input Error	12161		Selective Recalc	Local
05/03/2023	22	1	RTPD	1	Data Input Error	12165		Selective Recalc	Local
05/03/2023	22	2	RTPD	1	Data Input Error	12168		Selective Recalc	Local
05/03/2023	22	3	RTPD	1	Data Input Error	12132		Selective Recalc	Local
05/03/2023	22	4	RTPD	1	Data Input Error	12143		Selective Recalc	Local
05/03/2023	23	1	RTPD	1	Data Input Error	12171		Selective Recalc	Local
05/03/2023	23	2	RTPD	1	Data Input Error	12174		Selective Recalc	Local
05/03/2023	23	3	RTPD	1	Data Input Error	12133		Selective Recalc	Local
05/03/2023	23	4	RTPD	1	Data Input Error	12186		Selective Recalc	Local
05/03/2023	24	1	RTPD	1	Data Input Error			Selective Recalc	Local
05/03/2023	24	2	RTPD	1	Data Input Error	12154		Selective Recalc	Local
05/03/2023	24	3	RTPD	1	Data Input Error	12187		Selective Recalc	Local
05/03/2023	8	1	RTPD	1	Data Input Error	84		Selective Recalc	Local
05/03/2023	8	3	RTPD	1	Data Input Error			Selective Recalc	Local
05/04/2023	1	1-3	RTD	1	Data Input Error	12144		Selective Recalc	Local
05/04/2023	1	10-12	RTD	1	Data Input Error	12502		Selective Recalc	Local
05/04/2023	1	4-5	RTD	1	Data Input Error	12397		Selective Recalc	Local
05/04/2023	1	7-9	RTD	1	Data Input Error	12474		Selective Recalc	Local
05/04/2023	2	1	RTD	1	Data Input Error	12606		Selective Recalc	Local
05/04/2023	2	2-3	RTD	1	Data Input Error	12588		Selective Recalc	Local
05/04/2023	2	4	RTD	1	Data Input Error	12613		Selective Recalc	Local
05/04/2023	2	5-7	RTD	1	Data Input Error	12589		Selective Recalc	Local
05/04/2023	2	8-12	RTD	1	Data Input Error	12631		Selective Recalc	Local
05/04/2023	3	1	RTD	1	Data Input Error	12613		Selective Recalc	Local
05/04/2023	3	2	RTD	1	Data Input Error	12557		Selective Recalc	Local
05/04/2023	3	3	RTD	1	Data Input Error	12631		Selective Recalc	Local
05/04/2023	3	4-6,10-12	RTD	1	Data Input Error	12633		Selective Recalc	Local
05/04/2023	3	7-9	RTD	1	Data Input Error	12598		Selective Recalc	Local
05/04/2023	4	1-5	RTD	1	Data Input Error	12637		Selective Recalc	Local
05/04/2023	4	6	RTD	1	Data Input Error	12650		Selective Recalc	Local
05/04/2023	4	7-12	RTD	1	Data Input Error	12644		Selective Recalc	Local
05/04/2023	5	1-3	RTD	1	Data Input Error	12653		Selective Recalc	Local
05/04/2023	5	4-6	RTD	1	Data Input Error	12650		Selective Recalc	Local
05/04/2023	5	7	RTD	1	Data Input Error	12646		Selective Recalc	Local
05/04/2023	5	8,10-11	RTD	1	Data Input Error	12633		Selective Recalc	Local
05/04/2023	5	9,12	RTD	1	Data Input Error	12559		Selective Recalc	Local
05/04/2023	6	1-2	RTD	1	Data Input Error	12247		Selective Recalc	Local
05/04/2023	6	10-12	RTD	1	Data Input Error	12231		Selective Recalc	Local
05/04/2023	6	3	RTD	1	Data Input Error	12249		Selective Recalc	Local
05/04/2023	6	4-6	RTD	1	Data Input Error	12262		Selective Recalc	Local
05/04/2023	6	7-8	RTD	1	Data Input Error	12246		Selective Recalc	Local
05/04/2023	6	9	RTD	1	Data Input Error	12172		Selective Recalc	Local
05/04/2023	2	1	RTPD	1	Data Input Error	12532		Selective Recalc	Local
05/04/2023	2	2	RTPD	1	Data Input Error	12616		Selective Recalc	Local
05/04/2023	2	3	RTPD	1	Data Input Error	12633		Selective Recalc	Local
05/04/2023	2	4	RTPD	1	Data Input Error	12607		Selective Recalc	Local
05/04/2023	3	1	RTPD	1	Data Input Error	12551		Selective Recalc	Local
05/04/2023	3	2	RTPD	1	Data Input Error	12558		Selective Recalc	Local
05/04/2023	3	3	RTPD	1	Data Input Error	12615		Selective Recalc	Local
05/04/2023	3	4	RTPD	1	Data Input Error	12526		Selective Recalc	Local
05/04/2023	4	1-2	RTPD	1	Data Input Error	12650		Selective Recalc	Local
05/04/2023	4	3	RTPD	1	Data Input Error	12637		Selective Recalc	Local
05/04/2023	4	4	RTPD	1	Data Input Error	12606		Selective Recalc	Local
05/04/2023	5	1	RTPD	1	Data Input Error	12646		Selective Recalc	Local
05/04/2023	5	2	RTPD	1	Data Input Error	12653		Selective Recalc	Local
05/04/2023	5	3	RTPD	1	Data Input Error	12650		Selective Recalc	Local
05/04/2023	5	4	RTPD	1	Data Input Error	12634		Selective Recalc	Local

Price Correction Report

Week of May 8 – May 12, 2023

05/04/2023	6	1,3	RTPD	1	Data Input Error	12191		Selective Recalc	Local
05/04/2023	6	2	RTPD	1	Data Input Error	12172		Selective Recalc	Local
05/04/2023	6	4	RTPD	1	Data Input Error	12175		Selective Recalc	Local
05/05/2023	8	4-12	RTD	2	Software Defect		216	Selective Recalc	Local
05/05/2023	6	1-2	RTPD	2	Software Defect	249	216	Selective Recalc	Local
05/05/2023	6	3-4	RTPD	2	Software Defect		216	Selective Recalc	Local
05/05/2023	8	1-2,4	RTPD	2	Software Defect		216	Selective Recalc	Local
05/05/2023	8	3	RTPD	2	Software Defect	249	216	Selective Recalc	Local
05/06/2023	8	9-12	RTD	2	Software Defect		216	Selective Recalc	Local
05/06/2023	8	1-4	RTPD	2	Software Defect		216	Selective Recalc	Local
05/07/2023	9	4-12	RTD	2	Software Defect		216	Selective Recalc	Local
05/07/2023	9	2-4	RTPD	2	Software Defect		216	Selective Recalc	Local

Corrections made through interval replacement: 0

Corrections made through market rerun: 0

Description of Issues:

1. Data Input Error:

Invalid congestion due to a data input error impacting the resource dispatch.

Prices were corrected by selective recalculation.

2. Software Defect:

Invalid prices due to a software defect impacting the flex ramp sufficiency test.

Prices were corrected by selective recalculation.

3. Data Input Error:

Invalid prices due to a data input error impacting resource dispatch.

Prices were corrected by selective recalculation.

Price Fill Report

A price fill occurs whenever a market run failed to publish to the Settlement system. This usually occurs whenever a market run failed, for example when a market fails to come to a solution. It could also occur when an operator decides that a market is not to be run, for example during a contingency event. Automatic price fills also occur in real-time when an operator chooses to utilize the previous interval's solution for the current interval.

Prices are filled according to the rules in CAISO Tariff section 7.7.9 which states that administrative pricing applies to intervals where we have had a market disruption, and

Price Correction Report

Week of May 8 – May 12, 2023

requires the prices to be set differently depending on the number of consecutive market disruptions.

The number of prices which were adjusted by the fill process is as follows.

Total number of filled price intervals for energy, AS and GHG: 19

Date	HE	Intervals	Market
05/03/2023	15	2	RTD
05/03/2023	15	3	RTD
05/03/2023	15	4	RTD
05/03/2023	15	5	RTD
05/03/2023	15	6	RTD
05/03/2023	15	7	RTD
05/03/2023	15	8	RTD
05/03/2023	15	9	RTD
05/03/2023	15	10	RTD
05/03/2023	15	11	RTD
05/03/2023	15	12	RTD
05/03/2023	16	1	RTD
05/03/2023	16	2	RTD
05/04/2023	23	11	RTD
05/04/2023	23	12	RTD
05/04/2023	24	1	RTD
05/04/2023	24	4	RTD
05/04/2023	23	3	RTPD
05/04/2023	23	4	RTPD

Total number of filled price intervals for FRP: 19

Date	HE	Intervals	Market
05/03/2023	15	3	RTD
05/03/2023	15	4	RTD
05/03/2023	15	5	RTD
05/03/2023	15	6	RTD
05/03/2023	15	7	RTD
05/03/2023	15	8	RTD
05/03/2023	15	9	RTD
05/03/2023	15	10	RTD
05/03/2023	15	11	RTD
05/03/2023	15	12	RTD
05/03/2023	16	1	RTD
05/03/2023	16	2	RTD
05/03/2023	16	3	RTD
05/04/2023	23	12	RTD
05/04/2023	24	1	RTD
05/04/2023	24	2	RTD
05/04/2023	24	5	RTD
05/04/2023	23	4	RTPD
05/04/2023	24	1	RTPD

Price Correction Report

Week of May 8 – May 12, 2023

Note: Intervals filled are subject to subsequent price corrections where applicable.

Disconnected Pnode Report

According to Congestion Revenue Rights BPM Section 15, when the IFM cannot identify an electrically connected PNODE within the fixed level of proximity, a post process will be performed to determine the next closest electrically connected PNode and replace the LMP of the disconnected PNode with this price. This price update will be done within the DAM price correction timeline.

The number of prices which were adjusted by the disconnected Pnode process is as follows.

Total number of hours with disconnected pnode price update: 0