



California ISO

Demand Response Registration User Guide

Version 5.1
October 13, 2025

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Table of Contents

1	INTRODUCTION.....	4
1.1	Purpose.....	4
1.2	Content and Organization.....	4
1.3	Definitions.....	6
1.4	Application Access.....	9
1.5	DRRS Automated Email Notification.....	13
1.6	DRRS User Roles.....	13
2	DRRS FUNCTIONALITY OVERVIEW.....	14
2.1	Locations.....	14
2.2	Registrations.....	15
2.3	Application Layout.....	17
	2.3.1.1 Role-based tab views.....	17
	2.3.1.2 Column Headers.....	19
	2.3.1.3 Sorting and Filtering Locations and Registrations.....	21
2.4	Actions.....	22
	2.4.1.1 DRP Actions.....	22
	2.4.1.2 UDC and LSE Actions.....	33
2.5	Location and Registration Status Lifecycle.....	34
	2.5.1.1 Location Status Lifecycle Process Flow.....	38
	2.5.1.2 Registration Status Lifecycle Process Flow.....	39
3	CREATING AND REGISTERING LOCATIONS AND RESOURCE:.....	40
3.1	Create a Location.....	40
3.1.1	Edit.....	44
3.1.2	Copy.....	54
3.1.3	Delete.....	56
3.1.4	Duplication Check.....	57
3.1.5	Defend.....	58

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

3.1.6	Withdraw	62
3.1.7	End Date	64
3.2	Location Review.....	65
3.2.1	LSE Review.....	65
3.2.2	UDC Review	67
3.2.3	Invalid Review Disputed Location	71
3.2.4	LSE/UDC Review notification.....	74
3.2.5	Application Programming Interface (API) Location Management	75
3.3	Creating a Registration.....	76
4	REGISTRATION MANAGEMENT.....	87
4.1	DRRS User Interface (UI) Registration Management.....	87
4.1.1	Edit.....	87
4.1.2	Copy.....	90
4.1.3	Terminate.....	91
4.1.4	Delete.....	93
4.2	Application Programming Interface (API) Registration and Resource Management	95
5	HELPFUL LINKS.....	96
6	REVISION HISTORY.....	100
APPENDIX A – THREE (3) POSSIBLE CASES OF DEFEND PROCESS		104
APPENDIX B – EDITABLE FIELD(S) BY LOCATIONS STATUS.....		108
APPENDIX C - CUSTOMER MARKET RESULTS INTERFACE (CMRI).....		112
	Viewing Total Expected Energy (TEE).....	112
APPENDIX D – TIPS FOR CREATING REGISTRATIONS BY BASELINE METHOD TABLE		114
APPENDIX E- DRRS LOCATION DEVICE TYPE BUSINESS RULES AND BASELINE METHOD REFERENCE MATRIX		116
APPENDIX F – EXAMPLE OF CREATING A REGISTRATION USING CONTROL GROUP BASELINE METHOD		120

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

1 Introduction

1.1 Purpose

The Demand Response Registration System (DRRS) is the application developed to enable wholesale market participation by end-use customers, referred to as locations, under the PDR and RDRR participation models. The DRRS application facilitates the registration process which identifies the end-use customers providing load curtailment in response to a CAISO PDR/RDRR dispatch instruction. The system also performs a series of process controls, including data validation, duplication check and review process by LSEs and UDCs, to ensure the uniquely identified end-use customer is being registered appropriately and is not participating in overlapping registrations or retail programs.

The DRRS application provides a robust User Interface (UI) and Application Program Interface (API) to facilitate a streamlined registration process for all DRRS user roles. This includes an API for uploading bulk location data to accommodate the input of volumes of locations participating, in aggregate, as PDR/RDRRs. Additional DRRS APIs are provided for the creation, modification, review and termination of locations and their registrations.

Business process will not be covered in this User Guide, please refer to the Business Practice Manual (BPM) for Demand Response.

1.2 Content and Organization

The purpose of the guide is to instruct users how to use the features of the Demand Response Registration System (DRRS) User Interface. This guide describes the DRRS application layout, as well as the steps for creating Locations and Registration.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Other applications that may be applicable and are utilized by Scheduling Coordinators who participate in Demand Response will **not** be discussed in this User Guide, please refer to its respective manuals/documentations. All Technical documentations are located on the CAISO website at:

<http://www.caiso.com/participate/Pages/ApplicationAccess/Default.aspx>

- [Market Results Interface](#) – Settlements (MRI-S) application access is required to submit performance and load values to MRI-S by the Scheduling Coordinator (SC).
- [Master File User Interface](#) – This application is used to submit RDT updates, and can also be used to generate reports such as:
 - Generator RDT Report
 - Use Limit Plan (ULPDT) Report
 - Resources with Approved Changes
- The [Customer Interface for Resource Adequacy \(CIRA\)](#) application is used to manage ISO’s resource adequacy needs by the Scheduling Coordinator. This application allows the SC to submit their Net Qualifying Capacity (NQC), annual and monthly Supply and Resource Adequacy (RA) Plans. This application also provides the capability for an SC and an LSE to provide generic and flexible RA capacity information to the ISO using their Supply and RA Plans.
- [Customer Market Results Interface \(CMRI\)](#) – This Application may be used to generate the reports listed below. [Appendix D](#) provide screenshots of viewing binding schedules and awards for Demand Response.
 - Total Expected Energy (TEE)
 - Real-time Unit Commitment (RTUC)
 - Fifteen Minute Market (FMM).
- [Scheduling Infrastructure and Business Rules \(SIBR\)](#) – SIBR provides an SC interface to submit Bids and Inter-SC Trades (IST). For Demand Response, SIBR will utilize the bid dispatchable options registered in the Master File.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

- Automated Dispatch System (ADS) - ADS user interface displays commitment instructions, energy instructions, and ancillary services awards from the real-time market application. The energy instructions display 5-minute dispatch operating target (DOT) for Demand Response.

1.3 Definitions

The following defined terms and acronyms are used throughout this document:

Terms	Definition
AARF	Application Access Request Form – method used to provision access to users of the DRS
Address information	The physical address of the location.
ADS	Automated Dispatch System
AIM	Access Identity Management (AIM) application. The application provides registered UAAs with the ability to view application-level access for all of their organization’s users as well as any users from other organizations who have access to their resources (endorsed users).
AIMS	Access and Identity Management System – application used to provision access to users of the DRRS
API	Application User Interface. Allows users to upload bulk location data to accommodate the input of the volume of locations participating in the Demand Response Program.
BTM	Behind-the-meter (BTM) refers to a connected device that is ‘behind’ the user’s utility service meter from the perspective of the utility. Therefore, the BTM connected device is considered a retail consumer of electricity.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Terms	Definition
Custom Resource ID	A unique resource ID requested by the DRP, modeled with their specified nodal locations and associated generation distribution factors (GDF).
Customer	The name of the customer that user assigned during the registration process.
Device Type	The physical device that is installed at the service account location. This can either be Energy Storage, Electric Vehicle Supply Equipment or both.
DLA Resource	The DLAP in which the Locations of the Registration resides.
DLAP	Default Load Adjustment Point
DRP	Demand Response Provider
DRP SC	Demand Response Provider Scheduling Coordinator who is responsible for submitting bids into the market and meter data to the MRI-S.
DRRS	Demand Response Registration System. Allows users to create large volumes of locations and aggregate locations for participation in the ISO's demand response program.
DRRS UI	Demand Response Registration System User Interface
End Date	End date of registration. The date when the Registration will become inactive.
Endorsed User	Individual(s) outside of the company that is requesting for application access.
ES	Energy Storage. Technologies capable of charging energy from an external source and discharging this energy at a later time, after some amount of the initial energy is lost.
EVSE	Electric Vehicle Supply Equipment
Load Reduction	The total Load Reduction capacity per location.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Terms	Definition
Location name	Identifies the location/site for the user.
Locations	Physical location of the demand response entity. This includes the customer data such as the service account number, physical service location, and curtailable load amounts.
LSE	Load Serving Entity
New Custom PDR	CAISO will develop a new resource ID for this registration (custom).
PDR	Proxy Demand Resource
PDR-LSR	Proxy Demand Resource – Load Shift Resource. An enhancement of the PDR participation model that facilitates participation of both curtailment and consumption of load.
Pnode	Pricing Node - A single network Node or subset of network Nodes where a physical injection or withdrawal is modeled and for which a Locational Marginal Price is calculated and used for financial settlements.
POC	Point of Contact, now referred to as UAA.
Pre-Defined Resource ID	A pre-established resource ID pre-modeled in each SubLAP based on CAISO specifications and available in the Master File for DRP to request assignment to a registration.
RDRR	Reliability Demand Response Resource
RegID	The registration ID number assigned to the registration by the Demand Response System; this ID is assigned by the DRRS in sequential order.
Registration	Comprised of a single location or an aggregation of many locations. Submitted by the DRP to the LSE and UDC for review and CAISO for approval. Meter data is also submitted at the registration level for the baseline calculation prior to the market participation.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Terms	Definition
Resource ID	A unique ID used for participation in the ISO wholesale markets (scheduling/bidding and settlements). Assigned by the CAISO during the registration process in the Demand Response Registration System. Resource specific information for the ID resides in the ISO Master File.
SAN	Service Account Number. Unique number assigned to a location by the UDC. Dashes or any other special characters are not allowed for the location SAN.
Start Date	Start date of the registration (cannot overlap with existing registration for the same location).
SubLAP	One of the 23 SubLAP locations of CAISO. The SubLAP in which all the locations within the registration reside.
UAA	User Access Administrator, formerly known as the POC.
UDC	Utility Distribution Company. The UDC in which the Locations in the Registration reside and is part of the approval process.
UDC Account #	This is the account number a DRP receives from a UDC for billing.

1.4 Application Access

This user guide will address the Demand Response Registration System (DRRS) application. DRRS access is required for a DRP to submit locations, registration, and resource management processes in order to establish a PDR/RDRR resource ID for market participation.

DRRS access is required for LSEs and UDCs to manage the review process of locations submitted by the DRP.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Access to **DRRS** can be obtained through the organization's **User Access Administrator (UAA)** via the **Access Identity Management (AIM)** application.

The **UAA** is the designated User Access Administrator for the organization that is managing their user's application access. More information on how to become a UAA can be found at <http://www.caiso.com/participate/Pages/UserAccessAdministratorGuide/Default.aspx>

The **AIM** User Interface (UI) is an application that provides registered UAA with the ability to view application-level access for all of their organization's users as well as any users from other organizations who have access to their resources (Endorsed users). More information can be found at http://www.caiso.com/Documents/AccessandIdentityManagement_AIM_UserGuide.pdf

The **AARF (Application Access Request Form)** is no longer used by the UAAs to submit application access. All access requests shall be performed through the AIM UI application.

To request **DRRS** application access, the following shall occur:

In AIM, for existing users within the organization, the UAA shall:

- Go to the **Access Request** tab
- Click on the pencil icon
- Click on the **New Row** button
- Type in a brief description
- Click **Update**
- Go to the **Select Users** tab
- Select the user from the **Available Users** column and click **Add** to move them over to the **Selected Users** column on the right side
- Go to the **Select Application and Roles** tab
- Select the appropriate roles from the **Available Applications/Roles** column.
 - For the **DRP role**, select *EXTERNAL DRP*

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

- For the **LSE role**, select *EXTERNAL LSE*
- For the **UDC role**, select *EXTERNAL UDC*
- Be sure to update the applicable Action, Application, Role, Environment, and Entity
- Click **Update** to save the roles.
- Next, click the green **Preview** button, which will open a submission window
- Click **Submit** to finalize the request.

In the order to provision user for the “EXTERNAL LSE” or EXTERNAL UDC” role for DRRS in AIM, the UAA must have the following contract types in the AIM profile.

- DR LSE (Demand Response Load Serving Entity)
- DR UDC (Demand Response Utility Distribution Company)

If the UAA does not have this contract type, they will need to submit a new UAA Agreement form to add these contract types into their UAA profile.

Below is a screenshot of the contract type from the UAA Agreement form. Please check the Demand response box and list the LSE and or UDC ID in the corresponding field.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

- ☐ Basic UAA (Market Participant Portal only)
 - ☐ Scheduling Coordinator Agreement (for SCs in the physical market)
 - ☐ Convergence Bidding Agreement (for SCs in the financial market only)
 - ☐ Congestion Revenue Rights Entity Agreement
 - ☐ CIRA only (for Load Serving Entities to submit RA plans)
 - ☐ CIRA only (for Local Regulatory Authorities)
 - ☐ Demand Response
 - ☐ EIM Entity Scheduling Coordinator
 - ☐ EIM Participating Resource Scheduling Coordinator
 - ☐ Adjacent Reliability Coordinator
 - ☐ Reliability Coordinator (RC) Customer Transmission Operator
 - ☐ Reliability Coordinator (RC) Customer Balancing Authority
 - ☐ Transmission Owner
 - ☐ RIMS for Interconnection Customers

(Enter only project codes. Do not enter resource IDs. Please attach project code confirmation email for new project if available. This will help to expedite the validation process.)

Submitting a request for both the production and market simulation/map stage environments is recommended.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

1.5 DRRS Automated Email Notification

The DRP shall send contact information using a CIDI ticket with the Subject Line “Demand Response Automated Email.” A common email distribution list is **required**. The Contact(s) will receive automated email notifications from DRRS of Location and/or Registration status change and when the **defense** process has been initiated for an existing location, in an active or inactive status, that needs the incumbent DRP’s attention.

Common Email Address (this is a group <u>email distribution list</u> will be used for DRRS email notifications)	Organization Name	DRP ID

1.6 DRRS User Roles

There are three types of user roles for this application.

Entity	Read Access Only	Read Write Access	Brief Description of the entity (DRP, LSE, UDC, ISO)
DRP		X	DRP can create, modify and end-date locations and create, modify and terminate registrations.
UDC	X		UDC can review and submit comment(s) on location info and view registrations containing those locations
LSE	X		LSE can review and submit comment(s) on location info and view registrations containing those locations.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

2

DRRS Functionality Overview

In DRRS, there are two functionality tabs: (1) Locations, (2) Registrations


1. **Location** tab – Allows the DRP to Create, Copy, Delete, Defend, Withdraw, Edit, End Date and Register locations. The UDC and LSE can **review** locations and registrations in which associated locations are assigned.
2. **Registration** tab – Allows the DRP to Create, Edit, Copy, Terminate, and Delete registrations. The UDC and LSE can view registrations and location(s) associated with the registration.

2.1 Locations

- Require effective dates (Start Date and End Date) which provide flexibility in creating and processing registrations. (see example in Figure 1 below)
- Start Date and End Dates cannot be prior dates.
- Can be created individually via UI or in bulk using web service API.
- Cannot be added or removed from a Confirmed registration.
- Once submitted, can be end-dated or edited, but not deleted.
- Provides DRP control in their use in creating registrations
- The **green** line allows for locations to move in and out of registrations without additional UDC or LSE review. The **red** arrows for locations indicate that locations require re-review by the UDC and LSE.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Figure 1




2.2 Registrations

- Effective dates are validated against location effective dates.
- Multiple registrations can be created within location effective dates so long as they do not overlap (see example in Figure 2 below)
- Can be created using web service API or UI.
- Can be created when reviewed locations are available.
 - Includes location validations that may result in processing errors (i.e. location being used in another registration during effective dates)
- May be affected by edits made to location attributes.
- Once confirmed, can be terminated but not deleted.
- Effective dates determine associated Resource effective dates.
- One Registration to one Resource relationship (1:1) maintained

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Figure 2




 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

2.3 Application Layout

2.3.1.1 Role-based tab views

In DRRS, there are three (3) different role-based tab views. The views that are accessible to the users will be determined by the number of roles provisioned on the digital CMA certificate.

1. **DRP View** – This tab will be visible to users that log in with the DRP role. Users can have multiple views if the users have multiple roles.
2. **UDC View** – This tab will be visible to users that log in with the UDC role.
3. **LSE View** – This tab will be visible to users that log in with the LSE role.




To access the Location or Registration functionality, users can place their cursor over the applicable tab(s) (DRP VIEW, UDC VIEW or LSE VIEW). The Locations and Registration screens are accessible under the corresponding views.

DRP VIEW, UDC VIEW or LSE VIEW selection shows all the locations assigned to that entities ID or filtered view showing a subset of that entities locations.


 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Example: LSE VIEW Locations



Additionally, DRP VIEW, UDC VIEW or LSE VIEW will show all registrations comprised of locations assigned to that entities ID or filtered view showing a subset of locations


Example: LSE VIEW Registrations



 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			


2.3.1.2 Column Headers

In the **Locations** tab, users can choose what columns they would like visible at any time. These options include: Loc Id, Name, SAN, DRP, UDC, LSE, SUBLAP, Device Type, PNODE, Start Date, End Date, Status, Defense Active, Defense Start, Defense End, Updated By and Updated Date.



 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

In the **Registrations** tab, users can choose what columns they would like visible at any time. These options include: Reg Id, Name, DRP, UDC, LSE, SUBLAP, DLAP, DRP SC, Resource Id, Resource Type, Program, Baseline Method, Start Date, End Date, Status, Updated By and Updated Date.



Note: The system will display blank under the LSE and DLAP columns for registration with a start date of 11/13/2019 and forward.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Search Parameters

Locations: Allows users to search using any of the available following criteria: (1) LOC ID, (2) LOC Name (3) SAN, (4) DRP (5) UDC, (6) LSE, (7) SUBLAP.

DRP VIEW

> DRP VIEW > Locations

LOC ID LOC Name SAN DRP UDC LSE SUBLAP Defense Active Updated Since DateTime

Registrations: Allows users to search using the following criteria: (1) Reg ID, (2) Reg Name (3) DRP ID (4) UDC ID, (5) LSE ID, (6) SUBLAP.

DRP VIEW

> DRP VIEW > Registrations

Reg Id Reg Name DRP UDC LSE SUBLAP Updated Since DateTime

Registration

1 - 25 of 27970

Select Reg ID	Name	DRP	UDC	LSE	SUBLAP	DLAP	DRP SC	Resource ID	Resource Type	Program	Baseline Method	Start Date	End Date	Status
---------------	------	-----	-----	-----	--------	------	--------	-------------	---------------	---------	-----------------	------------	----------	--------

Rows

2.3.1.3 Sorting and Filtering Locations and Registrations

Sorting from ascending to descending by clicking on any of the column headers. Multiple column headers can be sorted either ascending or descending.

Locations

1 - 25 of 907848

Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Status	Defense Active?	Defense Start	Defense End
---------------	------	-----	-----	-----	-----	--------	-------------	-------	------------	----------	--------	-----------------	---------------	-------------

Rows

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Users can also use the inline filtering option . The inline filter works as a toggle. Click the icon to filter data based on the content of a particular column. Press Enter after inputting the filter criteria. Please note that wildcard symbols can be used in this column but are not necessary.

Registrations






1 - 25 of 27970



GO

Select Reg ID
Name
DRP

2.4 Actions

In DRRS, the action buttons are role-based. Actions provided are determined by the role provisioned for the user.

2.4.1.1 DRP Actions

Locations: Create, Copy, Delete, Defend, Withdraw, Edit, End Date, Register

DRP VIEW

> DRP VIEW > Locations

LOC ID
LOC Name
SAN
DRP [ALL] ▼
UDC [ALL] ▼
LSE [ALL] ▼
SUBLAP [ALL] ▼

Create Copy Delete Defend Withdraw Edit End Date Register

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Registrations: Create, Edit, Copy, Terminate, Delete

DRP VIEW

>
DRP VIEW
>
Registrations

Reg Id
Reg Name
DRP
▼
UDC
▼
LSE
▼

Create
Edit
Copy
Terminate
Delete

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Under the **DRP** action, the **Create** button is used when a location is being created for the first time. When DRP selects the **Create** button, the “Create New Location” view will appear as shown in the figure below. All required fields will be designated with an asterisk.

DRP VIEW

> DRP VIEW > Create New Locations

Create New Location

Name*

SAN*

Start Date*

End Date*

DRP*

UDC*

LSE*

SUBLAP*

PNODE

Address 1*

Address 2

City*

State*

Zip*

Address Type

Device Type

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

DRP Copy provides the user with the ability to copy a previously created location. The user must first select the location to be copied (1) then the **Copy** button (2). The copied location information will be presented, and all fields will be editable. This action is provided for cases where the user is creating multiple locations with the same key fields, reducing the effort in having to create each independently.

DRP VIEW

DRP VIEW > Locations

LOC ID LOC Name SAN
DRP UDC LSE
SUBLAP Defense Active Updated Since DateTime

Create Copy Delete Defend Withdraw Edit End Date Register

Locations

1 - 25 of 907860 GO

Select L	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Status	C
☒	11535993000151 LOC_TEST_12_CTRLGP151	SAN_TEST_12_CTRLGP151							06/10/2020	06/30/2020	End Dated	A



DEMAND RESPONSE REGISTRATION USER GUIDE

> DRP VIEW > Create New Locations

Create New Location

Name* LOC_TEST_12_CTRLGP151

SAN* SAN_TEST_12_CTRLGP151

Start Date* 06/10/2020

End Date* 06/30/2020

DRP*

UDC*

LSE*

SUBLAP*

PNODE

Address 1

Address 2 Suite 15G

City* Folsom

State* California

Zip* 95687

Address Type Business

Device Type

Update Fields

Save as Draft

Cancel Save Submit

DRP DELETE action is usable when a location has been previously created. **DELETE** is only actionable for certain location statuses (Draft/New), and any other status will receive an error as seen in the example below.

DRP VIEW

> DRP VIEW > Locations

LOC ID LOC Name SAN DRP [ALL] UDC [ALL] LSE [ALL] SUBLAP [ALL] Defense Active [ALL] Updated Since DateTime

Create Copy **Delete** Defend Withdraw Edit End Date Register

Locations

1 - 25 of 907860 GO

Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Status	Defens Active?
☐	11535993000151 LOC_TEST_12_CTRLGP151	SAN_TEST_12_CTRLGP151							06/10/2020	06/30/2020	End Dated	
☐	11535993000150 UD_TEST_12_CTRLGP150	SAN_TEST_12_CTRLGP150							05/20/2020	06/16/2020	End Dated	
☒	11535993000149 LOC_TEST_12_CTRLGP149	SAN_TEST_12_CTRLGP149							05/20/2020	12/30/2021	Active	
☐	11535993000148 UD_TEST_12_EDIT	SAN_TEST_12_CTRLGP148							05/20/2020	12/29/2020	Active	
☐	11535993000147 LOC_TEST_12_CTRLGP147	SAN_TEST_12_CTRLGP147							05/20/2020	06/30/2020	End Dated	
☐	11535993000146 LOC_TEST_12_CTRLGP146	SAN_TEST_12_CTRLGP146							05/20/2020	12/30/2021	Active	
☐	11535993000145 LOC_TEST_12_CTRLGP145	SAN_TEST_12_CTRLGP145							05/20/2020	12/30/2021	Active	
☐	11535993000144 LOC_TEST_12_CTRLGP144	SAN_TEST_12_CTRLGP144							05/20/2020	12/30/2021	Active	
☐	11535993000143 LOC_TEST_12_CTRLGP143	SAN_TEST_12_CTRLGP143							05/20/2020	12/30/2021	Active	
☐	11535993000142 LOC_TEST_12_CTRLGP142	SAN_TEST_12_CTRLGP142							05/20/2020	12/30/2021	Active	
☐	11535993000141 LOC_TEST_12_CTRLGP141	SAN_TEST_12_CTRLGP141							05/20/2020	12/30/2021	Active	
☐	11535993000140 LOC_TEST_12_CTRLGP140	SAN_TEST_12_CTRLGP140							05/20/2020	12/30/2021	Active	
☐	11535993000139 LOC_TEST_12_CTRLGP139	SAN_TEST_12_CTRLGP139							05/20/2020	12/30/2021	Active	
☐	11535993000138 LOC_TEST_12_CTRLGP138	SAN_TEST_12_CTRLGP138							05/20/2020	12/30/2021	Active	

07/02/2020 11:52:30 Selected Locations cannot be Deleted. Only Draft/NEW locations can be deleted.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

DRP Defend is actionable by a DRP that has been notified by another DRP, referred to as the prospective DRP, that the defense process has been initiated for an existing location, in an Active or Inactive status, of theirs.

To defend a location, the DRP for the existing location, referred to as the incumbent DRP, must first select the location then the **Defend** button.

DRP VIEW

> DRP VIEW > Locations

LOC ID LOC Name SAN [ALL] UDC [ALL] LSE [ALL] SUBLAP [ALL] Defense Active [ALL] Updated Since DateTime

Create Copy Delete **Defend** Withdraw Edit End Date Register

Locations

1 - 25 of 907860 GO

Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Status	Defens Active?
☐ 11535993000151	LOC_TEST_12_CTRLGP151	SAN_TEST_12_CTRLGP151							06/10/2020	06/30/2020	End Dated	
☐ 11535993000150	UD_TEST_12_CTRLGP150	SAN_TEST_12_CTRLGP150							05/20/2020	06/16/2020	End Dated	
☒ 11535993000149	LOC_TEST_12_CTRLGP149	SAN_TEST_12_CTRLGP149							05/20/2020	12/30/2021	Active	

The incumbent DRP will then have an opportunity to respond to the comments submitted by the prospective DRP. In the defend locations screen, the incumbent DRP can either accept or reject the Defend request.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

DRP Withdraw action is usable when a location has been previously created and submitted for review but has not completed the review process. To withdraw a location, the user must first select the location then the **Withdraw** button. The DRP will be required to provide contact information prior to submitting the location to the Defend process.

DRP VIEW | UDC VIEW | LSE VIEW | ADMINISTRATION

DRP VIEW Confirm Withdraw Locations

Locations To Be Withdrawn

Are you sure you want to Withdraw above Locations?

Cancel

Continue

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

DRP Edit action is usable when a location has been previously created. To edit a location, the user must first select the location then the **Edit** button. The location information will be presented to the user with available fields that are editable. Editable fields will be dependent on the location's status.

DRP VIEW

> DRP VIEW > Locations

LOC ID LOC Name SAN DRP UDC LSE SUBLAP Defense Active Updated Since DateTime

Locations

1 - 25 of 907860 GO

Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Status	Defer Activ
☐ 11535993000151	LOC_TEST_12_CTRLGP151	SAN_TEST_12_CTRLGP151							06/10/2020	06/30/2020	End Dated	
☐ 11535993000150	UD_TEST_12_CTRLGP150	SAN_TEST_12_CTRLGP150							05/20/2020	06/16/2020	End Dated	
☒ 11535993000149	LOC_TEST_12_CTRLGP149	SAN_TEST_12_CTRLGP149							05/20/2020	12/30/2021	Active	

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

DRP VIEW

> **DRP VIEW** > **Edit Location**

Edit Location

Gray areas are non-modifiable

LOC ID	11535993000149	PNODE	
SAN*	SAN_TEST_12_CTRLGP149	Address 1*	250 Crop Circle Way
NAME*	LOC_TEST_12_CTRLGP149	Address 2	Suite 15G
Start Date*	05/20/2020	City*	Folsom
End Date*	12/30/2021	State*	California
DRP*		Zip*	95687
UDC*		Address Type	Business
LSE*		Status	Active
SUBLAP*		Device Type	

Cancel Update

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

DRP End Date is actionable only under certain location statuses. NOTE: Ending a location may impact the effective dates of a registration. To End Date a location, the user must first select the location then the **End Date** button. The DRP will be required to confirm that they want to End Date the location prior to it being processed. Using the **End Date** action does not allow the DRP to select an end date. Instead, the new end date will correspond to the date that the action was taken. The DRP must use the **Edit** action to End Date a location for a specific date.

DRP VIEW | UDC VIEW | LSE VIEW

DRP VIEW Confirm End Date Locations

Locations To Be End Dated





1 - 1 of 1

ID	Name	SAN	DRP	UDC	LSE	SUBLAP	PNODE	Start Date	End Date	Location Status
DPGE	UPGE	LPGE	SLAP_SCLD					05/04/2016	06/03/2016	Inactive

Are you sure you want to End Date above Locations?

Cancel Continue



2.4.1.2 UDC and LSE Actions

Locations: Review

> UDC VIEW > Locations

LOC ID LOC Name SAN DRP

[ALL] ▼

 UDC

[ALL] ▼

 LSE

[ALL] ▼

 SUBLAP

[ALL] ▼

 Updated Since DateTime 

Review

Locations

Registrations: [View Location](#)

> UDC VIEW > Registrations

Reg ID Reg Name DRP UDC LSE SUBLAP Updated Since DateTime

Registrations

Rows

Reg ID	Name	DRP	UDC	LSE	SUBLAP	DLAP	DRP SC	Resource ID	Resource Type	Program	Baseline Method	Start Date	End Date	Status
11544082	Reg Test count1								Pre Defined	Reliability DR	Control Group	07/01/2020	08/01/2020	New

Locations

|<< 1 - 25 of 150 >>| GO

Rows

Loc ID	SAN	Resource ID	Start date	End date	Device Type	Distribution Factor	Control Group?	Treatment Group?	
11535793000023	SAN_TEST_SCE_2REG23		05/20/2020	12/30/2021					View Location
11535793000026	SAN_TEST_SCE_2REG26		05/20/2020	12/30/2021					View Location
11535793000028	SAN_TEST_SCE_2REG28		05/20/2020	12/30/2021					View Location
11535993000001	SAN_TEST_12_CTRLGP1		05/20/2020	12/30/2021					View Location
11535993000002	SAN_TEST_12_CTRLGP2		05/20/2020	12/30/2021					View Location
11535993000003	SAN_TEST_12_CTRLGP3		05/20/2020	12/30/2021					View Location
11535993000004	SAN TEST 12 CTRLGP4		05/20/2020	12/30/2021					View Location

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

2.5 Location and Registration Status Lifecycle

DRRS Status	
Location	Registration
1. New 2. Processing 3. Pending 4. Inactive 5. Active 6. Withdrawn 7. End-Dated 8. Duplicate 9. Disputed	1. New 2. Pending 3. Confirmed 4. Terminated

DRRS	Statuses	Description
Location	New	Location will be set to this status when it is created and saved but not yet submitted for review.
	Processing	Location will be set to this status while being validated, when it is submitted for review.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

DRRS	Statuses	Description
	Pending	Location will be set to this status when it is submitted for review and validation has successfully completed. This status indicates that the review process has been initiated for the location.
	Inactive	Location will be set to this status when it has successfully completed the review process but is not part of a registration that is in a ‘pending’ or “confirmed” status.
	Active	Location will be set to this status when it is part of a registration that is in a “pending” or “confirmed” status.
	Withdrawn	Location will be set to this status when it is Withdrawn while in the pending, duplicate or disputed statuses.
	Duplicate	Location will be set to this status when, during the submittal validation, the location SAN for the same UDC is found to be used by another DRP.
	Disputed	Location will be set to this status when it has NOT successfully completed the LSE/UDC review process. Review process has resulted in invalidation findings.
	End Dated	Location will be set to this status when the effective end date of the location is prior to the current date. End dated locations are logically equivalent to deleted records.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

DRRS	Statuses	Description
Registration	New	Registration will be set to this status when it has been created but NOT yet submitted.
	Pending	Registration will be set to this status when it has been submitted, and validation is in progress.
	Confirmed	Registration will be set to this status when it has been submitted, and validation has successfully completed.
	Terminated	Registration will be set to this status when the effective end date of the registration is prior to the current date. End dated registrations are logically equivalent to deleted records.


 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Registration		
Status	Registration Status Description	Fields that can be edited
New	Created but NOT yet submitted.	All fields
Pending	Submitted and validation is in progress	Edit option not available, can only Terminate
Confirmed	Submitted and validation has successfully completed	Name, Start Date, End Date and Resource (if applicable)
Terminated	Effective end date of the registration is prior to the current date. End dated registrations are logically equivalent to deleted records.	Cannot be Edited, will receive an error message if attempted through UI or rejected if submitted with API




DEMAND RESPONSE REGISTRATION USER GUIDE

2.5.1.1 Location Status Lifecycle Process Flow



 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

2.5.1.2 Registration Status Lifecycle Process Flow



 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

3 Creating and Registering Locations and Resource:

For the DRP/SC, the DRRS facilitates three registration process components: manage locations, manage registrations, and manage resources. After the DRP receives approvals for Baseline methodologies, the process begins with creating the location(s) information into the DRRS, the LSE/UDC reviews and approves the location(s), DRP/SC creates registrations from one or many reviewed locations, registration is in “Confirmed” status, and the DRP/SC submits Generator Resource Data Template (GRDT) to be added to Master File.

For the UDC and the LSE, the DRRS facilitates a review process as part of the DRP’s management of locations. Once the DRP submits a location for review, the DRRS will perform data validation, including a duplication check for that location. If the data is valid, then the UDC and LSE are notified that there is a location ready for review. The UDC and LSE have five (5) business days to complete their review and either submit with or without findings. If the five (5) business day elapses without a UDC or LSE acting on the review notification, the DRRS will auto approve the location. Section [3.1.5](#) contains more information about the Defend process.

3.1 Create a Location

The registration process builds from location to registration to resource management.

The DRRS provides Location management which includes the creation of locations by the DRP, a duplication check by the DRRS, and an LSE and UDC review of the location to validate its use by the DRP for the established effective dates. The DRRS provides a robust UI and APIs for the DRP(s), LSE(s) and UDC(s) use in performing their location management tasks. System generated email notifications are also generated as alerts to activities occurring that may require their attention.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

DRRS User Interface (UI) Location Management

To **Create** a new location, DRP(s) will click on the **Create** button under their Locations View.

DRP VIEW

> DRP VIEW > Locations

LOC ID LOC Name SAN
DRP UDC LSE
SUBLAP Defense Active Up

Create

Copy

Delete

Defend

Withdraw

Edit

End Date

Register

Locations

Next, enter the location information. The required fields are indicated by the asterisk (*) signs. Fill out all required fields and any optional fields as needed.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

DRP VIEW

> **DRP VIEW** > **Create New Locations**

Create New Location

Name*

SAN*

Start Date*

End Date*

DRP*

UDC*

LSE*

SUBLAP*

PNODE

Address 1*

Address 2

City*

State*

California

Zip*

Address Type

Device Type

Cancel

Save

Submit

Name	DRP chosen name of the designated location.
SAN	Service Account Number unique identifier of the location often assigned by the UDC.
Start Date	The Start Date cannot be a prior date or overlap with an existing Active location with same SAN and UDC assignment.
End Date	The End Date cannot be a prior date or overlap with an existing Active location with same SAN and UDC assignment.
DRP	Designated Demand Response Provider.
UDC	Designated Utility Distribution Company
LSE	Designated Load Serving Entity
SubLAP	The SubLAP in which all the locations within the registration reside SubLAP are determined by the Start/End Dates.
PNODE	The Pnode at which the location load is modeled at. Required field if planning to use the location in a Registration selecting a Custom Resource ID.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Address, City State, Zip, Type

The address of the location and type of location (e.g. commercial, residential) for DRP identification purposes

Device Type

Specifies which device type is installed at the service account location. This field is optional. Please refer to [Appendix E for Business Rules](#) in DRRS by Baseline Method.

Valid inputs are:

- **Null/blank** = Indicates the service account does not have any behind-the-meter device type installed (i.e. ES, EVSE).
- **Energy Storage (ES)** = Indicates that the location has a behind-the-meter energy storage device installed.
- **Electric Vehicle Supply Equipment (EVSE)** = Indicates that the service account has behind-the-meter EVSE installed.
- **ES and EVSE** combination = Indicates that both ES and EVSE are installed at that location. To select ES and EVSE, use the mouse and click the left mouse button to select ES, hold down the mouse, move the cursor to EVSE and release the mouse.

Options within Create New Location include:

Cancel - cancels the creation of a location.

Save - creates a new location and location ID for it.

Submit - creates a new location and location ID for it and submits it to the UDC/LSE review process. Submits a previously Saved and Edited location to the UDC/LSE review process

Once the new location information has been saved or submitted, a new **Location ID (LOC ID)** will be generated.

When saved, the location's **Status** will be displayed as **New**.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Start Date	End Date	Status
06/22/2020	12/30/2020	New
06/22/2020	12/30/2020	New

When submitted, the location's **Status** will be displayed as *Pending*.

Start Date	End Date	Status
07/11/2020	07/24/2020	Pending
07/10/2020	07/21/2020	Pending

3.1.1 Edit

New Location

To **Edit** a **New** location, DRP(s) must first select a location with a **Status** of **New** then click on the **Edit** button under their Locations View.

> DRP VIEW > Locations

LOC ID LOC Name SAN DRP UDC LSE SUBLAP Defense Active Updated Since DateTime

Create Copy Delete Defend Withdraw **Edit** End Date Register

Locations

1 - 25 of 68 GO

Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Status	De Ac
☒	11542454 UD_LOC_SAVE_NULL101	SAN_LOC_SAVE_NULL101							06/22/2020	12/30/2020	New	
☐	11542453 UD_LOC_SAVE_EVSE1	SAN_LOC_SAVE_EVSE1					EVSE		06/22/2020	12/30/2020	New	

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

In the **Edit** location view, any changes can be made to the location without it having to be end dated. In this example, the LSEID and start date is changed and the location is updated by selecting the **Update** option.

> DRP VIEW > Edit Location

Edit Location

LOC ID
11542454

SAN*
SAN_LOC_SAVE_NULL101

NAME*
UD_LOC_SAVE_NULL101

Start Date*
06/22/2020

End Date*
12/30/2020

DRP*

UDC*

LSE*

SUBLAP*

PNODE

Address 1*
Work1

Address 2
Work2

City*
Folsom

State*
California

Zip*
98600

Address Type
Work

Status
New

Device Type
ES
EVSE

Cancel
Update
Submit

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

A message indicates that the **Update** was successful.

> DRP VIEW > Edit Location

Edit Location

LOC ID
11542454

SAN*
SAN_LOC_SAVE_NULL101

NAME*
UD_LOC_SAVE_NULL101

Start Date*
07/02/2020

End Date*
12/30/2020

DRP*

UDC*

LSE*

SUBLAP*
SLAP_SCEC

PNODE

Address 1*
Work1

Address 2
Work2

City*
Folsom

State*
California

Zip*
98600

Address Type
Work

Status
New

Device Type
ES
EVSE

Cancel
Update
Submit

07/02/2020 14:58:24 Location (UD_LOC_SAVE_NULL101) with SAN SAN_LOC_SAVE_NULL101 was UPDATED successfully.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

The Update is reflected for that Location without a Loc ID change. This type of modification is not available once a location has been submitted for review.

> DRP VIEW > Locations

LOC ID LOC Name SAN DRP UDC LSE SUBLAP Defense Active Updated Since DateTime

Create Copy Delete Defend Withdraw Edit End Date Register

Locations

1 - 25 of 68 GO

Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Status	Defense Active?
☐	11542454 ID_LOC_SAVE_NULL101	SAN_LOC_SAVE_NULL101							07/02/2020	12/30/2020	New	

Refer to [Appendix B](#) for Editable fields by Location status.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Pending Location

A **Pending** Location has successfully completed the submittal validation and is in the LSE and UDC review. A location in the **Pending** status cannot be edited and, if an attempt is made to Edit a Pending location, an error message will be received. The **Pending** location only allows for end dating of the location. The DRP must select the End Date and confirm that the selected location is to be End Dated.

> DRP VIEW > **Confirm End Date Locations**

Locations To Be End Dated



1 - 1 of 1
GO
Rows 25

ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Location Status
		07072020	C			3			07/09/2020	08/01/2022	Pending

Are you sure you want to End Date above Locations?

Cancel
Continue

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Inactive Location

An **Inactive** Location has successfully completed the LSE and UDC review process but is not part of a registration that is in Pending or Confirmed status. Editing **Inactive** locations is limited to the location Name, Start Date, End Date and Address fields. All other fields (fields in gray) will be unavailable for modification or update.

> DRP VIEW > Edit Location

Edit Location

LOC ID
11535793000028

SAN*
SAN_TEST_SCE_2REG28

NAME*
LOC_TEST_SCE_2REG28

Start Date*
05/20/2020

End Date*
12/30/2021

DRP*

UDC*

LSE*

SUBLAP*

PNODE

Address 1*
250 Crop Circle Way

Address 2
Suite 15G

City*
Folsom

State*
California

Zip*
95687

Address Type
Business

Status
Inactive

Device Type

Cancel
Update

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Active Location

An **Active** Location is part of a registration that is in Pending or Confirmed status. Editing **Active** locations is limited to the location Name and Address fields. All other fields (in gray) will be unavailable for modification or update.

> DRP VIEW > Edit Location

Edit Location

LOC ID
11535993000149

SAN*
SAN_TEST_12_CTRLGP149

NAME*
LOC_TEST_12_CTRLGP149

Start Date*
05/20/2020

End Date*
12/30/2021

DRP*

UDC*

LSE*

SUBLAP*

PNODE

Address 1*
250 Crop Circle Way

Address 2
Suite 15G

City*
Folsom

State*
California

Zip*
95687

Address Type
Business

Status
Active

Device Type

Cancel
Update

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Editing the end date of a Location currently in an “Active” status may affect the corresponding Registration and any other Location(s) that are also a part of that Registration. The Location end date can only be contracted until the end date of the registration. System will allow the user to edit a Location within the Registration start and end date if the Registration start date is in the future. If the Location that is being ended is part of a Registration that contains more than one (1) Location, the rest of the Locations will no longer be linked to that Registration once the Registration expires, and the Locations’ status will change from “Active” to “Inactive”.

Example 1.

- User End-Dates a location with an “Active” status.
- Location end date is in the future and within the Registration period.

REG ID#249719, Resource ID = RESA.

1. On 10/28/2019: USER1 created REG ID#249719, Resource ID = RESA for 11/15/2019 through 11/30/2021. REG ID#249719 contains more than 1 locations.

Create Edit Copy Terminate Delete														
Registrations														
Select Reg ID	Name	DRP	UDC	LSE	SUBLAP	DLAP	DRP SC	Resource ID	Resource Type	Program	Baseline Method	Start Date	End Date	Rows 25
249719	REG6-PSOK								Pre Defined	Proxy DR	Day Matching 10/10	11/15/2019	11/30/2021	Confirmed
Locations														
Loc ID	SAN	Resource ID	Start date	End date	Distribution Factor	Control Group?	Treatment Group?	Rows 25						
249716	LOC16-test		11/15/2019	12/31/2029				View Location						
249718	LOC18-test		11/01/2019	12/31/2029				View Location						

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

- On 10/29/2019: USER1 “Edit” the Location ID #249716 end date from 12/31/2029 to 11/28/2019; which caused the Registration end date to change.

The system updates the Registration end date from 11/30/2021 to 11/28/2019, status is still in “Confirmed”.

Create

Edit

Copy

Terminate

Delete

Registrations

Select Reg ID

Name

249719

REG6-PSOK

DRP

UDC

LSE SUBLAP

DLAP DRP SC

Resource ID

Resource Type

Program

Baseline Method

Start Date

End Date

Status

Pre Defined

Proxy DR

Day Matching 10/10

11/15/2019

11/28/2019

Confirmed

Locations

Loc ID

SAN

Resource ID

Start date

End date

Distribution Factor

Control Group?

Treatment Group?

249716

LOC16-test

11/15/2019

11/28/2019

View Location

249718

LOC18-test

11/01/2019

12/31/2029

View Location

- On 11/29/2019, after the Registration expires, registration status will change from “Confirmed” to “Terminated”, Location ID #249716 status will change from “Active” to “End Dated”, and Location ID #249718 status will change from “Active” to “Inactive”.

Example 2.

- User End-Dates a location with an “Active” status.
 - Location end date is in the future and earlier than the Registration period.
- User created REG ID#249719. Resource ID = RESA, registration is for 11/15/2019 through 11/30/2021.
 - The user “Edit” the LOCATION_ID = 123 end date to 11/14/2019. Since the location end date is earlier than the corresponding Registration, the Registration (effective in the future) will be deleted.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

LOCATION_ID	SAN	SUBLAP	START_DATE	END_DATE	UPDATED_BY	UPDT_DT_TM	Notes
123	SAN1	SLAP_PGSI	11/17/2017	12/30/2029		8/23/2019 10:29 AM	Original record.
123	SAN1	SLAP_PGSI	11/17/2017	11/14/2019	User1	11/14/2019 11:19 AM	User "User1" made a location record to the end-date from 12/30/2029 to 11/14/2019 ; which caused the Registration (effective in the future) 11/15/2019 to be deleted.

REGISTRATION_ID	SUBLAP	RESOURCE_ID	START_DATE	END_DATE	UPDT_DT_TM	Notes
249719	SLAP_PGSI	RESA		11/15/2019	12/31/2019 11/14/2019 11:19 AM	System deleted this Registration per Location end-date update above

For Location that is under a defense process, user must not alter the registration record outside of the defense process. If so, undesirable results will occur such as overlapping registration records. Please see sections [3.1.5](#), and [Appendix A](#) for more information on how to handle the different cases.


End Dated Location

No changes are permitted for an End-Dated Location. Submissions to Edit an End-Dated Location will be rejected. End-Dated locations are logically equivalent to deleted records.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

3.1.2 Copy

The **Copy** feature allows the DRP to create a new location by copying an existing location and making changes to the copied field information. Locations in any status may be copied. To **Copy** a location, the location is first selected then the **Copy** button chosen under the Locations View.



The screenshot shows the 'DRP VIEW > Locations' interface. At the top, there are search filters for LOC ID, LOC Name, SAN, and various status checkboxes (DRP, UDC, LSE, SUBLAP, Defense Active). Below these are action buttons: Create, Copy (circled in red), Delete, Defend, Withdraw, Edit, End Date, and Register. The main section is titled 'Locations' and displays a table of location records. A red arrow points to the 'Select Loc ID' dropdown menu, which is currently open, showing a list of locations. The first location in the list is '11535983000149' with the name 'LOC_TEST_12_CTRLGP149'. Other columns in the table include SAN, Device Type, PNODE, Start Date, End Date, Status, and Defense Active?

The Copy option takes the user to the Create New Locations window and provides the same Options:

Cancel - Cancels the creation of a new location.

Save - Creates a new location with changes and location ID for it.

Submit - Creates a new location with changes and location ID for it and submits it to the LSE and UDC review process.



DEMAND RESPONSE REGISTRATION USER GUIDE

> DRP VIEW > Create New Locations

Create New Location

Name* LOC_TEST_12_CTRLGP149

Address 1 250 Crop Circle Way

SAN* SAN_TEST_12_CTRLGP149

Address 2 Suite 15G

Start Date* 05/20/2020

City* Folsom

End Date* 12/30/2021

State* California

DRP*

Zip* 95687

UDC*

Address Type Business

LSE*

Device Type

SUBLAP*

PNODE

Cancel

Save

Submit

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

3.1.3 Delete

The **Delete** feature allows the DRP to delete a New location. Locations can only be deleted when they are in the New status. To **Delete** a location, the New location is first selected then the **Delete** button chosen under the Locations View.

> DRP VIEW > Locations

LOC ID LOC Name SAN DRP [ALL] UDC [ALL] LSE [ALL] SUBLAP [ALL] Defense Active [ALL] Updated Since DateTime

Create Copy **Delete** Defend Withdraw Edit End Date Register

Locations

1 - 25 of 68 GO

Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Status
☐	11542454 UD_LOC_SAVE_NULL101	SAN_LOC_SAVE_NULL101							07/02/2020	12/30/2020	New

Once **Delete** is selected, the Location to be deleted will be identified and confirmation to delete is required by selecting the **Continue** button.

> DRP VIEW > Confirm Delete Locations

Locations To Be Deleted

1 - 1 of 1 GO

Rows 25

ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Location Status
11542454	UD_LOC_SAVE_NULL101	SAN_LOC_SAVE_NULL101	DAPX	UPGE	LPGE	SLAP_PGCC			07/02/2020	12/30/2020	New

Are you sure you want to Delete above Locations?

Cancel Continue

A deleted Location and its created Location ID will no longer exist in the Locations View.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

3.1.4 Duplication Check

When a location is submitted for review, a duplication check is performed against other locations in the system. If the DRPID is the same as the submitting DRP, the system will reject the location and provide an error message. If the DRPID is different, the location will be created with a Duplicate status.

> DRP VIEW > Defend Location

Initiate Defend

LOC ID		Address 1	250 Crop Circle Way
Name*	LOC_TEST_12_CTRLGP149-Duplic	Address 2	Suite 15G
SAN*	SAN_TEST_12_CTRLGP149	City	Folsom
Start Date*	07/02/2020	State*	California
End Date*	01/01/2022	Zip*	95687
DRP*		Address Type	Business
UDC*		Device Type	ES EVSE
LSE*			
SUBLAP*			
PNODE			

Requester Name*	
Phone* (Format: xxx-xxx-xxxx)	
Comments*	

07/02/2020 16:02:04 There is Duplicate location with given SAN and UDC

Note: Location cannot be submitted and cannot enter the Defend process until the existing location is in the Active or Inactive status – if a duplicate is submitted while the existing location is under review, the following error will arise:

There is a Duplicate location with the given SAN and UDC that is pending review. Please try to create the location after the review period to initiate the defend process

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

3.1.5 Defend

The **Defend** feature allows the DRP to defend a location that has been found to be a duplicate of another location in the Inactive or Active status with the same SAN, UDC and having overlapping effective dates with another DRP (Incumbent). The location will be identified as a duplicate once it is submitted for approval.

The system may also send a courtesy notification to the Incumbent DRP that their location needs to be defended for use by request of another DRP.

Example of email notification sent to the Incumbent DRP to defend location ownership.



Mon 9/30/2019 1:57 AM

no-reply@caiso.com

Location Defend initiated - Production

To ☐ [Redacted]

Cc ☐ PDR

The following location(s) has triggered the location defend process

Updates for Locations							
Location Id	Location Name	DRP	UDC	LSE	Effective Start Dt	Effective End Dt	Status
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Prospective DRP action:

The Prospective DRP must include a contact name, number and comment if they chose to enter the Defend process by selecting the **Continue** button. Locations submitted into the Defend process will be set to a Duplicate status.

DRP VIEW

DRP VIEW
Defend Location

Location ID null
Apply
Reset

Initiate Defend

LOC ID
Name*
SAN*
Start Date*
End Date*
DRP
UDC
LSE
SUBLAP
PNODE

Address 1
Address 2
City
State*
Zip*
Address Type

Requester Name*
Phone* (Format: xxx-xxx-xxxx)
Comments*

A Location with given SAN and UDC combination already exists, do you want to continue and initiate the Defend Process?


Cancel
Continue

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Incumbent DRP action:

The Incumbent DRP must accept or reject the Prospective's location claim request via the Defend process on the UI.

To view the location record under defense, the Incumbent DRP can log into the Locations screen. The Location(s) that is under defense will show a status of Defense Active = 'Y', and the Defense Start, and Defense End will be filled in with the relevant dates. See the figure below:



LOC ID LOC Name SAN DRP UDC LSE SUBLAP Defense Active

Locations

Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	PNODE	Start Date	End Date	Status	Defense Active?	Defense Start	Defense End
☐ 142682	LOC2-psok	LOC2-psok						10/25/2019	10/31/2020	Inactive	Y	10/25/2019	11/08/2019

The status of Defense Active = 'Y', and the Defense Start, and Defense End will disappear after the Incumbent DRP respond to the prospective DRP, or if the Defense End date is passed.

While the Defend process is in progress, the Incumbent DRP must accept/reject through the Defend process. Do not alter the registration and location outside of the Defend process; doing so will result in overlapping records. To defend, Incumbent DRP must select the Location, click **Defend**, provide comment on their defense of the location, contact name, and phone number.

- If **"Valid Location"** is checked, the incumbent DRP is indicating that the location is valid and will not release that location based on comments received from prospective DRP.
- If the **"Valid Location"** is not checked, the incumbent DRP is stating that the request received is accepted and action will be taken by them to release the location to the prospective DRP.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			


If the Incumbent DRP takes no action within 10 business days, the system will automatically accept the Defend process and will End Date the location and its corresponding registration. In addition, the system will automatically adjust the end date out by 5 business days for the location that is in defense process and its corresponding registration unless the registration is ending sooner than the new end date, in which case it will remain unchanged. Note that the status for the locations that are under the defend process will remain “Active” until the registration expired, and the rest of the locations will be in “Inactive” status.

A list of the possible Cases of the Defend Process is in [Appendix A](#) in this document.

If the Incumbent DRP defends the location during the defense period, the Prospective DRP must contact them to resolve the duplicate use conflict outside of the ISO registration process.

3.1.6 Withdraw

The **Withdraw** feature allows the DRP to withdraw a location from the validation and UDC or LSE review processes. Locations can only be withdrawn when they are in “Pending”, “Duplicate” or “Disputed” statuses. To **Withdraw** a location, the location is first selected then the **Withdraw** button chosen under the Locations View.



The screenshot shows the 'DRP VIEW > Locations' interface. At the top, there are tabs for DPGE, UPG, LPGE, SLAP_PGCP, and NORCO_1_N001. Below the tabs, there are input fields for LOC ID, LOC Name, SAN, and a dropdown for DRP. To the right of these fields are dropdowns for UDC (set to [ALL]), LSE (set to [ALL]), and SUBLAP (set to [ALL]), along with Apply and Reset buttons. Below the input fields is a row of buttons: Create, Copy, Delete, Defend, Withdraw (highlighted with an orange arrow), Edit, End Date, and Register. Below the buttons is a table titled 'Locations' with columns: Select Loc ID, Name, SAN, DRP, UDC, LSE, SUBLAP, PNODE, Start Date, End Date, and Status. The table contains two rows of data. The first row is selected (indicated by a checkmark in the 'Select Loc ID' column).

Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	PNODE	Start Date	End Date	Status
☒ 542527	Pending_Test_Reject_SANchange	PTR12345	DAPX	UPGE	LPGE	SLAP_PGCC		09/01/2016	09/30/2016	New
☐ 542521	Pending_Test_Reject	PTR12345	DAPX	UPGE	LPGE	SLAP_PGCC		09/01/2016	09/30/2016	Disputed

Once **Withdraw** is selected, the Location to be withdrawn will be identified and a confirmation to withdraw is required by selecting the **Continue** button.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

DRP VIEW | UDC VIEW | LSE VIEW | ADMINISTRATION

DRP VIEW Confirm Withdraw Locations

Locations To Be Withdrawn

1 - 1 of 1

ID	Name	SAN	DRP	UDC	LSE	SUBLAP	PNODE	Start Date	End Date	Location Status
542714	Test_duplicate_SAN	PTR12345	DAPX	UPGE	LPGE	SLAP_PGCC		8/08/2016	10/10/2016	Duplicate

Are you sure you want to Withdraw above Locations?

Cancel

Continue

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

3.1.7 End Date

The **End Date** feature allows the DRP to end a location with its earliest available end date. Locations can only be end dated when they are in the “Inactive”, “Active”, “Duplicate”, or “Disputed” statuses. The end date selected by the system is dependent on the status of the location. To **End Date** a location, the location is first selected then the **End Date** button is selected under the Locations View.

DRP VIEW UDC VIEW LSE VIEW ADMINISTRATION

> DRP VIEW > Locations

LOC ID LOC Name SAN DRP [ALL] UDC [ALL] LSE [ALL] SUBLAP [ALL]

Create Copy Delete Defend Withdraw Edit **End Date** Register

Locations

Select Loc ID Name SAN DRP UDC LSE SUBLAP Device Type PN

☐									
--------------------------	--	--	--	--	--	--	--	--	--

Once **End Date** is selected, the Location to be end dated will be identified and a confirmation to end date is required by selecting the **Continue** button. If that Location is in Active State, a list of its Registrations will also be provided with a notice stating: “Note: End Dating the above location will affect the listed registrations. Future Registrations will be deleted from the system.”

Locations To Be End Dated									
1 - 1 of 1 GO Rows 25									
ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Location Status
	Location_Test_C							09/16/2025	02/06/2026 Active

Registrations				
Rows 25				
Reg ID	Reg Name	Start Date	End Date	Status
	Registration_Test_1	09/17/2025	02/06/2026	Confirmed
View Registration				

Are you sure you want to End Date above Locations?

Cancel **Continue**

Note: End Dating the above location will affect the listed registrations. Future Registrations will be deleted from the system.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

3.2 Location Review

3.2.1 LSE Review

After logging into DRRS, the LSE is provided with a view option for Locations and Registrations. Selecting the Location view will provide a list of locations that they have been assigned as the LSE. The Location view includes all the locational information provided by the DRP to create the location.¹ In addition, the following are provided in this view:

Location ID	A unique ID assigned by DRRS for all new locations when they are saved or submitted.
Status	The Current status of the location.
Review Start	The date on which the location was submitted for review. This date marks the beginning of the five (5) business day review period for the LSE to review and respond before the DRRS auto approves the location.
Review End	The date on which the review period ends or date on which the review was completed.
LSE Review	A “Y” indicates that a valid location review has been completed.
Reviewer Name	The name of the reviewer provided as part of validation
Reviewer Contact	Phone number of the reviewer provided as part of validation.

Locations requiring review will be in the **Pending** status.

Locations reviewed without findings will be in the **Active** or **Inactive** status.


Locations reviewed with findings from either the LSE or UDC will be in the **Disputed** status

¹ See Location Management > Create section for all location information provided by the DRP.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			


The LSE selects the Locations (one or multiple) to be reviewed and clicks the **Review** button to enter the review confirmation process screen.

Note: The system allows up to 25 Locations/rows at a time when approving.



Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	DEVICE TYPE	PNODE	Start Date	End Date	Review Start	Review End	Status
☒	11544237 CIDI 213762 Case 2 - Prospective	GK_SAN_07012002							07/11/2020	07/24/2020	07/01/2020	07/06/2020	Pending
☐	11544081 GK Loc for CIDI 213762 Case 1 - Prospective	GK_SAN_07012001							07/10/2020	07/21/2020	07/01/2020	07/06/2020	Pending
☐	11544016 LOC_TEST_to defend	SAN_TEST_ST12_CTRLGP1							07/09/2020	12/31/2021	07/01/2020	07/06/2020	Pending

When selecting more than one location, all locations listed are reviewed by the LSE together. Response by the LSE will affect all locations listed, selection of individual locations is not available in the "locations to be reviewed" view.



Locations To Be Reviewed

ID	Name	SAN	DRP	UDC	LSE	SUBLAP	DEVICE TYPE	PNODE	Start Date	End Date	Location Status
11544237	CIDI 213762 Case 2 - Prospective	GK_SAN_07012002							07/11/2020	07/24/2020	Pending
11544081	GK Loc for CIDI 213762 Case 1 - Prospective	GK_SAN_07012001							07/10/2020	07/21/2020	Pending
11544016	LOC_TEST_to defend	SAN_TEST_ST12_CTRLGP1							07/09/2020	12/31/2021	Pending

Valid Location ☒

Reviewer Name*

Phone* (Format: xxx-xxx-xxxx)

Review Comment

Are you sure you want to Submit the Review for above Locations?

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

The location(s) is confirmed as being valid by **selecting** the **Valid Location** box. The location confirmation is disputed by leaving the box un-selected indicating that the location(s) has not passed the review.

The LSE must include a Reviewer Name and Phone # and, if the location is not valid, a Review Comment when choosing to **Continue**. Comment should include the reason as to why the LSE has determined this to be an invalid location.

Examples include, but are not limited to the following:

- Incorrect location information (e.g. incorrect SubLAP)
- Wrong LSE or UDC designation
- No commercial agreement
- Regulatory non-conformance
- Location identified as participating in another program
- Location device type

Note: The **Comments** box is limited to **255** characters.

The LSE may end their validation of the location(s) by choosing to **Cancel**.

3.2.2 UDC Review

After logging into DRRS, the UDC is provided with a view option for Locations and Registrations.

Selecting the Location view will provide a list of locations that they have been assigned as the UDC. The Location view includes all the locational information provided by the DRP to create the location. ² In addition, the following are provided in this view:

Location ID	A unique ID assigned by DRRS for all new locations when they are saved or submitted.
--------------------	--

² See Location Management > Create section for all location information provided by the DRP.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Status	The Current status of the location.
Review Start	The date on which the location was submitted for review. This date marks the beginning of the five (5) business day review period for the UDC to review and respond before the DRRS auto approves the location.
Review End	The date on which the review period ends or date on which the review was completed.
LSE Review	A “Y” indicates that a valid location review has been completed.
Reviewer Name	The name of the reviewer provided as part of validation.
Reviewer Contact	Phone number of the reviewer provided as part of validation.

Locations requiring review will be in the **Pending** status.

Locations reviewed without findings will be in the **Active** or **Inactive** status.

Locations reviewed with findings from either the LSE or UDC will be in the **Disputed** status

The UDC selects the Locations (one or multiple) to be reviewed and clicks the **Review** button to enter the review confirmation process screen.

Note: The system only accepts 25 Locations/rows at a time when approving.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

> UDC VIEW > Locations

LOC ID LOC Name SAN DRP [ALL] UDC [ALL] LSE [ALL] SUBLAP [ALL] Updated Since DateTime

Locations

Select Loc ID Select the location(s)

		SAN	DRP	UDC	LSE	SUBLAP	DEVICE TYPE	PNODE	Start Date	End Date	Review Start	Review End	Status
☒	11544237 CIDI 213762 Case 2 - Prospective	GK_SAN_07012002							07/11/2020	07/24/2020	07/01/2020	07/06/2020	Pending
☐	11544081 GK Loc for CIDI 213762 Case 1 - Prospective	GK_SAN_07012001							07/10/2020	07/21/2020	07/01/2020	07/06/2020	Pending

When selecting more than one location, all locations listed are reviewed by the UDC together. Response by the UDC will affect all locations listed, selection of individual locations is not available in the “locations to be reviewed” view.

> UDC VIEW > Confirm Review Locations

Locations To Be Reviewed

1 - 2 of 2 Rows 25

ID	Name	SAN	DRP	UDC	LSE	SUBLAP	DEVICE TYPE	PNODE	Start Date	End Date	Location Status
11544237	CIDI 213762 Case 2 - Prospective	GK_SAN_07012002							07/11/2020	07/24/2020	Pending
11544081	GK Loc for CIDI 213762 Case 1 - Prospective	GK_SAN_07012001							07/10/2020	07/21/2020	Pending

☐ Valid Location ☐ Check this box to approve

Reviewer Name*

Phone* (Format: xxx-xxx-xxxx)

Review Comment

Reviewer Name and Phone number is required

Are you sure you want to Submit the Review for above Locations?

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

The location(s) is confirmed as being valid by **selecting** the **Valid Location** box. The location confirmation is disputed by leaving the box un-selected indicating that the location(s) has not passed the review.

The UDC must include a Reviewer Name and Phone # and, if the location is not valid, a Review Comment when choosing to **Continue**. Comment should include the reason as to why the UDC has determined this to be an invalid location.

Examples include, but are not limited to the following:

- Incorrect location information (e.g. incorrect SubLAP)
- Wrong LSE or UDC designation
- No commercial agreement
- Regulatory non-conformance
- Location identified as participating in another program
- Location device type

Note: The **Comments** box is limited to **255** characters.

The UDC may end their validation of the location(s) by choosing to **Cancel**

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

3.2.3 Invalid Review Disputed Location

A **Disputed** Location was unsuccessful in obtaining a valid review by one of the reviewing entities (LSE/UDC). The DRP must now determine from the comments provided why they were unable to pass validation of the location submitted for review. When a location has not passed the LSE/UDC review, it will be set to the status of **Disputed** and the reviewer contact information and comments can be viewed by the DRP in their Locations view when the location is highlighted.

> DRP VIEW > Locations

LOC ID LOC Name SAN DRP [ALL] UDC [ALL] LSE [ALL] SUBLAP [ALL] Defense Active [ALL] Updated Since DateTime

Locations

Select Loc ID Name SAN DRP UDC LSE SUBLAP Device Type PNODE Start Date End Date Status Defense Active? Defense Sta

Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Status	Defense Active?	Defense Sta
☐									01/27/2019	01/27/2029	Duplicate		
☐									01/27/2019	01/27/2029	Duplicate		
☐									01/25/2019	01/25/2029	Duplicate		
☐									01/25/2019	01/25/2029	Duplicate		

Location Address

Address 1 City State Zip Type

UDC/LSE Reviewer Contact and Comments

Location Review Details

LSE Approved	LSE Comments	LSE Reviewer	LSE Contact Info	UDC Approved	UDC Comments	UDC Reviewer	UDC Contact Info

Location Defend Details - Incumbent


Incumbent Name	Incumbent Contact Info	Incumbent Comments	Prospective Name	Prospective Contact Info	Prospective Comments
		Customer turned off service on 12/5/2018			

Location Defend Details - Prospective

Incumbent Name	Incumbent Contact Info	Incumbent Comments	Prospective Name	Prospective Contact Info	Prospective Comments

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

To correct errors identified, the DRP must create a new location. The Disputed Location is not editable but may be copied and updated with the corrected information. When saved or submitted, a new location with a new Location ID will be created. The new location created must then be submitted for review and will be in **Pending** status until the review is complete.



DRP VIEW > Locations

LOC ID LOC Name SAN DRP [ALL] UDC [ALL] LSE [ALL] SUBLAP [ALL] Defense Active [ALL] Updated Since DateTime

Locations

1 - 25 of 1222 GO

Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Status	Defense Active?	Defense Start	Defense En
☒									01/27/2019	01/27/2029	Duplicate			
☐									01/27/2019	01/27/2029	Duplicate			
☐									01/25/2019	01/25/2029	Duplicate			

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

> DRP VIEW > Create New Locations

Create New Location

Copy and Correct Disputed Location

Name*

SAN*

Start Date*

01/27/2019

End Date*

01/27/2029

DRP*

UDC*

LSE*

SUBLAP*

PNODE

Address 1

Address 2

City*

MONTCLAIR

State*

California

Zip*

91763-1630

Address Type

Test address

Device Type

Cancel

Save

Submit

If the DRP believes the location is valid with information provided and does not agree with the LSE or UDC findings, they must work with the entity that provided the comments to resolve the reason it was not found to be a valid location. The process for resolving the disputed location issues is managed outside of the ISO. The DRP is provided with the necessary information, through the review process, to make direct contact with the LSE or UDC to initiate resolution.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

3.2.4 LSE/UDC Review notification

Example of email notification to the LSE and UDC when a location has been submitted for review.



Mon 7/6/2020 8:22 AM

no-reply@caiso.com

Locations Submitted for Review - Production

To ☐

Cc ☐ PDR

UDC or LSE
Primary
Contact

Notification

Updates for Locations							
Location Id	Location Name	DRP	UDC	LSE	Effective Start Dt	Effective End Dt	Status
					2020-07-06	2029-12-31	PENDING
					2020-07-06	2029-12-31	PENDING
					2020-07-06	2029-12-31	PENDING

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

3.2.5 Application Programming Interface (API) Location Management

The DRRS provides APIs for the performance of all location management processing.

Market Participants can perform the following using the DRRS web services:

- Retrieve DRRS Locations
- Save request for creating draft/new DRRS Locations
- Delete request for deleting the draft/new DRRS Locations
- Submit request for creating/end-dating DRRS Locations
- Review request for reviewing DRRS Locations (for LSE/UDC/LSE&UDC review)
- Modify request for modifying DRRS Locations
- Initiate Defend request for defending for a DRRS Location
- Review Defend request for reviewing the DRRS Location that is under defend process (for DRP review)
- Retrieve status for the creation or modification requests
- Retrieve locations attributes that is currently displayed on the UI.
- Retrieve locations that are currently involved in a defense process. This is equivalent to the existing function on the UI to retrieve locations with “Defense Active” = ‘Y’

Technical ISO Interface Specifications with more detailed information are available on the ISO Developer website at <https://developer.caiso.com>.


 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

3.3 Creating a Registration

After the LSE and UDC have reviewed and approved the Location(s), the DRP can then create a registration. The **Register** feature allows the DRP to register a location or multiple locations. Locations can only be registered when they are in either the Inactive or Active status. Registration can be in multiple LSEs but must be within the same SubLAP.

There are 2 approaches to register a location or multiple locations.

- **Approach 1:**
 - Under the **DRP View > Locations**
 - Select the desired location(s)
 - Locations belonging to the same or various LSEs are permitted, but with the same DRP, UDC, and SUBLAP for the registration. The “Device Type” will determine corresponding baseline methodologies available for registrations inclusive of these devices, please refer to [Appendix E-DRRS Location Type – Baseline Method Reference Matrix](#).
 - Click on the **Register** button



Select Loc ID	Name	SAN	DRP	UDC	LSE	SUBLAP	Device Type	PNODE	Start Date	End Date	Status	Defense Active?
☒	LOC_TEST_2REG28	SAN_TEST_2REG28							05/20/2020	12/30/2021	Inactive	
☒	LOC_TEST_2REG26	SAN_TEST_2REG26							05/20/2020	12/30/2021	Inactive	
☒	LOC_TEST_2REG23	SAN_TEST_2REG23							05/20/2020	12/30/2021	Inactive	
☒	LOC_TEST_2REG21	SAN_TEST_2REG21							05/20/2020	12/30/2021	Inactive	

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

- On the **Registration** screen, input the data and click either Save/ or Submit.
 - Save will create a draft Registration in New Status
 - Submit will create a Registration in Confirmed or Pending Status, depending on validation requirements

The following is a description of the fields requested for input to **create** a Registration:

- **Name** DRP chosen name of the Registration. May contain alphanumeric and special characters, up to a max of 255
- **Start Date**³ The Effective Start Date of the Registration. The Start Date cannot be a prior date. Note: The Start Date cannot overlap with the effective dates of another Confirmed Registration for the same resource ID or linked to the same location.
- **End Date** The Effective End Date of the Registration. The End Date cannot be a prior date, a date before the Start Date, or overlap with an existing Confirmed Registration with same SAN and UDC assignment. The End Date can be no less than 6 Business Days from the request processing date. Note: End Date cannot be the same as the Start Date if the Start Date is within 5 Business Days from the request processing date.
- **DRP**⁴ Demand Response Provider ID
- **UDC** Utility Distribution Company ID
- **Baseline Method** The Baseline Method that will be used to determine the performance of the Resource. This requires approval by the CAISO. Only the approved Performance Evaluation Method (baseline) will be available from the drop-down list. Please see Section 5 of the Business Practice Manual (BPM) for Demand Response for

³ The system validates effective dates input for the Registration against Location effective dates to determine available Locations that can be registered.

⁴ The system uses DRP, UDC, LSE and SubLAP information provided to ensure Locations presented as available have the same designations.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

instruction on how to submit a Performance Evaluation Methodology request and Appendix E – DRRS Location Device Type Business Rules and Baseline Method Reference Matrix.

- **SubLAP** The SubLAP in which all the locations within the registration reside
- **DRP SCID** The ID of the acting Scheduling Coordinator for the Registrations market Resource.
- **Program** Proxy DR or Reliability DR
- **Resource Type** Predefined or Custom.
 - Available Locations will be filtered based on the Resource Type selection. When selecting Custom, only Locations with PNODE information can be selected for the Registration.
 - **Custom Resource ID**
 - If the DRP believes that the pre-defined Resource ID is not sufficient for its needs, the DRP selects or requests a custom Resource ID be assigned when the Registration is created. The information provided in the DRRS during the Registrations creation, including PNodes and their applicable Distribution Factors, is used to develop the Custom Resource ID.
 - For example (applicable for a PDR or RDRR): A DRP requests a custom Resource ID for 4 end use Loads that have the same LSE and are located in the same Sub-LAP. Based on historic Load of these 4 end use customers, 80% of the Load is connected to Bus 1 and 20% of the Load is connected to Bus 2.

Here is how it will look:

Customer	LSE	Sub-LAP	Location	Registration	GDF	Custom DR Resource ID
1	A	PGF1	Bus 1	Reg 01	0.8	PRMNTE_6_PDRC01
2	A	PGF1	Bus 1	Reg 01		PRMNTE_6_PDRC01
3	A	PGF1	Bus 2	Reg 01	0.2	PRMNTE_6_PDRC01
4	A	PGF1	Bus 2	Reg 01		PRMNTE_6_PDRC01

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

- **Requesting a Custom Resource ID with Dynamic GDF**

- If approved by the CAISO, a DRP may submit GDFs as part of its Bid for a given PDR or RDRR. In order to be eligible to submit GDFs as part of a Bid, the DRP must request and receive approval from the CAISO to dynamically Bid GDFs. To request a custom GDF, please contact the PDR coordinator at pdrr@caiso.com with the following information: Location of bus, and total MW. The custom GDF can be deployed based on the Master File deployment.

- **Resource** (Resource ID)

- When Resource Type = Pre Defined or Custom
 - The drop-down list will show available resources that can be selected based on the Registration information provided, including Resource IDs previously assigned to the DRP and unassigned Pre Defined resource IDs for the identified SubLAP.

The Resource ID naming convention has the letter “C” after the letter “PDR” and Pre defined has the letter “P” after the letter “PDR” for Proxy Demand Resource.

Please see Appendix D for business rules and tips.


- **Show/Refresh Available Location**

- The selected locations will appear in the **Selected Locations** grid.
- Only Locations with start dates before the registration’s Start Date, and end dates after the registration’s End Date, will be generated as Available Locations for selection

Distribution Factors for Custom Resource

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

If the Resource Type selected is Custom, the system generated list of available Locations, to select from, will only include locations that have been assigned a PNode. When creating this Registration, the DRP must assign distribution factors for PNodes identified. PNodes will be populated in the Distribution Factor window based on the Locations selected to be registered. The Edit button in this window provides the DRP with the opportunity to assign a Distribution Factor to each of the PNodes. The Distribution Factor must indicate the percentage of load reduction that will be occur at each PNode represented as a two decimal precision level. Distribution Factors across all PNodes provided must total 1.00. The SC shall provide the Pnode and Distribution Factors used to create the custom Resource ID and the Registration in the DRRS to RDT@caiso.com when submitting the GRDT form.



Selected Locations

ID	NAME	SAN	Start Date	End Date	PNODE	Control Group	Treatment Group
569528	psokREG-201	psokREG-201	10/09/2018	12/30/2018	YCBYLINK_6_N001		
569527	psokREG-200	psokREG-200	10/09/2018	12/30/2018	HOLLISTR_1_N001		

Distribution Factor

PNODE	Distribution Factor (2 decimal places allowed)
HOLLISTR_1_N001	0.35
AGRILINK_6_N001	0.65

Edit button used to assign or edit identified PNodes Distribution Factors

Distribution Factors to 2 decimal places and total = 1.00. Update before saving or submitting.

- Save and/or Submit.

Creating Registration using the Control Group baseline method, please see [Appendix F](#).

• Approach 2:

- Under the **DRP View**, select **Registrations** then click on the **Create** button.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			



> **DRP VIEW** > **Registrations**

Reg Id Reg Name
 DRP UDC LSE

- Input registration data.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

DRP VIEW
Registration

Registration

Reg Id
Name*
Start Date*
End Date*
DRP*
UDC*
Baseline Method*
SUBLAP

DRP SCID*
Program*
Resource Type*
Resource*
PMax
Status

Locations list based on DRP, UDC, SUBLAP, effective dates, and Baseline method and its associated Location device type

Refresh Available Locs
Show/Refresh Available Locations

Available Locations

Selected Locations

The following is a description of the fields requested for input to **create** a Registration:

- **Name** DRP chosen name of the Registration. May contain alphanumeric and special characters, up to a max of 255

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

- **Start Date⁵** The Effective Start Date of the Registration. The Start Date cannot be a prior date. Note: The Start Date cannot overlap with the effective dates of another Confirmed Registration for the same resource ID or linked to the same location.
- **End Date** The Effective End Date of the Registration. The End Date cannot be a prior date, a date before the Start Date, or overlap with an existing Confirmed Registration with same SAN and UDC assignment. The End Date can be no less than 6 Business Days from the request processing date. Note: End Date cannot be the same as the Start Date if the Start Date is within 5 Business Days from the request processing date.
- **DRP⁶** Demand Response Provider ID
- **UDC** Utility Distribution Company ID
- **Baseline Method** The Baseline Method that will be used to determine the performance of the Resource. This require approval by CAISO. Only the approved Performance Evaluation or Baseline Method will be available from the drop-down list. Please see Section 5 of the Business Practice Manual (BPM) for Demand Response for instruction on how to submit a Performance Evaluation Methodology request and Appendix E – DRRS Location Device Type Business Rules and Baseline Method Reference Matrix.
- **SubLAP** The SubLAP in which all the locations within the registration reside
- **DRP SCID** The ID of the acting scheduling coordinator for the Registrations market Resource.
- **Program** Proxy DR or Reliability DR
- **Resource Type** Predefined or Custom.

⁵ The system validates effective dates input for the Registration against Location effective dates to determine available Locations that can be registered.

⁶ The system uses DRP, UDC, LSE and SubLAP information provided to ensure Locations presented as available have the same designations.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

- Available Locations will be filtered based on the Resource Type selection. When selecting Custom, only Locations with PNODE information can be selected for the Registration.
- **Custom Resource ID**
 - If the DRP believes that the pre-defined Resource ID is not sufficient for its needs, the DRP selects or requests a custom Resource ID be assigned when the Registration is created. The information provided in the DRRS during the Registrations creation, including PNodes and their applicable Distribution Factors, is to develop the Custom Resource ID. This information is automatically provided from the DRRS to the applicable business unit that will then match this Registration information with the submitted Generator Resource Data Template.
 - For example (applicable for a PDR or RDRR): A DRP requests a custom Resource ID for 4 end use Loads that have the same LSE and are located in the same Sub-LAP. Based on historic Load of these 4 end use customers, 80% of the Load is connected to Bus 1 and 20% of the Load is connected to Bus 2.

Here is how it will look:

Customer	LSE	Sub-LAP		Location	Registration	GDF	Custom DR Resource ID
1	A	PGF1		Bus 1	Reg 01	0.8	PRMNTE_6_PDRC01
2	A	PGF1		Bus 1	Reg 01		PRMNTE_6_PDRC01
3	A	PGF1		Bus 2	Reg 01	0.2	PRMNTE_6_PDRC01
4	A	PGF1		Bus 2	Reg 01		PRMNTE_6_PDRC01

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

- **Requesting a Custom Resource ID with Dynamic GDF**

- If approved by the CAISO, a DRP may submit GDFs as part of its Bid for a given PDR or RDRR. In order to be eligible to submit GDFs as part of a Bid, the DRP must request and receive approval from the CAISO to dynamically Bid GDFs. To request a custom GDF, please contact the PDR coordinator at pdrc@caiso.com with the following information: Location of bus, and total MW. The custom GDF can be deployed based on the Master File deployment.

- **Resource** (Resource ID)

- When Resource Type = Pre Defined or Custom
 - The drop-down list will show available resources that can be selected based on the Registration information, provided including Resource IDs previously assigned to the DRP and unassigned Pre Defined resource IDs or Custom Resource IDs for the identified SubLAP.
 - The Resource ID naming convention has the letter “C” after the letter “PDR” and Pre defined has the letter “P” after the letter “PDR” for Proxy Demand Resource.

Note: If no available resource appears in the drop-down list, submit a request to PDRC@caiso.com with the following information:

- Is the request for PDR-LSR?
- What Resource Type (i.e. Pre-Defined or Custom)?
- What Program Type (i.e. Proxy DR or Reliability DR)?
- How many Resource IDs do you need?
- What effective date are you requesting?

- **Show/Refresh Available Location**

The system will generate a list of available Locations to select from based on the information provided when creating a Registration. The Locations list is based on DRP, UDC, SubLAP, effective dates, and Baseline method and its associated Location device type (please refer to the Appendices [D](#) and [E](#)).

DEMAND RESPONSE REGISTRATION USER GUIDE

[illegible]

- To select more than 25 locations, in the **Available Locations**, change the number of **Rows** from 25 to 200. This will allow you to move more than 25 rows to the available locations.
- Move available locations to **Selected Locations** with the arrow buttons.

Distribution Factors for Custom Resource

See Approach 1 above.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

4 Registration Management

The registration process builds from Performance/Baseline Methodology to location to registration to resource management.

Registration management includes the development of registration(s) by the DRP that identify the locations participating, in aggregate, as a PDR or RDRR for an effective period of time. Location information established, including its effective dates, control availability for their use by the DRP in creating registrations.

The DRRS provides a robust UI and APIs for the DRP(s) use in performing their Registration development and management tasks. System generated email notifications are also generated as alerts to activities occurring that may require their attention.

4.1 DRRS User Interface (UI) Registration Management

The DRP may use either the Location view or Registration view to register one or multiple locations. The Registration view provides the DRP a list of all the Registrations created and saved or submitted with their Status. When highlighted, the view will list all Locations included in that Registration. When using the UI, DRRS limits to 200 locations per registration unless this is loaded using the API.

4.1.1 Edit

To **Edit** a registration, the DRP must first select the Registration to be edited then click on the **Edit** button under their Registrations View.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Fields available to edit are Name, Start Date, End Date, and Resource. See below for specific rules for each of these sections:

- **Name** The Registration Name. May contain alphanumeric and special characters, up to a max of 255

- **Start Date** The Effective Start Date of the Registration. Cannot edit Start Date if the registration's Start Date is in the past. If existing Start Date is in the future, Start Date can get pushed out further in the future, but cannot be made sooner.
 - Note: If a future Start Date is chosen and the Registration is successfully updated, DRP cannot return to Edit Registration and select original Start Date again, as the original Start Date is now prior to the existing Start Date.

- **End Date** The Effective End Date of the Registration. The End Date cannot be a prior date, a date before the Start Date, or a date that overlaps with an existing Confirmed Registration with same SAN and UDC assignment. The End Date can be no less than 6 Business Days from the request processing date. End Date cannot be the same as the Start Date if the Start Date is within 5 Business Days from the request processing date.

Note: If DRP does not need a specific End Date, or is looking to cancel a future registration, they can utilize the "**Terminate**" function to assign the earliest possible end date to the registration. See Section 4.1.3 for more information.

- **Resource** Resource ID

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

> DRP VIEW > Registrations

Reg Id Reg Name DRP [ALL] UDC [ALL] LSE [ALL] SUBLAP [ALL] Updated Since DateTime

Create Edit Copy Terminate Delete

Registrations

1 - 25 of 27983

Select	Reg ID	Name	DRP	UDC	LSE	SUBLAP	DLAP	DRP SC	Resource ID	Resource Type
☐	314788									Pre Defined
☒	11544235	Reg Test Count150 v2						PGLP_2_PDRP10		Pre Defined

A Registration Status will affect how it can be edited.

Edit Registration

Reg Id* 11544235 DLAP

Name* Reg Test Count150 v2 DRP

Start Date* 07/01/2020 End Date* 07/31/2020

DRP* UDC*

LSE SUBLAP*

Baseline Method* Control Group Status Confirmed

Cancel Update

A Registration with a "Confirmed" status editable field in white.

Once the Registration is edited, the options to proceed include:

Cancel - Cancels Edit of the Registration.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			


Update - Updates the Registration maintaining its Registration ID.

4.1.2 Copy

The **Copy** feature allows the DRP to create a new registration by copying an existing registration and making changes to the copied field information. Registrations in any status may be copied. To **Copy** a registration, the registration is first selected then the **Copy** button chosen under the Registrations View.

Note: If using this functionality for extending out a registration on a registration that is approaching end-date, verify the information including the Resource ID is the same and locations are not used in another registration prior to submitting.

DRP VIEW



The screenshot shows the 'DRP VIEW' interface with a 'Registrations' tab selected. At the top, there are search filters for Reg Id, Reg Name, and various status codes (DRP, UDC, LSE, SUBLAP) with dropdown menus set to '[ALL]'. Below the filters are buttons for 'Create', 'Edit', 'Copy', 'Terminate', and 'Delete'. The 'Copy' button is circled in red. Below the buttons is a 'Registrations' table. A red callout bubble points to the 'Select a Registration' dropdown menu in the table's header. The table has columns for Name, DRP, UDC, LSE, SUBLAP, DLAP, DRP SC, and Resource. The first row of the table is highlighted with a blue background and has a checkmark in the 'Select' column.

The Copy option takes the user to the Registration window and provides the same Options as Create registration:

Cancel - cancels the creation of a new registration.

Save - creates a new registration with changes and registration ID for it.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

4.1.3 Terminate

The **Terminate** feature allows the DRP to end-date a Registration with an automatically assigned End Date. Registrations can only be end-dated when they are in the Confirmed status. The system will determine the earliest available end date, depending on the Start Date of the registration.

Note: This feature is only available if the existing End Date is currently further than 6 business days from the current day.


If the registration has a Start Date prior to the current date, the new End Date will be 5 business days from the current date. The 5 business day window aligns with the Master File submission process.

Note: This does not apply if the existing End Date is within 3 business days. A registration is considered “frozen” when the End Date is within 3 business days and cannot be changed.

If the registration has a Start Date in the future, the new End Date will be the exact same date and time as the Start Date, effectively canceling the registration.

Note: In the UI, the new End Date will appear to be the day prior to the Start Date.

To **Terminate**, the Registration is first selected then the **Terminate** button chosen under the Registration View.



The screenshot shows the 'DRP VIEW > Registrations' interface. At the top, there are filters for Reg ID, Reg Name, and various status dropdowns (DRP, UDC, LSE, SUBLAP). Below the filters are buttons for Create, Edit, Copy, Terminate, and Delete. The 'Terminate' button is circled in red. Below the buttons is a table of registrations. The table has columns for Select, Reg ID, Name, and various attributes. The second row is selected, and its 'Confirmed' status is circled in red. A red arrow points from the 'Terminate' button to the 'Confirmed' status.


Reg ID	Reg Name	DRP	UDC	LSE	SUBLAP	DLAP	DRP SC	Resource ID	Resource Type	Program	Baseline Method	Start Date	End Date	Status
11544235	Reg Test Count150 v2								Pre Defined	Proxy DR	Day Matching 10/10	06/05/2019	11/07/2019	Terminated
11544235	Reg Test Count150 v2								Pre Defined	Proxy DR	Control Group	07/01/2020	07/31/2020	Confirmed

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

In the DRRS UI, a Registration is in a Terminated status when its effective end date is prior to the current date. Terminated Registrations are logically equivalent to deleted records. A Terminated Registration can be Copied but not Edited.

4.1.4 Delete

The **Delete** feature allows the DRP to delete a new Registration that is in draft (NEW) status. To **Delete** a Registration, the New Registration is first selected then the **Delete** button chosen under the Registrations View.



The screenshot shows the 'Registrations' view in the DRRS UI. At the top, there are filters for Reg ID, Reg Name, and various status codes (DRP, UDC, LSE, SUBLAP) with dropdown menus set to '[ALL]'. There are also 'Apply' and 'Reset' buttons. Below the filters is a toolbar with buttons: 'Create', 'Edit', 'Copy', 'Terminate', and 'Delete'. The 'Delete' button is circled in red. Below the toolbar is a table titled 'Registrations'. The table has columns: Select, Reg ID, Name, DRP, UDC, LSE, SUBLAP, DLAP, DRP SC, Resource ID, Resource Type, Program, Baseline Method, Start Date, End Date, and Status. The first row is selected, and its 'Status' is 'New', which is also circled in red. A red arrow points from the 'Delete' button to the selected row.

Select	Reg ID	Name	DRP	UDC	LSE	SUBLAP	DLAP	DRP SC	Resource ID	Resource Type	Program	Baseline Method	Start Date	End Date	Status
☒	11544082	Reg Test count1								Pre Defined	Reliability DR	Control Group	07/01/2020	08/01/2020	New
☐	11544065	Reg Test3 PDRP3a updated								Custom	Proxy DR	PDR-LSR	08/11/2020	08/19/2020	New

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

4.2 Application Programming Interface (API) Registration and Resource Management

The DRRS provides APIs for the performance of all Registration management processing. Market Participants can retrieve or submit the following Registration data via the DRRS web services:

- Retrieve status for the creation or modification requests
- Retrieve DRRS Registrations
- Retrieve Locations
- Save request for creating new DRRS Registrations
- Delete request for deleting the /new DRRS Registrations
- Submit request for creating/terminating (end-date) DRRS Registrations
- Modify request for modifying (edit) DRRS Registrations

Technical ISO Interface Specifications with more detailed information are available on the ISO Developer website at <https://developer.caiso.com>. Login permission is required, and users can sign up on the website provided.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

5 Helpful Links

Document	Link
Application Access Request Form Reference Guide	http://www.ca iso.com/Documents/ApplicationAccessRequestFormReferenceGuide.pdf
Access and Identity Management (AIM) User Guide	http://www.ca iso.com/Documents/AccessandIdentityManagement_AIM_UserGuide.pdf
Energy Storage and Distributed Energy Resources 3B External Training Presentation	http://www.ca iso.com/Documents/EnergyStorage_DistributedEnergyResources_Phase3B.pdf
Demand Response and Proxy Demand Resources FAQ	http://www.ca iso.com/Documents/DemandResponseandProxyDemandResponseFAQversion5.xls
Demand Response Provider Agreement Information Request Sheet	http://www.ca iso.com/Documents/DemandResponseProviderAgreementInformationRequestSheet.doc
Direct Telemetry BPM	http://bpmcm.ca iso.com/Pages/BPMDetails.aspx?BPM=Direct Telemetry

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Document	Link
External User Application Access request Form	http://www.caiso.com/Documents/UserApplicationAccessRequestForm.xls
ISO Connected Entity Service Guide	http://www.caiso.com/Documents/ISOConnectedEntityServiceGuide.pdf
List of certified SC's	http://www.caiso.com/Documents/List-SchedulingCoordinators_CRRHoldersandConvergenceBiddingEntities.pdf
List of Demand Response Participants	http://www.caiso.com/Documents/ListofDemandResponseParticipants.pdf
Load and Demand Response Page	http://www.caiso.com/participate/Pages/Load/Default.aspx
Load Serving Entity Request (LSE ID) Form	http://www.caiso.com/Documents/LoadServingEntityIDRequestForm.doc
Meter Service Agreement ISO Metered Entities Information Request Sheet	http://www.caiso.com/Documents/MeterServiceAgreement_ISOmeteredEntitiesInformationRequestSheet.doc

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Document	Link
Meter Service Agreement Scheduling Coordinators Information Request Sheet	http://www.caiso.com/Documents/MeterServiceAgreement_SchedulingCoordinatorsInformationRequestSheet.doc
Metering BPM	http://bpmcm.caiso.com/Pages/BPMDetails.aspx?BPM=Metering
New Resource Implementation Checklist	http://www.caiso.com/Documents/NewResourceImplementationChecklist.xlsx http://www.caiso.com/Documents/NewResourceImplementationChecklist.xls
Requirements for becoming and Scheduling Coordinator	http://www.caiso.com/participate/Pages/SchedulingCoordinator/Default.aspx
Reliability Demand Response Resource Training Requirements for becoming a Scheduling Coordinator	http://www.caiso.com/Documents/ReliabilityDemandResponseResourceOverview.pdf
Energy Storage Distributed Energy Resources customer partnership group meeting artifacts including presentation	http://www.caiso.com/Documents/Presentation-EnergyStorage-DistributedEnergyResourcesPhases2-3-ImplementationCustomerPartnershipGroup-May6-2019.pdf
Energy Storage Distributed Energy Resources – Phase 3 -Business Requirements	http://www.caiso.com/Documents/BusinessRequirementsSpecificationClean-EnergyStorageandDistributedEnergyResourcesPhase3.pdf

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Document	Link
DRRS Enhancement -Demand Response Location Registration Enhancement – Technical Specifications	http://www.caiso.com/informed/Pages/ReleasePlanning/Default.aspxhttp://www.caiso.com/Documents/DemandResponseLocationRegistrationEnhancement-TechnicalSpecificationsv4REDLINED.pdf
DRRS Enhancement -Summary of Use Case for Demand Response Solutions Registrations	http://www.caiso.com/Documents/SummaryofUseCaseforDemandResponseSolutions-Registrations.pdf
DRRS Enhancement -Location and Registration Life Cycle	http://www.caiso.com/Documents/LocationandRegistrationLifecycle.pdf
DRRS Enhancement -Summary of Use Case for Demand Response Solutions Locations	http://www.caiso.com/Documents/SummaryofUseCaseforDemandResponseSolutions-Locations.pdf
Example – Day Match Workbook	http://www.caiso.com/Documents/Example-DayMatchWorkbook.xlsx
Example – Day Randomization Validation	http://www.caiso.com/Documents/Example-RandomizationValidationTemplate.xlsx
Example – Weather Match Workbook	http://www.caiso.com/Documents/Example-WeatherMatchWorkbook.xlsx

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Document	Link
GRDT and IRDT Definitions	http://www.caiso.com/Documents/GRDTandIRDTDefinitions.xls
Generator Resource Data Template (GRDT)	http://www.caiso.com/Documents/GeneratorResourceDataTemplate_ForNewDemandResponse.xls x
Full Network Model Pricing Node	http://www.caiso.com/Documents/FullNetworkModel_PricingNodeMapping_Based_FullNetworkModel_ReleaseDB2019Q2.xls

6 Revision History

Date	Version	Updated By	Description
03/24/15	3.7	Monica	Added info on BUS Pnode
03/25/15	3.7	Monica	Added the following info to the LSE and UDC Commenting on a Registration sections Note: The Comments box is limited to <u>255</u> characters. If the LSE review generates comments larger than 255 characters. When a comment is provided by the LSE indicating that there is a “review with findings” within the registration information, the CAISO will deny the registration. The DRP is required to resolve any issues related to the "findings" with the appropriate party. During that time, additional detail may be exchanged by parties to resolve all issues determined in the review process.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Date	Version	Updated By	Description
			CAISO's responsibility is to look for general comments as to why there is an issue with the registration and therefore does not require listing of multiple SANs that may be in conflict with availability to participate. The 255 character limitation should be sufficient to provide the CAISO with enough information to deny the registration and request issue resolution be made between the parties outside of the registration process. If the CAISO determines that there is error in the registration detail that needs to be corrected by the DRP, the registration will be denied as a means to alert the DRP of corrective actions that are being requested by the CAISO.
06/04/15	3.8	Monica M.	Updated the sections pertaining to requesting for a DRP/LSE/UDC ID and OMS.
06/05/15	3.9	Monica M.	Added clarifying language for terminating location(s)/ALOC(s).
11/05/15	3.9	Monica M.	Incorporated the Jill's Demand Response Resource Participation Guide into the current Demand Response User Guide document and removed the original document off the external site.
04/12/16	3.10	Monica M.	Added clarifying language for Reliability Demand Response Services Term. Summer term runs from June through September – Winter term runs from October through May
4/19/16	3.11	Monica M.	Updated link on page 129 regarding the XML test materials. http://www.caiso.com/Pages/documentsbygroup.aspx?GroupID=6A0B3CBD-4EE0-4BCD-B44F-CBB9E711D31F

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Date	Version	Updated By	Description
10/01/16	4.0	Jill Powers	Updated User Guide to include information related to the Enabling Demand Response Phase II for the PDR/RDRR Registration functionality transfer from DRS to DRRS. Updates to include new baseline and statistical sampling methodologies approved as part of Energy Storage and Distributed Energy Resource Initiative.
12/06/16	4.1	Monica M.	Updated the section on “Generation Resource Data Template Submission and Processing”. Going forward, all GRDTs shall be submitted to RDT@caiso.com and no longer to pdr@caiso.com .
12/13/16	4.2	Monica M.	Updated the Market Participation chart under Customer Baseline Methodology.
5/5/2017	4.3	Tim B.	Completed unfinished sentence on last bullet of page 170 and changed page 84 to remove RDRR from statement regarding necessity of telemetry.
10/26/2018	4.4	Pia S.	Updated User Guide to include information related to the Energy Storage and Distributed Energy Phase II for the PDR/RDRR process and application.
10/31/2018	4.5	Pia S.	Updated sections: Purpose, Performance Evaluation/Baseline Methodology, “Generator Data Submission and Processing” for Custom Resource ID, and Telemetry.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Date	Version	Updated By	Description
8/16/2019	4.6	Pia S.	Updated: Removed sections related to business process to BPM for Demand Response, ESDER3a, DRRS Automated Email Notification, Application Access, helpful links Added: Appendix C, and Notes in Appendix A.
8/22/19	4.6a	Pia S.	Removed notes in section 3.3
11/7/19	4.7	Pia	Updated sections: - Title of the User Guide from Demand Response to Demand Response Registration User Guide. - 1.3 Application Access - 1.4 DRRS Automated Email Notification - 2.1 Locations - 2.3.1.2 Column Headers - 3.1.1 Edit - 3.1.5 Defend - Appendix A – Three (3) Cases of Defend Process.
7/22/20	4.8	Pia	Updated for ESDER 3B initiative – sections 3, 4.2, Appendix B, Helpful Links, Definitions, and UI screenshots due to WebSD changes. Added for ESDER 3B initiative – Appendices D through F.
10/27/2020	4.9	Pia	Updated Appendix E, Definitions for “ES”, section 3.3 Creating Registration for Resource ID validation rules, and resource ID request.
11/1/2024	5.0	Hewayda Ahmed	Updates to 1.5 Automated Email Notification; Updates to Section 3: UDC and LSE Review process changed from 10 business days to 5 business days; Updates to DRRS User Roles Table

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Date	Version	Updated By	Description
10/9/2025	5.1	Haley Mikeska	General updates to all sections for grammar and clarity Updates to Sections 3, 4, and Appendix A to align with CCFIM DRRS MRIS Baseline 2025 Enhancements

Appendix A – Three (3) Possible Cases of Defend Process

All three (3) possible cases of defend process below starts with:

1) Prospective DRP submit Location for approval through the UI.
2) The Prospective DRP receives a message, "A Location with given SAN and UDC combination already exists, do you want to continue and initiate the Defend Process?" Prospective DRP complete all the required fields... name, phone number, and comments. The Location for the SAN will be in " Duplicate " status after initiating the defense process.
3) The Incumbent DRP Locations screen will show a status of Defense Active = Y, and the Defense Start, and Defense End.
4) The Incumbent DRP may receive an email notification that "their location(s) has triggered the location defense process".

1. If Incumbent DRP <u>accepts</u> the Prospective DRP claim to the customer.	
	See steps 1-4 above.
	5) The Incumbent DRP accepts the prospective DRP claim by releasing the Location for the SAN. 1. On the Locations screen, select the Location under the defense process, click " Defend ". A "Selected Locations" screen will appear. <u>Do not</u> check the "Valid Location" box. Enter your name, Phone number, and Comment, and click "Continue"
	6) The system will automatically update the "End Date" of the incumbent's DRP location and change the status of the Prospective DRP's Location from " Duplicate " to " Pending " for LSE and UDC approval.
	7) The Prospective DRP's Location status changes to " Inactive " after approved by the LSE and UDC.
	8) The Prospective DRP creates Registration for the Location.



DEMAND RESPONSE REGISTRATION USER GUIDE

2. Incumbent DRP rejects the Prospective DRP claim to the customer.

See steps 1-4 above.

- 5) The Prospective DRP's Location for the SAN will remain in the "**Duplicate**" status as the Incumbent DRP still owns the Location in an "**Active**" or "**Inactive**" status.

- 6) The Incumbent DRP rejects the Prospective's claim through the UI.

- a. On the Locations screen, select the location in defense process and click "**Defend**".

LOC ID LOC Name SAN DRP [ALL] UDC [ALL] LSE [ALL] SUBLAP [ALL] Defense Active [ALL] Apply Reset

Create Copy Delete **Defend** Withdraw Edit End Date Register

Locations

Select Loc ID Name SAN DRP UDC LSE SUBLAP PNODE Start Date End Date Status Defense Active? Defense Start Defense End

☐	142682	LOC2-psok	LOC2-psok					10/25/2019	10/31/2020	Inactive	Y	10/25/2019	11/08/2019
--------------------------	--------	-----------	-----------	--	--	--	--	------------	------------	----------	---	------------	------------

Status is based on whether the Location is part of a Registration see section 2.5 for "Inactive" and "Active"

- b. Check the "Valid Location" box, Review Name, Phone number, and Comments.

DEMAND RESPONSE REGISTRATION USER GUIDE

[illegible]

7) After the Incumbent DRP rejects the Prospective DRP claim, the Defense Active flag, Defense Start, and End Date will be blank.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

8) The Prospective DRP will see the comments on the Locations screen > Location Defend Details – Incumbent.

Location Defend Details - Incumbent					
					
Incumbent Name	Incumbent Contact Info	Incumbent Comments	Prospective Name	Prospective Contact Info	Prospective Comments
Name	916-351-0000	Incumbent Reason for rejecting the claim here	pia	000-000-0000	test

9) If the Prospective DRP agrees with the Incumbent, the Prospective DRP can end date or delete the Location.

If the Prospective DRP disagrees during the defense process, they must contact the Incumbent DRP to resolve the duplicate use conflict outside of the ISO registration process.

3. Incumbent DRP takes **no action** within the 10 business day window.

See steps 1-4 above.

5) If the Incumbent DRP takes **no action**, the system will automatically end-date the Incumbent DRP's Locations, and its corresponding Registration after the 10 business days. The Incumbent DRP loses the Location, and the Prospective DRPs Location status will change from "Duplicate" to "Pending". In addition, the system will update the end date to 5 business days out for the location in the defend process and its corresponding registration unless the corresponding registration ends before the new end date, in which case it will remain unchanged.

* The email notification from DRRS will be sent out the following day, and to only to those that are currently registered in the database. See DRRS Automated Email Notification section 1.4.

Note: As a result of the Defend process, the Location's Review Start Date may have a start date after the Location's Start Date, depending on when the LSE/UDC review process is triggered.



DEMAND RESPONSE REGISTRATION USER GUIDE

Appendix B – Editable field(s) by Locations Status

Locations Status

New

Fields	Validation Rules	Editable (Yes/No)
Name		Yes
Start Date		Yes
End Date		Yes
Address (1 and/or 2)		Yes
City		Yes
State		Yes
Zip		Yes
LOC ID		Yes
SAN		No
DRP		Yes
UDC		Yes

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

SUBLAP		Yes
PNODE		Yes
Device Type		Yes
Pending		
Cannot be edited. The Pending Location(s) only allows for end dating.		
Duplicate		
Cannot be edited. The Duplicate Location(s) only allows for end dating.		
Inactive		
Fields	Validation Rules	Editable (Yes/No)
Name		Yes
Start Date	IF Update > Existing/Recorded	THEN Yes ELSE No
End Date	IF Update < Existing/Recorded	THEN Yes ELSE No
Address		Yes
City		Yes
State		Yes
Zip		Yes



DEMAND RESPONSE REGISTRATION USER GUIDE

LOC ID		No
SAN		No
DRP		No
UDC		No
SUBLAP		No
PNODE		No
Device Type		No

Active

Fields	Validation Rules	Editable (Yes/No)
Name		Yes
Start Date		No
End Date	IF Update < Existing/Recorded	THEN Yes ELSE No
Address		Yes
City		Yes
State		Yes
Zip		Yes
LOC ID		No
SAN		No
DRP		No


 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

	UDC		No
	SUBLAP		No
	PNODE		No
	Device Type		No

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Appendix C - Customer Market Results Interface (CMRI)

Viewing Total Expected Energy (TEE)



The screenshot displays the California ISO Customer Market Results Interface (CMRI). The top navigation bar includes the California ISO logo and the title "Customer Market Results Interface". Below the navigation bar, there are tabs for "Day-Ahead", "Real-Time", "Post-Market", "Default Bids", "Convergence Bidding", "Forecast", "Reference", "LSE", and "Energy Imbalance Market". The "Post-Market" tab is currently selected.

On the left side, there is a sidebar with a "Trade Date" field set to "02/04/2019". Below this, the "Expected Energy" section is highlighted. It shows a "Trade Date" and "SC ID" field, and a message "No Data found". At the bottom of the sidebar, it says "Report Generated: 03/26/2019".

The main content area on the right shows a list of data items with checkboxes for selection. The items are: "Confirmed Dispatch Notice (CDN)", "CRN", "Expected Energy Allocation Details", "Expected Energy", "ISO Commitment Post Details", "Non-Dispatchable Time Ranges", "Resource Level Movement", "Regulation Pay for Performance", "CRR Revenue Adjustments", and "CRR Revenue Adjustments Details". The "Expected Energy" item is selected, and a hand cursor is pointing at it.

Below the list, there is a table with columns: "Interval", "Energy Type", "Real-Time Market Type", "Expected Energy [MWH]", and "C". The table is currently empty.



DEMAND RESPONSE REGISTRATION USER GUIDE



Day-Ahead

Real-Time

Post-Market

Default Bids

Convergence Bidding

Forecast

Reference

LSE

Energy Imbalance Market

Phase Shifter

Gas Bun

Trade Date: 05/06/2019

Entity:

Resource: 0 item(s)

Apply

Reset

Hour: [ALL]

Interval: [ALL]

TEE

Expected Energy

Trade Date	SC ID	Resource	Configuration	Hour Ending	Interval	Energy Type	Real-Time Market Type	Expected Energy [MWH]	OeOverlapMss [Yes/No]
05/06/2019				20	12	RAMPT		-0.000104166	NO
05/06/2019				20	12	RED	RTD	-0.000312499	NO
05/06/2019				20	12	SRE		0.000312499	NO
05/06/2019				20	12	TEE		0.000000000	NO
05/06/2019				20	12	TTEE		-0.000104166	NO
05/06/2019				21	1	DABE		0.000833333	NO
05/06/2019				21	1	DASE		0.000833333	NO
05/06/2019				21	1	RAMPT		-0.000104167	NO
05/06/2019				21	1	RED	RTD	0.000104167	NO
05/06/2019				21	1	SRE		-0.000312500	NO
05/06/2019				21	1	TEE		0.000625000	NO
05/06/2019				21	1	TTEE		0.000520833	NO
05/06/2019				21	2	DABE		0.000833333	NO
05/06/2019				21	2	DASE		0.000833333	NO
05/06/2019				21	2	RED	RTD	0.000104167	NO
05/06/2019				21	2	SRE		-0.000104167	NO
05/06/2019				21	2	TEE		0.000833333	NO
05/06/2019				21	2	TTEE		0.000833333	NO
05/06/2019				21	3	DABE		0.000833333	NO
05/06/2019				21	3	DASE		0.000833333	NO

Report Generated: 05/15/2019 13:15:34

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Appendix D – Tips for Creating Registrations by Baseline Method table

Program	Resource Type	Baseline Method	Notes						
Proxy DR	Predefined or Custom	All Baseline Methods	- For all PDR-LSR Baseline Methods: ➤ PDR-LSR ➤ PDR-LSR+Day Matching 5/10 ➤ PDR-LSR+Day Matching 10/10 ➤ PDR-LSR+Weather Matching ➤ PDR-LSR+Day Matching Combined DRRS store only the <i>Curtailment</i> Resource ID. The Resource ID contain a substring, 'CUR'. Examples of the naming convention is in the table below: <table><tr><td></td><td>Curtailment ID</td></tr><tr><td>Pre-defined Resource</td><td>ABCD_x_PDRPCURxxx</td></tr><tr><td>Custom Resource</td><td>ABCD_x_PDRCCURxxx</td></tr></table> For Master File, the GRDT must include 2 resource IDs, Curtailment and Consumption resource IDs. <u>An example of the a pre-defined PDR-LSR resource ID for Master File submittal:</u> ABCD_1_PDRPCUR001 ABCD_1_PDRPCON001 - The business rules for location's device		Curtailment ID	Pre-defined Resource	ABCD_x_PDRPCURxxx	Custom Resource	ABCD_x_PDRCCURxxx
	Curtailment ID								
Pre-defined Resource	ABCD_x_PDRPCURxxx								
Custom Resource	ABCD_x_PDRCCURxxx								

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

			type applies to all Baseline Methods, please refer to BPM for DR, Appendix E – DRRS Location Device Type Business Rules and Baseline Met. Control Group must have at least 150 control group locations and 1 treatment group location.
Reliability DR	Predefined or Custom	- MGO+Day Matching 5/10 - MGO+Day Matching 10/10 - MGO+Day Matching Combined - MGO+Weather Matching - Meter Generation Output - Matching Combined - Day Matching Combined - Day Matching 10/10 - Day Matching 5/10 (Residential Only) - Weather Matching - Control Group	- The business rules for location's device type applies to all Baseline Methods, please refer to BPM for DR, Appendix E – DRRS Location Device Type Business Rules and Baseline Met. - Control Group must have at least 150 control group locations and 1 treatment group location.

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Appendix E- DRRS Location Device Type Business Rules and Baseline Method Reference Matrix

Business Rules for Location Device Type:

A summary of the baseline method criteria in relation to its associated location business rule:

Baseline Method	Need at least one location with a device type equal to	
	Energy Storage (ES)	Electric Vehicle Supply Equipment (EVSE)
1. PDR-LSR 2. PDR-LSR+Day Matching 5/10 3. PDR-LSR+Day Matching 10/10 4. PDR-LSR+Weather Matching 5. PDR-LSR+Day Matching Combined 6. MGO+Day Matching 5/10 7. MGO+Day Matching 10/10 8. MGO+Day Matching Combined 9. MGO+Weather Matching 10. Meter Generation Output	Yes	
1. EVSE res 2. EVSE res+Day Matching 5/10 3. EVSE res+Day Matching 10/10 4. EVSE res+Day Matching Combined 5. EVSE res+Weather Matching 6. EVSE non-res 7. EVSE non-res+Day Matching 10/10 8. EVSE non-res+Weather Matching 9. EVSE non-res+Day Matching Combined		Yes

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Baseline Method	Need at least one location with a device type equal to	
	Energy Storage (ES)	Electric Vehicle Supply Equipment (EVSE)
1. Day Matching Combined 2. Day Matching 10/10 3. Day Matching 5/10 (Residential Only) 4. Weather Matching 5. Control Group		

DRRS Location Device Type Baseline Method Reference Matrix:

Location Device Type	Baseline Methods for Registration
Energy Storage (ES)	PDR-LSR* PDR-LSR+Day Matching 5/10* PDR-LSR+Day Matching 10/10* PDR-LSR+Weather Matching* PDR-LSR+Day Matching Combined* MGO+Day Matching 5/10* MGO+Day Matching 10/10* MGO+Day Matching Combined* MGO+Weather Matching* Weather Matching Meter Generation Output Day Matching Combined Day Matching 10/10 Day Matching 5/10 (Residential Only) Control Group

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

Electric Vehicle Supply Equipment (EVSE)	EVSE res* EVSE res+Day Matching 5/10* EVSE res+Day Matching 10/10* EVSE res+Day Matching Combined* EVSE res+Weather Matching* EVSE non-res* EVSE non-res+Day Matching 10/10* EVSE non-res+Weather Matching* EVSE non-res+Day Matching Combined* Weather Matching Day Matching Combined Day Matching 10/10 Day Matching 5/10 (Residential Only) Control Group
Neither ES Nor EVSE	Day Matching Combined Day Matching 10/10 Day Matching 5/10 (Residential Only) Weather Matching Control Group
Both ES and EVSE	PDR-LSR* PDR-LSR+Day Matching 5/10* PDR-LSR+Day Matching 10/10* PDR-LSR+Weather Matching* PDR-LSR+Day Matching Combined* MGO+Day Matching 5/10* MGO+Day Matching 10/10* MGO+Day Matching Combined* MGO+Weather Matching* Weather Matching


 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

	EVSE res* EVSE res+Day Matching 5/10* EVSE res+Day Matching 10/10* EVSE res+Day Matching Combined* EVSE res+Weather Matching* EVSE non-res* EVSE non-res+Day Matching 10/10* EVSE non-res+Weather Matching* EVSE non-res+Day Matching Combined* Meter Generation Output Day Matching Combined Day Matching 10/10 Day Matching 5/10 (Residential Only) Control Group	
--	--	--

Note: Baseline methods in asterisk (*) are new with ESDER 3B and those not in asterisk (*) are existing methods.

Appendix F– Example of Creating a Registration using Control Group Baseline Method

A minimum of 150 Control Group Locations and at least 1 Treatment Group must be selected. See the BPM for Demand Response for more details on the requirements for Baselines.



The screenshot displays the 'Registration' tab in the California ISO Demand Response Registration System. The interface includes several dropdown menus for configuration: DRP (set to UPGE), LDC (set to UPGE), LSE (set to LSCE), Baseline Method (set to Control Group), and SUB-AP. Below these are buttons for 'Refresh Available Locations' and 'Show/Refresh Available Locations'. The main area contains two tables: 'Available Locations' and 'Selected Locations'. The 'Available Locations' table lists various locations with columns for ID, NAME, SAN, Start Date, End Date, and PNODE. The 'Selected Locations' table shows a subset of these locations with checkboxes for selection. A 'Distribution Factor' table is also visible on the right side of the interface.

Note: DRRS limits 200 locations per registration unless this is loaded using the API.


Once the Registration information is complete, Locations have been selected and Distribution Factors updated (for custom resource id), the options to proceed include:

 California ISO	External Use	Version No.	5.1
		Effective Date	10/13/2025
DEMAND RESPONSE REGISTRATION USER GUIDE			

- **Cancel** - cancels the creation of the Registration
- **Save** - creates a new Registration and Registration ID for it.
- **Submit** - creates a new Registration and Registration ID for it and submits for registration.

Once the new Registration information has been created and saved or submitted, a new **Registration ID (Reg ID)** will be generated.

When saved, the locations **Status** will be displayed as **New**.



The screenshot displays the 'Registrations' and 'Locations' sections of the California ISO Demand Response Registration User Guide interface. The 'Registrations' table lists two entries: one with status 'New' and one with status 'Confirmed'. The 'Locations' table lists two entries: one with status 'New' and one with status 'Confirmed'.

Reg ID	Name	DRP	UDC	LSE	SUBLAP	DRP SC	Resource ID	Resource Type	Program	Baseline Method	Start Date	End Date	Status
542813	Create_Reg_Predefined							Pre Defined	Proxy DR	10 in 10 with SMA	09/05/2015	09/30/2016	New
542721	DRSouthbay							Pre Defined	Proxy DR	10 in 10 with SMA	09/01/2016	09/30/2016	Confirmed

Loc ID	SAN	Resource ID	Start date	End date	Distribution Factor	Status
542927	PTR12345		09/01/2016	09/30/2016		New
542641	UDC_LSE_REVIEW_1		09/01/2016	09/30/2016		Confirmed

When submitted, the locations **Status** will be displayed as **Confirmed**.