

July 15, 2024

The Honorable Debbie-Anne Reese
Acting Secretary
Federal Energy Regulatory Commission
888 First Street, NE
Washington, DC 20426

**Re: California Independent System Operator Corporation
Docket Nos. ER08-1178-000 and EL08-88-000
May 2024 Exceptional Dispatch Reports (Charts 1 and 2)**

Dear Secretary Reese:

The California Independent System Operator Corporation (CAISO) submits both its May 2024 (Chart 1) and May 2024 (Chart 2) Exceptional Dispatch reports as required by the Commission in the September 2, 2009 and May 4, 2010 orders. Because the necessary information is available, the CAISO is issuing the Chart 1 and Chart 2 reports on the 15th of the month. Previously, the Chart 2 report was filed on the 30th of the month.

Each report provides information that the Commission directed be included, as set forth in the September 2, 2009 and May 4, 2010 orders. The Chart 1 report (Attachment A), includes exceptional dispatch information except for cost data and the degree of mitigation and price impact analyses. The Chart 2 report (Attachment B), includes all of the information in the Chart 1 report as well as cost data and the degree of mitigation and price impact analyses.

Respectfully submitted,

By: /s/ Heather Curlee

Roger E. Collanton
General Counsel
Heather Curlee
Senior Counsel
California Independent System
Operator Corporation
250 Outcropping Way
Folsom, CA 95630
Tel: (916) 963-0654
Fax: (916) 608-7222
hcurlee@caiso.com

ATTACHMENT A

**May 2024 Exceptional Dispatch Report
Chart 1 data**



Exceptional Dispatch Report

Table 1: May 2024

TABLE OF CONTENTS

Introduction	3
The Nature of Exceptional Dispatch.....	3
Appendix A: Explanation by Example	14
Example 1: Exceptional Dispatch Instructions Prior to DAM	14
Example 2: Incremental Exceptional Dispatch Instructions in RTM.....	15
Example 3: Decremental Exceptional Dispatch Instructions in RTM.....	17

LIST OF TABLES AND FIGURES

Table 1: Exceptional Dispatches in May 2024	6
Table 2: Instructions Prior to Day-Ahead Market	14
Table 3: FERC Summary of Instructions Prior to DAM	15
Table 4: Incremental Exceptional Dispatch Instructions in RTM	15
Table 5: FERC Summary of ED Instructions in RTM	16
Table 6: Decremental Exceptional Dispatch Instructions in RTM	17
Table 7: FERC Summary of Decremental ED Instructions in RTM.....	17

Introduction

This report is filed pursuant to FERC's September 2, 2009, and May 4, 2010, orders in Docket No. ER08-1178. These orders require two monthly Exceptional Dispatch reports—one issued on the 15th of each month and one originally issued on the 30th of each month. Both Table 1 and Table 2 reports will be issued on the 15th of each month due to the availability of necessary data.

This report provides data on the frequency and reasons for Exceptional Dispatches issued in May 2024.

The Nature of Exceptional Dispatch

The CAISO can issue exceptional dispatch instructions for a resource as a pre-day-ahead unit commitment, which may also include a post-day-ahead unit commitment, or a real-time exceptional dispatch.¹ A pre-day-ahead commitment is an exceptional dispatch instruction that commits a resource at or above its physical minimum operating level in the day-ahead market. A post-day-ahead market commitment is an exceptional dispatch instruction that commits a resource at or above its physical minimum operating level in the real-time market. A real-time exceptional dispatch instruction is a dispatch of a resource at or above its physical minimum operating point. A real-time exceptional dispatch above the resource day-ahead award is an incremental exceptional dispatch instruction and an exceptional dispatch below the day-ahead award is a decremental dispatch instruction.

The CAISO issues exceptional dispatch instructions to maintain the reliability of the grid when the market software cannot do so. Whenever the CAISO issues an exceptional dispatch instruction, the operator logs the dispatch and the associated reason.

Many of the exceptional dispatches listed below Table 1 were to satisfy either a local area or system reliability requirements, and are classified into local generation requirements, transmission management requirements, non-modeled transmission outages or other non-modeled constraints or requirements and intertie emergency assistance. All of the transmission procedures are available on the CAISO website.²

The following reason for exceptional dispatch instructions in this report month was not related to generation or transmission operating procedures: Software Limitation, when an exceptional dispatch instruction was used to bridge schedules across days for resources with a minimum down time of 24 hours, as

¹ The CAISO can issue exceptional dispatch instructions subject to authority of the CAISO Tariff Section 34.11 and in accordance with CAISO Operating Procedure 2330 (formerly M-402).

² A list of all of the CAISO's publicly available Operating Procedures are available at the following link: <http://www.caiso.com/rules/Pages/OperatingProcedures/Default.aspx>

the CAISO software does not handle multi day commitment. For instance, a resource has a day-ahead schedule from 0600 till 2300, and then is shut down in 2400. If this resource had a minimum down time of 24 hours and it is required the following day, then the CAISO issues an exceptional dispatch to commit this resource in 2400 so it can be dispatched economically in the following day. Software limitation reason was also used for exceptional dispatches to manually issue shut down instructions to a resource because of a temporary Automatic Dispatch System (“ADS”) failure, or similar issues. Interconnection Reliability Operating Limits (IROL) are system operating limits that are established to prevent instability, uncontrolled separation or cascading as described in operating procedure 3100. System Operating Limit (SOL) are the facility ratings, system voltage limits, transient stability limits, and voltage stability limits that are used in the operating horizon – any of which can be the most restrictive limit at any point in time, pre – or post – contingency. Control Point (CP) are imposed to protect the area transmission network against N – 1 contingencies. There were a few other reasons used to explain exceptional dispatch instructions this report month, which are self explanatory.

The data in Table 1 is based on a template specified in the September 2009 order.³ Each entry in Attachment A is a summary of exceptional dispatches classified by (1) the reason for the exceptional dispatch; (2) the location of the resource by Participating Transmission Owner (“PTO”) service area; (3) the Local Reliability Area (“LRA”) where applicable; (4) the market in which the exceptional dispatch occurred (day-ahead vs. real-time); and (5) the date of the exceptional dispatch. For each classification the following information is provided: (1) Megawatts (MW); (2) Commitment (3) Inc or Dec (4) Hours; (5) Begin Time; and (6) End Time.

The MW column shows the range of exceptional dispatch instructions in MW for the classification. The Commitment column specifies if there was a unit commitment for the classification. The INC/DEC column specifies if there was an incremental dispatch or a decremental dispatch from the IFM schedule. The Begin Time column shows the start of exceptional dispatch for the classification and the End Time column shows the end of exceptional dispatch for the classification. The column Hours is the difference between end time and begin time rounded up to the next hour. The data shown is further explained by way of example in Attachment A.

³ The data in Table 1 is principally SLIC information supplemented with data from the Market Quality System (MQS). It is the most accurate currently available and it is worth noting that this data has been through the T+38B initial statement process wherein many unresolved issues are fixed. The CAISO believes that this data will correlate well with the settlements data that will be available when the CAISO files the Table 2 report for the reporting period.

Table 1 indicates there were 199 exceptional dispatches in May 2024, as compared to 193 exceptional dispatches in April 2024. There were no exceptional dispatches issued as a pre-day-ahead commitment.

Exceptional dispatches issued for the following reasons accounted for approximately 91 percent of the total exceptional dispatches during the reporting period: unit testing, planned transmission outages, reliability assessment and voltage support. Exceptional dispatches with the reason “Reliability Assessment” were due to Real Time Contingency Analysis, Voltage Stability Analysis, and operating procedure number 7110. Reliability Assessment is the reason as explained in the operator procedure 2330C⁴ that encompasses Control Point (CP), Interconnection Reliability Operating Limit (IROL), System Operating Limit (SOL) and congestion related EDs. This reason is used to mitigate reliability issues identified through the real – time assessment tools such as Real Time Contingency Analysis (RTCA), Voltage Stability Analysis (VSA), Dynamic Stability Analysis (DSA) and/or Operating Procedure (OP) or offline study.

1) ⁴ The operator procedure 2330C - <http://www.caiso.com/Documents/2330C.pdf>

Table 1: Exceptional Dispatches in May 2024

California Independent System Operator Corporation Exceptional Dispatch Report July 15, 2024											
Chart 1: Table of Exceptional Dispatches for Period 01/May/2024 - 31/May/2024											
Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
1	RT	Conditions beyond the control of the CAISO	PGAE	NA	5/24/2024	175	No	INC	11	11:00	22:00
2	RT	Fast Start Unit Management	PGAE	NA	5/2/2024	0	No	INC	3	7:00	9:15
3	RT	Fast Start Unit Management	PGAE	NA	5/3/2024	0	No	INC	1	7:00	8:00
4	RT	Fast Start Unit Management	PGAE	NA	5/7/2024	0	No	INC	1	0:50	1:50
5	RT	Fast Start Unit Management	SCE	LA Basin	5/30/2024	0	No	INC	1	2:10	3:05
6	RT	Incomplete or Inaccurate Transmission	PGAE	Fresno	5/23/2024	70	No	DEC	3	15:55	18:00
7	RT	Incomplete or Inaccurate Transmission	PGAE	Fresno	5/23/2024	70	No	INC	1	18:00	19:00
8	RT	Incomplete or Inaccurate Transmission	PGAE	NCNB	5/10/2024	44	No	DEC	2	2:35	4:00
9	RT	Incomplete or Inaccurate Transmission	PGAE	NA	5/9/2024	13	No	DEC	2	8:05	10:00
10	RT	Planned Transmission Outage	PGAE	Bay Area	5/14/2024	0	No	INC	1	18:35	19:30
11	RT	Planned Transmission Outage	PGAE	Fresno	5/1/2024	0	No	DEC	1	21:00	22:00
12	RT	Planned Transmission Outage	PGAE	Fresno	5/1/2024	0	No	INC	2	22:00	0:00
13	RT	Planned Transmission Outage	PGAE	Fresno	5/2/2024	0	No	DEC	1	0:00	0:15

14	RT	Planned Transmission Outage	PGAE	Humboldt	5/1/2024	15 - 45	No	INC	15	8:15	22:30
15	RT	Planned Transmission Outage	PGAE	Humboldt	5/3/2024	15 - 45	No	INC	6	18:30	0:00
16	RT	Planned Transmission Outage	PGAE	Humboldt	5/4/2024	30 - 45	No	INC	24	0:00	0:00
17	RT	Planned Transmission Outage	PGAE	Humboldt	5/5/2024	30 - 60	No	INC	18	0:00	17:15
18	RT	Planned Transmission Outage	PGAE	NCNB	5/30/2024	40	No	DEC	9	7:45	16:00
19	RT	Planned Transmission Outage	PGAE	Sierra	5/1/2024	20	No	INC	6	1:05	7:00
20	RT	Planned Transmission Outage	PGAE	Stockton	5/13/2024	15	No	INC	10	9:25	19:00
21	RT	Planned Transmission Outage	PGAE	Stockton	5/21/2024	20	No	DEC	2	6:05	8:00
22	RT	Planned Transmission Outage	PGAE	Stockton	5/29/2024	30	No	INC	9	9:05	18:00
23	RT	Planned Transmission Outage	PGAE	NA	5/8/2024	40	No	INC	5	2:55	7:00
24	RT	Planned Transmission Outage	PGAE	NA	5/9/2024	13	No	DEC	10	10:00	20:00
25	RT	Planned Transmission Outage	PGAE	NA	5/14/2024	0	No	INC	9	10:40	19:30
26	RT	Planned Transmission Outage	SCE	NA	5/3/2024	125	No	INC	9	7:00	15:45
27	RT	Pump Management	PGAE	Fresno	5/2/2024	0	No	INC	1	23:00	0:00
28	RT	Reliability Assessment	PGAE	Bay Area	5/13/2024	5	No	INC	7	15:10	22:00
29	RT	Reliability Assessment	PGAE	Fresno	5/9/2024	18	No	DEC	7	11:55	18:00
30	RT	Reliability Assessment	PGAE	Fresno	5/9/2024	25628	No	INC	7	11:35	18:00
31	RT	Reliability Assessment	PGAE	Fresno	5/10/2024	0	No	DEC	14	10:30	0:00
32	RT	Reliability Assessment	PGAE	Fresno	5/11/2024	0	No	INC	24	0:00	0:00
33	RT	Reliability Assessment	PGAE	Fresno	5/12/2024	0	No	INC	12	0:00	11:30
34	RT	Reliability Assessment	PGAE	Fresno	5/20/2024	83	No	INC	1	23:15	0:00
35	RT	Reliability Assessment	PGAE	Fresno	5/21/2024	83	No	INC	7	0:00	7:00
36	RT	Reliability Assessment	PGAE	Fresno	5/22/2024	0	No	DEC	7	15:00	22:00
37	RT	Reliability Assessment	PGAE	Fresno	5/22/2024	25	No	INC	2	12:55	14:00

38	RT	Reliability Assessment	PGAE	Fresno	5/23/2024	83	No	INC	2	4:30	6:00
39	RT	Reliability Assessment	PGAE	Fresno	5/24/2024	8	No	DEC	6	12:20	18:00
40	RT	Reliability Assessment	PGAE	Fresno	5/29/2024	9	No	INC	7	11:00	18:00
41	RT	Reliability Assessment	PGAE	Humboldt	5/22/2024	30 - 45	No	INC	5	2:45	7:00
42	RT	Reliability Assessment	PGAE	Sierra	5/14/2024	30	No	INC	3	21:30	0:00
43	RT	Reliability Assessment	PGAE	Sierra	5/15/2024	30	Yes	INC	1	0:00	0:30
44	RT	Reliability Assessment	PGAE	Sierra	5/17/2024	20	No	DEC	6	17:45	23:00
45	RT	Reliability Assessment	PGAE	Sierra	5/17/2024	42	No	INC	5	18:00	22:30
46	RT	Reliability Assessment	PGAE	Stockton	5/10/2024	5	No	DEC	1	8:15	9:00
47	RT	Reliability Assessment	PGAE	Stockton	5/10/2024	5	No	INC	1	9:00	10:00
48	RT	Reliability Assessment	PGAE	Stockton	5/13/2024	11	No	DEC	1	8:50	9:45
49	RT	Reliability Assessment	PGAE	NA	5/13/2024	35	No	INC	7	15:10	22:00
50	RT	Reliability Assessment	PGAE	NA	5/14/2024	0 - 2	No	DEC	2	17:05	19:00
51	RT	Reliability Assessment	SCE	Big Creek-Ventura	5/23/2024	10	No	DEC	2	13:10	15:00
52	RT	Reliability Assessment	SCE	Big Creek-Ventura	5/23/2024	10	No	INC	2	13:10	15:00
53	RT	Reliability Assessment	SCE	Fresno	5/21/2024	80	No	DEC	2	15:10	17:00
54	RT	Reliability Assessment	SCE	NA	5/23/2024	10 - 100	No	DEC	3	12:55	15:00
55	RT	Reliability Assessment	SCE	NA	5/23/2024	0 - 10	No	INC	6	13:00	18:30
56	RT	Software Limitation	PGAE	NA	5/1/2024	0	No	INC	1	8:05	9:00
57	RT	Software Limitation	PGAE	NA	5/10/2024	0	No	INC	1	9:50	10:50
58	RT	Software Limitation	PGAE	NA	5/21/2024	0	No	INC	2	10:00	11:05
59	RT	Software Limitation	PGAE	NA	5/22/2024	0	No	INC	2	8:00	9:05
60	RT	Unit Testing	Intertie	NA	5/2/2024	150	No	INC	5	17:00	22:00
61	RT	Unit Testing	Intertie	NA	5/10/2024	16984	No	INC	13	6:00	19:00
62	RT	Unit Testing	Intertie	NA	5/11/2024	20 - 46	No	INC	13	6:00	19:00
63	RT	Unit Testing	Intertie	NA	5/12/2024	20 - 46	No	INC	13	6:00	19:00
64	RT	Unit Testing	Intertie	NA	5/13/2024	20 - 46	No	INC	13	6:00	19:00

65	RT	Unit Testing	Intertie	NA	5/14/2024	40 - 92	No	INC	13	7:00	20:00
66	RT	Unit Testing	Intertie	NA	5/15/2024	150	No	INC	2	15:00	17:00
67	RT	Unit Testing	Intertie	NA	5/16/2024	50 - 134	No	INC	13	6:00	19:00
68	RT	Unit Testing	Intertie	NA	5/17/2024	50 - 134	No	INC	13	6:00	19:00
69	RT	Unit Testing	Intertie	NA	5/18/2024	50 - 134	No	INC	13	6:00	19:00
70	RT	Unit Testing	Intertie	NA	5/19/2024	50 - 134	No	INC	13	6:00	19:00
71	RT	Unit Testing	Intertie	NA	5/20/2024	50 - 134	No	INC	13	6:00	19:00
72	RT	Unit Testing	Intertie	NA	5/21/2024	-65	No	DEC	2	7:00	9:00
73	RT	Unit Testing	Intertie	NA	5/21/2024	50 - 150	No	INC	9	10:00	19:00
74	RT	Unit Testing	Intertie	NA	5/22/2024	-65	No	DEC	2	7:00	9:00
75	RT	Unit Testing	Intertie	NA	5/22/2024	50 - 150	No	INC	9	10:00	19:00
76	RT	Unit Testing	Intertie	NA	5/23/2024	20 - 134	No	INC	15	5:00	20:00
77	RT	Unit Testing	Intertie	NA	5/24/2024	20 - 134	No	INC	15	5:00	20:00
78	RT	Unit Testing	Intertie	NA	5/26/2024	20 - 134	No	INC	15	5:00	20:00
79	RT	Unit Testing	Intertie	NA	5/27/2024	20 - 134	No	INC	15	5:00	20:00
80	RT	Unit Testing	Intertie	NA	5/28/2024	20 - 134	No	INC	15	5:00	20:00
81	RT	Unit Testing	Intertie	NA	5/29/2024	20 - 134	No	INC	15	5:00	20:00
82	RT	Unit Testing	Intertie	NA	5/30/2024	20 - 134	No	INC	15	5:00	20:00
83	RT	Unit Testing	Intertie	NA	5/31/2024	20 - 134	No	INC	15	5:00	20:00
84	RT	Unit Testing	PGAE	Fresno	5/28/2024	44	No	INC	4	15:00	19:00
85	RT	Unit Testing	PGAE	Sierra	5/1/2024	285	No	INC	2	2:00	4:00
86	RT	Unit Testing	PGAE	NA	5/10/2024	0	No	INC	1	4:50	5:30

87	RT	Unit Testing	PGAE	NA	5/16/2024	40	No	INC	1	3:45	4:25
88	RT	Unit Testing	PGAE	NA	5/22/2024	40	No	INC	1	11:00	11:15
89	RT	Unit Testing	PGAE	NA	5/30/2024	45327	No	DEC	1	18:35	19:00
90	RT	Unit Testing	PGAE	NA	5/30/2024	150	No	INC	1	17:40	18:00
91	RT	Unit Testing	SCE	Big Creek-Ventura	5/15/2024	0 - 6.88	No	INC	2	9:45	11:20
92	RT	Unit Testing	SCE	Big Creek-Ventura	5/17/2024	250 - 741	No	INC	6	13:30	19:00
93	RT	Unit Testing	SCE	Big Creek-Ventura	5/24/2024	100 - 500	No	INC	3	13:40	16:30
94	RT	Unit Testing	SCE	Big Creek-Ventura	5/28/2024	74	No	INC	2	16:00	18:00
95	RT	Unit Testing	SCE	LA Basin	5/18/2024	8.61	No	INC	1	13:30	14:15
96	RT	Unit Testing	SCE	LA Basin	5/30/2024	63	No	INC	1	16:00	16:45
97	RT	Unit Testing	SCE	NA	5/3/2024	-0.1	No	INC	1	15:25	16:05
98	RT	Unit Testing	SCE	NA	5/15/2024	475	No	INC	2	22:00	0:00
99	RT	Unit Testing	SCE	NA	5/16/2024	475	No	INC	2	0:00	2:00
100	RT	Unit Testing	SCE	NA	5/20/2024	0	No	INC	1	11:40	12:25
101	RT	Unit Testing	SCE	NA	5/22/2024	-230	No	DEC	5	7:00	12:00
102	RT	Unit Testing	SCE	NA	5/22/2024	124.62 - 125	No	INC	2	4:35	6:10
103	RT	Unit Testing	SCE	NA	5/23/2024	-230	No	DEC	1	16:00	16:30
104	RT	Unit Testing	SCE	NA	5/23/2024	33 - 230	No	INC	10	4:05	13:30
105	RT	Unit Testing	SCE	NA	5/25/2024	0	No	INC	1	1:20	1:45
106	RT	Unit Testing	SDGE	NA	5/30/2024	100	No	INC	1	1:15	1:55
107	RT	Unplanned Outage	SCE	NA	5/11/2024	16803	No	DEC	5	19:55	0:00
108	RT	Unplanned Outage	SCE	NA	5/11/2024	1	No	INC	1	22:00	23:00
109	RT	Unplanned Outage	SCE	NA	5/12/2024	16803	No	DEC	17	0:00	16:45
110	RT	Unplanned Outage	SCE	NA	5/12/2024	1	No	INC	12	5:00	16:45
111	RT	Voltage Support	PGAE	Big Creek-Ventura	5/27/2024	62	No	INC	2	3:00	4:30
112	RT	Voltage Support	PGAE	Fresno	5/1/2024	-308	No	DEC	24	0:00	0:00

113	RT	Voltage Support	PGAE	Fresno	5/2/2024	-308	No	DEC	24	0:00	0:00
114	RT	Voltage Support	PGAE	Fresno	5/3/2024	-308	No	DEC	7	0:00	7:00
115	RT	Voltage Support	PGAE	Fresno	5/3/2024	83	No	INC	2	22:00	0:00
116	RT	Voltage Support	PGAE	Fresno	5/4/2024	-310	No	DEC	9	8:45	17:00
117	RT	Voltage Support	PGAE	Fresno	5/5/2024	-391	No	DEC	23	1:00	0:00
118	RT	Voltage Support	PGAE	Fresno	5/5/2024	83	No	INC	1	23:50	0:00
119	RT	Voltage Support	PGAE	Fresno	5/6/2024	83	No	DEC	24	0:00	0:00
120	RT	Voltage Support	PGAE	Fresno	5/6/2024	83	No	INC	6	0:00	6:00
121	RT	Voltage Support	PGAE	Fresno	5/7/2024	83	Yes	INC	7	0:00	6:30
122	RT	Voltage Support	PGAE	Fresno	5/8/2024	83	No	DEC	1	4:00	5:00
123	RT	Voltage Support	PGAE	Fresno	5/8/2024	83	No	INC	4	0:00	4:00
124	RT	Voltage Support	PGAE	Fresno	5/11/2024	83	No	INC	4	3:00	6:30
125	RT	Voltage Support	PGAE	Fresno	5/12/2024	83	No	INC	7	0:15	6:30
126	RT	Voltage Support	PGAE	Fresno	5/13/2024	83	No	INC	8	0:00	7:30
127	RT	Voltage Support	PGAE	Fresno	5/17/2024	-315	No	DEC	4	3:10	7:00
128	RT	Voltage Support	PGAE	Fresno	5/18/2024	-308	No	DEC	7	0:15	7:00
129	RT	Voltage Support	PGAE	Fresno	5/18/2024	-308	No	INC	1	7:00	8:00
130	RT	Voltage Support	PGAE	Fresno	5/19/2024	-308	No	DEC	24	0:00	0:00
131	RT	Voltage Support	PGAE	Fresno	5/20/2024	-308	No	DEC	7	0:00	7:00
132	RT	Voltage Support	PGAE	Fresno	5/21/2024	83	No	INC	1	23:00	0:00
133	RT	Voltage Support	PGAE	Fresno	5/22/2024	83	No	INC	2	4:45	6:00
134	RT	Voltage Support	PGAE	Fresno	5/26/2024	23 - 35	Yes	INC	14	5:10	19:00
135	RT	Voltage Support	PGAE	Fresno	5/28/2024	83	Yes	INC	5	1:00	6:00
136	RT	Voltage Support	PGAE	Fresno	5/29/2024	83	No	INC	4	1:00	5:00
137	RT	Voltage Support	PGAE	Fresno	5/31/2024	83	No	INC	1	5:00	6:00
138	RT	Voltage Support	PGAE	Humboldt	5/1/2024	15	No	DEC	1	6:30	7:00
139	RT	Voltage Support	PGAE	Humboldt	5/1/2024	15 - 30	No	INC	24	0:00	0:00
140	RT	Voltage Support	PGAE	Humboldt	5/2/2024	15 - 45	No	INC	24	0:00	0:00
141	RT	Voltage Support	PGAE	Humboldt	5/3/2024	15 - 45	No	INC	24	0:00	0:00

142	RT	Voltage Support	PGAE	Humboldt	5/4/2024	15 - 30	No	INC	19	0:00	18:20
143	RT	Voltage Support	PGAE	Humboldt	5/5/2024	45	No	INC	8	16:55	0:00
144	RT	Voltage Support	PGAE	Humboldt	5/6/2024	30 - 45	No	INC	24	0:00	0:00
145	RT	Voltage Support	PGAE	Humboldt	5/7/2024	30 - 60	No	INC	24	0:00	0:00
146	RT	Voltage Support	PGAE	Humboldt	5/8/2024	15 - 45	No	INC	24	0:00	0:00
147	RT	Voltage Support	PGAE	Humboldt	5/9/2024	15	No	DEC	20	4:10	0:00
148	RT	Voltage Support	PGAE	Humboldt	5/9/2024	15 - 45	No	INC	24	0:00	0:00
149	RT	Voltage Support	PGAE	Humboldt	5/10/2024	15	No	DEC	22	0:00	22:00
150	RT	Voltage Support	PGAE	Humboldt	5/10/2024	30	No	INC	24	0:00	0:00
151	RT	Voltage Support	PGAE	Humboldt	5/11/2024	15	No	DEC	5	1:30	6:00
152	RT	Voltage Support	PGAE	Humboldt	5/11/2024	30	No	INC	24	0:00	0:00
153	RT	Voltage Support	PGAE	Humboldt	5/12/2024	30	No	INC	24	0:00	0:00
154	RT	Voltage Support	PGAE	Humboldt	5/13/2024	30	No	INC	24	0:00	0:00
155	RT	Voltage Support	PGAE	Humboldt	5/14/2024	15	No	DEC	10	14:15	0:00
156	RT	Voltage Support	PGAE	Humboldt	5/14/2024	15 - 30	No	INC	24	0:00	0:00
157	RT	Voltage Support	PGAE	Humboldt	5/15/2024	15	No	DEC	4	18:00	22:00
158	RT	Voltage Support	PGAE	Humboldt	5/15/2024	15	No	INC	24	0:00	0:00
159	RT	Voltage Support	PGAE	Humboldt	5/16/2024	15	No	INC	24	0:00	0:00
160	RT	Voltage Support	PGAE	Humboldt	5/17/2024	15	No	DEC	24	0:00	0:00
161	RT	Voltage Support	PGAE	Humboldt	5/17/2024	15	No	INC	24	0:00	0:00
162	RT	Voltage Support	PGAE	Humboldt	5/18/2024	15	No	DEC	6	0:00	6:00
163	RT	Voltage Support	PGAE	Humboldt	5/18/2024	15	No	INC	24	0:00	0:00
164	RT	Voltage Support	PGAE	Humboldt	5/19/2024	15	No	INC	24	0:00	0:00
165	RT	Voltage Support	PGAE	Humboldt	5/20/2024	15	No	INC	24	0:00	0:00
166	RT	Voltage Support	PGAE	Humboldt	5/21/2024	15	No	INC	24	0:00	0:00
167	RT	Voltage Support	PGAE	Humboldt	5/22/2024	15	No	DEC	24	0:00	0:00
168	RT	Voltage Support	PGAE	Humboldt	5/22/2024	15	No	INC	24	0:00	0:00
169	RT	Voltage Support	PGAE	Humboldt	5/23/2024	15	No	DEC	24	0:00	0:00

170	RT	Voltage Support	PGAE	Humboldt	5/23/2024	15	No	INC	11	7:00	18:00
171	RT	Voltage Support	PGAE	Humboldt	5/24/2024	15	No	DEC	1	0:00	1:00
172	RT	Voltage Support	PGAE	Humboldt	5/24/2024	15 - 30	No	INC	24	0:00	0:00
173	RT	Voltage Support	PGAE	Humboldt	5/25/2024	15	No	INC	24	0:00	0:00
174	RT	Voltage Support	PGAE	Humboldt	5/26/2024	15	No	INC	24	0:00	0:00
175	RT	Voltage Support	PGAE	Humboldt	5/27/2024	15	No	DEC	8	16:00	0:00
176	RT	Voltage Support	PGAE	Humboldt	5/27/2024	15	No	INC	24	0:00	0:00
177	RT	Voltage Support	PGAE	Humboldt	5/28/2024	15	No	DEC	5	18:00	23:00
178	RT	Voltage Support	PGAE	Humboldt	5/28/2024	15	No	INC	24	0:00	0:00
179	RT	Voltage Support	PGAE	Humboldt	5/29/2024	15 - 30	No	INC	24	0:00	0:00
180	RT	Voltage Support	PGAE	Humboldt	5/30/2024	30	No	INC	24	0:00	0:00
181	RT	Voltage Support	PGAE	Humboldt	5/31/2024	30	No	INC	24	0:00	0:00
182	RT	Voltage Support	PGAE	Sierra	5/1/2024	20	No	INC	24	0:35	0:00
183	RT	Voltage Support	PGAE	Sierra	5/2/2024	20	No	INC	7	0:00	7:00
184	RT	Voltage Support	PGAE	Sierra	5/3/2024	20	Yes	INC	1	23:15	0:00
185	RT	Voltage Support	PGAE	Sierra	5/4/2024	20	No	INC	24	0:00	0:00
186	RT	Voltage Support	PGAE	Sierra	5/5/2024	20	Yes	INC	8	0:00	8:00
187	RT	Voltage Support	PGAE	Sierra	5/12/2024	20	No	INC	8	7:30	15:00
188	RT	Voltage Support	PGAE	Sierra	5/13/2024	20	No	DEC	1	21:50	22:00
189	RT	Voltage Support	PGAE	Sierra	5/13/2024	20	No	INC	2	22:00	0:00
190	RT	Voltage Support	PGAE	Sierra	5/14/2024	20	No	INC	7	0:00	7:00
191	RT	Voltage Support	PGAE	Sierra	5/15/2024	20	No	INC	2	22:25	0:00
192	RT	Voltage Support	PGAE	Sierra	5/16/2024	20	Yes	INC	2	0:00	1:30
193	RT	Voltage Support	PGAE	Sierra	5/17/2024	20	No	DEC	2	22:00	0:00
194	RT	Voltage Support	PGAE	Sierra	5/18/2024	20	No	DEC	23	0:00	23:00
195	RT	Voltage Support	PGAE	Sierra	5/18/2024	20	No	INC	22	2:00	0:00
196	RT	Voltage Support	PGAE	Sierra	5/19/2024	20	No	DEC	2	0:00	2:00
197	RT	Voltage Support	PGAE	Sierra	5/19/2024	20	No	INC	5	2:00	7:00
198	RT	Voltage Support	PGAE	NA	5/27/2024	65	No	INC	2	3:00	4:30
199	RT	Voltage Support	PGAE	NA	5/28/2024	65	No	INC	8	0:45	8:00

Appendix A: Explanation by Example

All examples listed below are based on fictitious data.

Example 1: Exceptional Dispatch Instructions Prior to DAM

In this fictitious example, the CAISO issued an exceptional dispatch instruction for resource A to be committed at its physical minimum (Pmin) of 50 MW from hours ending 5 through 10 for a generation procedure 7630. Similarly, the CAISO issued additional instructions to resources B and C for the same reason as shown in Table 2. Generally, exceptional dispatches prior to the day-ahead market are commitments to minimum load. Here the dispatch levels are all at minimum load.

Table 2: Instructions Prior to Day-Ahead Market

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch Level (MW)	Reason
01-Jul-09	DA	A	SCE	LA BASIN	05:00	10:00	50	7630
01-Jul-09	DA	B	SCE	LA BASIN	08:00	20:00	30	7630
01-Jul-09	DA	C	SCE	LA BASIN	09:00	23:00	20	7630

This data is summarized as shown in Table 3, which is the prescribed format specified in the FERC order on September 02, 2009. This summary classifies the data by reason, resource location, local reliability area, and trade date. The MW column in Table 3 is the range of MW; in this case the minimum instruction MW is 20 MW for resource C which occurs from hours ending 21 through 23. The maximum instruction occurs in hour ending 10. In this hour resource A is committed at 50 MW, resource B is committed at 30 MW and resource C is committed at 20 MW. This adds up to 100 MW. The MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. Commitments are broken out separately from energy dispatches. In the day-ahead, however the exceptional dispatches are nearly always just commitments, as in this example. The Begin Time column shows hour ending 5 as this was the hour ending for first dispatch of the day, and the End Time column shows hour ending 23, as this was the hour with last dispatch. It is also possible that there might be hours between the begin time and the end time where there might not be exceptional dispatch instructions for the given reason, meaning that the range between the begin time and end time can include null hours with no dispatch.

Table 3: FERC Summary of Instructions Prior to DAM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time
1	DA	7630	SCE	LA Basin	1-Jul-09	20-100	Yes	N/A	19	05:00	23:00

Example 2: Incremental Exceptional Dispatch Instructions in RTM

In this fictitious example, the CAISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 30 MW from hours ending 7 through 11 after completion of the day-ahead market for the transmission procedure 7110. This resource had no day-ahead award in those hours. The CAISO issued another exceptional dispatch instruction to resource B, to be dispatched at 40 MW from hours ending 8 through 9 in real-time for the transmission procedure 7110. This resource had a day-ahead schedule of 20 MW from the day-ahead market, which implies that this exceptional dispatch instruction was an incremental instruction and the exceptional dispatch MW was 20 MW. Similarly, the details of exceptional dispatch (ED) instruction for resource C are shown in Table 4.

Table 4: Incremental Exceptional Dispatch Instructions in RTM

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch Level (MW)	Day-Ahead Award (MW)	Commitment	INC/DEC	ED (MW)	Reason
01-Jul-09	RT	A	PG&E	Humboldt	06:00	11:00	30	0	Yes	INC	30	7110
01-Jul-09	RT	B	PG&E	Humboldt	07:00	09:00	40	20	No	INC	20	7110
01-Jul-09	RT	C	PG&E	Humboldt	12:00	15:00	50	50	No	INC	0	7110
01-Jul-09	RT	C	PG&E	Humboldt	16:00	20:00	50	40	No	INC	10	7110

This data is summarized as shown in Table 5 and is classified by reason, resource location, local reliability area, and trade date. The MW column in Table 5 is the range of MW; in this case the minimum instruction MW is 0 MW for resource C which occurs from hours ending 13 through 15. The maximum instruction occurs in hours ending 8 & 9, as during these two hours both resources A and B have an ED MW of 30MW and 20MW, respectively. This adds up to 50 MW. The MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. This column shows a commitment if there was a single commitment in the entire interval of exceptional dispatch. The Begin Time column shows the time of the first dispatch of the day. This is a time not a range. Similarly the End Time column shows a time and not a range. Exceptional dispatches occurred between these two times. Since there was a commitment between the begin time and end time then the Commitment column displays yes for the summary. Similarly, the INC/DEC column shows an INC as there was an incremental dispatch between the begin time and end time. As mentioned in the previous example it is possible that there might be hours between the begin time and end time where there were no exceptional dispatch instructions for the given reason.

Table 5: FERC Summary of ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time
1	RT	7110	PG&E	Humboldt	1-Jul-09	0-50	Yes	INC	15	06:00	20:00

Example 3: Decremental Exceptional Dispatch Instructions in RTM

This example highlights decremental exceptional dispatch instructions in the real-time market. In this fictitious example the CAISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 20 MW from hours ending 15 through 20 after completion of the day-ahead market for the transmission procedure 7430. The CAISO issued additional exceptional dispatch instructions for resources B and C; details of those instructions are shown in Table 6.

Table 6: Decremental Exceptional Dispatch Instructions in RTM

Date	Market Type	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch Level (MW)	Day-Ahead Award (MW)	Commitment	INC/DEC	ED (MW)	Reason
01-Jul-09	RT	A	PG&E	Fresno	15:00	20:00	20	0	Yes	INC	20	7430
01-Jul-09	RT	B	PG&E	Fresno	07:00	09:00	40	60	No	DEC	20	7430
01-Jul-09	RT	C	PG&E	Fresno	10:00	14:00	40	50	No	DEC	10	7430

This data is summarized according to FERC convention as shown in Table 7. This summary classifies the data by reason, resource location, local reliability area, and trade date. Please note that inc and dec are broken out separately. The inc entry is self-explanatory and similar to the previous example. Regarding the dec entry the MW column is the range of MW; in this case the minimum dec instruction is 10 MW (actually -10MW as it is a dec) for resource C which occurs from hours ending 10 through 14. The maximum instruction occurs from hours ending 7 through 9, when resource B was issued a dec instruction of 20 MW. The MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time.

Table 7: FERC Summary of Decremental ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time
1	RT	7430	PG&E	Fresno	1-Jul-09	20	Yes	INC	6	15:00	20:00
1	RT	7430	PG&E	Fresno	1-Jul-09	10-20	Yes	DEC	8	07:00	14:00

ATTACHMENT B

**May 2024 Exceptional Dispatch Report
Chart 2 data**



Exceptional Dispatch Report

Table 2: May 2024

Market Performance and Advanced Analytics

July 15, 2024

TABLE OF CONTENTS

Introduction	3
The Nature of Exceptional Dispatch.....	3
Appendix A: Explanation by Example	14
Example 1: Exceptional Dispatch Instructions Prior to DAM	14
Example 2: Incremental Exceptional Dispatch Instructions in RTM.....	15
Example 3: Decremental Exceptional Dispatch Instructions in RTM	17
Appendix B: Price Impact Analysis	19
Appendix C: Exceptional Dispatch Bid Mitigation Analysis	24

LIST OF TABLES AND FIGURES

Table 1: Exceptional Dispatches in May 2024	7
Table 2: Instructions Prior to Day-Ahead Market	14
Table 3: FERC Summary of Instructions Prior to DAM	14
Table 4: Incremental Exceptional Dispatch Instructions in RTM	15
Table 5: FERC Summary of ED Instructions in RTM	17
Table 6: Decremental Exceptional Dispatch Instructions in RTM	17
Table 7: FERC Summary of Decremental ED Instructions in RTM.....	18
Table 8: Price Impact Analysis Information for Pricing Node A in PG&E LAP	20
Table 9: Price Impact Analysis Information for Pricing Node B in SCE LAP	23

Introduction

This report is filed pursuant to FERC’s September 2, 2009, and May 4, 2010, orders in ER08-1178. These orders require two monthly Exceptional Dispatch reports—one issued on the 15th of each month and one originally issued on the 30th of each month. Both Table 1 and Table 2 reports will be issued on the 15th of each month due to the availability of necessary data.

This report provides data on the frequency, reasons and costs for Exceptional Dispatches issued in May 2024.

This report contains a price impact analysis as prescribed by FERC in its September 2 order. The price impact analysis is presented in Appendix B. This report also includes mitigation analysis required by section 34.11.4 of the CAISO tariff. This analysis compares those Exceptional Dispatches subject to bid mitigation (i.e. Exceptional Dispatches to address noncompetitive constraints and Delta Dispatch), and determines the cost difference between the Exceptional Dispatch bid mitigation settlement rules and what the settlement amount would have been had the Exceptional Dispatches not been subject to bid mitigation. The Exceptional Dispatch bid mitigation analysis is presented in Appendix C.

The Nature of Exceptional Dispatch

The CAISO can issue exceptional dispatch instructions for a resource as a pre-day-ahead unit commitment, a post day-ahead unit commitment or a real-time exceptional dispatch. A pre-day-ahead unit commitment is an exceptional dispatch instruction committing a resource at or above its physical minimum (Pmin) operating level in the day-ahead market. A post-day-ahead unit commitment is an exceptional dispatch instruction committing a resource at or above its (Pmin) operating level in the real-time market. A real-time exceptional dispatch instructs a resource to operate at or above its physical minimum operating point. A real-time exceptional dispatch above the resource’s day-ahead award is an incremental exceptional dispatch instruction and a real-time exceptional dispatch below the day-ahead award is considered a decremental dispatch instruction. The CAISO issues exceptional dispatch instructions to maintain the reliability of the grid when the market software cannot do so. Whenever the CAISO issues an exceptional dispatch instruction, the operator logs the dispatch and the associated reason. Reliability requirements are calculated for both local area and the system wide needs, and are classified into various requirements including local generation, transmission management, non-modeled transmission outages, ramping and intertie emergency assistance. Whenever the CAISO issues an exceptional dispatch instruction, the operators log these instructions and the associated reason for each instruction.

Most of the generation procedures are internal to the CAISO and not available publicly on the CAISO website; however, all of the transmission procedures are available on the CAISO website.¹

Additional reasons for exceptional dispatch instructions covered in this report include Software Limitation. Software Limitation is used when an exceptional dispatch instruction was issued to bridge schedules across days for resources with a minimum down time of 24 hours, as the CAISO software does not handle multi-day commitment. For instance, a resource has a day-ahead schedule from 0600 till 2300, and then is shut down in 2400. If this resource had a minimum down time of 24 hours and it is required the following day, then the CAISO issues an exceptional dispatch to commit this resource in 2400 so it can be dispatched economically in the following day. Software Limitation was also used for exceptional dispatches to manually issue shut down instructions to a resource because of a temporary Automatic Dispatch System (“ADS”) failure, or similar issues. Interconnection Reliability Operating Limits (IROL) are system operating limits that are established to prevent instability, uncontrolled separation or cascading as described in operating procedure 3100. System Operating Limit (SOL) are the facility ratings, system voltage limits, transient stability limits, and voltage stability limits that are used in the operating horizon – any of which can be the most restrictive limit at any point in time, pre – or post – contingency. Control Point (CP) are imposed to protect the area transmission network against N – 1 contingencies. There were a few other reasons used to explain exceptional dispatch instructions in the report month, which are self-explanatory.

The data in Table 1 is based on a template specified in the September 2009 order.² This table contains all the information published in Table 1 of the first report for the current report month. In addition, it contains volume (MWh) and cost information. Each entry in Table 1 is a summary of exceptional dispatches classified by (1) the reason for the exceptional dispatch; (2) the location of the resource by Participating Transmission Owner (PTO) service area; (3) the Local Reliability Area (LRA) where applicable; (4) the market in which the exceptional dispatch occurred (day-ahead vs. real-time); and (5) the date of the exceptional dispatch. For each classification the following information is provided: (1) Megawatts (MW); (2) Commitment; (3) Inc or Dec; (4) Hours; (5) Begin Time; (6) End Time; (7) Total Volume (MWh); (8) Min Load Cost; (9) Start Up Cost; (10) CC6470; (11) ED Volume (MWh INC/DEC); (12) CC6470 INC; (13) CC6470 DEC; (14) CC6482; (15) CC6488; and (16) CC6620. Each column is defined:

¹ A list of all of the CAISO’s Operating Procedures and all the publicly available Operating Procedures are available at the following link:

<http://www.caiso.com/rules/Pages/OperatingProcedures/Default.aspx>

² The data in Table 1 is principally SLIC information supplemented with data from the Market Quality System (MQS) and Settlements database. The volume and cost information is based on t+51B Recalculation Statements.

- The MW column shows the range of exceptional dispatch instruction in MW for the classification.
- The Commitment column specifies if there was a unit commitment for the classification.
- The INC/DEC/NA column specifies if there was an incremental dispatch (INC), a decremental dispatch (DEC), or only a unit commitment (NA). The Begin Time and End Time columns show the start and end time of exceptional dispatch for the classification respectively.
- The Hours column is the time difference between begin time and end time rounded up to the next hour.
- The total volume column shows the total MWh dispatch quantity dispatched for that classification. This quantity includes the minimum load quantity, the imbalance energy quantity, and the exceptional dispatch quantity.
- The Min-Load Cost column shows eligible minimum load cost for the classification.
- The Start-Up Cost column shows the eligible start up cost for the classification. The CAISO does not explicitly pay resources for its start up and minimum load costs; however, it ensures that resources are compensated adequately through its bid cost recovery.³
- The CC6470 column shows the total imbalance energy costs for the classification. This cost contains the portion of exceptional dispatch instruction settled as optimal energy due to its bid price being less than the LMP in the relevant settlement interval.
- The ED Volume MWh (MWh INC/DEC) column shows the incremental or the decremental portion of the real-time exceptional dispatch MWh for the classification. The CC6470-INC shows that portion of incremental exceptional dispatch instruction settled at the resource LMP.
- The CC6470-DEC column shows that portion of decremental exceptional dispatch instruction settled at the resource specific LMP. Both these charge codes are portions of the real-time instructed imbalance energy charge code (6470).⁴
- The CC6482 column shows the real-time excess cost for the classification.⁵
- The CC6488 column shows the real-time exceptional dispatch uplift settlement for the classification.⁶ The CC6620 shows the bid cost recovery payment for the classification. This cost is shown for all pre-day-ahead unit commitments only.

³ For further details regarding the Bid Cost Recovery process please refer to section 11.8 of the CAISO tariff.

⁴ For further details please refer to the BPM configuration Guide: Real-Time Instructed Imbalance Energy Settlement published on the CAISO's website.

⁵ For further details please refer to the BPM configuration Guide: Real Time Excess Cost for Instructed Energy Settlement published on the CAISO's website.

⁶ For further details please refer to the BPM configuration Guide: Real Time Exceptional Dispatch Uplift Settlement published on the CAISO's website.

Charge codes 6470, 6470 INC, 6470 DEC, 6482 and 6488 are shown in Table 1 because all these charge codes pertain to real-time exceptional dispatch MWH quantities. The classification of data is further explained for example in Attachment A.

Exceptional dispatches with the reason “Reliability Assessment” were due to Real Time Contingency Analysis, Voltage Stability Analysis, and operating procedure number 7110. Reliability Assessment is the reason as explained in the operator procedure 2330C that encompasses Control Point (CP), Interconnection Reliability Operating Limit (IROL), System Operating Limit (SOL) and congestion related EDs. This reason is used to mitigate reliability issues identified through the real – time assessment tools such as Real Time Contingency Analysis (RTCA), Voltage Stability Analysis (VSA), Dynamic Stability Analysis (DSA) and/or Operating Procedure (OP) or offline study.

There were no exceptional dispatches issued as a pre-day-ahead commitment.

Table 1: Exceptional Dispatches in May 2024

California Independent System Operator Corporation Exceptional Dispatch Report																					
Chart 2: Table of Exceptional Dispatches for May 2024																					
Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time	Total MWH	Min Load cost	Startup Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488	CC6620
1	RT	Conditions beyond the control of the CAISO	PGAE	NA	5/24/2024	175	No	INC	11	11:00	22:00	-25.02	69473.80	14419.05	774.47	0.00	0.00	0.00	0.00	0.00	0.00
2	RT	Fast Start Unit Management	PGAE	NA	5/2/2024	0	No	INC	3	7:00	9:15	-158.49	6819.39	0.00	-142.38	-161.13	0.00	0.00	0.00	0.00	0.00
3	RT	Fast Start Unit Management	PGAE	NA	5/3/2024	0	No	INC	1	7:00	8:00	-173.53	1913.87	0.00	4089.89	-43.37	0.00	379.12	0.00	0.00	0.00
4	RT	Fast Start Unit Management	PGAE	NA	5/7/2024	0	No	INC	1	0:50	1:50	-113.55	3904.30	0.00	130.45	-113.55	0.00	130.45	0.00	0.00	0.00
5	RT	Fast Start Unit Management	SCE	LA Basin	5/30/2024	0	No	INC	1	2:10	3:05	-27.05	724.65	0.00	124.20	-27.05	0.00	124.20	0.00	0.00	0.00
6	RT	Incomplete or Inaccurate Transmission	PGAE	Fresno	5/23/2024	70	No	DEC	3	15:55	18:00	-12.98	0.00	0.00	-17.84	0.00	0.00	0.00	0.00	-674.58	0.00
7	RT	Incomplete or Inaccurate Transmission	PGAE	Fresno	5/23/2024	70	No	INC	1	18:00	19:00	-4.29	0.00	0.00	21.51	0.00	0.00	0.00	0.00	0.00	0.00
8	RT	Incomplete or Inaccurate Transmission	PGAE	NCNB	5/10/2024	44	No	DEC	2	2:35	4:00	-3.46	0.00	0.00	76.69	-3.33	0.00	90.66	0.00	-531.30	0.00
9	RT	Incomplete or Inaccurate Transmission	PGAE	NA	5/9/2024	13	No	DEC	2	8:05	10:00	-4.00	0.00	0.00	65.38	-4.00	0.00	65.38	0.00	-223.14	0.00
10	RT	Planned Transmission Outage	PGAE	Bay Area	5/14/2024	0	No	INC	1	18:35	19:30	-3.56	0.00	0.00	156.84	0.00	0.00	0.00	0.00	0.00	0.00
11	RT	Planned Transmission Outage	PGAE	Fresno	5/1/2024	0	No	DEC	1	21:00	22:00	-100.00	-3577.64	0.00	3626.63	-100.00	0.00	3626.63	0.00	-3494.81	0.00
12	RT	Planned Transmission Outage	PGAE	Fresno	5/1/2024	0	No	INC	2	22:00	0:00	-29.17	0.00	0.00	1071.98	0.00	0.00	0.00	0.00	0.00	0.00
13	RT	Planned Transmission Outage	PGAE	Fresno	5/2/2024	0	No	DEC	1	0:00	0:15	0.00	-986.94	0.00	0.00	0.00	0.00	0.00	0.00	-1284.42	0.00
14	RT	Planned Transmission Outage	PGAE	Humboldt	5/1/2024	15 - 45	No	INC	15	8:15	22:30	4.55	25052.89	0.00	-46.93	1.96	1.84	0.00	0.00	-593.03	0.00
15	RT	Planned Transmission Outage	PGAE	Humboldt	5/3/2024	15 - 45	No	INC	6	18:30	0:00	7.70	8457.49	0.00	-266.19	0.00	0.00	0.00	0.00	0.00	0.00
16	RT	Planned Transmission Outage	PGAE	Humboldt	5/4/2024	30 - 45	No	INC	24	0:00	0:00	3.66	45565.92	0.00	-147.09	0.00	0.00	0.00	0.00	-5.76	0.00
17	RT	Planned Transmission Outage	PGAE	Humboldt	5/5/2024	30 - 60	No	INC	18	0:00	17:15	-3.74	54149.96	0.00	-288.08	0.85	-1.98	0.00	0.00	-1794.34	0.00
18	RT	Planned Transmission Outage	PGAE	NCNB	5/30/2024	40	No	DEC	9	7:45	16:00	-25.62	0.00	0.00	1967.32	-26.12	0.00	2005.16	0.00	-9725.06	0.00
19	RT	Planned Transmission Outage	PGAE	Sierra	5/1/2024	20	No	INC	6	1:05	7:00	13.94	0.00	0.00	-672.60	0.00	0.00	0.00	0.00	0.00	0.00

Department of Market Performance and Advanced Analytics – California ISO

20	RT	Planned Transmission Outage	PGAE	Stockton	5/13/2024	15	No	INC	10	9:25	19:00	-3.45	0.00	0.00	-241.32	0.00	0.00	0.00	0.00	0.00	0.00
21	RT	Planned Transmission Outage	PGAE	Stockton	5/21/2024	20	No	DEC	2	6:05	8:00	-16.91	0.00	0.00	1687.46	-16.62	0.00	1730.21	0.00	-4621.23	0.00
22	RT	Planned Transmission Outage	PGAE	Stockton	5/29/2024	30	No	INC	9	9:05	18:00	-4.07	38.15	0.00	5.94	-0.35	0.00	0.30	0.00	-0.29	0.00
23	RT	Planned Transmission Outage	PGAE	NA	5/8/2024	40	No	INC	5	2:55	7:00	5.02	0.00	0.00	-107.80	0.00	0.00	0.00	0.00	0.00	0.00
24	RT	Planned Transmission Outage	PGAE	NA	5/9/2024	13	No	DEC	10	10:00	20:00	4.69	0.00	0.00	-22.30	0.00	0.00	0.00	0.00	-885.27	0.00
25	RT	Planned Transmission Outage	PGAE	NA	5/14/2024	0	No	INC	9	10:40	19:30	-31.46	0.00	0.09	1245.74	0.00	0.00	0.00	0.00	0.00	0.00
26	RT	Planned Transmission Outage	SCE	NA	5/3/2024	125	No	INC	9	7:00	15:45	-1.30	43343.65	6761.69	-15.69	0.00	0.00	0.00	0.00	0.00	0.00
27	RT	Pump Management	PGAE	Fresno	5/2/2024	0	No	INC	1	23:00	0:00	-66.32	0.00	0.00	1274.91	-65.05	0.00	1233.58	0.00	0.00	0.00
28	RT	Reliability Assessment	PGAE	Bay Area	5/13/2024	5	No	INC	7	15:10	22:00	-2.80	0.00	0.00	78.69	0.00	0.00	0.00	0.00	0.00	0.00
29	RT	Reliability Assessment	PGAE	Fresno	5/9/2024	18	No	DEC	7	11:55	18:00	-4.01	0.00	0.00	-105.98	-4.08	0.00	-105.63	0.00	0.00	0.00
30	RT	Reliability Assessment	PGAE	Fresno	5/9/2024	25628	No	INC	7	11:35	18:00	0.01	0.00	0.00	-119.72	-5.65	0.00	-373.25	0.00	0.00	0.00
31	RT	Reliability Assessment	PGAE	Fresno	5/10/2024	0	No	DEC	14	10:30	0:00	-2.89	0.00	0.00	15.77	-2.89	0.00	15.77	0.00	0.00	0.00
32	RT	Reliability Assessment	PGAE	Fresno	5/11/2024	0	No	INC	24	0:00	0:00	-0.48	0.00	0.00	22.05	0.00	0.00	0.00	0.00	0.00	0.00
33	RT	Reliability Assessment	PGAE	Fresno	5/12/2024	0	No	INC	12	0:00	11:30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
34	RT	Reliability Assessment	PGAE	Fresno	5/20/2024	83	No	INC	1	23:15	0:00	41.50	2302.85	0.00	1002.45	0.00	0.00	0.00	0.00	0.00	0.00
35	RT	Reliability Assessment	PGAE	Fresno	5/21/2024	83	No	INC	7	0:00	7:00	8.67	34296.04	0.00	362.91	0.00	0.00	0.00	0.00	0.00	0.00
36	RT	Reliability Assessment	PGAE	Fresno	5/22/2024	0	No	DEC	7	15:00	22:00	0.03	0.00	0.00	0.42	0.00	0.00	0.00	0.00	0.00	0.00
37	RT	Reliability Assessment	PGAE	Fresno	5/22/2024	25	No	INC	2	12:55	14:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
38	RT	Reliability Assessment	PGAE	Fresno	5/23/2024	83	No	INC	2	4:30	6:00	3.46	3372.03	0.00	-37.08	0.00	0.00	0.00	0.00	0.00	0.00
39	RT	Reliability Assessment	PGAE	Fresno	5/24/2024	8	No	DEC	6	12:20	18:00	-2.65	0.00	0.00	-117.56	-2.67	0.00	-117.47	0.00	0.00	0.00
40	RT	Reliability Assessment	PGAE	Fresno	5/29/2024	9	No	INC	7	11:00	18:00	2.67	0.00	0.00	395.11	0.00	0.00	0.00	0.00	0.00	0.00
41	RT	Reliability Assessment	PGAE	Humboldt	5/22/2024	30 - 45	No	INC	5	2:45	7:00	-4.40	5464.90	0.00	-102.77	-6.22	0.00	71.69	0.00	0.00	0.00
42	RT	Reliability Assessment	PGAE	Sierra	5/14/2024	30	No	INC	3	21:30	0:00	32.89	0.00	0.00	1740.95	0.00	0.00	0.00	0.00	0.00	0.00
43	RT	Reliability Assessment	PGAE	Sierra	5/15/2024	30	Yes	INC	1	0:00	0:30	-2.50	0.00	0.00	68.99	0.00	0.00	0.00	0.00	0.00	0.00
44	RT	Reliability Assessment	PGAE	Sierra	5/17/2024	20	No	DEC	6	17:45	23:00	-28.11	0.00	0.00	1134.34	0.00	0.00	0.00	0.00	0.00	0.00
45	RT	Reliability Assessment	PGAE	Sierra	5/17/2024	42	No	INC	5	18:00	22:30	0.46	18000.23	5786.91	-49.35	0.00	0.00	0.00	0.00	0.00	0.00
46	RT	Reliability Assessment	PGAE	Stockton	5/10/2024	5	No	DEC	1	8:15	9:00	-6.96	0.00	0.00	263.89	0.00	0.00	0.00	0.00	0.00	0.00
47	RT	Reliability Assessment	PGAE	Stockton	5/10/2024	5	No	INC	1	9:00	10:00	0.05	0.00	0.00	15.06	0.00	0.00	0.00	0.00	0.00	0.00
48	RT	Reliability Assessment	PGAE	Stockton	5/13/2024	11	No	DEC	1	8:50	9:45	-2.23	0.00	0.00	160.13	-4.36	0.00	11.07	0.00	0.00	0.00
49	RT	Reliability Assessment	PGAE	NA	5/13/2024	35	No	INC	7	15:10	22:00	-7.70	0.00	0.00	263.66	0.00	0.00	0.00	0.00	0.00	0.00
50	RT	Reliability Assessment	PGAE	NA	5/14/2024	0 - 2	No	DEC	2	17:05	19:00	-18.74	0.00	0.00	-52.57	-17.14	0.00	-61.69	0.00	0.00	0.00
51	RT	Reliability Assessment	SCE	Big Creek-Ventura	5/23/2024	10	No	DEC	2	13:10	15:00	-97.52	0.00	0.00	3930.54	0.00	0.00	0.00	0.00	0.00	0.00
52	RT	Reliability Assessment	SCE	Big Creek-Ventura	5/23/2024	10	No	INC	2	13:10	15:00	-92.82	0.00	0.00	3735.02	0.00	0.00	0.00	0.00	0.00	0.00
53	RT	Reliability Assessment	SCE	Fresno	5/21/2024	80	No	DEC	2	15:10	17:00	-42.50	0.00	0.00	2974.70	-1.20	0.00	-84.22	0.00	0.00	0.00

Department of Market Performance and Advanced Analytics – California ISO

54	RT	Reliability Assessment	SCE	NA	5/23/2024	10 - 100	No	DEC	3	12:55	15:00	-811.66	0.00	0.00	32744.19	-647.66	0.00	26136.70	0.00	0.00	0.00
55	RT	Reliability Assessment	SCE	NA	5/23/2024	0 - 10	No	INC	6	13:00	18:30	-47.12	0.00	0.00	1828.82	0.00	0.00	0.00	0.00	0.00	0.00
56	RT	Software Limitation	PGAE	NA	5/1/2024	0	No	INC	1	8:05	9:00	-128.49	4979.57	0.00	5268.88	-128.49	0.00	5268.88	0.00	0.00	0.00
57	RT	Software Limitation	PGAE	NA	5/10/2024	0	No	INC	1	9:50	10:50	-128.49	5472.25	0.00	-855.08	-128.49	0.00	-855.08	0.00	0.00	0.00
58	RT	Software Limitation	PGAE	NA	5/21/2024	0	No	INC	2	10:00	11:05	-24.48	1502.28	0.00	1956.67	-24.48	0.00	1956.67	0.00	0.00	0.00
59	RT	Software Limitation	PGAE	NA	5/22/2024	0	No	INC	2	8:00	9:05	-7.74	429.82	0.00	-298.93	-8.16	0.00	-314.96	0.00	0.00	0.00
60	RT	Unit Testing	Intertie	NA	5/2/2024	150	No	INC	5	17:00	22:00	721.83	0.00	0.00	21264.02	68.68	-26.78	0.00	0.00	0.00	0.00
61	RT	Unit Testing	Intertie	NA	5/10/2024	16984	No	INC	13	6:00	19:00	467.82	0.00	0.00	8024.63	157.28	-98.21	0.00	0.00	0.00	0.00
62	RT	Unit Testing	Intertie	NA	5/11/2024	20 - 46	No	INC	13	6:00	19:00	537.82	0.00	0.00	1079.65	494.25	-538.78	0.00	0.00	0.00	0.00
63	RT	Unit Testing	Intertie	NA	5/12/2024	20 - 46	No	INC	13	6:00	19:00	540.58	0.00	0.00	1549.23	459.73	-179.29	0.00	0.00	0.00	0.00
64	RT	Unit Testing	Intertie	NA	5/13/2024	20 - 46	No	INC	13	6:00	19:00	540.58	0.00	0.00	8079.21	0.00	0.00	0.00	0.00	0.00	0.00
65	RT	Unit Testing	Intertie	NA	5/14/2024	40 - 92	No	INC	13	7:00	20:00	1067.17	0.00	0.00	9192.30	342.92	1525.59	0.00	0.00	0.00	0.00
66	RT	Unit Testing	Intertie	NA	5/15/2024	150	No	INC	2	15:00	17:00	277.51	0.00	0.00	6001.45	0.00	0.00	0.00	0.00	0.00	0.00
67	RT	Unit Testing	Intertie	NA	5/16/2024	50 - 134	No	INC	13	6:00	19:00	1546.12	0.00	0.00	-931.78	1103.83	2958.93	0.00	0.00	0.00	0.00
68	RT	Unit Testing	Intertie	NA	5/17/2024	50 - 134	No	INC	13	6:00	19:00	1547.91	0.00	0.00	8845.44	1384.31	10571.75	0.00	0.00	0.00	0.00
69	RT	Unit Testing	Intertie	NA	5/18/2024	50 - 134	No	INC	13	6:00	19:00	1.54	0.00	0.00	23.00	0.00	0.00	0.00	0.00	0.00	0.00
70	RT	Unit Testing	Intertie	NA	5/19/2024	50 - 134	No	INC	13	6:00	19:00	1544.96	0.00	0.00	29870.16	1490.08	30566.24	0.00	0.00	0.00	0.00
71	RT	Unit Testing	Intertie	NA	5/20/2024	50 - 134	No	INC	13	6:00	19:00	1539.01	0.00	0.00	1255.80	922.02	7588.22	0.00	0.00	0.00	0.00
72	RT	Unit Testing	Intertie	NA	5/21/2024	-65	No	DEC	2	7:00	9:00	-232.55	0.00	0.00	2121.41	0.00	0.00	0.00	0.00	0.00	0.00
73	RT	Unit Testing	Intertie	NA	5/21/2024	50 - 150	No	INC	9	10:00	19:00	993.05	0.00	0.00	5733.11	734.24	10687.01	0.00	0.00	0.00	0.00
74	RT	Unit Testing	Intertie	NA	5/22/2024	-65	No	DEC	2	7:00	9:00	-232.55	0.00	0.00	474.84	0.00	0.00	0.00	0.00	0.00	0.00
75	RT	Unit Testing	Intertie	NA	5/22/2024	50 - 150	No	INC	9	10:00	19:00	993.65	0.00	0.00	11575.49	943.29	12667.29	0.00	0.00	0.00	0.00
76	RT	Unit Testing	Intertie	NA	5/23/2024	20 - 134	No	INC	15	5:00	20:00	1585.36	0.00	0.00	15560.94	1443.09	18504.19	0.00	0.00	0.00	0.00
77	RT	Unit Testing	Intertie	NA	5/24/2024	20 - 134	No	INC	15	5:00	20:00	1585.58	0.00	0.00	6042.24	1255.79	9676.30	0.00	0.00	0.00	0.00
78	RT	Unit Testing	Intertie	NA	5/26/2024	20 - 134	No	INC	15	5:00	20:00	1448.86	0.00	0.00	37345.98	1345.17	38423.93	0.00	0.00	0.00	0.00
79	RT	Unit Testing	Intertie	NA	5/27/2024	20 - 134	No	INC	15	5:00	20:00	1611.17	0.00	0.00	30304.07	1150.62	8346.37	0.00	0.00	0.00	0.00

Department of Market Performance and Advanced Analytics – California ISO

80	RT	Unit Testing	Intertie	NA	5/28/2024	20 - 134	No	INC	15	5:00	20:00	1556.58	0.00	0.00	-3383.70	842.38	3158.67	0.00	0.00	0.00	0.00
81	RT	Unit Testing	Intertie	NA	5/29/2024	20 - 134	No	INC	15	5:00	20:00	1587.47	0.00	0.00	9646.92	1345.93	12809.64	0.00	0.00	0.00	0.00
82	RT	Unit Testing	Intertie	NA	5/30/2024	20 - 134	No	INC	15	5:00	20:00	1584.08	0.00	0.00	20685.62	0.00	0.00	0.00	0.00	0.00	0.00
83	RT	Unit Testing	Intertie	NA	5/31/2024	20 - 134	No	INC	15	5:00	20:00	1578.67	0.00	0.00	27651.66	0.00	0.00	0.00	0.00	0.00	0.00
84	RT	Unit Testing	PGAE	Fresno	5/28/2024	44	No	INC	4	15:00	19:00	20.58	12124.35	367.90	217.24	3.31	-171.38	0.00	0.00	0.00	0.00
85	RT	Unit Testing	PGAE	Sierra	5/1/2024	285	No	INC	2	2:00	4:00	126.95	0.00	0.00	4221.23	57.50	2204.27	0.00	0.00	0.00	0.00
86	RT	Unit Testing	PGAE	NA	5/10/2024	0	No	INC	1	4:50	5:30	20.39	0.00	0.00	1421.07	19.93	1402.41	0.00	0.00	0.00	0.00
87	RT	Unit Testing	PGAE	NA	5/16/2024	40	No	INC	1	3:45	4:25	19.04	0.00	0.00	-688.82	0.00	0.00	0.00	0.00	0.00	0.00
88	RT	Unit Testing	PGAE	NA	5/22/2024	40	No	INC	1	11:00	11:15	-5.03	0.00	0.00	-38.79	-4.44	0.00	-34.24	0.00	0.00	0.00
89	RT	Unit Testing	PGAE	NA	5/30/2024	45327	No	DEC	1	18:35	19:00	-10.27	0.00	0.00	238.33	-5.46	0.00	4.10	0.00	0.00	0.00
90	RT	Unit Testing	PGAE	NA	5/30/2024	150	No	INC	1	17:40	18:00	-6.85	0.00	0.00	168.98	0.00	0.00	0.00	0.00	0.00	0.00
91	RT	Unit Testing	SCE	Big Creek-Ventura	5/15/2024	0 - 6.88	No	INC	2	9:45	11:20	63.01	0.00	0.00	2096.21	45.65	1783.79	0.00	0.00	0.00	0.00
92	RT	Unit Testing	SCE	Big Creek-Ventura	5/17/2024	250 - 741	No	INC	6	13:30	19:00	-158.88	0.00	0.00	11156.21	209.29	10090.41	0.00	0.00	0.00	0.00
93	RT	Unit Testing	SCE	Big Creek-Ventura	5/24/2024	100 - 500	No	INC	3	13:40	16:30	-324.48	0.00	0.00	6297.50	-505.24	1890.84	6153.14	0.00	0.00	0.00
94	RT	Unit Testing	SCE	Big Creek-Ventura	5/28/2024	74	No	INC	2	16:00	18:00	147.87	0.00	0.00	1150.32	8.00	-262.72	0.00	0.00	0.00	0.00
95	RT	Unit Testing	SCE	LA Basin	5/18/2024	8.61	No	INC	1	13:30	14:15	3.23	0.00	0.00	-143.86	3.72	-122.44	0.00	0.00	0.00	0.00
96	RT	Unit Testing	SCE	LA Basin	5/30/2024	63	No	INC	1	16:00	16:45	11.46	0.00	0.00	-877.30	11.46	-877.30	0.00	0.00	0.00	0.00
97	RT	Unit Testing	SCE	NA	5/3/2024	-0.1	No	INC	1	15:25	16:05	33.15	0.00	0.00	-880.09	34.32	-893.63	0.00	0.00	0.00	0.00
98	RT	Unit Testing	SCE	NA	5/15/2024	475	No	INC	2	22:00	0:00	107.67	0.00	0.00	2955.31	0.00	0.00	0.00	0.00	0.00	0.00
99	RT	Unit Testing	SCE	NA	5/16/2024	475	No	INC	2	0:00	2:00	-2.92	0.00	0.00	66.21	0.42	-14.82	0.00	0.00	0.00	0.00
100	RT	Unit Testing	SCE	NA	5/20/2024	0	No	INC	1	11:40	12:25	24.48	0.00	0.00	-711.92	25.00	-705.89	0.00	0.00	0.00	0.00
101	RT	Unit Testing	SCE	NA	5/22/2024	-230	No	DEC	5	7:00	12:00	-837.21	0.00	0.00	2559.88	-879.01	0.00	3255.73	0.00	0.00	0.00
102	RT	Unit Testing	SCE	NA	5/22/2024	124.62 - 125	No	INC	2	4:35	6:10	81.03	0.00	0.00	1992.41	83.09	2081.98	0.00	0.00	0.00	0.00
103	RT	Unit Testing	SCE	NA	5/23/2024	-230	No	DEC	1	16:00	16:30	-55.10	0.00	0.00	2299.34	-52.71	0.00	2201.03	0.00	0.00	0.00
104	RT	Unit Testing	SCE	NA	5/23/2024	33 - 230	No	INC	10	4:05	13:30	532.95	0.00	0.00	14698.54	530.56	14769.25	0.00	0.00	0.00	0.00
105	RT	Unit Testing	SCE	NA	5/25/2024	0	No	INC	1	1:20	1:45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
106	RT	Unit Testing	SDGE	NA	5/30/2024	100	No	INC	1	1:15	1:55	47.92	0.00	0.00	1807.51	48.96	1835.20	0.00	0.00	0.00	0.00
107	RT	Unplanned Outage	SCE	NA	5/11/2024	16803	No	DEC	5	19:55	0:00	-40.02	0.00	0.00	9236.62	-14.87	0.00	5495.35	0.00	0.00	0.00

Department of Market Performance and Advanced Analytics – California ISO

108	RT	Unplanned Outage	SCE	NA	5/11/2024	1	No	INC	1	22:00	23:00	-0.83	0.00	0.00	-44.37	0.00	0.00	0.00	0.00	0.00	0.00
109	RT	Unplanned Outage	SCE	NA	5/12/2024	16803	No	DEC	17	0:00	16:45	-39.38	0.00	0.00	6938.61	-1.14	0.00	-85.31	0.00	0.00	0.00
110	RT	Unplanned Outage	SCE	NA	5/12/2024	1	No	INC	12	5:00	16:45	-0.42	0.00	0.00	-62.26	0.00	0.00	0.00	0.00	0.00	0.00
111	RT	Voltage Support	PGAE	Big Creek-Ventura	5/27/2024	62	No	INC	2	3:00	4:30	-46.29	6110.64	0.00	1145.84	0.00	0.00	0.00	0.00	0.00	0.00
112	RT	Voltage Support	PGAE	Fresno	5/1/2024	-308	No	DEC	24	0:00	0:00	-146.72	0.00	0.00	5177.05	0.00	0.00	0.00	0.00	0.00	0.00
113	RT	Voltage Support	PGAE	Fresno	5/2/2024	-308	No	DEC	24	0:00	0:00	3.06	0.00	0.00	-104.54	0.00	0.00	0.00	0.00	0.00	0.00
114	RT	Voltage Support	PGAE	Fresno	5/3/2024	-308	No	DEC	7	0:00	7:00	-71.01	0.00	0.00	2171.80	0.00	0.00	0.00	0.00	0.00	0.00
115	RT	Voltage Support	PGAE	Fresno	5/3/2024	83	No	INC	2	22:00	0:00	18.88	0.00	0.00	-571.79	0.00	0.00	0.00	0.00	0.00	0.00
116	RT	Voltage Support	PGAE	Fresno	5/4/2024	-310	No	DEC	9	8:45	17:00	-231.00	0.00	0.00	9341.26	0.00	0.00	0.00	0.00	0.00	0.00
117	RT	Voltage Support	PGAE	Fresno	5/5/2024	-391	No	DEC	23	1:00	0:00	-142.18	0.00	0.00	2531.10	0.00	0.00	0.00	0.00	0.00	0.00
118	RT	Voltage Support	PGAE	Fresno	5/5/2024	83	No	INC	1	23:50	0:00	13.83	0.00	0.00	-226.53	0.00	0.00	0.00	0.00	0.00	0.00
119	RT	Voltage Support	PGAE	Fresno	5/6/2024	83	No	DEC	24	0:00	0:00	-4.08	0.00	0.00	77.42	0.00	0.00	0.00	0.00	0.00	0.00
120	RT	Voltage Support	PGAE	Fresno	5/6/2024	83	No	INC	6	0:00	6:00	49.95	20807.93	0.00	1018.23	0.00	0.00	0.00	0.00	0.00	0.00
121	RT	Voltage Support	PGAE	Fresno	5/7/2024	83	Yes	INC	7	0:00	6:30	88.98	21383.64	0.00	2422.89	0.00	0.00	0.00	0.00	0.00	0.00
122	RT	Voltage Support	PGAE	Fresno	5/8/2024	83	No	DEC	1	4:00	5:00	37.37	0.00	0.00	-802.40	0.00	0.00	0.00	0.00	0.00	0.00
123	RT	Voltage Support	PGAE	Fresno	5/8/2024	83	No	INC	4	0:00	4:00	-153.23	10280.59	0.00	4991.13	0.00	0.00	0.00	0.00	0.00	0.00
124	RT	Voltage Support	PGAE	Fresno	5/11/2024	83	No	INC	4	3:00	6:30	75.13	15503.13	0.00	2645.31	0.00	0.00	0.00	0.00	0.00	0.00
125	RT	Voltage Support	PGAE	Fresno	5/12/2024	83	No	INC	7	0:15	6:30	-112.23	5674.89	0.00	5771.80	0.00	0.00	0.00	0.00	0.00	0.00
126	RT	Voltage Support	PGAE	Fresno	5/13/2024	83	No	INC	8	0:00	7:30	-35.51	51649.72	2857.60	1658.31	0.00	0.00	0.00	0.00	0.00	0.00
127	RT	Voltage Support	PGAE	Fresno	5/17/2024	-315	No	DEC	4	3:10	7:00	-173.98	0.00	0.00	6557.75	0.00	0.00	0.00	0.00	0.00	0.00
128	RT	Voltage Support	PGAE	Fresno	5/18/2024	-308	No	DEC	7	0:15	7:00	-69.49	0.00	0.00	1086.59	0.00	0.00	0.00	0.00	0.00	0.00
129	RT	Voltage Support	PGAE	Fresno	5/18/2024	-308	No	INC	1	7:00	8:00	-12.83	0.00	0.00	68.49	0.00	0.00	0.00	0.00	0.00	0.00
130	RT	Voltage Support	PGAE	Fresno	5/19/2024	-308	No	DEC	24	0:00	0:00	-210.56	0.00	0.00	6089.24	0.00	0.00	0.00	0.00	0.00	0.00
131	RT	Voltage Support	PGAE	Fresno	5/20/2024	-308	No	DEC	7	0:00	7:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
132	RT	Voltage Support	PGAE	Fresno	5/21/2024	83	No	INC	1	23:00	0:00	-10.21	3865.50	0.00	283.19	0.00	0.00	0.00	0.00	0.00	0.00
133	RT	Voltage Support	PGAE	Fresno	5/22/2024	83	No	INC	2	4:45	6:00	3.46	3372.03	0.00	-63.16	0.00	0.00	0.00	0.00	0.00	0.00
134	RT	Voltage Support	PGAE	Fresno	5/26/2024	23 - 35	Yes	INC	14	5:10	19:00	41.38	18619.77	361.58	399.57	0.46	9.29	0.00	0.00	-666.60	0.00
135	RT	Voltage Support	PGAE	Fresno	5/28/2024	83	Yes	INC	5	1:00	6:00	-7.34	14475.08	0.00	236.85	0.00	0.00	0.00	0.00	0.00	0.00
136	RT	Voltage Support	PGAE	Fresno	5/29/2024	83	No	INC	4	1:00	5:00	0.57	14475.08	0.00	-12.53	0.00	0.00	0.00	0.00	0.00	0.00
137	RT	Voltage Support	PGAE	Fresno	5/31/2024	83	No	INC	1	5:00	6:00	143.52	1377.60	0.00	5331.57	0.00	0.00	0.00	0.00	0.00	0.00
138	RT	Voltage Support	PGAE	Humboldt	5/1/2024	15	No	DEC	1	6:30	7:00	8.09	-163.39	0.00	-293.65	0.00	0.00	0.00	0.00	0.00	0.00
139	RT	Voltage Support	PGAE	Humboldt	5/1/2024	15 - 30	No	INC	24	0:00	0:00	0.43	9258.66	0.00	-8.99	0.00	0.00	0.00	0.00	0.00	0.00
140	RT	Voltage Support	PGAE	Humboldt	5/2/2024	15 - 45	No	INC	24	0:00	0:00	16.71	26533.14	0.00	-580.81	0.00	0.00	0.00	0.00	0.00	0.00
141	RT	Voltage Support	PGAE	Humboldt	5/3/2024	15 - 45	No	INC	24	0:00	0:00	0.00	46764.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
142	RT	Voltage Support	PGAE	Humboldt	5/4/2024	15 - 30	No	INC	19	0:00	18:20	9.95	17762.06	0.00	-205.47	0.00	0.00	0.00	0.00	-0.89	0.00
143	RT	Voltage Support	PGAE	Humboldt	5/5/2024	45	No	INC	8	16:55	0:00	10.51	20677.39	0.00	195.43	2.33	48.59	0.00	0.00	-222.83	0.00
144	RT	Voltage Support	PGAE	Humboldt	5/6/2024	30 - 45	No	INC	24	0:00	0:00	-0.76	56525.45	0.00	-41.40	0.00	0.00	0.00	0.00	-1227.54	0.00

Department of Market Performance and Advanced Analytics – California ISO

145	RT	Voltage Support	PGAE	Humboldt	5/7/2024	30 - 60	No	INC	24	0:00	0:00	9.67	44797.96	0.00	-143.32	1.49	-17.41	0.00	0.00	-1404.32	0.00
146	RT	Voltage Support	PGAE	Humboldt	5/8/2024	15 - 45	No	INC	24	0:00	0:00	-6.56	45820.65	0.00	-112.78	2.27	75.28	0.00	0.00	-622.07	0.00
147	RT	Voltage Support	PGAE	Humboldt	5/9/2024	15	No	DEC	20	4:10	0:00	4.56	-229.25	1833.54	-142.24	0.00	0.00	0.00	0.00	0.00	0.00
148	RT	Voltage Support	PGAE	Humboldt	5/9/2024	15 - 45	No	INC	24	0:00	0:00	-11.34	31980.14	814.90	109.19	0.00	0.00	0.00	0.00	-321.63	0.00
149	RT	Voltage Support	PGAE	Humboldt	5/10/2024	15	No	DEC	22	0:00	22:00	2.55	0.00	0.00	-110.22	0.00	0.00	0.00	0.00	0.00	0.00
150	RT	Voltage Support	PGAE	Humboldt	5/10/2024	30	No	INC	24	0:00	0:00	5.31	33387.88	0.00	-222.34	0.00	0.00	0.00	0.00	-98.75	0.00
151	RT	Voltage Support	PGAE	Humboldt	5/11/2024	15	No	DEC	5	1:30	6:00	8.09	-174.41	2251.47	-219.27	0.00	0.00	0.00	0.00	0.00	0.00
152	RT	Voltage Support	PGAE	Humboldt	5/11/2024	30	No	INC	24	0:00	0:00	7.28	36451.88	397.32	-249.02	0.00	0.00	0.00	0.00	-6.80	0.00
153	RT	Voltage Support	PGAE	Humboldt	5/12/2024	30	No	INC	24	0:00	0:00	-7.98	41160.99	0.00	60.36	0.00	0.00	0.00	0.00	-10.90	0.00
154	RT	Voltage Support	PGAE	Humboldt	5/13/2024	30	No	INC	24	0:00	0:00	1.25	47439.76	0.00	-30.59	0.00	0.00	0.00	0.00	-31.05	0.00
155	RT	Voltage Support	PGAE	Humboldt	5/14/2024	15	No	DEC	10	14:15	0:00	-3.71	174.99	0.00	41.37	0.00	0.00	0.00	0.00	0.00	0.00
156	RT	Voltage Support	PGAE	Humboldt	5/14/2024	15 - 30	No	INC	24	0:00	0:00	-8.43	36922.60	0.00	88.82	0.00	0.00	0.00	0.00	-13.40	0.00
157	RT	Voltage Support	PGAE	Humboldt	5/15/2024	15	No	DEC	4	18:00	22:00	1.36	0.00	0.00	-76.87	0.00	0.00	0.00	0.00	0.00	0.00
158	RT	Voltage Support	PGAE	Humboldt	5/15/2024	15	No	INC	24	0:00	0:00	4.23	14120.60	0.00	-123.14	0.00	0.00	0.00	0.00	-5.07	0.00
159	RT	Voltage Support	PGAE	Humboldt	5/16/2024	15	No	INC	24	0:00	0:00	4.05	23458.38	0.00	-313.03	0.00	0.00	0.00	0.00	-284.79	0.00
160	RT	Voltage Support	PGAE	Humboldt	5/17/2024	15	No	DEC	24	0:00	0:00	1.52	0.00	0.00	-79.49	0.00	0.00	0.00	0.00	0.00	0.00
161	RT	Voltage Support	PGAE	Humboldt	5/17/2024	15	No	INC	24	0:00	0:00	-0.52	19610.08	0.00	5.86	0.00	0.00	0.00	0.00	-553.06	0.00
162	RT	Voltage Support	PGAE	Humboldt	5/18/2024	15	No	DEC	6	0:00	6:00	1.53	0.00	0.00	-19.51	0.00	0.00	0.00	0.00	0.00	0.00
163	RT	Voltage Support	PGAE	Humboldt	5/18/2024	15	No	INC	24	0:00	0:00	0.13	19993.20	0.00	-4.38	0.00	0.00	0.00	0.00	-779.62	0.00
164	RT	Voltage Support	PGAE	Humboldt	5/19/2024	15	No	INC	24	0:00	0:00	1.12	28490.31	0.00	61.20	0.00	0.00	0.00	0.00	-1163.52	0.00
165	RT	Voltage Support	PGAE	Humboldt	5/20/2024	15	No	INC	24	0:00	0:00	2.65	24658.28	0.00	-37.41	0.00	0.00	0.00	0.00	-309.92	0.00
166	RT	Voltage Support	PGAE	Humboldt	5/21/2024	15	No	INC	24	0:00	0:00	-10.11	28670.18	0.00	343.14	0.00	0.00	0.00	0.00	-319.53	0.00
167	RT	Voltage Support	PGAE	Humboldt	5/22/2024	15	No	DEC	24	0:00	0:00	-0.28	1405.26	0.00	-136.62	-2.49	0.00	28.68	0.00	0.00	0.00
168	RT	Voltage Support	PGAE	Humboldt	5/22/2024	15	No	INC	24	0:00	0:00	-6.55	21391.18	0.00	1303.91	-3.73	0.00	43.01	0.00	-309.80	0.00
169	RT	Voltage Support	PGAE	Humboldt	5/23/2024	15	No	DEC	24	0:00	0:00	-1.00	12411.13	0.00	-3.74	0.00	0.00	0.00	0.00	0.00	0.00
170	RT	Voltage Support	PGAE	Humboldt	5/23/2024	15	No	INC	11	7:00	18:00	-1.50	7931.69	0.00	19.26	0.00	0.00	0.00	0.00	-175.11	0.00
171	RT	Voltage Support	PGAE	Humboldt	5/24/2024	15	No	DEC	1	0:00	1:00	0.68	0.00	0.00	-17.71	0.00	0.00	0.00	0.00	0.00	0.00
172	RT	Voltage Support	PGAE	Humboldt	5/24/2024	15 - 30	No	INC	24	0:00	0:00	-2.45	23178.96	0.00	147.27	0.00	0.00	0.00	0.00	-351.52	0.00
173	RT	Voltage Support	PGAE	Humboldt	5/25/2024	15	No	INC	24	0:00	0:00	-2.12	27887.52	0.00	1.66	0.00	0.00	0.00	0.00	-616.87	0.00
174	RT	Voltage Support	PGAE	Humboldt	5/26/2024	15	No	INC	24	0:00	0:00	-1.16	22077.62	0.00	-8.83	0.00	0.00	0.00	0.00	-412.44	0.00
175	RT	Voltage Support	PGAE	Humboldt	5/27/2024	15	No	DEC	8	16:00	0:00	0.77	0.00	0.00	-26.81	0.00	0.00	0.00	0.00	0.00	0.00
176	RT	Voltage Support	PGAE	Humboldt	5/27/2024	15	No	INC	24	0:00	0:00	-1.74	11619.80	0.00	-1.74	0.00	0.00	0.00	0.00	-17.41	0.00
177	RT	Voltage Support	PGAE	Humboldt	5/28/2024	15	No	DEC	5	18:00	23:00	1.36	0.00	0.00	-32.92	0.00	0.00	0.00	0.00	0.00	0.00
178	RT	Voltage Support	PGAE	Humboldt	5/28/2024	15	No	INC	24	0:00	0:00	-4.34	11038.81	0.00	39.84	0.00	0.00	0.00	0.00	-153.98	0.00
179	RT	Voltage Support	PGAE	Humboldt	5/29/2024	15 - 30	No	INC	24	0:00	0:00	3.69	24273.15	0.00	-29.75	0.76	-5.67	0.00	0.00	-314.29	0.00
180	RT	Voltage Support	PGAE	Humboldt	5/30/2024	30	No	INC	24	0:00	0:00	0.51	20857.74	0.00	-20.41	0.00	0.00	0.00	0.00	-14.44	0.00
181	RT	Voltage Support	PGAE	Humboldt	5/31/2024	30	No	INC	24	0:00	0:00	1.36	23839.68	0.00	-46.36	0.00	0.00	0.00	0.00	0.00	0.00
182	RT	Voltage Support	PGAE	Sierra	5/1/2024	20	No	INC	24	0:35	0:00	-10.18	-1030.21	559.98	408.73	0.00	0.00	0.00	0.00	0.00	0.00
183	RT	Voltage Support	PGAE	Sierra	5/2/2024	20	No	INC	7	0:00	7:00	-22.98	0.00	0.00	995.78	0.00	0.00	0.00	0.00	0.00	0.00
184	RT	Voltage Support	PGAE	Sierra	5/3/2024	20	Yes	INC	1	23:15	0:00	5.00	0.00	0.00	-149.21	0.00	0.00	0.00	0.00	0.00	0.00

Department of Market Performance and Advanced Analytics – California ISO

185	RT	Voltage Support	PGAE	Sierra	5/4/2024	20	No	INC	24	0:00	0:00	14.14	-821.96	0.00	-555.53	0.00	0.00	0.00	0.00	0.00	0.00
186	RT	Voltage Support	PGAE	Sierra	5/5/2024	20	Yes	INC	8	0:00	8:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
187	RT	Voltage Support	PGAE	Sierra	5/12/2024	20	No	INC	8	7:30	15:00	10.02	-645.66	0.00	-124.06	0.00	0.00	0.00	0.00	0.00	0.00
188	RT	Voltage Support	PGAE	Sierra	5/13/2024	20	No	DEC	1	21:50	22:00	0.18	0.00	0.00	-10.67	0.00	0.00	0.00	0.00	0.00	0.00
189	RT	Voltage Support	PGAE	Sierra	5/13/2024	20	No	INC	2	22:00	0:00	14.28	0.00	0.00	-923.78	0.00	0.00	0.00	0.00	0.00	0.00
190	RT	Voltage Support	PGAE	Sierra	5/14/2024	20	No	INC	7	0:00	7:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
191	RT	Voltage Support	PGAE	Sierra	5/15/2024	20	No	INC	2	22:25	0:00	-4.81	0.00	0.00	130.91	0.00	0.00	0.00	0.00	0.00	0.00
192	RT	Voltage Support	PGAE	Sierra	5/16/2024	20	Yes	INC	2	0:00	1:30	-18.75	0.00	0.00	791.25	0.00	0.00	0.00	0.00	0.00	0.00
193	RT	Voltage Support	PGAE	Sierra	5/17/2024	20	No	DEC	2	22:00	0:00	2.92	0.00	0.00	-191.09	0.00	0.00	0.00	0.00	0.00	0.00
194	RT	Voltage Support	PGAE	Sierra	5/18/2024	20	No	DEC	23	0:00	23:00	-3.96	0.00	0.00	-385.19	0.00	0.00	0.00	0.00	0.00	0.00
195	RT	Voltage Support	PGAE	Sierra	5/18/2024	20	No	INC	22	2:00	0:00	-2.23	0.00	0.00	10.26	0.00	0.00	0.00	0.00	0.00	0.00
196	RT	Voltage Support	PGAE	Sierra	5/19/2024	20	No	DEC	2	0:00	2:00	-0.45	0.00	0.00	3.43	0.00	0.00	0.00	0.00	0.00	0.00
197	RT	Voltage Support	PGAE	Sierra	5/19/2024	20	No	INC	5	2:00	7:00	-0.75	0.00	0.00	4.43	0.00	0.00	0.00	0.00	0.00	0.00
198	RT	Voltage Support	PGAE	NA	5/27/2024	65	No	INC	2	3:00	4:30	-51.08	6187.95	0.00	1287.04	0.00	0.00	0.00	0.00	0.00	0.00
199	RT	Voltage Support	PGAE	NA	5/28/2024	65	No	INC	8	0:45	8:00	-217.90	29908.43	20392.79	5742.79	0.00	0.00	0.00	0.00	0.00	0.00

Appendix A: Explanation by Example

All examples listed below are based on fictitious data. Many simplified assumptions are made to explain settlement charge codes, and not all assumptions are explicitly stated in these examples. For instance, settlement charge codes are calculated based on metered quantities, whereas in these examples, the dispatch quantities are assumed to be equal to metered quantities. These assumptions have been made to simplify the understanding of settlements calculations.

Example 1: Exceptional Dispatch Instructions Prior to DAM

In this fictitious example, the CAISO issued an exceptional dispatch instruction for resource A to be committed at its Pmin of 50 MW from hours ending 5 through 10 for a generation procedure 7630. Similarly, the CAISO issued additional instructions to resources B and C for the same reason in Table 2. Exceptional dispatches prior to the day-ahead market are commitments to minimum load. Here the dispatch levels are all at minimum load. Table 2 below also shows the commitment costs and the total volume (MWh) of exceptional dispatch instruction for each resource. The minimum load costs and start up costs, shown in Table 2 are the eligible minimum load and start up costs different from the bid-in minimum load and start up costs⁷. Only those quantities which relate to pre-day-ahead unit commitments are shown in this table.

Table 2: Instructions Prior to Day-Ahead Market

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch level (MW)	Reason	Total Volume (MWh)	Min-Load Cost	Start-Up Cost	CC6620 (BCR)
01-Jul-09	DA	A	SCE	LA BASIN	05:00	10:00	50	7630	300	\$5000	\$0	0
01-Jul-09	DA	B	SCE	LA BASIN	08:00	20:00	30	7630	390	\$6000	\$500	\$4000
01-Jul-09	DA	C	SCE	LA BASIN	09:00	23:00	20	7630	300	\$400	\$1000	\$1000

This data is summarized as shown in Table 3, which is the prescribed format specified in the FERC order on September 02, 2009. This summary classifies the data by reason, resource location, local reliability area, and trade date. The MW column in Table 3 is the range of MW; in this case the minimum instruction MW is 20 MW for resource C which occurs from hours ending 21 through 23. The maximum instruction occurs in hour ending 10. In this hour resource A is committed at 50 MW, resource B is committed at 30 MW and resource C is committed at 20 MW. This adds up to 100 MW. The MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. Commitments are broken out separately from energy dispatches. In the day-ahead however, the exceptional dispatches are nearly always just commitments, as in this example. The Begin Time column shows hour ending 5 as this was the hour ending for first dispatch of the day, and the End Time column shows hour ending 23, as this was the hour with last dispatch. It is also possible there might be hours between the begin time and the end time where there might not be exceptional dispatch instructions for the reason, meaning that the range between the begin time and end time can include null hours with no dispatch. The total volume (MWh) is the MWh quantity for each resource, which adds up to 990 MWh. Similarly, all cost information is sum of individual resource costs. Some resources bid-in zero start-up cost; as seen in this example, resource A bid in zero for its start up cost. Since the CAISO does not explicitly pay a resource for bid-in minimum load costs and start-up costs; these costs are recovered through the charge code CC6620 (Bid Cost Recovery), this table shows the summary of CC6620 for the classification. Here, it is the CC6620 for all three resources which adds up to \$5000. This column shows the impact of exceptional dispatch on bid cost recovery for all pre-day-ahead exceptional dispatch commitments.

Table 3: FERC Summary of Instructions Prior to DAM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time	Total Volume (MWh)	Min-Load Cost	Start-Up Cost	CC6620
1	DA	7630	SCE	LA Basin	1-Jul-09	20-100	Yes	N/A	19	05:00	23:00	990	\$11,400	\$1,500	\$5000

⁷ Please refer to the BPM configuration Guide: Bid Cost Recovery Settlements published on the CAISO's website for details about eligible minimum load and start up costs.

Example 2: Incremental Exceptional Dispatch Instructions in RTM

In this fictitious example the CAISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 30 MW from hours 6:00 through 11:00 after completion of the day-ahead market for the transmission procedure 7110. This resource had no day-ahead award in those hours. The CAISO issued another exceptional dispatch instruction to resource B, to be dispatched at 40 MW from hours 7:00 through 9:00 in real-time for the transmission procedure 7110. This resource had a day-ahead schedule of 20 MW from the day-ahead market, which implies this exceptional dispatch instruction was an incremental instruction and the exceptional dispatch MW was 20 MW. Similarly, the details of exceptional dispatch (ED) instruction for resource C are shown in Table 4. This table also shows volume (MWh) and various real-time charge codes associated with the exceptional dispatch instructions. The total MWh column for each resource shows all types of imbalance energy quantities for this resource between the begin time and end time which includes both the exceptional dispatch energy quantities and optimal energy quantities.

Resource A was committed at its Pmin so its total volume (MWh) is equal to its Pmin times the number of hours, which is calculated as 30 MW times 6 hours and is equal to 180 MWh. The resource Minimum load costs and the start up costs are its eligible commitment costs for that period. LMP at this resource is \$10/MWh, so the charge code CC6470 is calculated at (180 MWh * \$10/MWh) and is equal to \$1,800. Since this resource is not dispatched above its Pmin, it has a zero volume (MWh) of exceptional dispatch. All charge codes associated with the exceptional dispatch increment or decrement quantities are zero.

Resource B is dispatched 20 MW above its day-ahead schedule, so its total volume (MWh) is calculated as 20 MW times 3 hours which is equal to 60 MWh. Since the resource was committed in the Day-Ahead Market there are no minimum load quantity and start up costs associated with this resource. The resource had a bid price of \$100/MWh and the LMP at that resource was \$10/MWh. All of 60 MWh is considered as exceptional dispatch incremental quantity shown in ED Volume (MWh INC/DEC) column. The charge code CC6470 INC is calculated as 60 MWh * resource LMP (\$10/MWh) which is equal to \$600. Since the only imbalance energy in this timeframe was the exceptional dispatch volume, the charge code CC6470 is equal to CC6470 INC. The charge code CC6488 is calculated as MWh quantity *(bid price – LMP), which is equal to \$5400 (60 MWh * (\$100/MWh-\$10/MWh)). Similarly, volumes and real-time charge codes are calculated for resource C.

Table 4: Incremental Exceptional Dispatch Instructions in RTM

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch level (MW)	Day-Ahead Award (MW)	Commitment	INC/DEC	ED (MW)	Reason	Total MWh	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488
1-Jul-09	RT	A	PG&E	Humboldt	6:00	11:00	30	0	Yes	INC	30	7110	180	1000	50	1800	0	0	0	0	0
1-Jul-09	RT	B	PG&E	Humboldt	7:00	9:00	40	20	No	INC	20	7110	60	0	0	600	60	600	0	0	5400
1-Jul-09	RT	C	PG&E	Humboldt	12:00	15:00	50	50	No	INC	0	7110	0	0	0	0	0	0	0	0	0
1-Jul-09	RT	C	PG&E	Humboldt	16:00	20:00	50	40	No	INC	10	7110	50	0	0	300	20	300	0	0	200

This data is summarized as shown in Table 5 and is classified by reason, resource location, local reliability area, and trade date. The MW column in Table 5 is the range of MW; in this case the minimum instruction MW is 0 MW for resource C which occurs from hours ending 13 through 15. The maximum instruction occurs in hours ending 8 & 9, as during these two hours both resources A and B have an ED MW of 30MW and 20MW, respectively. This adds up to 50 MW. The MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. This column shows a commitment if there was a single commitment in the entire interval of exceptional dispatch. The Begin Time column shows the time of the first dispatch of the day. This is a time not a range. Similarly, the End Time column shows a time and not a range. Exceptional dispatches occurred between these two times. Since there was a commitment between the begin time and end time, the Commitment column displays yes for the summary. Similarly, the INC/DEC column shows an INC, as there was an incremental dispatch between the begin time and end time. As mentioned in the previous example, it is possible there might be hours between the begin time and end time where there were no exceptional dispatch instructions for the

reason. Both volume and cost information columns are the summation for all the respective columns for resources A, B and C. For instance, the Total volume (MWh) column is calculated as summation of 180,60,0 and 50, which are the individual volumes (MWh) for resources A, B and C for time periods shown in Table 4.

Table 5: FERC Summary of ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time	Total MWh	Min Load Cost	Start Up Cost	CC6470	ED MWh (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488
1	RT	7110	PG&E	Humboldt	1-Jul-09	0-50	Yes	INC	15	6:00	20:00	290	1000	50	1700	140	1500	0	0	11000

It is possible that the CAISO would dispatch a particular resource, for instance at 10 MW from hours ending 1 through 4, and all or part of its energy might settle as optimal energy. This situation occurs when the LMP at the resource pricing node is above the resource bid price. This cost will only be captured in charge code 6470. It is also possible that CAISO issues an exceptional dispatch for the resource to operate at a minimum of 10 MW which is its Pmin; however the market application might dispatch this resource above Pmin because the resource is economical. When this occurs, the charge code CC6470 and the total MWh quantity might overstate the actual exceptional dispatch MWh quantities. So, to best estimate the cost and volume (MWh) of exceptional dispatch, it is appropriate to consider only the following columns: ED MWh (INC/DEC), CC6470 INC, CC6470 DEC, CC6482, CC6488.

Example 3: Decremental Exceptional Dispatch Instructions in RTM

This example highlights decremental exceptional dispatch instructions in the real-time market. In this fictitious example, the CAISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 20 MW from hours ending 15 through 20 after completion of the day-ahead market for the transmission procedure 7430. The CAISO issued additional exceptional dispatch instructions for resources B and C; details of those instructions are shown in Table 6. This table also includes volume (MWh) and cost information.

Resource A is committed in real-time at its Pmin, its total volume (MWh) is 20MW *6 hours which is equal to 120 MWh. This resource has a zero MW of incremental dispatch in all hours, so all other relevant cost and volume columns result in zeros. Resource B has a decremental MW of 20 MW in 3 hours, which results in 60 MWh of decremental volume. Since this resource is not committed in real-time, both the minimum load cost and start up costs are zero. This resource had a bid price of \$50/MWh and LMP at the resource pricing node is \$10/ MWh. Based on this information CC6470-Dec is calculated as 60 MWh *\$10/MWh which is equal to \$600. Since this resource has its ED volume (MWh) equal to its Total volume, CC6470 is equal to CC6470- DEC. The CC6488 is calculated as (60 MWh * (\$50/MWh - \$10/MWh)), which is equal to \$2400. Resource C had a bid price of \$10/MWh and the LMP at its pricing node is \$50/MWh. Based on this information, volume and cost information is calculated for resource C.

Table 6: Decremental Exceptional Dispatch Instructions in RTM

Date	Market Type	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch level (MW)	Day-Ahead Award (MW)	Commitment	INC/DEC	ED (MW)	Reason	Total MWh	Min Load Cost	Start Up Cost	CC6470	ED MWh (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488
1-Jul-09	RT	A	PG&E	Fresno	15:00	20:00	20	0	Yes	INC	20	7430	120	\$ 120	\$ 100	\$ -	0	\$ -	\$ -	\$ -	\$ -
1-Jul-09	RT	B	PG&E	Fresno	7:00	9:00	40	60	No	DEC	20	7430	(60)	\$ -	\$ -	\$ 600	-60	\$ -	\$ 600	\$ -	\$2,400
1-Jul-09	RT	C	PG&E	Fresno	10:00	14:00	40	50	No	DEC	10	7430	(50)	\$ -	\$ -	\$ 500	-50	\$ -	\$ 500	\$ -	\$2,000

This data is summarized according to FERC convention in Table 7. This summary classifies the data by reason, resource location, local reliability area, and trade date. Incs and decs are broken out separately. The inc entry is self-explanatory and similar to the previous example. Regarding the dec entry the MW column is the range of MW; in this case the minimum dec instruction is 10 MW (actually -10MW as it is a dec) for resource C which occurs from hours ending 10 through 14. The maximum instruction occurs from hours ending 7 through 9, when resource B was issued a dec instruction of 20 MW. The MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The Commitment column shows whether a resource was committed between the begin time and end time. The volume and cost information are summarized by INC and DEC classification.

Table 7: FERC Summary of Decremental ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time	Total MWH	Min Load Cost	Start Up Cost	CC6470	ED MWH (INC/DEC)	CC6470 INC	CC6470 DEC	CC6482	CC6488
1	RT	7430	PG&E	Fresno	1-Jul-09	20	Yes	INC	6	15:00	20:00	120	\$ 120	\$ 100	\$ -	0	\$ -	\$ -	\$ -	\$ -
2	RT	7430	PG&E	Fresno	1-Jul-09	10-20	Yes	DEC	8	7:00	14:00	(110)	\$ -	\$ -	\$ (1,100)	\$ (110)	\$ -	\$ (1,100)	\$ -	\$ (4,400)

Appendix B: Price Impact Analysis

In the September 2 FERC order, FERC requested the CAISO to perform price impact analysis on two distinct pricing nodes for the entire reporting period. The order also mentioned that the CAISO must pick two pricing nodes for the entire reporting period that are most affected by the exceptional dispatch instructions, and the two pricing nodes must belong to two load aggregation points (LAPs).

Based on this requirement the CAISO implemented a methodology to perform price impact analysis. First, the CAISO identified a heavily affected pricing node from each of the Pacific Gas & Electric (PGAE) LAP and Southern California Edison (SCE) LAP. These two pricing nodes had the maximum amount of exceptional dispatch volume (MWh) in their respective LAP. Point A is in PGAE LAP and point B is in SCE LAP. Please note these two points correspond to an actual pricing node in the CAISO system. Only one resource was connected to each of these pricing nodes. For each resource the following input parameters were obtained to perform the analysis:

Exceptional dispatch information: constrained level, constraint type, start of exceptional dispatch instruction and end of exceptional dispatch instruction.
 Real-Time LMPs for each of the five minute intervals for the month.
 Real-Time hourly bid set for each trade hour.
 Day-Ahead award for the resources.

The exceptional dispatch intervals have a begin time and an end time which can span as small as one minute to as large as 24 hours. Since the market application dispatches resources on five-minute basis, the exceptional dispatch instructions for each of these resources were broken down into five-minute intervals. If the begin time or end time for an instruction was in the middle of the five-minute interval, that instruction was rounded up to the next five-minute interval. These five-minute intervals were then coupled with resource five-minute LMPs calculated by the real-time market application. Also, the hourly bid information and the hourly day-ahead schedule were put together to create a dataset that had all the information to perform price impact analysis.

An exceptional dispatch instruction can be classified as a start up instruction, an instruction to be dispatched at or above the constrained level, an instruction to be dispatched at or below a constrained level, an instruction to be dispatched at a fixed constrained level, or a shut down instruction. The Locational Marginal Price (LMP) is set by a resource which can provide the next incremental MW of energy. Based on this definition of LMP and the classification of exceptional dispatches based on constraint type, a resource may set the LMP in only those intervals in which the resource is eligible to move either up or down from its constrained level. Hence, in those intervals in which the resource was constrained up at its Pmax or the resource was exceptionally dispatched to its Pmax and forced to generate at that level, the resource was ineligible to set the price as it had no room to move up. Similarly, if the resource was constrained down at its Pmin, then the resource was not eligible to set the price. All those intervals in which the resource was ineligible to set the price were dropped from the dataset under consideration. From this dataset of only eligible intervals, for both pricing nodes A and B, LMPs were calculated for all intervals based on the resource dispatch level and the its bid set. The calculated LMP is equal to that bid price corresponding to the constrained MW segment.

Table 8 shows the price impact analysis information for node A, which is in the PGAE area. This table shows all the five minute intervals in which the resource at PNode A was issued an exceptional dispatch instruction and was eligible to set the price.

- This resource was issued exceptional dispatch instructions in 99 five-minute intervals during the report month.
- This resource was eligible to set the LMP in all 99 intervals.
- Out of the identified intervals, the resource-calculated LMP was less than the market LMP in 99 intervals. This implies that if the CAISO could model the constraint for this exceptional dispatch, then this resource and all other pricing nodes associated with that constraint would observe an average decrease of \$48.23/MWh.

Table 9 shows the price impact analysis information for node B, which is in the SCE area. This table shows all the five minute intervals in which the resource at PNode B was issued an exceptional dispatch instruction and was eligible to set the price.

- This resource was issued exceptional dispatch instructions in 9 five-minute intervals during the report month.
- This resource was eligible to set the LMP in all 9 intervals.
- Out of the identified intervals, the resource-calculated LMP was larger than the market LMP in 9 intervals. This implies that if the CAISO could model the constraint for this exceptional dispatch, then this resource and all other pricing nodes associated with that constraint would observe an average increase of \$25.62/MWh.

Table 8: Price Impact Analysis Information for Pricing Node A in PGAE LAP

Number	Trade Date	Trade Hour	Interval	Market LMP	Eligible Flag	Calculated LMP	Change in LMP
1	5/30/2024	8	10	-76.33	Yes	-77.00	-0.67
2	5/30/2024	8	11	-76.33	Yes	-77.00	-0.67
3	5/30/2024	8	12	-76.28	Yes	-77.00	-0.72
4	5/30/2024	9	1	-76.98	Yes	-77.00	-0.02
5	5/30/2024	9	2	-76.97	Yes	-77.00	-0.03
6	5/30/2024	9	3	-76.97	Yes	-77.00	-0.03
7	5/30/2024	9	4	-76.98	Yes	-77.00	-0.02
8	5/30/2024	9	5	-76.99	Yes	-77.00	-0.01
9	5/30/2024	9	6	-76.99	Yes	-77.00	-0.01
10	5/30/2024	9	7	-76.99	Yes	-77.00	-0.01
11	5/30/2024	9	8	-76.99	Yes	-77.00	-0.01
12	5/30/2024	9	9	-76.99	Yes	-77.00	-0.01
13	5/30/2024	9	10	-76.99	Yes	-77.00	-0.01
14	5/30/2024	9	11	-76.99	Yes	-77.00	-0.01
15	5/30/2024	9	12	-76.99	Yes	-77.00	-0.01
16	5/30/2024	10	1	-76.97	Yes	-77.00	-0.03
17	5/30/2024	10	2	-76.97	Yes	-77.00	-0.03
18	5/30/2024	10	3	-76.97	Yes	-77.00	-0.03
19	5/30/2024	10	4	-76.97	Yes	-77.00	-0.03
20	5/30/2024	10	5	-76.97	Yes	-77.00	-0.03
21	5/30/2024	10	6	-76.97	Yes	-77.00	-0.03
22	5/30/2024	10	7	-76.98	Yes	-77.00	-0.02
23	5/30/2024	10	8	-76.98	Yes	-77.00	-0.02
24	5/30/2024	10	9	-76.98	Yes	-77.00	-0.02
25	5/30/2024	10	10	-76.97	Yes	-77.00	-0.03
26	5/30/2024	10	11	-76.97	Yes	-77.00	-0.03
27	5/30/2024	10	12	-76.97	Yes	-77.00	-0.03
28	5/30/2024	11	1	-76.96	Yes	-77.00	-0.04
29	5/30/2024	11	2	-76.97	Yes	-77.00	-0.03
30	5/30/2024	11	3	-76.97	Yes	-77.00	-0.03
31	5/30/2024	11	4	-76.97	Yes	-77.00	-0.03
32	5/30/2024	11	5	-76.97	Yes	-77.00	-0.03
33	5/30/2024	11	6	-76.97	Yes	-77.00	-0.03
34	5/30/2024	11	7	-76.97	Yes	-77.00	-0.03
35	5/30/2024	11	8	-76.97	Yes	-77.00	-0.03
36	5/30/2024	11	9	-76.97	Yes	-77.00	-0.03
37	5/30/2024	11	10	-76.97	Yes	-77.00	-0.03

Department of Market Performance and Advanced Analytics – California ISO

38	5/30/2024	11	11	-76.97	Yes	-77.00	-0.03
39	5/30/2024	11	12	-76.97	Yes	-77.00	-0.03
40	5/30/2024	12	1	-0.03	Yes	-77.00	-76.97
41	5/30/2024	12	2	-0.03	Yes	-77.00	-76.97
42	5/30/2024	12	3	-0.03	Yes	-77.00	-76.97
43	5/30/2024	12	4	-76.55	Yes	-77.00	-0.45
44	5/30/2024	12	5	-76.55	Yes	-77.00	-0.45
45	5/30/2024	12	6	-76.55	Yes	-77.00	-0.45
46	5/30/2024	12	7	-76.97	Yes	-77.00	-0.03
47	5/30/2024	12	8	-76.97	Yes	-77.00	-0.03
48	5/30/2024	12	9	-76.97	Yes	-77.00	-0.03
49	5/30/2024	12	10	-76.96	Yes	-77.00	-0.04
50	5/30/2024	12	11	-76.96	Yes	-77.00	-0.04
51	5/30/2024	12	12	12.12	Yes	-77.00	-89.12
52	5/30/2024	13	1	11.64	Yes	-77.00	-88.64
53	5/30/2024	13	2	12.37	Yes	-77.00	-89.37
54	5/30/2024	13	3	13.10	Yes	-77.00	-90.10
55	5/30/2024	13	4	14.82	Yes	-77.00	-91.82
56	5/30/2024	13	5	14.34	Yes	-77.00	-91.34
57	5/30/2024	13	6	14.66	Yes	-77.00	-91.66
58	5/30/2024	13	7	14.99	Yes	-77.00	-91.99
59	5/30/2024	13	8	14.97	Yes	-77.00	-91.97
60	5/30/2024	13	9	14.99	Yes	-77.00	-91.99
61	5/30/2024	13	10	14.39	Yes	-77.00	-91.39
62	5/30/2024	13	11	14.20	Yes	-77.00	-91.20
63	5/30/2024	13	12	14.87	Yes	-77.00	-91.87
64	5/30/2024	14	1	14.10	Yes	-77.00	-91.10
65	5/30/2024	14	2	15.26	Yes	-77.00	-92.26
66	5/30/2024	14	3	15.67	Yes	-77.00	-92.67
67	5/30/2024	14	4	15.13	Yes	-77.00	-92.13
68	5/30/2024	14	5	15.33	Yes	-77.00	-92.33
69	5/30/2024	14	6	16.26	Yes	-77.00	-93.26
70	5/30/2024	14	7	17.88	Yes	-77.00	-94.88
71	5/30/2024	14	8	18.00	Yes	-77.00	-95.00
72	5/30/2024	14	9	18.17	Yes	-77.00	-95.17
73	5/30/2024	14	10	19.50	Yes	-77.00	-96.50
74	5/30/2024	14	11	19.12	Yes	-77.00	-96.12
75	5/30/2024	14	12	20.48	Yes	-77.00	-97.48
76	5/30/2024	15	1	19.84	Yes	-77.00	-96.84
77	5/30/2024	15	2	19.00	Yes	-77.00	-96.00
78	5/30/2024	15	3	17.55	Yes	-77.00	-94.55

Department of Market Performance and Advanced Analytics – California ISO

79	5/30/2024	15	4	15.64	Yes	-77.00	-92.64
80	5/30/2024	15	5	15.12	Yes	-77.00	-92.12
81	5/30/2024	15	6	15.05	Yes	-77.00	-92.05
82	5/30/2024	15	7	16.45	Yes	-77.00	-93.45
83	5/30/2024	15	8	18.14	Yes	-77.00	-95.14
84	5/30/2024	15	9	19.15	Yes	-77.00	-96.15
85	5/30/2024	15	10	19.06	Yes	-77.00	-96.06
86	5/30/2024	15	11	20.11	Yes	-77.00	-97.11
87	5/30/2024	15	12	20.18	Yes	-77.00	-97.18
88	5/30/2024	16	1	18.75	Yes	-77.00	-95.75
89	5/30/2024	16	2	16.88	Yes	-77.00	-93.88
90	5/30/2024	16	3	15.34	Yes	-77.00	-92.34
91	5/30/2024	16	4	15.95	Yes	-77.00	-92.95
92	5/30/2024	16	5	14.16	Yes	-77.00	-91.16
93	5/30/2024	16	6	11.60	Yes	-77.00	-88.60
94	5/30/2024	16	7	13.94	Yes	-77.00	-90.94
95	5/30/2024	16	8	12.00	Yes	-77.00	-89.00
96	5/30/2024	16	9	12.00	Yes	-77.00	-89.00
97	5/30/2024	16	10	12.42	Yes	-77.00	-89.42
98	5/30/2024	16	11	11.04	Yes	-77.00	-88.04
99	5/30/2024	16	12	10.93	Yes	-77.00	-87.93

Table 9: Price Impact Analysis Information for Pricing Node B in SCE LAP

Number	Trade Date	Trade Hour	Interval	Market LMP	Eligible Flag	Calculated LMP	Change in LMP
1	5/15/2024	10	10	16.30	Yes	31.56	15.26
2	5/15/2024	10	11	12.65	Yes	31.56	18.91
3	5/15/2024	10	12	11.77	Yes	31.56	19.79
4	5/15/2024	11	1	12.14	Yes	41.1	28.96
5	5/15/2024	11	2	16.21	Yes	41.1	24.89
6	5/15/2024	11	3	10.65	Yes	41.1	30.45
7	5/15/2024	11	4	10.91	Yes	41.1	30.19
8	5/15/2024	11	5	9.43	Yes	41.1	31.67
9	5/15/2024	11	6	10.63	Yes	41.1	30.47

Appendix C: Exceptional Dispatch Bid Mitigation Analysis

In May 2024, there were no cost savings in applying the exceptional dispatch bid mitigation to the exceptional dispatches.

CERTIFICATE OF SERVICE

I hereby certify that I have served the foregoing document upon the parties listed on the official service lists in the above-referenced proceedings, in accordance with the requirements of Rule 2010 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2010).

Dated at Folsom, California, this 15th day of July, 2024.

/s/ Ariana Rebanco
Ariana Rebanco