California Independent
System Operator Corporation

June 15, 2010

The Honorable Kimberly D. Bose
Secretary
Federal Energy Regulatory Commission
888 First Street, NE
Washington, DC 20426

Re: California Independent System Operator Corporation
Docket Nos. ER08-1178-___,
and EL08-88-___
April 2010 Exceptional Dispatch Report (Chart 1 data)

Dear Secretary Bose:

Pursuant to the Commission's September 2, 2009 and May 4, 2010 orders in the above referenced docket, the California Independent System Operator Corporation submits the attached report. The attached report provides details concerning Exceptional Dispatches the Commission directed to be included in "Chart 1" as set forth in Appendix A of the September 2 order, as modified by the ISO's September 14 motion for clarification, which the Commission granted in its May 4 order. The attached report provides Chart 1 data for the month of April 2010.

Respectfully submitted,

/s/ Sidney M. Davies

Sidney M. Davies
Assistant General Counsel
California Independent System
Operator Corporation
151 Blue Ravine Road
Folsom, CA 95630
Tel: (916) 351-4400

Exceptional Dispatch Report

Table 1: April 2010

ISO Market Services June 15, 2010

CAISO
151 Blue Ravine Road
Folsom, California 95630
(916) 351-4400

TABLE OF CONTENTS

LIST OF TABLES AND FIGURES

Introduction

This report is filed pursuant to FERC's September 2, 2009 and May 4, 2010 orders in ER08-1178. These orders require two monthly Exceptional Dispatch reports—one issued on the 15th of each month and one issued on the 30th of each month. This report provides data on the frequency and reasons for Exceptional Dispatches issued in April 2010.

The Nature of Exceptional Dispatch

The ISO can issue exceptional dispatch instructions for a resource as a pre-day-ahead unit commitment, a post-day-ahead unit commitment, or a real-time exceptional dispatch[1]. A pre-day-ahead commitment is an exceptional dispatch instruction that commits a resource at or above its physical minimum operating level in the day-ahead market. A post-day-ahead market commitment is an exceptional dispatch instruction that commits a resource at or above its physical minimum operating level in the real-time market. A real-time exceptional dispatch instruction is a dispatch of a resource at or above its physical minimum operating point. For the purposes of this report, a real-time exceptional dispatch above the resource day-ahead award is considered an incremental exceptional dispatch instruction and an exceptional dispatch below the day-ahead award is considered a decremental dispatch instruction.

The ISO issues exceptional dispatch instructions primarily for constraints which are not enforced or not completely enforced in the market software. Whenever the ISO issues an exceptional dispatch instruction, such instructions are logged into the scheduling and logging system ("SLIC"), including the associated reason. These reasons are associated with the constraints that are not currently incorporated into the market application. In addition to model constraints, the ISO also issues exceptional dispatch instructions for software failures.

Many of the exceptional dispatches listed below in Table 1, were to satisfy either a local area or system reliability requirements, and are classified into local generation requirements, transmission management requirements, non-modeled transmission outages or other requirements, such as ramp requirements and intertie emergency assistance. All reason codes starting with "G" refer to an ISO operation procedure for generation requirements and reason codes starting with "T" refer to an ISO operating procedure for transmission facilities. Most of the generation procedures are internal to the ISO and not available on the ISO website. All of the transmission procedures are available on the CAISO website[2].

[1] The ISO can issue exceptional dispatch instruction subject to authority of the ISO Tariff Section 34.9 and in accordance with ISO Operating Procedure M-402.

[2] A list of all of the ISO's publicly available Operating Procedures are available at the following link: **http://www.caiso.com/thegrid/operations/opsdoc/index.html**

In April 2010, the ISO issued exceptional dispatches for the following local area generation requirement: (1) G-206, San Diego area generation requirements; and (2) G-217, South of Lugo generation requirements; Exceptional dispatch instructions were also issued for the following transmission management requirements: (1) T-103, Southern California import transmission (SCIT) nomogram; (2) T-122, Path 15 nomogram; (3) T-132, transmission facilities in San Diego and Imperial Valley area; (4) T-138, transmission facilities in Humboldt area; and (5) other transmission outages in PG&E, SCE and SDG&E area.

The following additional reasons for exceptional dispatch instructions in April 2010 were not related to specific generation or transmission operating procedures: (1) Software Limitation, when an exceptional dispatch instruction was used to bridge schedules across days for resources with a minimum down time of 24 hours, as the ISO software does not handle multi day commitment. (For instance, a resource has a day-ahead schedule from 0600 till 2300, and then is shut down in 2400. If this resource had a minimum down time of 24 hours and it is required the following day, then the ISO issues an exceptional dispatch to commit this resource in 2400 so that it can be dispatched economically in the following day. Software limitation reason was also used for exceptional dispatches to manually issue shut down instructions to a resource because of a temporary Automatic Dispatch System ("ADS") failure, or similar issues.); (2) Market Disruption, when the exceptional dispatch instructions were issued due to HASP failures; and (3) Ramp Rate, when exceptional dispatch instructions were issued to dispatch a resource above its physical minimum to a level where the resource has significantly higher ramp rate capability. For example, a resource could have a ramp rate of 2 MW/min at its physical minimum of 100 MW, but a significantly higher ramp rate of 10 MW/min at 250 MW. The operators could issue an exceptional dispatch for this resource to be dispatched to 250 MW, so that the resource could respond to the anticipated steep load ramp or to a potential contingency. There were a few other reasons used to explain exceptional dispatch instructions in April, which are self explanatory.

As mentioned earlier, the data shown in Table 1 is based on a template specified in the September 2009 order[3]. Each entry in Attachment A is a summary of exceptional dispatches classified by (1) the reason for the exceptional dispatch; (2) the location of the resource by Participating Transmission Owner ("PTO") service area; (3) the Local Reliability Area ("LRA") where applicable; (4) the market in which the exceptional dispatch occurred (day-ahead vs. real-time); and (5) the date of the exceptional dispatch. For each classification the following

[3] The data in Table 1 is principally SLIC information supplemented with data from the Market Quality System (MQS). It is the most accurate currently available and it is worth noting that this data has been through the T+38B initial statement process wherein many unresolved issues are fixed. The CAISO believes that this data will correlate well with the settlements data that will be available when the CAISO files the Table 2 report for the reporting period.

information is provided: (1) Megawatts (MW); (2) Commitment (3) Inc or Dec (4) Hours; (5) Begin Time; and (6) End Time.

The MW column shows the range of exceptional dispatch instructions in MW for the classification. The Commitment column specifies if there was a unit commitment for the classification. The INC/DEC/NA column specifies if there was an incremental dispatch, a decremental dispatch, or only a unit commitment. If the exceptional dispatch was only a unit commitment, the column shows NA for the classification. The Begin Time column shows the start of exceptional dispatch for the classification and the End Time column shows the end of exceptional dispatch for the classification. The column Hours is the difference between end time and begin time rounded up to the next hour. The data shown is further explained by way of example in Attachment A.

Table 1 indicates that there were a total of 164 exceptional dispatches in April, increasing by 21 from 143 exceptional dispatches reported in the May 17, 2010 report. Real-time exceptional dispatches in April accounted for approximately 78 percent of all exceptional dispatches categorized by date and reason. Exceptional dispatches issued for the following reasons accounted for approximately 58 percent of the total exceptional dispatches during the reporting period: Software Limitation, T-138, G-206, Transmission Outage in PG&E area, and Transmission Outage in SCE area. In day-ahead market, approximately 53 percent of the exceptional dispatches were issued for Transmission Outage in SCE area and G-206. In real-time market, approximately 57 percent of the exceptional dispatches were issued for Software Limitation, T-138, Transmission Outage in PG&E area, and G-206.

Table 1: Exceptional Dispatches in April 2010

California Independent System Operator Corporation
Exceptional Dispatch Report
June 15, 2010

Chart 1: Table of Exceptional Dispatches for Period 01/Apr/2010 - 28/Apr/2010

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
1	DA	G-206	SDG&E	San Diego	5-Apr-10	20	Yes	N/A	24	0:00	23:00
2	DA	G-206	SDG&E	San Diego	6-Apr-10	20	Yes	N/A	24	0:00	23:00
3	DA	G-206	SDG&E	San Diego	7-Apr-10	20	Yes	N/A	24	0:00	23:00
4	DA	G-206	SDG&E	San Diego	8-Apr-10	20	Yes	N/A	24	0:00	23:00
5	DA	G-206	SDG&E	San Diego	9-Apr-10	20	Yes	N/A	24	0:00	23:00
6	DA	G-206	SDG&E	San Diego	10-Apr-10	20	Yes	N/A	24	0:00	23:00
7	DA	G-206	SDG&E	San Diego	11-Apr-10	20	Yes	N/A	24	0:00	23:00
8	DA	G-206	SDG&E	San Diego	12-Apr-10	20	Yes	N/A	24	0:00	23:00
9	DA	G-206	SDG&E	San Diego	13-Apr-10	20	Yes	N/A	24	0:00	23:00
10	DA	SP26 Capacity	SCE	LA Basin	16-Apr-10	20	Yes	N/A	9	7:00	15:00
11	DA	SP26 Capacity	SDG&E	San Diego	1-Apr-10	20	Yes	N/A	24	0:00	23:00
12	DA	SP26 Capacity	SDG&E	San Diego	2-Apr-10	20	Yes	N/A	24	0:00	23:00
13	DA	SP26 Capacity	SDG&E	San Diego	3-Apr-10	20	Yes	N/A	24	0:00	23:00
14	DA	T-103	SCE	LA Basin	6-Apr-10	65- 85	Yes	N/A	24	0:00	23:00
15	DA	T-103	SCE	LA Basin	10-Apr-10	20- 90	Yes	N/A	24	0:00	23:00
16	DA	T-103	SCE	LA Basin	11-Apr-10	90	Yes	N/A	22	0:00	21:00
17	DA	T-103	SDG&E	San Diego	6-Apr-10	240-395	Yes	N/A	24	0:00	23:00
18	DA	T-103	SDG&E	San Diego	11-Apr-10	40	Yes	N/A	22	0:00	21:00
19	DA	T-132	SDG&E	San Diego	24-Apr-10	200	Yes	N/A	24	0:00	23:00
20	DA	T-132	SDG&E	San Diego	25-Apr-10	200	Yes	N/A	24	0:00	23:00

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
21	DA	T-132	SDG&E	San Diego	26-Apr-10	200	Yes	N/A	8	0:00	7:00
22	DA	T-132	SDG&E	San Diego	27-Apr-10	200	Yes	N/A	24	0:00	23:00
23	DA	T-132	SDG&E	San Diego	28-Apr-10	200	Yes	N/A	24	0:00	23:00
24	DA	T-132	SDG&E	San Diego	29-Apr-10	200	Yes	N/A	24	0:00	23:00
25	DA	Transmission Outage Other	SCE	LA Basin	22-Apr-10	30-125	Yes	N/A	22	0:00	21:00
26	DA	Transmission Outage Other	SDG&E	San Diego	22-Apr-10	20- 40	Yes	N/A	22	0:00	21:00
27	DA	Transmission Outage SCE	SCE	Big Creek-Ventura	18-Apr-10	50	Yes	N/A	6	18:00	23:00
28	DA	Transmission Outage SCE	SCE	Big Creek-Ventura	19-Apr-10	50	Yes	N/A	24	0:00	23:00
29	DA	Transmission Outage SCE	SCE	Big Creek-Ventura	20-Apr-10	50	Yes	N/A	24	0:00	23:00
30	DA	Transmission Outage SCE	SCE	LA Basin	18-Apr-10	20	Yes	N/A	24	0:00	23:00
31	DA	Transmission Outage SCE	SCE	LA Basin	19-Apr-10	80	Yes	N/A	24	0:00	23:00
32	DA	Transmission Outage SCE	SCE	LA Basin	20-Apr-10	75	Yes	N/A	24	0:00	23:00
33	DA	Transmission Outage SCE	SCE	LA Basin	21-Apr-10	125	Yes	N/A	24	0:00	23:00
34	DA	Transmission Outage SCE	SDG&E	San Diego	19-Apr-10	40	Yes	N/A	24	0:00	23:00
35	DA	Transmission Outage SCE	SDG&E	San Diego	20-Apr-10	40	Yes	N/A	24	0:00	23:00
36	DA	Transmission Outage SCE	SDG&E	San Diego	21-Apr-10	40	Yes	N/A	24	0:00	23:00
37	RT	Earthquake	PG&E	Fresno	4-Apr-10	83-171	No	INC	4	15:50	18:59
38	RT	Earthquake	SCE	Big Creek-Ventura	4-Apr-10	64	No	INC	3	15:49	17:04
39	RT	Earthquake	SCE	LA Basin	4-Apr-10	37	No	INC	3	15:49	17:04
40	RT	Earthquake	SDG&E	San Diego	4-Apr-10	157-307	Yes	INC	4	16:11	19:59
41	RT	Earthquake	SDG&E	San Diego	5-Apr-10	20- 40	Yes	INC	19	5:00	23:59
42	RT	G-206	PG&E	Humboldt	3-Apr-10	5- 10	Yes	INC	3	10:40	12:39
43	RT	G-206	SDG&E	San Diego	3-Apr-10	36-284	Yes	INC	7	10:00	16:04

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
44	RT	G-206	SDG&E	San Diego	4-Apr-10	20-150	Yes	INC	24	0:00	23:59
45	RT	G-206	SDG&E	San Diego	21-Apr-10	89	No	INC	2	19:30	20:39
46	RT	G-206	SDG&E	San Diego	22-Apr-10	100-222	No	DEC	2	5:15	6:19
47	RT	G-206	SDG&E	San Diego	22-Apr-10	48-219	Yes	INC	21	0:00	20:59
48	RT	G-206	SDG&E	San Diego	29-Apr-10	100-222	No	DEC	4	20:40	23:59
49	RT	G-206	SDG&E	San Diego	29-Apr-10	43	No	INC	2	19:07	20:39
50	RT	G-206	SDG&E	San Diego	30-Apr-10	200	Yes	INC	6	0:00	5:59
51	RT	G-217	SCE	LA Basin	13-Apr-10	25- 71	Yes	INC	17	6:00	22:29
52	RT	G-217	SCE	LA Basin	14-Apr-10	25	Yes	INC	24	0:00	23:59
53	RT	Generation Outage	PG&E	Bay Area	12-Apr-10	41- 45	No	DEC	2	10:35	11:59
54	RT	Generation Outage	PG&E	Bay Area	12-Apr-10	34-103	No	INC	2	9:00	10:34
55	RT	Generation Outage	SDG&E	San Diego	12-Apr-10	255-283	No	DEC	2	10:45	11:59
56	RT	Intertie Emergency Assistance	N/A	N/A	4-Apr-10	100-120	No	INC	3	15:54	17:59
57	RT	Market Disruption	N/A	N/A	29-Apr-10	370-410	Yes	DEC	2	19:00	20:59
58	RT	Market Disruption	N/A	N/A	29-Apr-10	20-675	Yes	INC	2	19:00	20:59
59	RT	Market Disruption	SCE	LA Basin	19-Apr-10	30	No	DEC	1	8:22	8:36
60	RT	Market Disruption	SDG&E	San Diego	19-Apr-10	273	No	INC	1	8:27	8:39
61	RT	Ramp Rate	SCE	LA Basin	9-Apr-10	180	Yes	INC	1	18:18	18:59
62	RT	Ramp Rate	SCE	LA Basin	14-Apr-10	71	Yes	INC	4	18:25	21:09
63	RT	Ramp Rate	SCE	LA Basin	27-Apr-10	97-170	No	INC	5	17:15	21:59
64	RT	Ramp Rate	SDG&E	San Diego	21-Apr-10	33	No	DEC	11	12:45	22:34

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
65	RT	Ramp Rate	SDG&E	San Diego	21-Apr-10	80	No	INC	12	12:45	23:59
66	RT	SDG&E Generation Requirement	SDG&E	San Diego	1-Apr-10	100-170	No	DEC	3	5:40	7:59
67	RT	SDG&E Generation Requirement	SDG&E	San Diego	1-Apr-10	80-561	Yes	INC	8	0:05	7:59
68	RT	SDG&E Generation Requirement	SDG&E	San Diego	16-Apr-10	122-172	No	DEC	5	19:25	23:59
69	RT	SDG&E Generation Requirement	SDG&E	San Diego	23-Apr-10	143-265	No	DEC	5	19:25	23:59
70	RT	SDG&E Generation Requirement	SDG&E	San Diego	23-Apr-10	42-358	Yes	INC	3	15:08	17:21
71	RT	SDG&E Generation Requirement	SDG&E	San Diego	24-Apr-10	63-143	No	DEC	3	0:00	2:59
72	RT	SDG&E Import Limit	SDG&E	San Diego	21-Apr-10	89	No	INC	1	21:00	21:59
73	RT	SDG&E Import Limit	SDG&E	San Diego	22-Apr-10	22- 54	No	DEC	14	6:20	19:14
74	RT	SDG&E Import Limit	SDG&E	San Diego	22-Apr-10	89	No	INC	15	5:45	19:14
75	RT	Software Limitation	N/A	N/A	21-Apr-10	78	No	DEC	2	0:50	1:09
76	RT	Software Limitation	PG&E	Bay Area	28-Apr-10	0	Yes	INC	3	8:50	10:24
77	RT	Software Limitation	PG&E	Fresno	14-Apr-10	308	No	DEC	1	2:32	2:46
78	RT	Software Limitation	PG&E	Fresno	23-Apr-10	308	No	DEC	1	4:17	4:31
79	RT	Software Limitation	PG&E	Fresno	27-Apr-10	0	Yes	INC	2	12:47	13:31
80	RT	Software Limitation	PG&E	Fresno	30-Apr-10	188	No	DEC	1	9:00	9:59
81	RT	Software Limitation	PG&E	N/A	15-Apr-10	0	Yes	INC	4	1:00	4:59
82	RT	Software Limitation	PG&E	N/A	16-Apr-10	0	Yes	INC	5	0:30	4:29
83	RT	Software Limitation	PG&E	N/A	21-Apr-10	0	Yes	INC	5	0:45	4:44
84	RT	Software Limitation	PG&E	N/A	27-Apr-10	0	Yes	INC	2	10:50	11:49
85	RT	Software Limitation	PG&E	N/A	28-Apr-10	47	Yes	INC	1	7:32	7:36
86	RT	Software Limitation	PG&E	N/A	30-Apr-10	0	Yes	INC	4	13:00	16:59
87	RT	Software Limitation	PG&E	Sierra	24-Apr-10	0	Yes	INC	1	21:45	21:49
88	RT	Software Limitation	SCE	Big Creek-	21-Apr-10	0	No	INC	23	1:10	23:59

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
				Ventura							
89	RT	Software Limitation	SCE	Big Creek-Ventura	22-Apr-10	0	No	INC	2	0:00	1:09
90	RT	Software Limitation	SCE	LA Basin	1-Apr-10	0	No	INC	1	12:00	12:04
91	RT	Software Limitation	SCE	LA Basin	2-Apr-10	160	Yes	INC	5	17:35	21:59
92	RT	Software Limitation	SCE	LA Basin	20-Apr-10	25	Yes	INC	1	23:50	23:59
93	RT	Software Limitation	SCE	LA Basin	21-Apr-10	25-300	No	DEC	8	16:05	23:59
94	RT	Software Limitation	SCE	LA Basin	21-Apr-10	0	Yes	INC	5	0:30	4:29
95	RT	Software Limitation	SCE	LA Basin	29-Apr-10	0	Yes	INC	2	20:40	21:59
96	RT	Software Limitation	SCE	N/A	7-Apr-10	60	Yes	DEC	1	9:10	9:59
97	RT	Software Limitation	SDG&E	N/A	2-Apr-10	170	Yes	INC	6	16:35	21:59
98	RT	Software Limitation	SDG&E	San Diego	2-Apr-10	41	Yes	INC	3	15:50	17:59
99	RT	Software Limitation	SDG&E	San Diego	10-Apr-10	20- 45	No	DEC	24	0:00	23:59
100	RT	Software Limitation	SDG&E	San Diego	10-Apr-10	0	No	INC	24	0:00	23:59
101	RT	Software Limitation	SDG&E	San Diego	23-Apr-10	0	No	INC	9	0:00	8:14
102	RT	System Energy	N/A	N/A	15-Apr-10	200	No	INC	1	19:00	19:59
103	RT	T-103	SCE	LA Basin	9-Apr-10	70	Yes	INC	3	16:00	18:17
104	RT	T-103	SDG&E	San Diego	10-Apr-10	20	Yes	INC	22	2:00	23:59
105	RT	T-122	PG&E	Bay Area	30-Apr-10	380	Yes	INC	9	0:30	8:59
106	RT	T-122	SCE	Big Creek-Ventura	29-Apr-10	232	No	DEC	1	18:09	18:50
107	RT	T-132	SDG&E	San Diego	3-Apr-10	48	No	INC	9	3:45	11:59
108	RT	T-132	SDG&E	San Diego	16-Apr-10	172	No	DEC	1	19:20	19:24
109	RT	T-132	SDG&E	San Diego	17-Apr-10	100-170	No	DEC	8	0:00	7:59
110	RT	T-132	SDG&E	San Diego	19-Apr-10	48	No	INC	8	13:40	20:59
111	RT	T-138	PG&E	Humboldt	1-Apr-10	5- 15	No	DEC	6	1:25	6:59
112	RT	T-138	PG&E	Humboldt	1-Apr-10	5- 15	No	INC	13	0:00	12:49
113	RT	T-138	PG&E	Humboldt	2-Apr-10	10	Yes	DEC	2	20:45	21:49

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
114	RT	T-138	PG&E	Humboldt	2-Apr-10	0	Yes	INC	1	22:25	22:54
115	RT	T-138	PG&E	Humboldt	3-Apr-10	10	Yes	INC	6	8:00	13:19
116	RT	T-138	PG&E	Humboldt	4-Apr-10	30	No	INC	7	15:40	21:59
117	RT	T-138	PG&E	Humboldt	5-Apr-10	5	Yes	DEC	5	19:55	23:01
118	RT	T-138	PG&E	Humboldt	5-Apr-10	10	Yes	INC	5	19:55	23:54
119	RT	T-138	PG&E	Humboldt	6-Apr-10	10	Yes	DEC	2	20:30	21:19
120	RT	T-138	PG&E	Humboldt	8-Apr-10	15	Yes	INC	5	19:30	23:59
121	RT	T-138	PG&E	Humboldt	9-Apr-10	20- 25	No	DEC	4	6:50	9:49
122	RT	T-138	PG&E	Humboldt	9-Apr-10	15	Yes	INC	11	0:00	10:14
123	RT	T-138	PG&E	Humboldt	14-Apr-10	5- 37	No	INC	4	1:25	4:19
124	RT	T-138	PG&E	Humboldt	15-Apr-10	5- 10	No	INC	3	7:35	9:59
125	RT	T-138	PG&E	Humboldt	21-Apr-10	30	Yes	INC	2	22:05	23:59
126	RT	T-138	PG&E	Humboldt	22-Apr-10	5- 30	Yes	INC	4	0:00	3:59
127	RT	T-138	PG&E	Humboldt	26-Apr-10	5- 10	No	DEC	2	22:55	23:59
128	RT	T-138	PG&E	Humboldt	26-Apr-10	20	Yes	INC	12	12:00	23:59
129	RT	T-138	PG&E	Humboldt	27-Apr-10	5	No	DEC	18	0:20	17:09
130	RT	T-138	PG&E	Humboldt	27-Apr-10	15	Yes	INC	24	0:00	23:59
131	RT	T-138	PG&E	Humboldt	28-Apr-10	10	Yes	INC	24	0:00	23:14
132	RT	T-138	PG&E	Humboldt	29-Apr-10	15	No	INC	1	23:00	23:59
133	RT	T-138	PG&E	Humboldt	30-Apr-10	10	No	INC	24	0:00	23:49
134	RT	Transmission Outage Other	SDG&E	San Diego	21-Apr-10	32	No	DEC	2	22:40	23:59
135	RT	Transmission Outage Other	SDG&E	San Diego	22-Apr-10	32-122	No	DEC	2	0:00	1:44
136	RT	Transmission Outage Other	SDG&E	San Diego	22-Apr-10	80	No	INC	3	0:05	2:59
137	RT	Transmission Outage PG&E	PG&E	Humboldt	8-Apr-10	5- 50	No	DEC	14	10:44	23:59
138	RT	Transmission Outage PG&E	PG&E	Humboldt	9-Apr-10	10- 30	No	DEC	10	0:00	9:49
139	RT	Transmission Outage PG&E	PG&E	Humboldt	9-Apr-10	0	No	INC	7	0:00	6:49
140	RT	Transmission Outage PG&E	PG&E	Humboldt	18-Apr-10	20	No	INC	13	6:50	18:29
141	RT	Transmission Outage PG&E	PG&E	Sierra	18-Apr-10	28- 43	No	DEC	8	1:25	8:59

Number	Market Type	Reason	Location	Local Reliability Area	Trade Date	MW	Commitment	INC_DEC	Hours	Begin Time	End Time
142	RT	Transmission Outage PG&E	PG&E	Sierra	25-Apr-10	6- 48	No	DEC	15	0:35	14:16
143	RT	Transmission Outage PG&E	PG&E	Sierra	26-Apr-10	12- 34	No	DEC	7	17:05	23:59
144	RT	Transmission Outage PG&E	PG&E	Sierra	27-Apr-10	5- 15	No	DEC	10	12:55	21:59
145	RT	Transmission Outage PG&E	PG&E	Sierra	27-Apr-10	28	No	INC	8	0:00	7:29
146	RT	Transmission Outage PG&E	PG&E	Sierra	28-Apr-10	10- 40	No	DEC	9	13:20	21:59
147	RT	Transmission Outage PG&E	PG&E	Sierra	29-Apr-10	5- 85	No	DEC	22	2:45	23:09
148	RT	Transmission Outage PG&E	PG&E	Sierra	29-Apr-10	30	No	INC	2	22:45	23:59
149	RT	Transmission Outage PG&E	PG&E	Sierra	30-Apr-10	12- 97	No	DEC	23	0:00	22:14
150	RT	Transmission Outage PG&E	PG&E	Sierra	30-Apr-10	50	Yes	INC	2	20:55	21:59
151	RT	Transmission Outage SCE	SCE	LA Basin	17-Apr-10	20	Yes	INC	6	18:00	23:59
152	RT	Transmission Outage SCE	SCE	LA Basin	19-Apr-10	10	Yes	INC	13	11:00	23:59
153	RT	Transmission Outage SCE	SCE	LA Basin	20-Apr-10	70	Yes	INC	24	0:00	23:59
154	RT	Transmission Outage SCE	SCE	N/A	7-Apr-10	24- 44	No	DEC	2	10:35	11:59
155	RT	Transmission Outage SDG&E	SCE	LA Basin	9-Apr-10	70	Yes	INC	5	19:00	23:59
156	RT	Transmission Outage SDG&E	SCE	LA Basin	20-Apr-10	25	Yes	INC	3	21:20	23:59
157	RT	Transmission Outage SDG&E	SCE	LA Basin	21-Apr-10	25	Yes	INC	24	0:00	23:59
158	RT	Transmission Outage SDG&E	SDG&E	San Diego	4-Apr-10	257-547	Yes	INC	4	20:00	23:59
159	RT	Transmission Outage SDG&E	SDG&E	San Diego	5-Apr-10	257-547	Yes	INC	24	0:00	23:59
160	RT	Transmission Outage SDG&E	SDG&E	San Diego	24-Apr-10	63	No	DEC	1	2:25	2:59
161	RT	Transmission Outage SDG&E	SDG&E	San Diego	24-Apr-10	213-272	Yes	INC	2	1:05	2:59
162	RT	Voltage Support	PG&E	Fresno	25-Apr-10	308	No	DEC	2	8:36	9:24
163	RT	Voltage Support	SCE	LA Basin	3-Apr-10	20	Yes	INC	3	21:30	23:59
164	RT	Voltage Support	SCE	LA Basin	4-Apr-10	0	No	INC	9	0:00	8:59

Appendix A: Explanation by Example

All examples listed below are based on fictitious data.

Example 1: Exceptional Dispatch Instructions Prior to DAM

In this fictitious example the ISO issued an exceptional dispatch instruction for resource A to be committed at its physical minimum (Pmin) of 50 MW from hours ending 5 through 10 for a generation procedure G-206. Similarly, the ISO issued additional instructions to resources B and C for the same reason as shown in Table 2. Generally exceptional dispatches prior to the day-ahead market are commitments to minimum load. In this case the dispatch levels are all at minimum load.

Table 2: Instructions Prior to Day-Ahead Market

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch Level (MW)	Reason
01-Jul-09	DA	A	SCE	LA BASIN	05:00	10:00	50	G-219
01-Jul-09	DA	B	SCE	LA BASIN	08:00	20:00	30	G-219
01-Jul-09	DA	C	SCE	LA BASIN	09:00	23:00	20	G-219.

This data is summarized as shown in Table 3, which is the prescribed format specified in the FERC order on September 02, 2009. This summary classifies the data by reason, resource location, local reliability area, and trade date. The MW column in Table 3 is the range of MW; in this case the minimum instruction MW is 20 MW for resource C which occurs from hours ending 21 through 23. The maximum instruction occurs in hour ending 10. In this hour resource A is committed at 50 MW, resource B is committed at 30 MW and resource C is committed at 20 MW. This adds up to 100 MW. Thus the MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The commitment column shows whether a resource was committed between the begin time and end time. Commitments are broken out separately from energy dispatches. In the day-ahead, however the exceptional dispatches are nearly always just commitments, as in this example. The begin time shows hour ending 5 as this was the hour ending for first dispatch of the day, and the end time shows hour ending 23, as this was the hour with last dispatch. It is also possible that there might be some hours between the begin time and the end time where there might not be exceptional dispatch instructions for the given reason, meaning that the range between the begin time and end time can include null hours with no dispatch.

Table 3: FERC Summary of Instructions Prior to DAM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time
1	DA	G-219	SCE	LA Basin	1-Jul-09	20-100	Yes	N/A	19	05:00	23:00

Example 2: Incremental Exceptional Dispatch Instructions in RTM

In this fictitious example the ISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 30 MW from hours ending 7 through 11 after completion of the day-ahead market for the transmission procedure T-138. This resource did not have a day-ahead award in those hours. The ISO issued another exceptional dispatch instruction to resource B, to be dispatched at 40 MW from hours ending 8 through 9 in real-time for the transmission procedure T-138. This resource had a day-ahead schedule of 20 MW from the day-ahead market, which implies that this exceptional dispatch instruction was an incremental instruction and the exceptional dispatch MW was 20 MW. Similarly, the details of exceptional dispatch (ED) instruction for resource C is shown in Table 4.

Table 4: Incremental Exceptional Dispatch Instructions in RTM

Date	Market	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch Level (MW)	Day-Ahead Award (MW)	Commitment	INC/DEC	ED (MW)	Reason
01-Jul-09	RT	A	PG&E	Humboldt	06:00	11:00	30	0	Yes	INC	30	t-138
01-Jul-09	RT	B	PG&E	Humboldt	07:00	09:00	40	20	No	INC	20	t-138
01-Jul-09	RT	C	PG&E	Humboldt	12:00	15:00	50	50	No	INC	0	t-138
01-Jul-09	RT	C	PG&E	Humboldt	16:00	20:00	50	40	No	INC	10	t-138

This data is summarized as shown in Table 5 and is classified by reason, resource location, local reliability area, and trade date. The MW column in Table 5 is the range of MW; in this case the minimum instruction MW is 0 MW for resource C which occurs from hours ending 13 through 15. The maximum instruction occurs in hours ending 8 & 9, as during these two hours both resources A and B have an ED MW of 30MW and 20MW, respectively. This adds up to 50 MW. Thus the MW column shows the minimum and maximum of the overlaps of all the Exceptional dispatch instructions. The commitment column shows whether a resource was committed between the begin time and end time. This column shows a commitment if there was a single commitment in the entire interval of exceptional dispatch. The begin time shows the time of the first dispatch of the day. This is a time not a range. Similarly the end time shows a time and not a range. Exceptional dispatches occurred between these two times. Since there was a commitment between the begin time and end time then the commitment column displays yes for the summary. Similarly, the INC/DEC column shows an INC as there was an incremental dispatch between the begin time and end time. As mentioned in the previous example it is possible that there might be some hours between the begin time and end time where there were no exceptional dispatch instructions for the given reason.

Table 5: FERC Summary of ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time
1	RT	T-138	PG&E	Humboldt	1-Jul-09	0-50	Yes	INC	15	06:00	20:00

Example 3: Decremental Exceptional Dispatch Instructions in RTM

This example highlights decremental exceptional dispatch instructions in the real-time market. In this fictitious example the ISO issued an exceptional dispatch instruction to resource A to be committed at its Pmin of 20 MW from hours ending 15 through 20 after completion of the day-ahead market for the transmission procedure T-129. The ISO issued additional exceptional dispatch instructions for resources B and C; details of those instructions are shown in Table 6.

Table 6: Decremental Exceptional Dispatch Instructions in RTM

Date	Market Type	Resource	Location	Local Reliability Area (LRA)	Begin Time	End Time	Dispatch Level (MW)	Day-Ahead Award (MW)	Commitment	INC/ DEC	ED (MW)	Reason
01-Jul-09	RT	A	PG&E	Fresno	15:00	20:00	20	0	Yes	INC	20	t-129
01-Jul-09	RT	B	PG&E	Fresno	07:00	09:00	40	60	No	DEC	20	t-129
01-Jul-09	RT	C	PG&E	Fresno	10:00	14:00	40	50	No	DEC	10	t-129

This data is summarized according to FERC convention as shown in Table 7. This summary classifies the data by reason, resource location, local reliability area, and trade date. Please note that inc and dec are broken out separately. The inc entry is self-explanatory and similar to the previous example. Regarding the dec entry the MW column is the range of MW; in this case the minimum dec instruction is 10 MW (actually -10MW as it is a dec) for resource C which occurs from hours ending 10 through 14. The maximum instruction occurs from hours ending 7 through 9, when resource B was issued a dec instruction of 20 MW. Thus the MW column shows the minimum and maximum of the overlaps of all the exceptional dispatch instructions. The commitment column shows whether a resource was committed between the begin time and end time.

Table 7: FERC Summary of Decremental ED Instructions in RTM

Number	Market Type	Reason	Location	Local Reliability Area (LRA)	Trade Date	MW	Commitment	INC/DEC	Hour	Begin Time	End Time
1	RT	T-129	PG&E	Fresno	1-Jul-09	20	Yes	INC	6	15:00	20:00
1	RT	T-129	PG&E	Fresno	1-Jul-09	10-20	Yes	DEC	8	07:00	14:00

CERTIFICATE OF SERVICE

I hereby certify that I have served the foregoing document upon the parties listed on the official service list in the captioned proceedings, in accordance with the requirements of Rule 2010 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2010).

Dated at Folsom, California this 15th of June, 2010.

/s/ Anna Pascuzzo

Anna Pascuzzo