



California ISO



RC West

Western Interchange Tool Working Group (WITWG)

September 29, 2020

ISO PUBLIC

WIT Administration

- Joint Reliability Coordinator Executive Committee determined WECC shared tools shall be hosted as follows:
 - WIT Working Group (WITWG) is hosted by RC West
 - ECC Working Group (ECCWG) is hosted by SPP
- WIT Working Group participants are comprised of participants on the WECC ATFWG and ATFWG Correspondence email distribution lists
- WIT Working Group webpage at [caiso.com](http://www.caiso.com/informed/Pages/RCWest/WECCInterchangeToolWorkingGroup.aspx):
<http://www.caiso.com/informed/Pages/RCWest/WECCInterchangeToolWorkingGroup.aspx>

Your representatives:

Chair - Craig Henry, AESO

Vice Chair - Raymond Vojdani, WACM

Secretary - Heidi Stoltz, SRP

RC West Hosts:

Kokou Agbassekou

Dave Delparte

WIT Working Group - Agenda

1. Introductions
2. Establish additional voting members
3. WITWG Charter
4. June Meeting minutes and follow up items
5. Internet Service Outage 08/30/2020
6. ATEC
7. WIT Schedule Change Requests
8. Variances
9. Enhancements
10. Review Action Items
11. Future meetings

WIT Working Group – Members – 38 BAs in WIT

Types of WIT Users:

Schedule Checkout

Delta Time Error

Frequency Bias and L10

Please make sure your Balancing Authority Area contacts include those areas and are part of the WECC ATFWG or ATFWGCOR distribution lists

Next slide, names in red listed are members, names in black are today's participants -

Shall we list members on the WIT Working Group webpage at www.caiso.com?

WIT Working Group – Members – 38 BAs in WIT

AESO	Kevin Stinson	IPCO	
AVA	Eric Tipton, Tracy Townley	LDWP	
AVRN		NEVP	Patrick Foley
AZPS	Christina Guzman, Marvin Bradt, Michelle Hollman, Ashley Kelly	NWMT	Hugh Murphy, Amy Vercella, Eric Mahugh
BANC	Eddie Ledesma	PACE	Betsy Butler, Deanna Doney, Kathee Downey
BCHA	Ryan Vennesland, Julie Chambers	PACW	Betsy Butler, Deanna Doney, Kathee Downey
BPAT	Jason Bryan, Mike Norris, Bernadette Dalia	PGE	Tina Gary, Jonnette Hemry
CEN		PNM	
CHPD		PSCO	
CISO	Kokou Agbassekou, Dave Delparte, Greg Berglund, David Dieser	PSEI	Nancy Mesquita, Nikki Siron, Joshua Megrath
DEAA		SCL	Clara Zhang, Nhung Mach, Hung Nguyen, Connie Huynh, Michael Jang
DOPD		SRP	Jennifer Nelsen, Heidi Stoltz
EPE	Anne Reed, Gerald Markey, Pearl Muller, Miritzi Sandoval	TEPC	Dan, Glenda Bracamonte, Calvin Dacus
GCPD		TIDC	Leslie Bucheli, Jody Carr
GRID		TPWR	
GRIF		WACM	Mariah Swaffer, Raymond Vojdani, Jerry Krebs
GWA		WALC	Laura Ramirez, Rose Statler, Kim Clark



WIT Working Group - Charter

Charter has been approved by the Joint RC Executive Committee



Located on the WIT Working Group webpage at caiso.com:
<http://www.caiso.com/informed/Pages/RCWest/WECCInterchangeToolWorkingGroup.aspx>

June Meeting Minutes and Follow up Items

Follow up items

- Where is the members list with phone numbers?
- Craig and Danielle are waiting to hear back from OATI not sure if they will send out communication regarding the issues or if OATI will. (Kokou/Craig to provide updates) report on next slide
- Raymond will look into why this happened and apply the change to everyone if needed.
- The effective date for these containers and having trouble with BA access. Some alarms weren't working that is being looked into. OATI when full staffed after COVID-19 affects will put rNSI in. In production on 09/16/20
- All BAs take up an action Item to look at ATEC to make sure it's doing what you expect and want. (Everyone?)

Tagging Outage Saturday, 06/06/2020 12:08 PDT

SUBJECT: System Event on June 6th

Problem Descriptions:

At approximately 2:10 PM CPT on June 6th, OATI received reports that some systems were inaccessible to users. OATI Teams investigating found that a service running on the Domain Name Servers (DNS) in the Minneapolis Data Center was not functioning properly. By 3:06 PM CPT the DNS service was back online and the issue was resolved. The OATI Bloomington Data Center DNS was not impacted during this event.

OATI project teams continued to monitor the DNS and servers for the rest of the day.

Post Event Follow-up:

OATI identified the root cause of the outage was a failure in the OATI domain name resolution used by OATI applications from the Minneapolis Data Center at approximately 1:40 PM CPT. The DNS services were restarted at 3:06 PM CPT and the system issue was resolved.

OATI has implemented additional DNS service monitors that will automatically mitigate the situation under similar failure conditions. Additionally, OATI has escalated the details of this failure to the DNS software vendor for resolution.

OATI apologizes for the inconvenience this may have caused your organization and looks forward to working with you in the future.

Sincerely,

OATI SUPPORT

Internet Service Outage 08/30/2020

CenturyLink Outage Impact

The August 30, 2020 CenturyLink ISP outage had significant impact on Internet traffic across the globe spanning many industries. This outage also impacted some of our customers, and OATI wants you to know that we stand ready to support you during these types of events, and that the OATI Private Cloud is designed to withstand such disruptive communications events.

This early Sunday morning event triggered OATI's escalated response team, comprised of senior staff from Customer Support, IT, Project Management, Integration, Development and Executive teams. Over 40 staff joined in activities via both on-site presence as well as web-meetings to coordinate and execute response activities. OATI Private Cloud Data Centers were not impacted by this event and OATI systems remained fully operational. OATI Data Centers have quadruple redundancy including use of Internet Service Providers. The OATI IT staff took precautionary action circumventing traffic through the degraded network. OATI responded to several customer tickets reporting connectivity problems from external networks, and worked with those customers to assist them in this issue. OATI staff appreciated the feedback from customers "Stressful event. Help desk very responsive and informative".

DTE– Variance Update

System	Short Description	Status	Next Action	Priority Severity
RCW EMS	DTE 6/4 HE 18 & 19	With RCW EMS vendor	Work in progress	High
RCW EMS	DTE 07/21 HE10	Fixed	Work in progress	High
RCW EMS	DTE 08/10 HE 17	Pending RCWEST action	Work in progress	High
RCW EMS	DTE 08/11 HE 11	Fixed	closed	High
RCW EMS	DTE 07/31 HE 4 Primary shows 0, BU1 and BU2 are non-zero	Pending	Work in progress	Low
RCW EMS	DTE 08/30 HE 5, 6, 7 Primary shows 0, BU1 and BU2 are non-zero	Pending	Work in progress	Low

WIT Schedule Change Requests

Requests Submitted Per Month	Change Requests	# of Initial Tags	Total MWh Change	# ATF Tags Needed	Reasons
June	3	9	146	0	<ul style="list-style-type: none"> Tag manually curtailed due to OATI software failure OATI tagging global outage prevented eTag curtailments Software updating issues
July	2	2	27	0	<ul style="list-style-type: none"> Generator not running for this loss payback tag. Should have been curtailed. SRP will pay these losses back next month. Tag was incorrectly created with 30 MWh, should be 13 MWh.
August	3	6	144	0	<ul style="list-style-type: none"> Sale was Non-firm but tagged as Firm Loss Supply tag did not propagate correctly Tag was manually curtailed with CAISO, CAS software failure prevented schedule from being electronically curtailed
September	None to-date				

Key:

- Change Requests = the number of requests submitted in that month.
- Total MWh Change = difference between current MWh and requested MWh on form
- ATF Tags Needed = ATF tags created

WIT Schedule Change Requests Guidelines

- WECC Inadvertent data report for the previous month must be sent to stakeholders after the 15th of the following month.
- Please make your changes prior to the **15th of the following month for the previous month**
- ~~Meter actual changes are processed directly in WIT within 168 hours. After 168 hours, work with OATI to fix the meter before the 15th of the following month.~~
- Please inform ATF Chair, SPPW and RCW administrators for any changes made to schedules or meter actuals after the 168 hours window expired.
- **NERC/CERTS Inadvertent data for each month must be locked by the administrators after the 15th of the following month.**

WIT Working Group – Issues Update

WS Ticket #	Short Description	Status	Next Action	Priority Severity
138564	WIT - Ability for users to clear vars (Enhancement)	OATI to review issue	Pending OATI review	MEDIUM
133081	GRID BA to RCWEST Container	Pending OATI review	OATI to provide practical solution to GRID.	MEDIUM
130927	WIT Alarm Preferences Not Working	Cannot be located	RCW investigated but cannot locate	MEDIUM
138564	WIT - Ability for users to clear vars	Enhancement. Should we proceed?	Issue has been entered into the Enhancement Queue	MEDIUM
141828	WIT PROD: CERTS display No Data for SPPC - IN00935388	Variance	OATI to review issue	MEDIUM
139991	WIT PROD - RCW cannot access AESO nor BCHA	Variance	OATI to complete change	MEDIUM
139511	WIT PROD: Hourly updates to NERC CERT CRFW Report from WECC Inadvertent Report	Enhancement. Should we proceed?	OATI to Investigate	MEDIUM

WIT Working Group – Past Variances Resolved

WS Ticket #	Short Description	Status	Next Action	Priority Severity
134016	Missing "Export to CERTS" button	Completed 04/20	Closed	MEDIUM
134124	Unable to make edits to time error via UI	Completed 04/20	Closed	HIGH
138808	ATEC Data Maintenance	Completed 06/26	Closed	MEDIUM
130926	Remove Inactive BAs from WECC Inadvertent Report	Completed 08/20	Closed	MEDIUM
137334	WIT Homepage Cleanup (Enhancement)	Completed 9/16	Closed	LOW
138107	Download Payback service issue	Completed 9/16	Closed	HIGH
136743	WIT - Interchange Summary Monthly View Start/End	Completed 9/16	Closed	MEDIUM

WIT Working Group - Enhancements

As the contract holder of WIT, ISO Technology would like to know about any wish items to improve how the WIT look at feel.

There is no money now, but this will help ISO Technology understand the pain points and new ideas for the WIT

Are there efficiency ideas regarding how the tool could be used easier?

OATI revealed that WIT will be upgraded to webSmartScheduler but have not provided an update

Suggested Enhancements from RC West

All WIT Users:

- We want it to look like the other OATI products. Would WITWG prefer webTrans or webSmartTag?
- Each display should be labeled
- ATEC report/Primary Inadvertent Summary should turn red/show Mismatch if all values are zero for a past hour
- Update the WIT User Guide
- OATI should provide WIT Specifications

WIT Admin Users:

- Additional logging that is more intuitive

WIT Working Group – Let's do this again!

Next WITWG webinar suggestion:

January 26th 9:15 a.m. – 11:00 a.m. PDT

When reporting any WIT issue, please include
WITAdminRCW@caiso.com; craig.henry@aeso.ca;
avojdani@wapa.gov;

Request from your OATI PM “WIT Project” permissions to see WIT issues in webSupport.

Next WIT Working Group Webinar

Participate in the WITWG:

Please submit a request to Marie Morris at WECC, mmorris@wecc.org, to be added to the WECC ATFWG or ATFWGCOR email distribution lists

Register soon at:

<http://www.caiso.com/informed/Pages/RCWest/WECCInterchangeToolWorkingGroup.aspx>

Agenda additions,
please email WITAdminRCW@caiso.com; craig.henry@aeso.ca;
avojdani@wapa.gov