

Price Correction Report

Week of July 15 – 19, 2024

Overview

This document is intended to meet the requirements of ISO Tariff section 35.6, and provides the Market Participants with a summary of all price corrections that occurred during the week. For example, report titled with May 5-9, 2014 will cover all corrections made during the week of May 5-9. In a normal situation, it will include trade dates that have price corrections which are due between May 5-9, 2014 based on the five business day for Real-Time market and three business day for Day-Ahead market.

The structure of the report is as follows:

- Price correction listing – this section includes a listing of all the corrections, including market intervals affected, locations, reason (which would tie back to the description of issues section), and method of price correction.
- Description of Issues – this section describes each issue which resulted in a correction in more detail.
- Price-fill report – metrics on the number of empty price intervals that were filled by adjacent interval prices, usually due to failed runs.

For the week covered by this report, **34** interval was corrected.

The trade dates covered by this report are:

DAM: 7/10/2024 – 7/16/2024

RTM: 7/8/2024 – 7/14/2024

Correction methodologies

The following are the definitions of the correction methodologies used:

Selective recalculation: The CAISO will selectively recalculate incorrect financially binding prices when the invalid prices are isolated and can be corrected such that no other financially binding prices are affected by the correction.

System recalculation: The CAISO will recalculate all prices for the invalidated market interval using corrected or recreated input data, or repaired software as applicable.

Replacement: If the above correction methods are not applicable and practicable, the CAISO shall use, in place of prices for the binding interval of an invalidated market solution, replicated prices from binding or advisory intervals from the validated market solution in which the market conditions were most similar to the market conditions in the invalidated market solution for the affected interval.

Price Correction Report

Week of July 15 – 19, 2024

Price Correction Listing

The following is a list of the corrections made during the week, provided with date and time. The number to the left of the reason field corresponds to the issue number in the Description of Issues section. The count of corrected Pnode/APnode/SP-Tie for each corrected interval is listed left to the Affected Location field, for Energy and FRP respectively. In case of many intervals with the same correction reason, instead of providing the exact count of corrected Pnode/APnode/SP-Tie, the range of Pnode/APnode/SP-Tie affected is provided and listed in another table. Please note that there are only AS price corrections or only constraint shadow price correction for those intervals that have the Count of Corrected Pnode/APnode/SP-Tie column missing.

Corrections made through selective recalculation: 34

Date	HE	Intervals	Market	#	Reason	Number of corrected Pnodes/APnodes/SP-Ties for Energy	Number of corrected Pnodes/APnodes/SP-Ties for Flex Ramp	Method	Affected Area
07/13/2024	19	4-8	RTD	1	Data Input Error	16241		Selective Recalc	Local
07/13/2024	19	9	RTD	1	Data Input Error	16249		Selective Recalc	Local
07/13/2024	19	2,4	RTPD	1	Data Input Error	16251		Selective Recalc	Local
07/13/2024	19	3	RTPD	1	Data Input Error	16254		Selective Recalc	Local
07/13/2024	20	1	RTPD	1	Data Input Error	16290		Selective Recalc	Local
07/13/2024	20	2	RTPD	1	Data Input Error		16233	Selective Recalc	Local
07/14/2024	1	1	RTD	1	Data Input Error	16237		Selective Recalc	Local
07/14/2024	18	1-12	RTD	2	Data Input Error	72		Selective Recalc	Local
07/14/2024	19	1-2	RTD	2	Data Input Error	72		Selective Recalc	Local
07/14/2024	1	1	RTPD	1	Data Input Error	16254		Selective Recalc	Local
07/14/2024	1	2	RTPD	1	Data Input Error	16272		Selective Recalc	Local
07/14/2024	1	3	RTPD	1	Data Input Error	16235		Selective Recalc	Local
07/14/2024	18	1-2,4	RTPD	2	Data Input Error	72		Selective Recalc	Local
07/14/2024	18	3	RTPD	2	Data Input Error	1700		Selective Recalc	Local
07/14/2024	19	1	RTPD	2	Data Input Error	72		Selective Recalc	Local

Corrections made through interval replacement: 0

Corrections made through market rerun: 0

Description of Issues:

1. Data Input Error:

Invalid congestion due to a data input error impacting outage modeling.

Prices were corrected by selective recalculation.

2. Data Input Error:

Price Correction Report

Week of July 15 – 19, 2024

Invalid prices due to a data input error impacting EIM functionality.

Prices were corrected by selective recalculation.

Price Fill Report

A price fill occurs whenever a market run failed to publish to the Settlement system. This usually occurs whenever a market run failed, for example when a market fails to come to a solution. It could also occur when an operator decides that a market is not to be run, for example during a contingency event. Automatic price fills also occur in real-time when an operator chooses to utilize the previous interval's solution for the current interval.

Prices are filled according to the rules in CAISO Tariff section 7.7.9 which states that administrative pricing applies to intervals where we have had a market disruption, and requires the prices to be set differently depending on the number of consecutive market disruptions.

The number of prices which were adjusted by the fill process is as follows.

Total number of filled price intervals for energy, AS and GHG: 8

Date	HE	Intervals	Market
07/09/2024	24	11	RTD
07/09/2024	24	12	RTD
07/10/2024	1	1	RTPD
07/11/2024	23	8	RTD
07/11/2024	23	9	RTD
07/11/2024	23	10	RTD
07/11/2024	23	11	RTD
07/11/2024	23	12	RTD

Total number of filled price intervals for FRP: 8

Date	HE	Intervals	Market
07/09/2024	24	12	RTD
07/10/2024	1	1	RTD
07/10/2024	1	2	RTPD
07/11/2024	23	9	RTD
07/11/2024	23	10	RTD
07/11/2024	23	11	RTD
07/11/2024	23	12	RTD
07/11/2024	24	1	RTD

Note: Intervals filled are subject to subsequent price corrections where applicable.

Total number of filled intervals due to WEIM BAA market separation: 0