

Price Correction Report Week of October 7 – 11, 2024

Overview

This document is intended to meet the requirements of ISO Tariff section 35.6, and provides the Market Participants with a summary of all price corrections that occured during the week. For example, report titled with May 5-9, 2014 will cover all corrections made during the week of May 5-9. In a normal situation, it will include trade dates that have price corrections which are due between May 5-9, 2014 based on the five business day for Real-Time market and three business day for Day-Ahead market.

The structure of the report is as follows:

- Price correction listing this section includes a listing of all the corrections, including market intervals affected, locations, reason (which would tie back to the description of issues section), and method of price correction.
- Description of Issues this section describes each issue which resulted in a correction in more detail.
- Price-fill report metrics on the number of empty price intervals that were filled by adjacent interval prices, usually due to failed runs.

For the week covered by this report, **216** intervals were corrected.

The trade dates covered by this report are:

DAM: 10/02/2024 - 10/08/2024 RTM: 09/30/2024 - 10/6/2024

Correction methodologies

The following are the definitions of the correction methodologies used:

Selective recalculation: The CAISO will selectively recalculate incorrect financially binding prices when the invalid prices are isolated and can be corrected such that no other financially binding prices are affected by the correction.

System recalculation: The CAISO will recalculate all prices for the invalidated market interval using corrected or recreated input data, or repaired software as applicable.

Replacement: If the above correction methods are not applicable and practicable, the CAISO shall use, in place of prices for the binding interval of an invalidated market solution, replicated prices from binding or advisory intervals from the validated market solution in which the market conditions were most similar to the market conditions in the invalidated market solution for the affected interval.

CAISO/DLEE 1



Price Correction Report Week of October 7 – 11, 2024

Price Correction Listing

The following is a list of the corrections made during the week, provided with date and time. The number to the left of the reason field corresponds to the issue number in the Description of Issues section. The count of corrected Pnode/APnode/SP-Tie for each corrected interval is listed left to the Affected Location field, for Energy and FRP respectively. In case of many intervals with the same correction reason, instead of providing the exact count of corrected Pnode/APnode/SP-Tie, the range of Pnode/APnode/SP-Tie affected is provided and listed in another table. Please note that there are only AS price corrections or only constraint shadow price correction for those intervals that have the Count of Corrected Pnode/APnode/SP-Tie column missing.

Corrections made through selective recalculation: 216

Date	HE	Intervals	Market	#	Reason	Number of corrected	Number of corrected	Method	Affected
						Pnodes/APnodes/ SP-	Pnodes/APnodes/SP-		Area
						Ties for Energy	Ties for Flex Ramp		
10/03/2024	22	8	RTD	1	Data Input Error	82		Selective Recalc	Local
10/03/2024	22	2,12	RTD	1	Data Input Error	74		Selective Recalc	Local
10/03/2024	22	3-5,11	RTD	1	Data Input Error	72		Selective Recalc	Local
10/03/2024	23	1-12	RTD	1	Data Input Error	72		Selective Recalc	Local
10/03/2024	24	1-12	RTD	1	Data Input Error	72	72	Selective Recalc	Local
10/03/2024	24	1-2	RTPD	1	Data Input Error	72		Selective Recalc	Local
10/04/2024	1	1	RTD	1	Data Input Error	225	72	Selective Recalc	Local
10/04/2024	1	2	RTD	1	Data Input Error	191	72	Selective Recalc	Local
10/04/2024	7	6	RTD	1	Data Input Error	233	230	Selective Recalc	Local
10/04/2024	7	7	RTD	1	Data Input Error	226	72	Selective Recalc	Local
10/04/2024	7	1-5	RTD	1	Data Input Error	72	72	Selective Recalc	Local
10/04/2024	7	8-12	RTD	1	Data Input Error	229	72	Selective Recalc	Local
10/04/2024	8	11	RTD	1	Data Input Error	72	72	Selective Recalc	Local
10/04/2024	8	12	RTD	1	Data Input Error	72		Selective Recalc	Local
10/04/2024	8	2-3	RTD	1	Data Input Error	138	72	Selective Recalc	Local
10/04/2024	8	1,4-10	RTD	1	Data Input Error	210	72	Selective Recalc	Local
10/04/2024	9	7	RTD	1	Data Input Error	951		Selective Recalc	Local
10/04/2024	9	8	RTD	1	Data Input Error	2863		Selective Recalc	Local
10/04/2024	9	3-6	RTD	1	Data Input Error	794		Selective Recalc	Local
10/04/2024	9	1-2,9-12	RTD	1	Data Input Error	72		Selective Recalc	Local
10/04/2024	12	1-2	RTD	1	Data Input Error	72		Selective Recalc	Local
10/04/2024	13	1-8,12	RTD	1	Data Input Error	72		Selective Recalc	Local
10/04/2024	2-6	1-12	RTD	1	Data Input Error	72	72	Selective Recalc	Local
10/04/2024	10-11	1-12	RTD	1	Data Input Error	72		Selective Recalc	Local
10/04/2024	1,12	3-12	RTD	1	Data Input Error	72	72	Selective Recalc	Local
10/04/2024	1	1-2,4	RTPD	1	Data Input Error	72		Selective Recalc	Local
10/04/2024	3	1	RTPD	1	Data Input Error	72		Selective Recalc	Local
10/04/2024	5	3	RTPD	1	Data Input Error	72		Selective Recalc	Local
10/04/2024	7	1	RTPD	1	Data Input Error	2010		Selective Recalc	Local
10/04/2024	8	1	RTPD	1	Data Input Error	794		Selective Recalc	Local
10/04/2024	9	1-2	RTPD	1	Data Input Error	2422		Selective Recalc	Local
10/04/2024	9	3-4	RTPD	1	Data Input Error	794		Selective Recalc	Local
10/04/2024	10	4	RTPD	1	Data Input Error	72		Selective Recalc	Local
10/04/2024	7-8	3-4	RTPD	1	Data Input Error	72		Selective Recalc	Local
10/04/2024	2,6	2-4	RTPD	1	Data Input Error	72		Selective Recalc	Local
10/04/2024	4,13	1-4	RTPD	1	Data Input Error	72		Selective Recalc	Local

CAISO/DLEE 2



Price Correction Report Week of October 7 – 11, 2024

Corrections made through interval replacement: 0

Corrections made through market rerun: 0

Description of Issues:

1. Data Input Error:

Invalid prices due to a data input error impacting resource dispatch.

Prices were corrected by selective recalculation.

Price Fill Report

A price fill occurs whenever a market run failed to publish to the Settlement system. This usually occurs whenever a market run failed, for example when a market fails to come to a solution. It could also occur when an operator decides that a market is not to be run, for example during a contingency event. Automatic price fills also occur in real-time when an operator chooses to utilize the previous interval's solution for the current interval.

Prices are filled according to the rules in CAISO Tariff section 7.7.9 which states that administrative pricing applies to intervals where we have had a market disruption, and requires the prices to be set differently depending on the number of consective market distriputions.

The number of prices which were adjusted by the fill process is as follows.

Total number of filled price intervals for energy, AS and GHG: 1

Date	HE	Intervals	Market	
10/03/2024	11	1	RTPD	

Total number of filled price intervals for FRP: 1

Date	HE	Intervals	Market	
10/03/2024	11	2	RTPD	

Note: Intervals filled are subject to subsequent price corrections where applicable.

Total number of filled intervals due to WEIM BAA market separation: 0

CAISO/DLEE 3