

Price Correction Report

Week of May 1 – May 5, 2023

Overview

This document is intended to meet the requirements of ISO Tariff section 35.6, and provides the Market Participants with a summary of all price corrections that occurred during the week. For example, report titled with May 5-9, 2014 will cover all corrections made during the week of May 5-9. In a normal situation, it will include trade dates that have price corrections which are due between May 5-9, 2014 based on the five business day for Real-Time market and three business day for Day-Ahead market.

The structure of the report is as follows:

- Price correction listing – this section includes a listing of all the corrections, including market intervals affected, locations, reason (which would tie back to the description of issues section), and method of price correction.
- Description of Issues – this section describes each issue which resulted in a correction in more detail.
- Price-fill report – metrics on the number of empty price intervals that were filled by adjacent interval prices, usually due to failed runs.

For the week covered by this report, **102** intervals were corrected.

The trade dates covered by this report are:

DAM: 4/26/2023 – 5/02/2023

RTM: 4/24/2023 – 4/30/2023

Correction methodologies

The following are the definitions of the correction methodologies used:

Selective recalculation: The CAISO will selectively recalculate incorrect financially binding prices when the invalid prices are isolated and can be corrected such that no other financially binding prices are affected by the correction.

System recalculation: The CAISO will recalculate all prices for the invalidated market interval using corrected or recreated input data, or repaired software as applicable.

Replacement: If the above correction methods are not applicable and practicable, the CAISO shall use, in place of prices for the binding interval of an invalidated market solution, replicated prices from binding or advisory intervals from the validated market solution in which the market conditions were most similar to the market conditions in the invalidated market solution for the affected interval.

Price Correction Report

Week of May 1 – May 5, 2023

Price Correction Listing

The following is a list of the corrections made during the week, provided with date and time. The number to the left of the reason field corresponds to the issue number in the Description of Issues section. The count of corrected Pnode/APnode/SP-Tie for each corrected interval is listed left to the Affected Location field, for Energy and FRP respectively. In case of many intervals with the same correction reason, instead of providing the exact count of corrected Pnode/APnode/SP-Tie, the range of Pnode/APnode/SP-Tie affected is provided and listed in another table. Please note that there are only AS price corrections or only constraint shadow price correction for those intervals that have the Count of Corrected Pnode/APnode/SP-Tie columns missing.

Corrections made through selective recalculation: 97

Date	HE	Intervals	Market	#	Reason	Number of corrected Pnodes/APnodes/SP-Ties for Energy	Number of corrected Pnodes/APnodes/SP-Ties for Flex Ramp	Method	Affected Area
04/25/2023	10	1,3-4	RTPD	3	Software Defect			Selective Recalc	Local
04/25/2023	8	1	RTPD	3	Software Defect			Selective Recalc	Local
04/26/2023	1	1-6	RTD	2	Data Input Error	12334		Selective Recalc	Local
04/26/2023	1	10-12	RTD	2	Data Input Error	12216		Selective Recalc	Local
04/26/2023	1	7-9	RTD	2	Data Input Error	12189		Selective Recalc	Local
04/26/2023	1	2	RTPD	2	Data Input Error	12263		Selective Recalc	Local
04/26/2023	1	3	RTPD	2	Data Input Error	12259		Selective Recalc	Local
04/26/2023	1	4	RTPD	2	Data Input Error	12250		Selective Recalc	Local
04/26/2023	2	1	RTPD	2	Data Input Error	12335		Selective Recalc	Local
04/26/2023	24	1	RTPD	5	Software Defect	228		Selective Recalc	Local
04/30/2023	20	12	RTD	1	Data Input Error	10995		Selective Recalc	Local
04/30/2023	21	1-3,7-9	RTD	1	Data Input Error	11022		Selective Recalc	Local
04/30/2023	21	10-11	RTD	1	Data Input Error	11023		Selective Recalc	Local
04/30/2023	21	4-6	RTD	1	Data Input Error	11024		Selective Recalc	Local
04/30/2023	22	1	RTD	1	Data Input Error	11021		Selective Recalc	Local
04/30/2023	22	2	RTD	1	Data Input Error			Selective Recalc	Local
04/30/2023	23	1-3	RTD	1	Data Input Error	11179		Selective Recalc	Local
04/30/2023	24	1,3	RTD	1	Data Input Error	11224		Selective Recalc	Local
04/30/2023	24	10-12	RTD	1	Data Input Error	11161		Selective Recalc	Local
04/30/2023	24	2	RTD	1	Data Input Error	11202		Selective Recalc	Local
04/30/2023	24	4-6	RTD	1	Data Input Error	11159		Selective Recalc	Local
04/30/2023	24	7	RTD	1	Data Input Error	11163		Selective Recalc	Local
04/30/2023	24	8-9	RTD	1	Data Input Error	11101		Selective Recalc	Local
04/30/2023	5	2-3	RTD	1	Data Input Error	10916		Selective Recalc	Local
04/30/2023	5	4-6,10-12	RTD	1	Data Input Error	10984		Selective Recalc	Local
04/30/2023	5	7-9	RTD	1	Data Input Error	11016		Selective Recalc	Local
04/30/2023	6	1-3	RTD	1	Data Input Error	10884		Selective Recalc	Local
04/30/2023	6	10	RTD	1	Data Input Error	11045		Selective Recalc	Local

Price Correction Report

Week of May 1 – May 5, 2023

04/30/2023	6	11-12	RTD	1	Data Input Error	10990		Selective Recalc	Local
04/30/2023	6	4-6	RTD	1	Data Input Error	10910		Selective Recalc	Local
04/30/2023	6	7-9	RTD	1	Data Input Error	10926		Selective Recalc	Local
04/30/2023	7	1	RTD	1	Data Input Error			Selective Recalc	Local
04/30/2023	7	2-3	RTD	1	Data Input Error	10975		Selective Recalc	Local
04/30/2023	7	4-6	RTD	1	Data Input Error	10936		Selective Recalc	Local
04/30/2023	7	7,9	RTD	1	Data Input Error	10994		Selective Recalc	Local
04/30/2023	7	8	RTD	1	Data Input Error			Selective Recalc	Local
04/30/2023	21	1	RTPD	1	Data Input Error	793		Selective Recalc	Local
04/30/2023	21	2-3	RTPD	1	Data Input Error	11024		Selective Recalc	Local
04/30/2023	24	1	RTPD	1	Data Input Error	11195		Selective Recalc	Local
04/30/2023	24	2	RTPD	1	Data Input Error	11159		Selective Recalc	Local
04/30/2023	24	3	RTPD	1	Data Input Error	11137		Selective Recalc	Local
04/30/2023	24	4	RTPD	1	Data Input Error	11181		Selective Recalc	Local
04/30/2023	5	2	RTPD	1	Data Input Error	11020		Selective Recalc	Local
04/30/2023	5	3	RTPD	1	Data Input Error	10988		Selective Recalc	Local
04/30/2023	5	4	RTPD	1	Data Input Error	10984		Selective Recalc	Local
04/30/2023	6	1	RTPD	1	Data Input Error	10921		Selective Recalc	Local
04/30/2023	6	2	RTPD	1	Data Input Error	10977		Selective Recalc	Local
04/30/2023	6	3	RTPD	1	Data Input Error	10951		Selective Recalc	Local
04/30/2023	6	4	RTPD	1	Data Input Error	11004		Selective Recalc	Local
04/30/2023	7	3	RTPD	1	Data Input Error	10991		Selective Recalc	Local

Corrections made through interval replacement: 5

Date	HE	Intervals	Market	#	Reason	Affected Area
04/28/2023	8	2-6	RTD	4	Software Defect	System

Corrections made through market rerun: 0

Description of Issues:

1. Data Input Error:

Invalid congestion due to a data input error impacting the resource dispatch.

Prices were corrected by selective recalculation.

2. Data Input Error:

Invalid congestion on PATH_55 due to a data input error impacting constraint enforcement.

Prices were corrected by selective recalculation.

3. Software Defect:

Invalid A/S prices due to a software defect impact A/S requirements.

Price Correction Report

Week of May 1 – May 5, 2023

Prices were corrected by selective recalculation.

4. Software Defect:

Invalid prices due to a software defect impacting RTCD runs.

Prices were corrected by interval replacement.

5. Software Defect:

Invalid shadow price due to a software defect impacting pricing formation.

Prices were corrected by selective recalculation.

Price Fill Report

A price fill occurs whenever a market run failed to publish to the Settlement system. This usually occurs whenever a market run failed, for example when a market fails to come to a solution. It could also occur when an operator decides that a market is not to be run, for example during a contingency event. Automatic price fills also occur in real-time when an operator chooses to utilize the previous interval's solution for the current interval.

Prices are filled according to the rules in CAISO Tariff section 7.7.9 which states that administrative pricing applies to intervals where we have had a market disruption, and requires the prices to be set differently depending on the number of consecutive market disruptions.

The number of prices which were adjusted by the fill process is as follows.

Total number of filled price intervals for energy, AS and GHG: 11

Date	HE	Intervals	Market
04/25/2023	15	7	RTD
04/25/2023	15	8	RTD
04/25/2023	15	11	RTD
04/25/2023	16	1	RTD
04/25/2023	24	11	RTD
04/25/2023	24	12	RTD
04/25/2023	16	1	RTPD
04/26/2023	1	1	RTPD
04/28/2023	8	3	RTD
04/28/2023	8	4	RTD
04/28/2023	8	5	RTD

Price Correction Report

Week of May 1 – May 5, 2023

Total number of filled price intervals for FRP: 11

Date	HE	Intervals	Market
04/25/2023	15	8	RTD
04/25/2023	15	9	RTD
04/25/2023	15	12	RTD
04/25/2023	16	2	RTD
04/25/2023	24	12	RTD
04/25/2023	16	2	RTPD
04/26/2023	1	1	RTD
04/26/2023	1	2	RTPD
04/28/2023	8	4	RTD
04/28/2023	8	5	RTD
04/28/2023	8	6	RTD

Note: Intervals filled are subject to subsequent price corrections where applicable.

Disconnected Pnode Report

According to Congestion Revenue Rights BPM Section 15, when the IFM cannot identify an electrically connected PNODE within the fixed level of proximity, a post process will be performed to determine the next closest electrically connected PNode and replace the LMP of the disconnected PNode with this price. This price update will be done within the DAM price correction timeline.

The number of prices which were adjusted by the disconnected Pnode process is as follows.

Total number of hours with disconnected pnode price update: 0