

Wind and Solar Curtailment February 15, 2025

This report is produced daily to provide a detailed accounting of the wind and solar renewable generation that was curtailed and the reasons why¹. This report should be read in the context of the Renewables Watch report for a more complete understanding of both renewable curtailment and generation².

Wind and solar curtailments are grouped into the following categories:

- 1. Economic Local: Market dispatch of generators with economic bids to mitigate local congestion³.
- Economic System: Market dispatch of generators with economic bids to mitigate systemwide oversupply⁴.
- 3. SelfSchCut Local: Market dispatch of self-schedules to mitigate local congestion.
- 4. SelfSchCut System: Market dispatch of self-schedules to mitigate system-wide oversupply.
- 5. ExDispatch Local: Exceptional dispatch to mitigate local congestion.
- 6. ExDispatch System: Exceptional dispatch to mitigate system-wide oversupply.

Note: Amounts smaller than 1 MW are filtered out for simplicity. Such small curtailments are occasionally observed when forecasts are lower than Pmin when market will de-commit the unit and send the 0 MW dispatch.

¹Only wind and solar resources can be reported in this manner because these resources have a forecast. Curtailment is defined as the difference between actual production and the forecast when actual production is less than the forecast.


²The Renewables Watch report provides daily actual renewable production within the ISO grid. It is available at: <u>http://www.caiso.com/green/renewableswatch.html</u>.

³Congestion occurs when available, least-cost energy cannot be delivered to some loads because transmission facilities do not have sufficient capacity to deliver the energy.


⁴For more information on oversupply conditions, please see: <u>https://www.caiso.com/Documents/FlexibleResourcesHelpRenewables_FastFacts.pdf</u>




The following charts show the daily and 7-day wind and solar curtailment by category, if any.




2. Maximum wind/solar generation curtailment in MW for any one of the twelve realtime dispatch intervals in a particular hour. - 2/15/2025






4. Maximum generation curtailment in MW for any one of the twelve real-time dispatch intervals in a particular day on a 7-day basis. - 2/15/2025






The following charts show hourly year to date wind and solar curtailment by category, if any.



The following charts show monthly year to date wind and solar curtailment by category, if any.



TYPE	YTD CURTAILED MWH - 2/15/2025
LocalEconomic	319,549
LocalSelfSchCut	7
SystemEconomic	12,094
TOTAL	331,650



DATE	HOU R	CURT TYPE	REASON	FUEL TYPE	CURTAILED MWH	CURTAILED MW
02/15	8	Economic	Local	SOLR	8	39
02/15	9	Economic	Local	SOLR	840	2029
02/15	10	Economic	Local	SOLR	2587	3211
02/15	11	Economic	Local	SOLR	3409	3883
02/15	11	Economic	Local	WIND	0	
02/15	12	Economic	Local	SOLR	3584	3663
02/15	12	Economic	Local	WIND	14	19
02/15	13	Economic	Local	SOLR	3856	4198
02/15	13	Economic	Local	WIND	121	171
02/15	14	Economic	Local	SOLR	3769	4113
02/15	14	Economic	Local	WIND	121	143
02/15	15	Economic	Local	SOLR	4341	4631
02/15	15	Economic	Local	WIND	143	145
02/15	16	Economic	Local	SOLR	2796	4855
02/15	16	Economic	Local	WIND	56	130
02/15	17	Economic	Local	SOLR	22	222

Data used to produce hourly chart

The information contained in this report is preliminary and subject to change without notice. No inference, decision or conclusion should be made based on the information in this report or any series of these reports. All values are hourly average unless otherwise stated. Questions about this report should be directed to Short-Term Forecasting at ShortTermForecasting@caiso.com.